COLUMBIA LIBRARIES OFFSITE
HEALTH SCIENCES RESTRICTED
HR02308819

Serial
A 1890-1893

Columbia University
in the City of New York

College of Physicians and Surgeons

Library

Digitized by the Internet Archive
in 2010 with funding from
Columbia University Libraries

http://www.archive.org/details/reportofboardofh1890alab

THE MEDICAL ASSOCIATION OF THE STATE OF ALABAMA.

COLUMBIA UNIVERSITY LIBRARY

THE REPORT

OF THE

BOARD OF HEALTH

OF THE

STATE OF ALABAMA,

FOR THE YEAR 1890.

MONTGOMERY, ALA.:
THE BROWN PRINTING CO., STATE PRINTERS AND BINDERS,
1893.

THE MEDICAL ASSOCIATION OF THE
STATE OF ALABAMA,
THE STATE BOARD OF HEALTH,
TUSCALOOSA, ALA., January 18, 1893.

To His Excellency, THOMAS G. JONES,
Governor of Alabama:

SIR—I have the honor herewith to submit the report of the State Board of Health for the year 1890.

I have to express my regret that it has been so greatly delayed. The compilation of statistical tables is very laborious, and takes much time. The reports of the county boards of health, which are used in the preparation of the report of the State Board, are not ready until January and February of the year succeeding that to which they apply; after which it takes one clerk (all we have) six or eight months to make out the statistical tables. Even with all this, this report would have been submitted several months ago, but for the fact that we desired to use the population of the census of 1890 for our calculations, instead of the populations of the census of 1880. We were in frequent correspondence with the census office, and during the last eight or ten months we have had repeated assurances that the bulletin containing the desired information would be published soon.

But with all the vast means at the command of the Superintendent of the Census, this bulletin has just been issued. No such delay can occur again during this decennial period. The report for 1891 has been ready, with the same exception, for more than two months, and will be submitted at the same time with this.

I have the honor to remain,

J. T. SEARCY, M. D.,
President Medical Association of State of Alabama, and State Board of Health.

JAN 24 1906
383049

ORGANIZATION.

Under the laws of Alabama the Medical Association of the State of Alabama is the State Board of Health. The officers for 1890 are as follows:

PRESIDENT,

William Henry Sanders, M. D., Mobile.

VICE-PRESIDENTS,

Shirley Bragg, M. D., Lowndesboro.
William Camp Wheeler, M. D., Huntsville.

SECRETARY,

Thomas Alexander Means, M. D., Montgomery.

TREASURER,

Walter Clark Jackson, M. D., Montgomery.

BOARD OF CENSORS AND COMMITTEE OF PUBLIC HEALTH,

Jerome Cochran, M. D., Montgomery, *Chairman.*
John Jefferson Dement, M. D., Huntsville.
George Augustus Ketchum, M. D., Mobile.
Henry Edward Sholl, M. D., Birmingham.
Wilds Scott DuBose, M. D., Columbiana.
John Brown Gaston, M. D., Montgomery.
Samuel Dibble Seelye, M. D., Montgomery.
Job Sobiesky Weatherly, M. D., Montgomery.
Benjamin James Baldwin, M. D., Montgomery.
Peter Bryce, M. D., Tuskaloosa.

STATE HEALTH OFFICER,

Jerome Cochran, M. D., Official residence, Montgomery.

PART I.

PROCEEDINGS AND RECOMMENDATIONS OF THE STATE BOARD OF HEALTH.

Report of the State Board of Health, 1890.

During the past year we have had in Alabama no serious epidemic visitation, at least none that required any direct intervention of the State Board of Health. All portions of the State have suffered from the grippe, or epidemic influenza, which, by reason of various complications, has added some small percentage to the usual death rates. Measles, also, has prevailed extensively in some portions of the State, but the deaths from it have been few.

The great burthen of our work has been, as usual, to increase the efficacy of the county boards of health, and to press forward the great work of collecting the vital statistics of the State. In this work we are still making satisfactory progress. The details in regard to it will be found in the notes on the work of the county boards of health in another part of this report.

We desire again very earnestly to call the attention of the county boards of health to two important sections of the Book of the Rules, one beginning on page 196, and entitled "Instructions for the County Boards of Health;" and the other beginning on page 198, and entitled "Address to the Courts of County Commissioners." If the county boards will act with due regard to the policies outlined in these sections they cannot fall very far below a reputable measure of success in the discharge of their duties.

We also desire to call the attention of the county boards of health to the sections in the last volume of Transactions in regard to the establishment of licensed grave yards, and the examination of midwives.

EXPENDITURES.

THE STATE BOARD OF HEALTH,

In Account with the State of Alabama:

		Dr.
1890.		
April 30.	To cash from Auditor	$ 250 00
May 31.	" "	250 00
June 30.	" "	250 00
July 31.	" "	250 00
Aug. 30.	" "	250 00
Sept. 30.	" "	100 00
Oct. 1.	" "	150 00
Oct. 31.	" "	250 00
Nov. 29.	" "	250 00
Dec. 31.	" "	250 00
1891		
Jan. 31.	" "	250 00
Feb. 28.	" "	250 00
Mch. 31.	" "	250 00
	Total	$3,000 00

CREDITS.

1890		
April 1.	By cash for postage, July 8, '89	$ 5 00
" 2.	shelves in office	1 00
" 2.	box rent, P. O	1 50
" 2.	postage, Book of Rules	50
" 30.	Health Officer's salary, April	150 00
" 30.	clerk's salary, April	50 00
May 6.	drayage	25
" 8.	cash to Joel White	2 30
" 19.	postage	5 00
" 24.	postage, B. of R	50
" 26.	pencils	25
" 26.	expressage	25
" 26.	cash, 1000 envelopes, stamped	22 00
" 31.	Health Officer's salary, May	150 00
" 31.	clerk's salary, May	50 00
June 7.	postage	5 00
" 12.	postage, B. of R	50
" 12.	trip to Randolph county	10 65
" 16.	postage, B. of R	50
" 20.	postage	11 20
" 28.	expressage	25
" 28.	drayage	50
" 30.	cash to Brown Printing Co	100 00
" 30.	Health Officer's salary, June	150 00
" 30.	clerk's salary, June	50 00

EXPENDITURES—Continued.

July 2.	By	box rent	$ 1 50
" 7.		cash to Joel White	2 65
" 7.		trip to Evergreen	6 82
" 17.		postage.	1 00
" 17.		expressage, (Cullman)	35
" 26.		postage, B. of R	50
" 26.		expressage, (Ozark)	35
" 26.		postage	1 00
" 31.		Health Officer's salary, July	150 00
" 31.		clerk's salary, July	50 00
Aug. 16.		postage	10 00
" 18.		trip to Southeast Alabama	23 54
" 23.		trip to Seale, Alabama	4 92
" 28.		trip to Andalusia	17 57
" 30.		Health Officer's salary, August	150 00
" 30.		clerk's salary, August	50 00
Sept. 9.		postage	1 00
" 13.		trip to Northwest Alabama, 14th to 24th	21 31
" 25.		postage	5 00
" 27.		cash, 1000 envelopes, stamped	22 00
" 30.		Health Officer's salary, September	150 00
" 30.		clerk's salary, September	50 00
Oct. 1.		postage and envelopes	11 20
" 2.		box rent	1 50
" 10.		trip to Tuskaloosa	10 60
" 31.		Health Officer's salary, October	150 00
" 31.		clerk's salary, October	50 00
Nov. 10.		cash to Brown Printing Co	50 00
" 29.		Health Officer's salary, November	150 00
" 29.		clerk's salary, November	50 00
Dec. 5.		postage and envelopes	11 20
" 5.		postage, 2c stamps	2 00
" 31.		Health Officer's salary, December	150 00
" 31.		clerk's salary, December	50 00
1891.			
Jan. 6.		cash to Brown Printing Co	100 00
" 6.		postage, B. of R	50
" 8.		wrapping paper	1 85
" 8.		box rent	1 50
" 9.		postage	5 00
" 31.		Health Officer's salary, January	150 00
" 31.		clerk's salary, January	50 00
Feb. 7.		postage	3 00
" 7.		postage, B. of R	50
" 13.		cash to Joel White	4 00
" 23.		cash, 1000 envelopes, stamped	22 00

EXPENDITURES—Continued.

Feb. 23.	By drayage	$ 25
" 28.	Health Officer's salary, February	150 00
" 28.	clerk's salary, February	50 00
M'ch. 2.	extra postage	25
" 9.	postage	2 00
" 11.	expressage	1 35
" 21.	postage, B. of R.	50
" 31.	Health Officer's salary, March	150 00
" 31.	clerk's salary, March	50 00
" 31.	cash to Brown Printing Co	84 14
	Total	$3,000 00

	Cr.	Dr.
To total receipts from April, 1890, to April 1, 1891		$3,000 00
By total expenditures from April 1, 1890, to April 1, 1891	$3,000 00	

RECAPITULATION OF EXPENDITURES.

By Health Officer's salary from April 1, 1890 to April 1, 1891	$1,800 00
Clerk's salary for same time	600 00
Cash, postage for same time	148 85
Cash to Prown Printing Co., same time	250 00
Miscellaneous	201 15
Total	$3,000 00

NOTE BY THE STATE HEALTH OFFICER.

In the foregoing account the sum of seven dollars and fifteen cents ($7.15), was advanced by the State Board of Health to pay postage on the Book of the Rules. This sum has been refunded by the association out of the money derived from the sale of said books; and the amount thus refunded has been paid over to our printers, the Brown Printing Company, which leaves the balance as before, with a corresponding reduction of our outstanding indebtedness.

THE CONFERENCE OF STATE BOARDS OF HEALTH.

The conference of State Boards of Health meets in Washington, District of Columbia, early in May. It is undoubtedly of importance that the Board of Health of the State of Alabama should be represented at that meeting. It was the

custom during Governor Seay's administration, for the State Health Officer to attend the meeting of this conference, and to have his expenses paid out of the quarantine fund, under the first section of the act to regulate the practice of quarantine in Alabama, approved February 28, 1887. We therefore recommend the passage of the following resolution:

Resolved, That it is the sense of the Board of Health of the State of Alabama, that the State Health Officer should attend the conference of State Boards of Health which meets in Washington, District of Columbia, in May proximo; and that the Governor is hereby requested, if consistent with his interpretation of the law, to authorize the payment out of the quarantine fund of the necessary traveling expenses of the State Health Officer in making said trip.

ADMINISTRATION OF THE COLOR-BLIND LAW.

The examiners under the color-blind law are, at present, as follows:

Dr. R. D. Webb, Birmingham.
Dr. Charles Whelan, Birmingham.
Dr. S. C. Carson, Bessemer.
Dr. W. H. Sanders, Mobile.
Dr. B. J. Baldwin, Montgomery.
Dr. J. J. Dement, Huntsville.
Dr. R. P. Huger, Anniston.
Dr. Goldsby King, Selma.

During the year 1890 these examiners have examined an aggregate of 2,486 persons—whites, 1,950; blacks, 402; mulattoes, 74; with 75 rejections—whites, 66, blacks, 8; mulattoes, 1; and the detailed results of these examinations have been submitted to the State Board of Health in the formal reports required under the law.

The administration of the color-blind law is in the hands of the State Board of Health; but the appointment of the examiners rests exclusively with the governor. Any of these examiners may be removed at any time by the governor, on the recommendation of the State Board of Health. The governor not only has the power to appoint, but it is his privilege, also, to determine how many appointments shall be

made. In the meantime, we are responsible to the State for the right administration of the law; and the right administration of the law depends very much on the competency of those who make the examinations—a matter about which if we are consulted at all it is only through the courtesy of the governor. Since the passage of our law and the preparation of the rules for the government of the color-blind examiners, some advances have been made in the scientific principles applicable to these examinations. We therefore recommend that we be authorized to consider the propriety of revising the present rules in regard to the methods employed by color-blind examiners in this state.

THE WORK OF THE COUNTY BOARDS OF HEALTH.

Autauga county board.—No reports have been received from this county during the year, except for the town of Prattville. For this town Dr. Smith has furnished, as usual, very complete statistics. Early in the year Dr. A. S. McKeithen was elected county health officer to succeed Dr. Smith; but he never made a single report, and so far as is known never made any effort to discharge the duties of the office. The Autauga county board has been culpably negligent of their obligations to the people and to the profession.

Baldwin county board.—Dr. Wm. M. Lovelady continues to act as county health officer for this county. The difficulties in his way have been great, and while his success has not been remarkable he has perhaps done as well as could have been expected under the circumstances.

Barbour county board.—In this county there has been considerable improvement over several previous years; but it is still in a very unsatisfactory condition. There is no excuse for the comparative failure of this board, except that the majority of the doctors in the county became greatly demoralized, which unfortunate demoralization has not yet been entirely overcome. It is hoped that better success will be achieved this year. The reports have been rendered with tolerable regularity. Dr. W. H. Robertson is still the county health officer.

Bibb county board.—In our last annual report we stated that the collection of vital statistics had been resumed in this county, and that there was a fair prospect of success. In this respect our hopes have been disappointed. Dr. M. C. Schoolar, who had undertaken to act as county health officer, suddenly ceased to make his reports, perhaps, because he received no salary. However, he made no explanation in regard to it, and neglected to answer the letters of inquiry addressed to him. The doctors and midwives were reporting very well, and all the indications were favorable. All that was needed was some one to

supervise the work. Some months ago Dr. H. H. McCauley was elected county health officer; but he also has failed to make reports.

Blount county board.—Our work in this county has been steadily growing less satisfactory during the year. Dr. W. M. Cole is still the county health officer, but does not succeed as well as formerly. This would seem to indicate that he takes less interest in his work. The monthly reports come in with tolerable regularity, but the births and death rates per thousand, and the lists of delinquents show a decided lack of efficiency. The board of this county should manage to have a more efficient administration.

Bullock county board.—The collection of vital statistics in this county continue to be well done. Dr. R. H. Hayes has been superseded by Dr. H. M. Hunter as county health officer.

Butler county board.—The work of this board during the past year has been less satisfactory than usual. The reports have been sent in regularly, but there are more delinquent doctors and more defective beats. An earnest effort towards improvement ought to be made. Dr. Job. Thigpen is still county health officer.

Note.—Since this was written Dr. J. C. Kendrick has been elected health officer of the county.

Calhoun county board.—The work of this board continues to improve, The returns from Oxford, Jacksonville and Piedmont are about complete, and reflect credit on the assistants that have them in charge. The returns from Anniston are not quite complete, but are very nearly so. The principle trouble grows out of the negligence of one or two doctors. From the county beats, also, the returns have grown more complete, although two or three beats are still not thoroughly reported. Dr. T. W. Ayres is still the county health officer.

Chambers county board.—The words of our last year's report may be repeated here. In this county the board of health is strangely negligent of its duties, and there is no excuse for it. There are about thirty doctors in the county, and more than half of them are members of the county society. All they need is a county health officer who will make reports. The present nominal incumbent of the position, like his predecessor, is a complete failure. Of course this is no excuse for the board, who are severely censurable for their neglect of duty.

Cherokee county board.—The work of this board is about the same as last year. Dr. G. D. W. Lawrence is still county health officer.

Chilton county board.—This board made no effort at all during the past year to discharge their duties. Recently they have shown some disposition to go to work, and it is to be hoped that they will make an earnest effort. Dr. W. E. Stewart has been elected county health officer. He filled the position once before very successfully. It is hoped that he will be equally successful this time.

Choctaw county board.—In this county there has been no noticeable change in our work, which still drags on in a very inefficient fashion. Dr. R. B. Carr is still the county health officer.

Clarke county board.—The work of this board last year made encouraging progress, with Dr. J. W. Armistead as county health officer. At the beginning of this year Dr. J. W. Flemming was elected to the position of county health officer. He did not succeed well; and, after a very short experiment, Dr. Armistead was restored.

Clay county board.—This board, during tle past year, has made some improvement, but not as much as we had hoped. We still believe that with a little more effort this county might be brought well up to the front. Dr. A. L. Harlan is still the county health officer.

Cleburne county board.—This board, as usual, has done nothing.

Coffee county board.—This board, last year, made another complete failure.

Colbert county board.—During the past year the reports of this board were again suspended. Dr. W. W. Prater was elected to succeed Dr. S. J. Cooper as county health officer. His health was bad, and his duties were neglected. The board should have promptly appointed some one else in his place, but failed to do so. Recently they have appointed Dr. A. A. Wall county health officer. How he will succeed remains to be shown.

Conecuh county board.—The work of this board goes on about as for the last several years. Both the birth rate and the death rate are so small as to provoke remark, but Dr. A. A. McKittrick insists that his reports are complete, and offers rewards for any unrecorded cases that may be reported to him.

Coosa county board.—In Coosa county, while our work is still imperfect, the outlook continues to improve. Dr. A. J. Peterson is the county health officer, and seems to be making an earnest effort to succeed.

Covington county board.—This board made no reports during the past year, although Dr. Wm. J. Head, the county health officer, received a considerable number of returns, and the doctors of the county seem disposed to do their duty under the law. Dr. W. E. Sentell has been recently elected county health officer, and we hope he will make a better showing.

Crenshaw county board —This board has made regular reports during the past year, but they have been so defective as to be of very little value. The improvement we hoped for in our last report has not been realized. Dr. S. W. May is still the county health officer. He has made no reports this year. No salary is paid in this county.

Cullman county board.—This board has done good work during the past year, and deserves credit. But for the negligence of two or three of the physicians the returns would have been quite complete. We hope this negligence will be overcome this year. Dr. M. L. Johnson continues to act as county health officer.

Dale county board.—This board made another failure last year. During the first half of the year Dr. W. L Jones continued to fill the position of county health officer. About August he was suspended by Dr. A. G. McLeod. The monthly reports have been rendered, but they are incomplete as to be of no value.

Note.—Since this was written Dr. R. F. Harper has been elected county health officer, and the outlook for successful work has improved.

Dallas county board.—The situation in this county is not satisfactory but is considerably better than it was last year. We hope it will continue to improve. Dr. T. G. Howard is still acting as county health officer.

DeKalb county board.—The condition of our work in DeKalb county has improved decidedly under the administration of county health officer, Dr. H. P. McWhorter, and the outlook for still further improvement is good.

Elmore county board.—This board has acquitted itself very creditably during the past year. A little more effort would make its work complete. Dr. O. S. Justice is still the county health officer.

Escambia county board.—This board has again made an exceptionally good record, and deserve much credit. Dr. S. C. Henderson is still the county health officer.

Note.—Since this was written Dr. J. L. Bass has been elected county health officer, succeeding Dr. Henderson.

Etowah county board.—Our work in Etowah is about as it was last year, but has not improved as we hoped it would. The returns of births and deaths are tolerably full, but not complete. We hope a special effort to make them complete will be made this year. Dr. M. R. Wright is still county health officer.

Fayette county board.—We are sorry to report that our work in Fayette county does not improve. Dr. T. B. Wood, whose record for 1888 was so encouraging, is still county health officer, but is evidently not making as much effort as formerly.

Franklin county board.—In Franklin county Dr L. W. Duprez has been elected county health officer, and promises to make some effort to collect vital statistics. He has no salary and has been in office a very short time.

Geneva county board.—Dr. T. J. Warde, the previous county health officer, having ceased to pay any attention to the duties of the office, finally resigned, and Dr. Bullock was elected to succeed him. Dr.

Bullock has made the monthly reports regularly, so far, but they are extremely defective. We can only hope that they will grow better.

Greene county board.—Our work in Greene county has not prospered as we could have desired. The reports, however, have been regularly made, and there has been some improvement. Dr. Thos. W. Pierce is still acting as county health officer. He has no salary, and is entitled to credit for his perseverence under adverse circumstances.

Hale county board.—In this county our work has not improved. The reports come in regularly and in proper form, but they continue to be very defective. Dr. J. Huggins is still the county health officer.

Henry county board.—This board has been greatly demoralized during the past year. There has been bitter dissensions amongst the doctors; and Dr. Darby, the county health officer, has made very imperfect reports during the year. Recently he ceased to make reports at all; and has sent in no annual report. His salary was two hundred dollars. A few months ago Dr. J. P. Alred was elected county health officer, but has made no reports.

Jackson county board.—This board continues to do fairly good work. The county is large and some parts of it difficult of access. Notwithstanding this the work is better done, than in several counties where the surroundings are more favorable. Dr. W. C. Maples is the county health officer, having succeeded Dr. J. R. Tarrant at the beginning of the year. Both Dr. Tarrant and Dr. Maples have proven to be efficient officers.

Jefferson county board.—This board continues to make regular reports; but the work of collecting vital statistics does not improve. On the contrary, the tendency is the other way. The county pays six hundred dollars for this work. This is an adequate salary and ought to secure good results. This board has not done its duty in this regard. Dr. H. N. Rosser is still the county health officer.

Lamar county board.—During the past year the work in this county continued to improve, and was in a very promising condition, with Dr. R. J. Redden as county health officer. This year Dr. D. D. Hollis has been elected county health officer, and the work has already retrograded greatly.

Lauderdale county board.—The monthly reports of this board were sent in with tolerable regularity, but they have been so defective as to be of no value. Dr. Charles M. Watson was county health officer. Since the first of January no reports have been received.

Lawrence county board.—The reports of this board are still defective, but show some improvement. Dr. William J. Mahon is still the county health officer.

Lee county board.—This board made regular reports all last year, but they were very defective. Dr. R. L. Sutton was county health officer.

He left the county in January, and no reports have been made this year. All that is needed in this county is an efficient health officer.

Limestone county board.—The work of this board since our last report has been only moderately good. The beat system has been at last adopted, but only partially carried out. Dr. G. R. Lewis is county health officer. There is some hope of better work this year.

Lowndes county board.—In this county there has been no change. The work is well done Dr. Shirley Bragg is still county health officer.

Macon county board.—This board continues to be negligent of its duty. A few reports were sent in last year by Dr. L. W. Johnson, but they were of very small value. There being no salary attached to the position of county health officer, Dr. Johnson grew tired and gave it up. This year Dr. C. L. C. Atkeson is the county health officer. He has met with but little success.

Madison county board.—The success of this board is about the same as last year—only moderately good. Dr. J. L. Darwin is still county health officer. This is one of the counties in which thorough work ought to be done.

Marengo county board.—This board as for a number of years has made a complete failure. Dr. C. B. Thomas and Dr. R. B. McCants were county health officers last year. Their reports were of no value. This year Dr. I. G Wilson is the county health officer. It remains to be seen what success he will have.

Marion county board --This board has never succeeded in accomplishing anything in the way of collecting vital statistics.

Marshall county board.—The work of this board shows no improvement, and is barely tolerable. Dr. W L. Thomason is still county health officer. He gets no salary.

Mobile county board.—The work of this board outside of the city of Mobile has been a failure. Dr. D C. Randle has been county health officer with a salary of three hundred dollars—a salary that ought to have secured good work.

Monroe county board.—Our work in this county continues to be fairly well done. Dr. McMillan is still the county health officer. His salary is one hundred dollars.

Montgomery county board.—Our work has improved in this county, but is still not what it ought to be. Dr. P. H. Owen is still the county health officer. His salary is three hundred dollars.

Morgan county board.—The work of this board has improved materially since our last report, and is now fairly well done. There is still room, however, for additional improvement. Dr. Peter Binford is still county health officer.

Perry county board.—The success of this board has not come up to our expectations. There is a prospect for some improvement during the present year. Dr. Charles A. Wilkerson is still the county health officer.

Pickens county board.—This board has not yet succeeded in making satisfactory reports. Dr. Beck left the county and for several months no reports have been made. Dr. A. N Steele is now the county health officer.

Pike county board.—There has been some slight improvement in the work of this board, but the returns are still to some extent incomplete. A little more effort would overcome the remaining difficulties Dr. J. S. Beard continues to be the county health officer.

Randolph county board.—This board made imperfect reports for several months. But Dr. C. W. Taylor, the county health officer, got tired of working without pay, and the reports ceased several months ago.

Russell county board.—This board has been a chronic failure so far as the collection of vital statistics is concerned. Dr. W. C. Hanson has been recently elected county healty officer. It remains to be seen what sort of success he will have.

Shelby county board.—Nothing was done in this county last year. Dr. W. S. DuBose is still the county health officer, but he makes no reports.

St. Clair county board.—The work of this board has not been nearly so well done since Dr. D. E. Cason gave up the position of county health officer. He was succeeded by Dr. G. M. Jones.

Sumter county board.—Our work in this county has been in a very unsatisfactory condition for several years. Recently Dr. W. H. Sledge has been succeeded as county health officer by Dr. D. S. Brockway. We hope the change will prove to be a fortunate one.

Talladega county board.—The work in this county continues in an unsatisfactory condition. Dr. W. F. Thetford is still the county health officer.

Tallapoosa county board.—This board has done fairly well, but hardly so well as last year. Dr. J. A. Goggins has been succeeded by Dr. A. J. Coley.

Tuscaloosa county board.—There has been some improvement in our work in this county, but it is still very defective. Dr. John B. Read is still the county health officer. He seems to have exerted himself to discharge the duties of his office; but his success has been quite moderate.

Walker county board.—Our work in Walker continues in a state of chronic suspension. Dr. W. C. Rosamond is still county health officer, but he makes no reports.

Washington county board.—No attempt has ever been made to collect vital statistics in this county.

Wilcox county board.—In this county our work continues to drag on without improvement. This board ought to do better. Dr. R. H. Kilpatrick is still the county health officer.

Winston county board.—The work of this board has not been so well done this past year as it was heretofore. Dr. J. C. Taylor is county health officer.

THE ROLL OF HONOR.

Beat Health Officers who deserve favorable mention:

BALDWIN.

Dr. W. M. Lovelady.

BARBOUR.

Dr. H. L. Brannon,
" W. H. Robertson,
Dr. D. J. Herron,
" J. A. Reynolds,
Dr. G. W. Huey.

BLOUNT.

Dr. W. K. Clapp,
" D. S. Moore,
" L. L. Wikle,
" J. F. Hendricks,
Dr. William Cole,
" W. B. Allgood,
" A. S. Davidson,
" H. B. Martin,
Dr. J. W. Boyd.

BULLOCK.

Dr. H. M. Hunter,
" C. B. Lightner,
" W. B. Thomasson,
" B. F. Darnell,
Dr. W. A. Mayes,
" W. M. Bledsoe,
" W. A. Walker,
" W. A. Reynolds,
Dr. J. H. Reynolds.

BUTLER.

Dr. Job Thigpen,
" W. R. Smith,
" C. Wall,
Dr. J. E. Allman,
" W. C. Simmons,
" J. L. Perdue,
Dr. H. G. Perry.

CALHOUN.

Dr. T. W. Ayres,
" P. H. Brothers,
" W. H. Kinnebrew,
" J. F. M. Davis,
" E. C. Anderson,
Dr. H. Harvey,
" T. J. Williamson,
" B. S. Evans,
" J. M. Whiteside,
" A. M. Buchalew,
Dr. F. M. McRae.

CHEROKEE.

Dr. A. M. McWhorter,
" E. A. Cook,
" T. N. White,
" R. H. McGhee,
" T. M. Elliott,
" J. P. Farrill,
Dr. G. D. W. Lawrence,
" J. L. Barge,
" E. W. Ward,
" R. L. McWhorter,
" A. Shamblin,
" A. M. Brown.

CHOCTAW.

Dr. R. B. Carr,
" J. B. Phillips,
Dr. D. McCall,
" L. Shumaker,
Dr. R. H. Coleman.

CLARKE.

Dr. J. W. Armistead,
" Y. S. Chapman,
" G. W. Files,
" B. Burroughs,
" J. D. Lindsey,
Dr. H. G. Davis,
" C. H. Dahlberry,
" J. W. Fleming,
" T. B. Harwood,
" J. M. Davis.

CLAY.

Dr. A. L. Harlan,
" G. W. Bartlett,
" W. M. Scarborough,
Dr. G. N. Sims,
" J. F. Manning,
" A. K. McDairmed,
Dr. S. W. Owen.

CONECUH.

Dr. A. A. McKittrick,
" Dr. W. C. Shaw,
" W. B. Shaver,
Dr. H. T. Fountain,
" A. P. Feagin,
" Andrew Jay.

COOSA.

Dr. W. E. Maxwell,
" C. K. Maxwell,
Dr. William Bailey,
" W. H. Moon,
Dr. A. J. Peterson.

CULLMAN.

Dr. J. E. Purdon,
" W. J. Reid,
Dr. F. B. Burnum,
" J. H. Walling.

DALLAS.

Dr. William Mixon,
" L. L. Alston,
" W. C. Stewart,
Dr. R. M. Cochran,
" W. Q. Kendall,
" B. C. Adams,
Dr. J. A. Groves.

DEKALB.

Dr. A. M. McWhorter,
" H. P. McWhorter,
" E. P. Nicholson,
" J. R. Isbell,
" R. J. Patty,
Dr. J. T. Miller,
" W. E. Moore,
" D. E. Sibert,
" A. E. Killion,
" W. A. Elrod.

ELMORE.

Dr. O. S. Justice,
" J. R. Powell,
" S. F. Jowers,
" Phil. Fitzpatrick,
" E. H. Robertson,
" W. H. Huddleston,
Dr. A. L. Warren,
" J. T. Rushin,
" N. B. Sewell,
" J. I. Lamar,
" W. F. Beckett,
" H. T. Lett,
Dr. T. D. Hall.

ESCAMBIA.

Dr. S. C. Henderson,
" J. A. Wilkinson,
" F. S. Bondurant,
Dr S. W. Douglass,
" Y. P. Henry,
" J. D. Trammell,
Mr. J. H. Parker.

ETOWAH.

Dr. M. R. Wright,
" W. E. Jock,
" T. B. Teague,
" E. L. Dowdy,
Dr. J. B. Liddell,
" F. P. Landers,
" G. W. Morgan,
Mrs. L. V. Morgan,
Dr. W. L. Funderburg.

FAYETTE.

Dr. T. B. Woods,
" W. W. Jones,
" A. K. Newton,
" H. G. Amerson,
Dr. J. W. Lane,
" J. S. Hollis,
" A. K. Collins,
" M. R. Seay.

GREENE.

Dr. J. K. LeGare,
Dr. A. P. Smith,
Dr. A. M. Duncan.

HALE.

Dr. Jacob Huggins.

JACKSON.

Dr. D. B. McCord,
" G. W. Foster,
" P. H. Helton,
" W. C. Maples,
" G. T. Hayes,
" A. N. Blakemore,
" J. M. Brewer,
" Andy Boyd,
" J. F. Clarke,
" C. W. Adkins,
Dr. W. K. Spiller,
" J. R. Tarrant,
" W. D. Hadden,
" J. M. Hudson,
" J. H. Boyd,
" H. T. Gattis,
" F.Grant,
" L. A. Templeton,
" E. R. Smith,
" G. P. McAfee,
Mrs. Gilly Sanders.

JEFFERSON.

Dr. H. N. Rosser,
Dr. M. C. Ragsdale,
Dr. L. D. Whistenhant.

LAMAR.

Dr. R. J. Redden,
" J. S. Stanley,
" D. W. Box,
" L. C. Blakeney,
Dr. W. F. Elliott,
" D. D. Hollis,
" J. I. Barksdale,
" J. T. Seay.

LAWRENCE.

Dr. W. J. McMahon,
" J. R. Martin,
Dr. L. W. Houston,
" T. C. Jones.

LEE.

Dr. W. K. Wheelis,
Dr. A. G. Emory,
Dr. R. B. Beddell.

LOWNDES.

Dr. Shirley Bragg,
" C. T. Weatherly,
" S. G. Dilburn,
" W. L. Bruner,
" J. H. Russell,
Dr. S. E. Winnemore,
" William Peake,
" O. G. Bruner,
" W. C. Weaver,
" D. S. Hopping.

MADISON.

Dr. S. H. Lowry,
" J. B. Farley,
" J. P. Burke,
Dr. H. R. Johnson,
" R. M. Fletcher,
" J. C. Flynt,
Mr. John Hertzler.

MARSHALL.

Dr. W. M. Ricketts,
" J. J. McGahey,
" G. B. May,
Dr. T. S. May,
" W. L. Hughes,
" J. H. Maples,
Dr. F. M. Nixon.

MONROE.

Dr. W. W. McMillan,
" H. T. Fountain,
" W. H. Abernathy,
" W. R. Chapman,
Dr. S. S. Gaillard,
" F. S. Dailey,
" W. M. Hestle,
" W. J. Mason.

MONTGOMERY.

Dr. P. H. Owen,
" I. L. Watkins,
" C. W. Powell,
Dr. W. T. Kendrick,
" J. V. Phillips,
" A. H. Sellers,
Dr. W. H. Howell.

MORGAN.

Dr. B. F. Cross,
" E. J. Coynton,
" F. B. Hunter,
" S. C. Smith,
" S. L. Rountree,
Dr. P. Binford,
" W. B. Thomasson,
" J. H. Oden,
" J. L. Gill,
" Sam Lyle.

PIKE.

Dr. J. S. Beard,
" G. Hendricks,
" I. W. Hamil,
" C. M. Carlisle,
Dr. W. H. Posey,
" W. A. Eiland,
Mr. J. W. Lawson,
Dr. F. M. Broach.

ST. CLAIR.

Dr. J. W. Ash.

SUMTER.

Dr. J. N. Gilmer,
" D. T. Brockway,
Dr. T. D. Bourdeaux,
" D. Henegan,
Dr. M. B. Cameron.

TALLADEGA.

Dr. J. T. Donaldson,
" A. G. Sims,
" John Dixon,
" W. R. Kelley,
Dr. J. T. Harrison,
" J. W. Heacock,
" J. E. Pearson,
" W. F. Thetford.

TALLAPOOSA.

Dr. R. W. Lightfoot,
" O. T. Sheppard,
" H. M. Bloodsworth,
Dr. J. J. Harlan,
" A. J. Nolen,
" W. G. Carleton,
Dr. W. L. Banks.

TUSCALOOSA.

Dr. J. M. Clifton,
" R. D. Lucius,
" M. A. Toomey,
Dr. O. H. Burton,
" W. J. Caldwell,
" J. M. Thompson.

WILCOX.

Dr. R. H. Kilpatrick,
" W. T. Haddox,
Dr. Ed. Gaillard,
" C. C. Curtis.
Dr. D. F. Gaston.

WINSTON.

Dr. J. C. Taylor,
Dr. C. H. Johnson.

PART II.

STATISTICAL REPORTS.

Statistics on Color Blindness and Defective Vision—1890.

TABLE NO. 1.

CONSOLIDATED TABLE OF ALL EXAMINATIONS MADE 1890.

CLASSIFICATION OF DISABILITIES.

Marginal Nos.		Total.	COLORS			AGES			NATIVITIES.			
			White.	Black.	Mulatto.	Below 35 years.	Between 35 and 45 years	Above 45 years.	United States.	Canada.	Europe.	Other countries.
1	Whole number examined	2426	1950	402	74	2241	146	39	2368	36	22	..
2	Number without disqualifying defects	2326	1863	391	72	2164	134	28	2271	36	19	
3	" with disqualifying defects	100	87	11	2	77	12	11	97		3	..
4	" of examinations in Class I	1884	1435	379	70	1760	99	25	1846	24	14	..
5	" of certificates granted, Class I	1833	1392	372	69	1716	95	22	1795	24	14	
6	" of examinations in Class II	542	516	23	3	481	47	14	523	12	7	
7	" of certificates granted, Class II	518	493	22	3	464	42	12	499	12	7	
8	" with normal visual power, Class I	1835	1392	374	68	1721	95	20	1800	24	11	
9	" with defective visual power, Class I	49	43	5	2	39	4	5	46	..	3	
10	" rejected for defective visual power in Class I	39	34	5	..	32	4	3	37	....	2	.
11	" with normal visual power in Class II	506	480	23	3	458	40	8	487	12	7	
12	" with defective visual power in Class II	36	36	..	..	23	7	6	36	..	..	..
13	" rejected for defective visual power in Class II	27	27	..	..	17	5	5	27	..	..	..
14	" with defective refraction in right eye only in Class I	1		1	..	1	..	..	1	..	..	
15	" with defective refraction in left eye only in Class I	3	3	..	..	3	..	..	3	...	....	
16	" with defective refraction in both eyes in Class I	8	7	1	..	2	3	3	7	....	1	
17	" myopic in Class I	10	10		..	10	...	..	10	...	..	
18	" rejected for myopia in Class I	8	8	..	...	8	...	..	8	...	..	
19	" hypermetropic in Class I	5	5	..	..	3	..	2	4	...	1	
20	" rejected for hypermetropia in Class I	2	2	..	..	2	..	...	2	..	..	
21	" astygmatic in Class I	5	4	1	...	4	1	....	5	....	..	..

Statistics on Color-Blindness and Defective Vision—1890. (Continued.)

TABLE NO. 1.

CONSOLIDATED TABLE OF ALL EXAMINATIONS MADE 1890.

CLASSIFICATION OF DISABILITIES.

Marginal Nos.		Total.	Colors. White.	Black.	Mulatto.	Ages. Below 35 Years.	Between 35 and 45 Years.	Above 45 Years.	Nativities. United States.	Canada.	Europe.	Other Countries.
22	Number rejected for astygmatism, Class I	4	4	....	....	3	1		4	..	..	..
23	" with defective refraction in right eye only, Class II	1	1	....	....	1	.	..	1	..	..	..
24	" with defective refraction in left eye only, Class I	1	1	....	....	1	..	..	1	..	..	..
25	" with defective refraction in both eyes, Class II	4	3	1	..	..	2	2	4	..	..	
26	" myopic in Class I	12	12	..	..	11	..	1	12	..	..	..
27	" rejected for myophia Class II	9	9	....	....	8	..	1	9	..	..	
28	" hypermetropic in Class II	7	7	....	..	3	..	4	7	..	..	
29	" rejected for hypermetropia, Class II	5	5	..	..	2	..	3	5	..	..	
30	" astygmatic in Class II	6	6	..	....	4	..	2	6	.		.
31	" rejected for astygmatism, Class II	6	6	..	..	4	..	2	6	..	..	
32	" with cataract of right eye only	2	2	..	..	2	..	..	2	....	..	
33	" with cataract of left eye only	2	2	..	..	1	1	..	2	..	..	
34	" rejected for cataract	4	4	..	..	3	..	1	4	..	..	..
35	" with defective field of vision	6	4	1	1	5	1	..	6	..	..	
36	" rejected for defective field of vision	2	1	1	..	2	..	..	2	..	..	..
37	" rejected for defective color perception	36	28	8	..	34	1	1	36	..	..	.
38	" red blind only	5	5	..	....	5	..	..	5	..	..	..
39	" green blind only	6	4	2	..	6	.	.	6	..	..	..
40	" both green and red blind	25	19	6	...	23	1	1	25	..	..	.
41	" engineers with defective color perception	..	..	....	..	..	..	..	..	..	..	
42	" firemen with defective color perception	8	7	1	...	7	1	..	8	..	..	.

43	" Conductors with defective color perception	1	1	..		1	..	..	1	..	....	.
44	" Brakemen, flagmen, etc., with defective color perception	27	20	7	..	27	..	..	27	.	....	..
45	" with chronic congestion or inflammation of eye-lids	1	1	..		1	..	..	1	.	....	..
46	" rejected for chronic congestion or inflammation of eye-lids	..	.	..	..	..	...	.	.	..	..	
47	Whole number with defective eyes	121	109	11	1	95	14	12	119	..	2	..
48	" number with defective eye-lids	1	1	..	..	1	....	..	1	...	..	..
49	Number with only one eye	13	10	2	1	11	2	..	13	..	..	
50	" with defective eyes passed under Rule 6	45	39	5	1	30	7	8	43	..	2	
51	" granted temporary certificates	8	8	..	..	3	2	3	7	.	1	..

Statistics on Color Blindness and Defective Vision—1890.

TABLE No. 2.

EXAMINATION MADE BY DR. CHARLES WHELAN—Birmingham

Marginal Nos.	CLASSIFICATION OF DISABILITIES.	Total.	COLORS. White.	Black.	Mulatto.	Ages. Below 35 years.	Between 35 and 45 years	Above 45 years.	NATIVITIES. United States.	Canada.	Europe.	Other Countries.
1	Whole number examined	1193	995	189	9	1111	58	24	1155	32	6	
2	Number without disqualifying defects	1149	954	187	8	1075	54	20	1111	32	6	
3	" with disqualifying defects	44	41	2	1	36	4	4	44		..	
4	" Examinations in Class I	874	686	179	9	815	42	17	849	21	4	
5	" Certificates granted in Class I	850	665	177	8	794	40	16	825	21	4	
6	" Examinations in Class II	319	309	10	..	296	16	7	306	11	2	
7	" Certificates granted in Class II	29	289	10	..	281	13	5	286	11	2	
8	" with normal visual power in Class I.	850	665	177	8	794	40	16	825	21	4	
9	" with defective visual power in Class 1	24	22	2	..	21	2	1	24	..	..	
10	" Rejected for defective visual power in Class 1	24	22	2	..	21	2	1	24		..	
11	" with normal visual power in Class II	299	289	10	..	281	13	5	286	11	2	
12	" with defective visual power in Class II.	20	20	...	..	15	3	2	20	..	..	
13	" Rejected for defective visual power in Class II	20	20	..	..	15	3	2	20	..	..	..
14	" with defective refraction in right eye only in Class I	..	..		..	..		..	..	..	..	
15	" with defective refraction in left eye only in Class 1	..	..	..	..	.	..	..	..	..	..	
16	" with defective refraction in both eyes in Class I	..	..	..	..	..	.	..	..	.	..	..
17	" with myopia in Class I	6	6	.	..	...	6	..	6	..	..	
18	" rejected for myopia in Class I	6	6		..	.	6	..	6		..	.
19	" with hypermetropia in Class I	1	1	..	..	.	1		1	..	..	
20	" rejected for hypermethopia, Class I	1	1	..	..	...	1	..	1	...	..	
21	" astigmatic, Class I	3	3	..	..	...	3	..	3	..	.....	

22	" rejected for astigmatism, Class I	3	3	..	..	..	3	..	3	..	..	..
23	" with defective refraction in right eye only, Class II	..	..	..	..	..	..	..	..	..	..	
24	" with defective refraction in left eye only, Class II		.	..	.	..	..	..	..	..	..	
25	" with defective refraction in both eyes, Class II	..	.	..	..	..	..	..	..	..	..	
26	" with myopia, Class II	8	8	..	.	7	..	1	8	..	..	
27	" rejected for myopia, Class II	8	8	..	..	7	..	1	8	..	..	
28	" with hypermetropia, Class II	2	2	..	..	2	..	2	2	..	.	
29	" rejected for hypermetropia, Class II	2	2	..	..	2	..	2	2	..	..	
30	" astygmatic, Class II	4	4	..	..	4	..	4	4	..	..	
31	" rejected for astygmatism, Class II	4	4	..	..	4	..	4	4	..	..	
32	" with cataract in right eye only	2	2	..	..	2	..	2	2	..	..	
33	" with cataract in left eye only	..	..	..	..	..	..	..	..	..	..	..
34	" rejected for cataract	2	2	..	..	2	..	2	2	..	..	
35	" with defective field of vision	..	..	..	.	..	..	..	..	..	..	
36	" rejected for defective field of vision	..	..	..	..	.	..	..		..	..	
37	" rejected for color-blind perception	11	9	2	...	10	..	1	11	..	..	
38	" red blind only	..	..	..	...	..	..	..	..	..	..	
39	" green blind only	.	..	..	...	.	.	..	..	..	..	
40	" both red and green blind	11	9	2	...	10	...	1	11	..	..	
41	" engineers with defective color perception	..	..	..	..	..	...	..	..	..	..	
42	" firemen with defective color perception	3	3	...	....	3	....	..	3	..	..	
43	" conductors with defective color perception	1	1	.	..	1	..	..	1	..	..	..
44	" brakemen, flagmen, etc., with defective color perception	7	5	2	...	7	..	..	7	..	..	
45	" with chronic congestion or inflammation of eye lids	...	..	..	...	..	..	...	..	..	..	
46	" rejected for chronic congestion or inflammation of eye lids	..	..	..	...		...	..	..	..	..	..
47	Whole number with defective eyes	44	42	2	...	36	5	3	44	..	..	..
48	Whole number with defective eye lids	...	...	..	...	..	...	..	...	..	..	
49	Number with only one eye	7	6	1	....	7	...	..	7	..	...	
50	" with defective eyes passed under Rule 6	22	20	2	....	16	2	4	22	..	..	
51	" granted temporary certificates	2	2	..	....	1	..	1	2	..		

Statistics on Color Blindness and Defective Vision—1890. (Continued.)

Marginal Nos.	TABLE NO. 3. EXAMINATIONS MADE BY DR. R. D. WEBB—Birmingham. CLASSIFICATION OF DISABILITIES.	Total.	Colors. White.	Colors. Black.	Colors. Mulatto	Ages. Below 35 Years.	Ages. Between 35 and 45 Years.	Ages. Above 45 Years.	Nativities. United States.	Nativities. Canada.	Nativities. Europe.	Nativities. Other Countries.
1	Whole number examined	455	365	77	13	424	28	3	445	2	8	..
2	Number without disqualifying defects	433	348	72	13	408	25	....	425	2	6	..
3	" with disqualifying defects	22	17	5	.	16	3	3	20	...	2	.
4	" of examinations in Class 1.	373	285	76	12	358	15	..	366	2	5	.
5	" of certificates granted in Class I	369	282	75	12	354	15	..	362	2	5	..
6	" of examinations in Class II	82	80	1	1	66	13	3	79	..	3	..
7	" of certificates granted in Class II	80	79		1	66	11	3	77	..	3	..
8	" with normal visual power in Class I	367	286	73	12	352	15	..	362	2	3	
9	" with defective visual power in Class I	7	4	3	..	7	..	..	5	..	2	.
10	" rejected for defective visual power in Class I	7	4	3	...	6	1	..	5	..	2	..
11	" with normal visual power in Class II	75	73	1	1	65	10	..	72	...	3	..
12	" with defective visual power in Class II.	6	6	..	..	1	3	2	6	..	..	
13	" rejected for defective visual power in Class II	6	6	..	..	1	2	3	6	..	..	
14	" with defective refraction in right eye only, Class I	..	..	..	.	..		..	...	..	..	..
15	" with defective refraction in left eye only, Class I	..	..	..	..	..	..	..	..	..	...	..
16	" with defective refraction in both eyes, Class I	4	3	1	..	1	2	1	4	..	..	.
17	" myopic in Class I	1	1	..	..	..	1	..	1	..	..	..
18	" rejected for myopia in Class I	1	1	.	..	..	1	..	1	..	..	
19	" hypermetropic in Class I.	..	...	..	..	..	...	..	..	..	..	..
20	" rejected for hypermetrophia in Class I	..	..	..	..	..	..	..	..	..	..	..
21	" astygmatic in Class I	..	..	..	..	..	..	..	...	..	..	..

22	" rejected for astygmatism in Class I											
23	" with defective refraction in right eye only, Class II											
24	" with defective refraction in left eye only, Class I											
25	" with defective refraction in both eyes, Class II	3	2	1			2	1	3			
26	" myopic in Class II	1	1			1			1			
27	" rejected for myopia in Class II	1	1			1			1			
28	" hypermetropic in Class II	3	3					3	3			
29	" rejected for hypermetropia in Class II	3	3					3	3			
30	" astygmatic in Class II	2	2					2	2			
31	" rejected for astygmatism in Class 2	2	2					2	2			
32	" with cataract of right eye only											
33	" with cataract of left eye only											
34	" rejected for cataract											
35	" with defective field of vision	1		1		1			1			
36	" rejected for defective field of vision	1		1		1			1			
37	" rejected for defective color perception	9	7	2		9			9			
38	" *red* blind, *only*	5	5			5			5			
39	" *green* blind, *only*											
40	" *both* red and green blind	4	2	2		4			4			
41	" engineers with defective color perception											
42	" firemen with defective color perception	3	3			3			3			
43	" conductors with defective color perception											
44	" brakemen, flagmen, etc., with defective color perception	6	4	2		6			6			
45	" with chronic congestion or inflammation of eyelids											
46	" rejected for chronic congestion or inflammation of eyelids											
47	Whole number with defective eyes	22	17	5		16	3	3	21		1	
48	" number with defective eye-lids											
49	Number with only one eye	1		1		1			1			
50	" with defective eyes passed under Rule VI	16	13	3		11	3	2	15		1	
51	" granted temporary certificates											
52												

REMARKS.

You will observe from the foregoing report that about the usual number (4.8 per cent) of those with disqualifying defects have been found. Of these 1.9 per cent. were for defective color perception, and 2.8 per cent. for defective sense of form.

You will also notice that in the enumeration of the different forms of color-blindness there are none put down as "green blind only"—red blind, and red-green blind, being the only classes found. There may be those who are totally devoid of color-perception, but I have not found such an one.

In my examinations for the past three and one-half years, I have never met with a case which I could class as "green blind only." In every instance in which there was any degree of green-blindness, there was also red-blindness.

The classification into definite and distinct forms of color-blindness, designated by the primary or base colors—red, green and blue—does not seem to be borne out by the facts. I have never yet found a man in over one hundred color-blind cases, who could distinguish the green shades, who could not also distinguish the red shades; but I have repeatedly found them to fail on the red colors, while they could distinguish moderately well the green colors.

The Young-Helmholtz theory of three varieties of nerves, each taking cognizance of a particular color, does not, to me, seem correct. Color perception, like form perception, is by gradation rather than by distinct classes. The red-blind gradually merges into the green, and the green into the blue or purple.

This gradation is no doubt the result of the different refrangibility of the different colored rays acted upon by the refracting media, and the accommodative apparatus of the eye.

Every one knows that what is called the accommodative power of the eye, differs greatly in different persons.

In one the range may be only from six to twelve inches, while in others it is much greater. I have seen it in some of these color-blind subjects range from six to thirty inches, reading Jager No. 2, from six to thirty inches.

In such an eye, though the range of accommodation is *long*, the *power* is small.

Let us suppose a pencil of light reflected from a red object, falling upon such an eye. The red ray, being not easily refrangible, and the power of accommodation being weak, it is not brought to a focus upon the retina, but falls behind it, so that the red object does not form a distinct image upon the retina, but appears more or less dark or gray according to the degree of saturation of the colored ray. Thus the saturated red, or green object, is to the color-blind black, or nearly so.

I am convinced that the correct explanation of color-blindness is to be found in the laws of refraction of light as influenced by anatomical peculiarities of the eye, arising from deficiencies in the refracting media and powers of accommodation.

I cannot at the present elaborate this theory as I would desire, but at some future time it is my intention to write an article for the State Medical Association, and set it out more fully.

Respectfully,

R. D. WEBB, M. D.,

Birmingham, Ala., Feb. 9, 1891. Examiner.

Statistics on Color Blindness and Defective Vision—1890. (Continued.)

Marginal Nos.	TABLE NO. 4. EXAMINATIONS MADE BY DR. B. J. BALDWIN—Montgomery. CLASSIFICATION OF DISABILITIES.	Total.	COLORS. White.	Black.	Mulatto.	AGES. Below 35 years	Between 35 and 45 years.	Above 45 years.	NATIVITIES. United States.	Canada.	Europe.	Other Countries.
1	Whole number examined	428	320	79	29	393	31	4	423	..	5	..
2	Number with disqualifying defects	19	15	4	...	16	2	1	19	...	...	.
3	" without disqualifying defects	409	305	75	29	377	29	3	404	...	5	.
4	" of examinations in Class I	336	239	68	29	314	20	2	333	...	3	.
5	" of certificates granted in Class I	320	227	64	29	300	19	1	317	...	3	..
6	" of examinations in Class II	92	81	11	...	79	11	2	90	...	2	.
7	" of certificates granted in Class II	91	80	11	...	78	11	2	89	..	2	..
8	" with normal visual power in Class I	329	232	68	29	308	20	1	326	...	3	..
9	" with defective visual power in Class I	7	7	..	..	6	..	1	7	...	...	..
10	" rejected for defective visual power in Class I	3	3	..	..	2	...	1	3	...	...	.
11	" with normal visual power in Class II	88	77	11	..	75	11	2	86	...	2	..
12	" with defective visual power in Class II	4	4	...	..	4	...	...	4	...	...	.
13	" rejected for defective visual power in Class II	..	...	..	....	..	...	..	...	...	...	.
14	" with defective refraction in right eye only, Class I	..	....	...	...	..	..	...	...	...	...	.
15	" with defective refraction in left eye only, Class I	..	..	..	...	..	...	...	...	...	..	.
16	" with defective refraction in both eyes, Class I	1	1	..	..	1	...	...	1	...	...	.
17	" myopic in Class I	3	3	...	...	3	...	....	3	...	...	.
18	" rejected for myopia in Class I	1	1	...	..	1	...	...	1	...	...	..
19	" hypermetropic in Class I	...	...	...	..	...	...	..	...	...	...	..
20	" rejected for hypermetropia in Class I	...	...	..	...	...	...	..	...	...	...	..
21	" astygmatic in Class I	...	...	...	...	...	...	...	...	...	...	..

Statistics on Color Blindness and Defective Vision—1890. (Continued.)

TABLE NO. 4.

EXAMINATIONS MADE BY DR. B. J. BALDWIN—Montgomery.

CLASSIFICATION OF DISABILITIES.

Marginal Nos.			Total.	COLORS. White.	Black.	Mulatto.	AGES. Below 35 years.	Between 35 and 45 years.	Above 45 years	NATIVITIES. United States.	Canada.	Europe.	Other Countries.
22	Number	rejected for astygmatism in Class I											
23	"	with defective refraction in right eye only, Class II	1	1			1			1			
24	"	with defective refraction in left eye only, Class II											
25	"	with defective refraction in both eyes, Class II											
26	"	myopic in Class II	3	3			3			3			
27	"	rejected for myopia in Class II											
28	"	hypermetropic in Class II	1	1			1			1			
29	"	rejected for hypermetropia in Class II											
30	"	astygmatic in Class II											
31	"	rejected for astygmatism in Class II											
32	"	with cataract of right eye only											
33	"	with cataract of left eye only	1	1				1		1			
34	"	rejected for cataract											
35	"	with defective field of vision	2	2			2			2			
36	"	rejected for defective field of vision											
37	"	rejected for defective color perception	14	10	4		13	1		14			
38	"	red blind only											
39	"	green blind only	5	3	2		5			5			
40	"	both red and green blind	9	7	2		8	1		9			
41	"	engineers with defective color perception											
42	"	firemen with defective color perception	1		1			1		1			

43	" brakemen, flagmen, etc., with defective color perception	13	10	3	..	13	...	..	13	...	....	..
44	" with chronic congestion or inflammation of eye lids	1	1	..	...	1	..	...	1	...	....	..
45	" rejected for chronic congestion or inflammation of eye lids	...	...	...	...	...	...	...	...	...	...	..
46	Whole number with defective eyes	35	32	3	..	31	3	1	35	...	...	..
47	Whole number with defective eye lids	1	1	...	...	1	...	...	1	..	...	..
48	Number with only one eye	1	1	..	...	..	1	..	1	...	...	.
49	" with defective eyes passed under Rule VI	..	...	..	..	..	...	..	..	..	...	..
50	" granted temporary certificates	2	2	..	..	1	1	..	2	..		.
51	" conductors with defective color perception	..	...		..	...	.					..

Statistics on Color Blindness and Defective Vision—1890. (Continued.)

TABLE NO. 5.

EXAMINATIONS MADE BY W. H. SANDERS, M. D.—Mobile.

CLASSIFICATION OF DISABILITIES.

Marginal Nos.		Totals.	Colors.			Ages.			Nativities.			
			Whites.	Blacks.	Mulattoes.	Below 35 Years.	Between 35 and 45 Years.	Above 45 Years.	United States.	Canada.	Europe.	Other Countries.
1	Whole number examined	158	123	20	15	135	20	3	154	1	3	..
2	Number without disqualifying defects	147	113	20	14	129	17	1	144	1	2	..
3	" with disqualifying defects	11	10	...	1	6	3	2	10	...	1	..
4	" of examinations in Class I	130	97	20	13	113	14	3	128	..	2	..
5	" of certificates granted in Class I	127	94	20	13	111	13	3	125	..	2	..
6	" of examinations in Class II	28	26	..	2	22	6	...	27	1	...	..
7	" of certificates granted in Class II	27	25	...	2	21	6	...	26	1	...	..
8	" with normal visual power in Class I	125	92	19	12	110	12	1	122	..	1	..
9	" with defective visual power in Class I	7	6	...	1	3	2	2	6	...	1	..
10	" rejected for defective visual power in Class I	3	3	..	....	2	1	...	3	..	..	..
11	" with normal visual power in Class II	24	22	..	2	19	5	..	23	1	...	..
12	" with defective visual power in Class II	4	4	..	...	3	1	..	4	...	...	..
13	" rejected for defective visual power in Class II	1	1	...	...	1	...	...	1	...	...	..
14	" with defective refraction in right eye only, Class I	...	...	...	...	...	..	...	...	..	..	..
15	" with defective refraction in left eye only, Class I	1	1	..	..	1	...	..	1	..	..	
16	" with defective refraction in both eyes, Class I	3	3	..	...	..	1	2	2	..	1	
17	" myopic in Class I	...	...	..	..	...	...	...	...	..	..	
18	" rejected for myopia in Class I	..	...	..	...	...	..	...	...	..	..	
19	" hypermetropic in Class I	3	3	..	...	1	...	2	2	..	1	
20	" rejected for hypermetropia in Class I	1	1	..	....	1	...	.	1	...	...	
21	" astygmatic in Class I	1	1	...	...	...	1	...	1	...	...	.

22	"	rejected for astygmatism in Class I	1	1	...	...	...	1	...	1	...	...
23	"	with defective refraction in right eye only, Class II	...	..	..	...	...	...	...	...	...	...
24	"	with defective refraction in left eye only, Class II	1	1	...	...	1	..	...	1	..	...
25	"	with defective refraction in both eyes, Class II	...	..	...	..	..	...	...	...	...	...
26	"	myopic in Class II	...	...	...	...	...	...	...	...	...	...
27	"	rejected for myopia in Class II	...	..	..	...	...	...	...	...	..	...
28	"	hypermetropic in Class II	...	..	..	..	...	...	...	...	..	...
29	"	rejected for hypermetropia in Class II	...	..	..	..	..	...	...	...	..	...
30	"	astygmatic in Class II	...	..	...	..	..	...	...	...	..	...
31	"	rejected for astygmatism in Class II	...	..	...	..	..	...	...	...	...	...
32	"	with cataract of right eye only	...	..	...	...	..	...	...	...	...	...
33	"	with cataract of left eye only	..	...	...	...	..	...	...	...	...	...
34	"	rejected for cataract	..	..	...	...	...	...	...	...	...	...
35	"	with defective field of vision	3	2	...	1	2	1	...	3	...	...
36	"	rejected for defective field of vision	1	1	..	..	1	...	...	1	..	...
37	"	rejected for defective color perception	..	..	..	...	...	...	...	...	...	...
38	"	red blind only	..	..	...	...	..	...	...	...	..	...
39	"	green blind only	...	..	..	...	..	...	..	..	..	...
40	"	both red and green blind	..	..	...	...	..	...	...	...	..	..
41	"	engineers with defective color perception	..	..	..	...	..	...	...	...	...	...
42	"	firemen with defective color perception	..	..	..	...	..	...	..	..	...	..
43	"	conductors with defective color perception	..	..	..	..	..	..	..	...	...	..
44	"	brakemen, flagmen, etc., with defective color perception	..	..	...	..	..	...	..	...	..	.
45	"	with chronic congestion, or inflammation of eye-lids	..	..	..	..	..	...	..	..	..	...
46	"	rejected for chronic congestion or inflammation of eye-lids	..		..	..	..	...	..	..	..	..
47	"	with defective eyes	11	10	..	1	6	3	2	10	..	1
48	"	with defective eye-lids	..	..	..	..	..	..	..	...	..	..
49	"	with only one eye	3	2	..	1	2	1	..	3	..	..
50	"	with defective eyes passed under Rule VI	7	6	..	1	3	2	2	6	..	1
51	"	granted temporary certificates	4	4	..	..	1	1	2	3	...	1
52			...	...	...	...	...	...	...	...	...	...

Statistics on Color Blindness and Defective Vision—1890. (Continued.)

Marginal Nos.	TABLE NO. 6. EXAMINATIONS MADE BY DR. GOLDSBY KING—Selma. CLASSIFICATION OF DISABILITIES.	Total.	COLORS. White.	Black.	Mulatto.	AGES. Below 35 years.	Between 35 and 45 years.	Above 45 years.	NATIVITIES. United States.	Canada.	Europe.	Other Countries.
1	Whole number examined	127	100	24	3	114	9	4	126	1	..	..
2	Number without disqualifying defects	125	98	24	3	113	9	3	124	1	..	
3	" with disqualifying defects	2	2	...	..	1	..	1	2	...	..	
4	" of examinations in Class I	118	91	24	3	107	8	3	117	1	..	
5	" of certificates granted in Class I	116	89	24	3	106	8	2	115	1	..	
6	" of examinations in Class II	9	9	...	....	7	1	1	9	...	...	..
7	" of certificates granted in Class II	9	9	..	...	7	1	1	9	.	..	
8	" with normal visual power in Class I	117	90	24	3	107	8	2	116	1	..	..
9	" with defective visual power in Class I	1	1	..	....	..	...	1	1	..	..	.
10	" rejected for defective visual power in Class I	1	1	..	..	...	..	1	1	..	...	..
11	" with normal visual power in Class II	8	8	..	...	7	1	....	8	..	..	..
12	" with defective visual power in Class II	1	1	..	..	...	..	1	1	..	...	
13	" rejected for defective visual power in Class II	...	...	..	.	..	...	...	..	..	..	.
14	" with defective refraction in right eye only, Class I	1	..	1	..	1	..	...	1	..	..	
15	" with defective refraction in left eye only, Class I	..	..	..	...	..	..	...	..	..	...	
16	" with defective refraction in both eyes, Class I	...	..	...	..	..	...	...	..	..	...	
17	" myopic in Class I	..	..	...	..	..	..	..	..	..	...	
18	" rejected for myopia in Class I	...	..	...	...	..	...	...	..	..	..	
19	" hypermetropic in Class I	..	..	..	..	..	..	..	..	..	..	.
20	" rejected for hypermetropia in Class I	..	..	...	..	...	..	..	..	..	..	
21	" astygmatic in Class I	1	...	1	..	1	..	..	1	..	...	..

22	" rejected for astygmatism in Class I											
23	" with defective refraction in right eye only, Class II											
24	" with defective refraction in left eye only, Class II											
25	" with defective refraction in both eyes, Class II	1	1					1	1			
26	" myopic in Class II											
27	" rejected for myopia in Class II											
28	" hypermetropic in Class II	1	1					1	1			
29	" rejected for hypermetropia in Class II											
30	" astygmatic in Class II											
31	" rejected for astygmatism in Class II											
32	" with cataract of right eye only											
33	" with cataract of left eye only											
34	" rejected for cataract	1	1					1	1			
35	" with defective field of vision											
36	" rejected for defective field of vision											
37	" rejected for defective color perception	1	1			1			1			
38	" red blind only											
39	" green blind only											
40	" both red and green blind	1	1			1			1			
41	" engineers with defective color perception											
42	" firemen with defective color perception	1	1			1			1			
43	" conductors with defective color perception											
44	" brakemen, flagmen, etc., with defective color perception											
45	" with chronic congestion or inflammation of eye lids											
46	" rejected for chronic congestion or inflammation of eye lids											
47	Whole number with defective eyes	4	3	1		2		2	4			
48	Whole number with defective eye lids											
49	Number with only one eye	1	1			1			1			
50	" with defective eyes passed under Rule VI											
51	" granted temporary certificates											

Statistics on Color Blindness aad Defective Vision—1890. (Continued.)

Marginal Nos.	TABLE NO. 7. EXAMINATIONS MADE BY DR. R. P. HUGER—Anniston. CLASSIFICATION OF DISABILITIES.	Total.	COLORS. White.	Black.	Mulatto.	AGES. Below 35 years.	From 35 to 45 years.	Above 45 years.	NATIVITIES. United States.	Canada.	Europe.	Other Countries.
1	Whole number examined	39	30	8	1	38	...	1	39	..	..	
2	Number without disqualifying defects	38	29	8	1	37	..	1	38	..	...	
3	" with disqualifying defects	1	1	...	...	1	..	..	1	..	..	
4	" of examinations in Class I	32	24	7	1	32	...	...	32	..	..	
5	" of certificates granted in Class I	31	23	7	1	31	...	..	31	..	...	
6	" of examinations in Class II	7	7	..	..	6	..	1	7	..	...	
7	" of certificstes granted in Class II	7	7	...	...	6	...	1	7	..	..	
8	" with normal visual power in Class I	31	23	7	1	31	..	..	31	...	...	
9	" with defective visual power in Class I	1	1	...	...	1	..	...	1	...	...	
10	" rejected for defective visual power in Class I	..	...	...	...	...	...	..	...	..	...	
11	" with normal visual power in Class II	6	6	..	...	6	..	..	6	..	...	
12	" with defective visual power in Class II	1	1	...	...	...	..	1	1	...	..	
13	" rejected for defective visual power in Class II	..	..	..	...	..	...	..	...	..	...	
14	" with defective refraction in right eye only, Class I	...	..	...	...	..	..	..	...	...	...	
15	" with defective refraction in left eye only, Class I	1	1	..	...	1	..	...	1	..	...	
16	" with defective refraction in both eyes, Class I	..	..	..	...	...	...	...	...	..	...	
17	" myopic in Class I	..	...	..	...	..	..	..	...	..	...	
18	" rejected for myopia in Class I	...	..	..	...	..	..	..	..	..	..	
19	" hypermetropic in Class I	1	1	..	..	1	...	..	1	..	..	
20	" rejected for hypermetropia in Class I	...	...	...	...	...	...	...	...	...	...	
21	" astygmatic in Class I	..	...	...	...	...	...	...	...	...	...	

22	"	rejected for astygmatism in Class I										
23	"	with defective refraction in right eye only, Class II										
24	"	with defective refraction in left eye only, Class II										
25	"	with defective refraction in both eyes, Class II										
26	"	myopic in Class II										
27	"	rejected for myopia in Class II										
28	"	hypermetropic in Class II										
29	"	rejected for hypermetropia in Class II										
30	"	astygmatic in Class II										
31	"	rejected for astygmatism in Class II										
32	"	with cataract of right eye only										
33	"	with cataract of left eye only										
34	"	rejected for cataract										
35	"	with defective field of vision										
36	"	rejected for defective field of vision										
37	"	rejected for defective color perception	1	1			1			1		
38	"	red blind only										
39	"	green blind only	1	1			1			1		
40	"	engineers with defective color perception										
41	"	firemen with defective color perception										
42	"	conductors with deiective color perception										
43	"	brakemen, flagmen, etc., with defective color perception	1	1			1			1		
44	"	with chronic congestion or inflammation of eye lids										
45	"	rejected for chronic congestion or inflammation of eye lids										
46	Whole number with defective eyes		3	3			2		1	3		
47	Whole number with defective eye lids											
48	Number	with only one eye										
49	"	with defective eyes passed under Rule VI										
50	"	granted temporary certificates										

Statistics on Color Blindness and Defective Vision—1890. (Continued.)

TABLE NO. 8.

EXAMINATIONS MADE BY DR. S. C. CARSON—Bessemer.

CLASSIFICATION OF DISABILITIES.

Marginal Nos.		Total.	Colors. White.	Colors. Black.	Colors. Mulatto.	Ages. Below 35 Years.	Ages. Between 35 and 45 Years.	Ages. Above 45 Years.	Nativities. United States.	Nativities. Canada.	Nativities. Europe.	Nativities. Other Countries.
1	Whole number examined	26	17	5	4	26	..	..	26	..	..	..
2	Number without disqualifying defects	25	16	5	4	25	..	..	25	..	..	..
3	" with disqualifying defects	1	1	..	..	1	..	..	1	..	..	..
4	" of examinations in Class I	21	13	5	3	21	..	..	21	..	..	
5	" of certificates granted in Class I	20	12	5	3	20	..	..	20	..	..	
6	" of examinations in Class II	5	4	1	..	5	..	..	5	..	..	
7	" of certificates granted in Class II	5	4	1	..	5	..	..	5	..	..	
8	" with normal visual power in Class I	19	11	5	3	19	..	..	19	..	..	
9	" with defective visual power in Class I	2	2	..	..	2	..	..	2	..	..	
10	" rejected for defective visual power in Class I	1	1	..	..	1	..	..	1	..	..	
11	" with normal visual power in Class II	5	4	1	..	5	..	..	5	..	..	
12	" with defective visual power in Class II	..	..	..	..	..	..	..	..	..	..	
13	" rejected for defective visual power in Class II	..	..	..	..	..	..	..	..	..	..	
14	" with defective refraction in right eye only, Class I	..	..	..	..	..	..	..	..	..	..	
15	" with defective refraction in left eye only, Class I	1	1	..	..	1	..	..	1	..	..	
16	" with defective refraction in both eyes, Class I	..	..	..	..	..	..	..	..	..	..	
17	" myopic in Class I	..	..	..	..	..	..	..	..	..	..	
18	" rejected for myopia in Class I	..	..	..	..	..	..	..	..	..	..	
19	" hypermetropic in Class I	..	..	..	..	..	..	..	..	..	..	
20	" rejected for hypermetropia in Class I	..	..	..	..	..	..	..	..	..	..	
21	" astygmatic in Class I	..	..	..	..	..	..	..	..	..	..	

22	" rejected for astygmatism in Class I											
23	" with defective refraction in right eye only, Class II											
24	" with defective refraction in left eye only, Class II											
25	" with defective refraction in both eyes, Class II											
26	" myopic in Class II											
27	" rejected for myopia in Class II											
28	" hypermetropia in Class II											
29	" rejected for hypermetropia in Class II											
30	" astygmatic in Class II											
31	" rejected for astygmatism in Class II											
32	" with cataract of right eye only											
33	" with cataract of left eye only	1	1			1			1			
34	" rejected for cataract	1	1			1			1			
35	" with defective field of vision											
36	" rejected for defective field of vision											
37	" rejected for defective color perception											
38	" *red* blind, *only*											
39	" *green* blind, *only*.											
40	" *both* red and green blind											
41	" engineers with defective color perception											
42	" firemen with defective color perception											
43	" conductors with defective color perception											
44	" brakemen, flagmen, etc., with defective color perception											
45	" with chronic congestion or inflammation of eye-lids											
46	" rejected for chronic congestion or inflammation of eye-lids											
47	Whole number with defective eyes	2	2			2			2			
48	Whole number with defective eye-lids											
49	Number with only one eye											
50	" with defective eyes passed under Rule VI											
51	" granted temporary certificates											
52												

NOTE—My commission only dates from last year.—S. C. CARSON, M. D.

Annual Report of Births in the State of Alabama—1890.

MONTHS.	BORN LIVING.							STILL BIRTHS.							PRESENTATION.			
	Total.	White.		Black.		Mulatto.		Total.	White.		Black.		Mulatto.		Head.	Breach.	Cross.	Not given.
		M.	F.	M.	F.	M.	F.		M.	F.	M.	F.	M.	F.				
January	2190	607	625	482	430	22	24	66	8	16	24	15	3	...	2185	33	17	21
February	2013	604	567	404	403	18	17	57	17	7	19	12	2	...	2000	33	15	22
March	2166	629	577	479	425	28	28	70	21	15	20	12	1	1	2162	43	16	15
April	1949	615	524	404	366	24	16	68	19	7	21	19	2	...	1953	36	7	21
May	1884	564	527	404	350	19	20	80	18	6	32	20	2	2	1895	35	11	23
June	1765	563	467	407	298	17	13	71	13	19	24	14	...	1	1781	31	11	13
July	1990	596	519	450	398	12	15	59	11	12	24	11	1	...	1984	47	10	8
August	2102	623	569	487	374	26	23	84	20	14	26	23	1	...	2119	34	8	25
September	2159	637	621	499	366	24	12	58	11	10	22	14	1	...	2154	45	10	8
October	1971	652	558	375	354	14	18	59	16	8	19	13	2	1	1959	45	11	15
November	1793	542	519	372	333	11	16	45	14	7	15	6	2	1	1775	41	7	15
December	1604	474	452	337	306	22	13	65	16	17	19	11	2	...	1608	31	8	22
Total	23586	7106	6525	5100	4403	237	215	782	184	138	265	170	19	6	23575	454	131	208

Births—total, 23,586; white, 13,631; black, 9,503; mulatto, 452; colored, 9,955. Population—total, 981,261; white, 525,664; colored, 455,597. Births per 100—total, 24 03; white, 25.93; colored, 21.82. Still births—total, 782; white, 322; black, 435; mulatto, 25; colored, 460. Presentations—total, 24,368; head, 23,575; breach, 454; cross, 131; not given, 208. White, 13,953; head, 13,531; breach, 274; cross, 55; not given, 93. Black, 9,938; head, 9,580; breach, 175; cross, 73; not given, 110. Mulatto, 477; head, 464; breach, 5; cross, 3; not given, 5. Colored, 10,415; head, 10,044; breach, 180; cross, 76; not given, 115.

Annual Report of Deaths in the State of Alabama—1890.

MONTHS.	Total.	Colors and Sexes.						Ages of Decedents.																									
		White.		Black.		Mulatto		Under 1 Year.	1-2 Years.	2-3 Years.	3-4 Years.	4-5 Years.	5-10 Years.	10-15 Years.	15-20 Years.	20-25 Years.	25-30 Years.	30-35 Years.	35-40 Years.	40-45 Years.	45-50 Years.	50-55 Years	55-60 Years.	60-65 Years.	65-70 Years	70-75 Years	75-80 Years.	80-90 Years.	90-100 Years.	100-110 Years.	110-120 Years.	Unknown.
		M.	F.	M.	F.	M.	F.																										
January	773	192	156	210	186	15	14	149	29	20	11	8	28	26	52	76	63	35	38	35	34	13	14	32	31	21	28	18	2	2	..	1
February	766	191	200	179	180	4	12	120	53	33	14	4	25	31	44	60	44	50	33	31	36	21	15	32	27	26	26	18	3	2		12
March	822	212	180	202	205	13	10	135	44	23	21	8	26	29	43	67	47	56	43	40	35	31	17	35	27	27	22	27	10	1	.	5
April	827	179	184	217	209	19	19	131	49	33	18	10	32	22	39	73	50	52	44	40	37	26	21	33	24	25	23	19	7	2	.	12
May	876	211	170	220	248	9	18	150	87	48	22	14	26	34	44	73	58	40	45	39	41	38	23	42	32	26	31	22	11	4	.	14
June	998	253	264	250	204	11	16	200	91	46	12	10	39	31	43	64	58	36	29	34	29	38	24	39	38	36	24	24	6	1		18
July	945	233	215	249	227	13	8	170	67	29	14	16	42	23	41	76	75	39	42	33	39	33	24	31	31	37	26	34	5	1	1	4
August	822	190	193	196	206	17	20	175	73	33	16	16	35	29	32	55	48	44	31	30	24	26	23	27	22	21	18	30	5	2	.	8
September	805	211	200	196	180	8	10	142	84	40	18	22	38	24	66	46	42	32	33	33	19	24	22	22	18	22	18	18	10	2	.	9
October	742	221	182	170	147	7	15	138	68	35	9	19	35	15	31	49	37	37	34	27	22	32	19	30	27	23	22	15	9	1	.	4
November	682	189	156	162	161	11	8	113	44	24	10	8	26	23	31	52	41	39	40	32	24	34	25	29	21	27	16	17	5	2	1	4
December	658	174	160	169	137	9	9	112	40	26	18	9	19	29	23	44	47	27	31	28	31	30	17	20	22	25	27	15	2	1	.	5
Total	9721	2456	2260	2420	2290	136	159	1747	728	384	193	144	369	326	489	735	610	487	443	402	371	347	243	372	320	310	275	257	75	21	2	96

Deaths—total, 9,721; white, 4,716; black, 4,710; mulatto, 295; colored, 5,005. Population—total, 981,261; white, 525,664; colored, 455,597. Deaths per 1000—total, 9.90; white, 8.97; colored, 10.98.

Births and Deaths by Counties, Towns and Colors—January, 1890.

Counties and Towns.	Population.			Births.						Deaths.					
	Total.	White.	Colored.	Total.	Rate per M	White.	Rate per M	Colored.	Rate per M	Total.	Rate per M	White.	Rate per M	Colored.	Rate per M
Prattville	1,200	900	300	6	60.00	3	40 00	3	120 00	4	40 00	1	13.33	3	120 00
Baldwin	8,941	5,635	3,306	23	30.86	12	25 33	11	39 92	3	4 02	3	6 33	...	....
Barbour	34,898	13,321	21,577	52	17.88	19	17 11	33	18 35	13	4 47	9	8.10	4	2.22
Exclusive	29,874	10,121	19,753	51	20 48	18	21 34	33	19 88	12	4 80	9	10.67	3	1 80
Eufaula	4,027	2,600	1,427	1	2.95	1	4 65	...	.....	1	2 95	...	.....	1	8.41
Clayton	997	600	397	.		...	...	...	...	..	....	..	...	..	....
Blount	21,927	20,115	1,812	44	24 08	41	24 46	3	1.98	5	2 73	5	2.98	.	
Bullock	27,033	6,066	20,967	87	38 57	19	37 58	68	38 91	21	9 31	2	3 95	19	5 15
Exclusive	25,016	5,066	19,950	82	39 33	17	40.26	65	39.09	20	9.59	2	4.73	18	10.82
Union Springs	2,017	1,000	1,017	5	29.28	2	24 00	3	35.39	1	5 85	..	...	1	11 79
Butler	21,581	11,368	10,213	59	32 71	37	35 02	22	25 84	14	7 76	1	1 00	13	15 27
Exclusive	18,779	9,968	8,811	55	35 04	35	42.13	20	27.21	12	7 64	1	1 20	11	14 98
Greenville	2,802	1,400	1,402	4	17 1	2	17.14	2	17.11	2	8 56	...	.....	2	17.11
Calhoun	33,835	23,891	9,944	73	25.89	56	28.02	17	21.37	23	8.15	14	7.03	9	11.31
Exclusive	20,301	15,092	5,209	31	18.32	25	19 87	6	13 82	10	5.91	6	4 77	4	9.21
Anniston	10,119	6,399	3,714	33	39 15	25	46 87	8	25.84	8	9 49	1	7 50	4	12.92
Jacksonville	1,237	900	337	3	28 10	3	40 00	...	....	1	9 70	1	13 33	....	.....
Oxford	1,473	900	573	...	..	...	...	...	...	4	32.58	3	40 00	1	20.94
Piedmont	711	600	111	6	101.26	3	60 00	3	204.32	...	....	..	.....	...	.....
Choctaw	17,526	8,110	9,416	20	17.77	14	20 71	12	15 29	.	....	..	....	..	....
Clarke	22,622	9,627	12,995	72	38.19	35	43 62	37	34 16	13	6 89	6	7 47	7	6 46
Clay	15,765	14,086	1,679	39	29 68	33	28.11	6	4 28	8	6 09	5	4 26	3	21.44
Conecuh	14,594	7,956	6,638	37	30 42	17	25 85	20	36.15	11	9 04	7	10.64	4	7.23
Exclusive	13,557	7,341	6,216	35	30 98	17	27.78	18	35 74	11	9.73	7	11.44	4	7.72
Evergreen	1,037	615	422	2	33.14	...	....	2	39 02	...	....	...	.	...	
Coosa	15,906	10,486	5,420	32	24 14	18	20 67	14	30 99	10	7 54	3	3 43	7	15 48
Crenshaw	15,425	11,732	3,693	20	15 55	16	16 36	4	12.99	7	5.44	4	4.09	3	9.74

Cullman	13,439	13,439	.....	45	40.31	45	40.31	...	.....	12	10.75	12	10.75	....	.....
Exclusive	12,422	12,422	.....	41	39.60	41	39.60	...	....	9	8.69	9	8.69	....	.....
Cullman	1,017	1,017	.....	4	47.19	4	47.19	...	....	3	35.39	3	35 39	....	....
Dallas	49,350	7,906	41,444	113	27 47	21	31.87	92	26.63	67	16 29	9	13.66	58	16 59
Exclusive	41,728	4,406	37,322	89	25 59	10	27.23	79	25.40	38	10.92	2	5.44	36	11.57
Selma	7,622	3,500	4,122	24	37 73	11	37.71	13	37.84	29	45.64	7	24.00	22	64.04
DeKalb	21,010	19,881	1,129	46	26 15	45	27.16	1	10.62	15	8 52	14	8.45	1	10.62
Exclusive	18,312	17,881	431	38	24.76	38	25 53	..	....	7	4 56	7	4 69	...	.....
Ft. Payne	2,698	2,000	698	8	35.90	7	42 00	1	17.19	8	35 90	7	42 00	1	17.19
Elmore	21.732	11,329	10,403	61	34 23	41	43 42	21	24 22	8	4 41	4	4 23	4	4 61
Exclusive	20,919	10,829	10,090	61	34.98	40	46 31	21	24.94	8	4.58	4	4 63	4	4.75
Wetumpka	813	500	313	1	14 76	1	24.00	....	...	...	....	...	....	...	...
Escambia	8,666	5,674	2,992	40	55 38	22	46 52	18	72.19	10	13 84	5	10 57	5	20.05
Exclusive	7,302	4,799	2.503	35	57 51	19	47.50	16	76 64	10	16 43	5	12 50	5	23.95
Brewton	1,115	750	365	3	32 28	2	32 00	1	32.87	...	....	....	....	..	.....
Alco	249	125	124	2	96 38	1	96 00	1	96 77	..	....	...	.....	...	....
Etowah	21,926	18,097	3,829	50	27 36	36	23.87	14	43 88	14	7.66	10	6 63	4	12 53
Exclusive	14,926	12,797	2,129	35	28 13	29	27.18	6	33 81	13	12 45	10	9.37	3	16.90
Gadsden	5,000	3,800	1,200	10	24 00	5	15 78	5	50 00	..	..	....	....	..	.....
Attalla	2,000	1,500	500	5	30 00	2	16.00	3	72 00	1	6 00	...	.....	1	24.00
Fayette	12,823	11,062	1,761	36	23 88	33	35 79	3	20.40	4	3 74	2	2.17	2	13.60
Greene	22,007	3,192	18,815	32	17 44	11	44 35	21	13 39	12	6 54	..	...	12	7.65
Hale	27,501	5,053	22,448	33	14 40	4	9.49	29	15.50	19	8 29	2	4 75	17	9 08
Exclusive	25,742	4,153	21,589	31	14 45	4	11.55	27	15.00	15	6 99	1	2.89	14	7.78
Greensboro	1,759	900	859	2	13 64	..	.....	2	26 66	4	27 38	1	13 33	3	41.90
Jackson	28,026	24 132	3,894	84	35 96	81	40.27	3	9 24	13	5 56	10	4.97	3	9.24
Exclusive	27,067	23,382	3,685	84	37.24	81	41.57	3	9.77	11	4.87	8	4.10	3	9.77
Scottsboro	959	750	209	..	...	..	.....	..	....	2	25 02	2	32.00	..	...
Jefferson	88,501	56,953	31,548	176	23.86	127	26 76	49	18.63	84	11 39	42	8.85	42	15.97
Exclusive	62,323	42,044	20,279	97	19 02	78	22.26	19	11.24	28	5.47	15	4 28	13	7.69
Birmingham	26,178	14,909	11,269	79	36 21	49	39 44	30	31.94	56	25 67	27	21.73	29	31 00
Lamar	14,187	11,338	2,849	37	31.29	31	32 81	6	25.27	8	6.76	8	8.46	.	....
Lawrence	20,725	12,536	8,189	24	13 89	10	9 57	14	20 68	17	9 84	6	5.74	11	16 25
Exclusive	20,146	12,286	7,860	24	13.29	10	9.76	14	21.35	17	10.12	6	5.86	11	16.78
Courtland	579	250	329	..	....	..	..	..	....	...	..	..	....	..	....
Lowndes	31,550	4,466	27,084	79	28.64	9	22 16	70	31 01	38	14.45	9	22 16	29	12.84
Madison	38,119	19,228	18,891	74	23.29	34	21.24	40	25.41	28	8.81	15	9.36	13	8.25

Births and Deaths by Counties. Towns and Colors—January, 1890. (Continued.)

Counties and Towns.	Population.			Births.						Deaths.					
	Total.	White.	Colored.	Total.	Rate per M.	White.	Rate per M	Colored.	Rate per M.	Total.	Rate per M.	White.	Rate per M.	Colored.	Rate per M.
Exclusive	30,124	15,220	14,894	55	21 91	29	22.84	26	20 94	22	8 76	10	7.88	12	9 66
Huntsville	7,995	3,998	3,997	19	28 51	5	15 00	14	42 00	6	9 00	5	15.00	1	3.00
Marshall	18,935	17,552	1,383	11	6 97	9	6 15	2	1.73	6	3 80	4	2.73	2	17 35
Mobile	31,076	17,429	13,647	87	33 59	39	26 85	48	42 19	50	19.30	19	13.08	31	27.25
Montgomery	56,172	14,530	41,642	72	15.38	20	16.51	52	14.98	55	11.75	15	12 38	40	11.52
Exclusive	34,289	5,638	28,651	53	18 49	10	21.28	43	18 00	37	12 91	5	10.64	32	13.40
Montgomery	21,883	8,892	12,991	19	10 46	10	13 49	9	8.31	18	9 90	10	13.49	8	7.38
Monroe	18,990	8,327	10,663	67	42 33	23	32 81	44	49.51	10	6 32	6	8.56	4	4.50
Morgan	24,089	17,903	6,186	50	24.90	25	16.75	25	48.49	23	10 45	14	9.38	9	17.46
Exclusive	16,953	13,903	3,050	34	23 99	24	20.71	10	39 34	21	14.83	12	10.35	9	35.41
Decatur	7,136	4,000	3,136	16	26 90	1	3 00	15	57 31	2	3 37	2	6 00	..	....
Perry	29,332	6,806	22,526	78	31.91	19	34 50	59	31.43	26	10 63	10	17.63	16	8.52
Exclusive	25,763	5,306	20,557	74	34 46	18	40 70	56	32.84	24	11.17	9	20.35	15	8.79
Marion	2,153	1,000	1,153	4	22.29	1	12.00	3	31.22	2	11.14	1	12.00	1	10.40
Uniontown	1,416	500	916	..	.....	...	.....	..	....	...	....	..	....	..	....
Pike	24,423	15,633	8,790	76	23.34	45	34 25	31	42.32	17	8 35	10	4.91	7	9 55
Exclusive	20,974	13,433	7,541	65	36 98	41	36 62	24	38 18	13	7.43	8	7.14	5	7 95
Troy	3,449	2,200	1,249	11	38 28	4	21.81	7	67.20	4	13.92	2	10.91	2	19.20
St. Clair	17,353	14,285	3,068	72	49 78	29	49 56	13	50 84	13	8.98	9	7.56	4	15.64
Sumter	29,574	5,919	23,655	47	19 07	10	20 27	37	18 78	26	10.55	12	24.32	14	7.10
Exclusive	27,708	5,214	22,584	42	18 19	10	23 01	32	17.07	23	8.79	10	23.01	13	6 93
Livingston	805	305	500	2	29 81	....	.....	2	48 00	3	43.71	2	78.68	1	24 00
Gainesville	1,091	400	671	3	33 61	..	.....	3	54.09	...	.....	...	.....	...	...
Talladega	29,346	15,343	14,003	49	20.03	33	25.81	16	13.71	18	7.36	12	9.38	6	5.14
Exclusive	26,846	13,843	13,003	46	20.56	30	26 01	16	14.76	13	5.81	10	8.67	3	2.76
Talladega	2,500	1,500	1,000	3	14.40	3	24 00	....	...	5	24 00	2	16.00	3	36 00
Tallapoosa	25,460	16,854	8,606	56	26.41	46	32 75	10	13.94	18	8.49	15	10.68	3	4.10

Exclusive	23,660	15,354	8,306	53	24.61	44	34.38	9	13.00	17	7.84	14	14.06	3	4.33
Alexander City	800	700	100	...	.....	..	...	....	.....	1	15.00	1	17.14	...	.....
Dadeville	1,000	800	200	3	36.00	2	30.00	1	60.00	....	.....	....	..	....	.....
Tuscaloosa	30,352	18,213	12,139	33	13.04	19	12.51	14	13.84	29	11.46	15	9.88	14	13.84
Exclusive	23,552	13,813	9,739	24	12.24	17	14.69	7	8.62	18	9.17	11	9.50	7	8.62
Tuscaloosa	5,000	3,000	2,000	9	21.60	2	8.00	7	42.00	3	7.20	...	.....	3	18.00
North Port	700	500	200	..	.....	...	.....	....	.....	1	17.14	..	.....	1	60.00
Insane Asylum	1,100	900	200	..	....	..	..	...	.....	7	76.36	4	53.33	3	180.00
Winston	6,520	6,520	.....	12	22.04	12	22.04	..	.....	1	1.84	1	1.84	....	.....
Total for January	981,261	525,664	455,597	2190	26.81	1231	28 10	951	25.04	773	9.46	351	8.01	422	11.11
Exclusive of towns	817,574	433,625	383,949	1816	26.68	1041	28.80	775	24.22	547	8 03	246	6 40	301	9 40
Total of towns	163,687	92,039	71,648	374	26.41	188	24.51	186	31.15	226	16 60	105	13.69	121	20.26

Births and Deaths by Counties, Towns and Colors—February, 1890.

Counties and Towns.	Population.			Births						Deaths.					
	Total.	White.	Colored.	Total.	Rate per M	White.	Rate per M	Colored.	Rate per M.	Total.	Rate per M.	White.	Rate per M.	Colored.	Rate per M
Prattville	1,200	900	300	3	30.00	1	13.33	2	80.00	6	60.00	5	66.66	1	40.00
Baldwin	8,941	5,635	3,306	15	20.13	12	25.33	3	10.88	...	.....	...	.....	...	.....
Barbour	34,898	13,321	21,577	48	16.50	17	15.31	31	17.23	18	6.18	11	9.9	7	3.89
Exclusive	29,874	10,021	19,753	40	16.06	13	16.59	26	15.66	12	4.82	6	7.11	6	3.61
Eufaula	4,927	2,600	1,427	3	8.86	1	4.65	2	16.81	2	5.91	2	9.30	...	.....
Clayton	997	600	397	6	60.18	2	40.00	3	90.67	4	48.14	3	60.00	1	30.00
Blount	21,927	20,115	1,812	50	27.36	47	28.04	3	19.86	8	4.37	8	4.77	...	.....
Bullock	27,033	6,066	20,967	57	25.27	10	19.78	47	26.89	24	10.64	4	7.91	20	11.44
Exclusive	25,016	5,066	19,950	56	26.86	9	21.31	47	28.27	22	10.55	3	7.10	19	11 42
Union Springs	2,017	1,000	1,017	1	5.85	1	12 00	...	.....	2	11.71	1	12.00	1	11.79
Butler	21,581	11,368	10,213	62	34.37	30	31.65	32	37.56	18	9.98	11	11.60	7	8.21
Exclusive	17,779	9,968	8,811	56	34.47	28	33.70	28	38.13	17	10.83	10	12.03	7	9.53
Greenville	2.802	1,400	1,402	6	25 69	2	17.14	4	34.23	1	4.28	1	8.57	...	.....
Calhoun	33,835	23,891	9,944	81	28.72	60	30.13	21	26.39	26	9.21	13	6.52	13	16.34
Exclusive	20,301	15,092	5,209	48	28.37	38	30.21	10	23.03	12	7.09	8	6.36	4	9.21
Anniston	10,113	6,399	3,714	26	30.85	19	35.62	7	22.61	10	11.86	4	7.50	6	19.38
Jacksonville	1,237	900	337	2	19.41	1	13.38	1	35.60	1	9.70	...	.....	1	35.60
Oxford	1,473	900	573	5	40.73	2	26.66	3	62.82	2	16.29	...	....	2	41.88
Piedmont	711	600	111	...	....	...	....	...	...	1	16.87	1	20 00	...	.....
Choctaw	17,526	8,110	7,416	25	17.08	10	14.79	15	19.11	13	8.88	6	8.87	7	8.91
Clarke	22,622	9,627	12,995	67	35 53	28	34.88	39	36.01	7	3.71	3	3.73	4	3.69
Clay	15,765	14,086	1,679	27	20.54	23	19.59	4	28.58	5	3.80	5	4.25	...	.....
Conecuh	14,594	7,956	6,638	40	32.88	22	33.44	18	32 52	14	11.51	8	12.16	6	10.84
Exclusive	13,557	7,341	6,216	39	34.52	22	35.96	17	32.81	13	11.51	7	11.44	6	11 58
Evergreen	1,037	615	422	1	11.57	...	....	1	19.51	1	11.57	1	19.51	..	....
Coosa	15,906	10,486	5,420	42	31.68	31	35.46	11	24.35	9	6 78	7	8.00	2	4.42

Crenshaw	15,425	11,732	3,693	25	19.44	23	23.50	2	6.49	9	7.00	8	8.17	1	3.24
Cullman	13,439	13,439	.....	32	28.66	32	28.66	....	.....	13	11.64	13	11.64	...	....
Exclusive	12,422	12,422	.....	30	28.98	30	28.98	....	.....	11	10.62	11	10.62	...	....
Cullman	1,017	1,017	.....	2	23.59	2	23.59	....	....	2	23.59	2	23.59	...	....
Dallas	49,350	7,906	41,444	91	22.12	19	28.82	72	19.44	43	10.45	3	4.55	40	11.58
Exclusive	41,728	4,406	37,322	70	20.13	8	23.78	62	19.95	28	8.05	1	2.72	27	8.68
Selma	8,622	3,500	4,122	21	33.00	11	37.71	10	29.11	15	9.44	2	6.85	13	37.84
DeKalb	21,010	19,881	1,129	40	22.88	40	24.14	...	....	18	10.28	17	10.25	1	10.62
Exclusive	18,312	17,881	431	34	22.16	34	21.81	...	...	12	7.82	11	7.38	1	27.84
Fort Payne	2,698	2,000	698	6	26.68	6	36.00	.	.	6	26.68	6	36.00	...	....
Elmore	21,732	11,329	10,403	45	24.84	25	16.47	20	23.06	13	7.17	8	8.47	5	5.76
Exclusive	20,919	10,829	10,090	44	25.24	25	28.94	19	22.59	13	7.45	8	9.46	5	5.94
Wetumpka	813	500	313	1	14.76	..	....	1	38.33	...	...	...	.....	..	.....
Escambia	8,660	5.674	2,992	21	29.06	11	23.25	10	40.10	7	9.68	3	6.34	4	16.04
Exclusive	7,302	4,799	2,503	17	27.94	9	22.50	8	38.32	4	6.57	2	5.00	2	9.58
Brewton	1,115	750	365	3	32.28	2	32.00	1	32.87	2	21.52	1	16.00	1	32.87
Alco	249	125	124	1	48.19	..	.	1	96.77	1	48.19	..	.....	1	96.77
Etowah	21,926	18,097	3,829	62	33.93	51	33.81	11	34.47	17	9.30	12	7.95	5	15.67
Exclusive	14,926	12,797	2,129	54	43.41	45	42.19	9	50.12	11	8.84	9	8.44	2	11.27
Gadsden	5,000	3,800	1,200	8	19.20	6	18.94	2	20.00	5	12.00	2	6.31	3	30.00
Attalla	2,000	1,500	500	...		..		.	.	1	6.00	1	8.00	....	..
Fayette	12,823	11,062	1,761	31	29.00	28	30.35	3	20.40	9	6.54	5	5.42	2	13.60
Greene	22,007	3,192	18,815	26	14.17	6	22.55	20	12.75	16	8.72	1	3.75	15	9.56
Hale	27,501	5,053	22,448	35	15.27	7	16.61	28	14.96	7	3.05	1	2.37	6	3.20
Exclusive	25,742	4,153	21,589	30	13.98	5	14.44	25	13.89	6	2.79	....	.....	6	3.33
Greensboro	1,759	900	859	5	34.11	2	26.66	3	41.90	1	6.82	1	13.33	..	....
Jackson	28,026	24,132	3,894	72	30.82	68	33.80	4	12.32	20	8.56	18	8.94	2	6.16
Exclusive	27,067	23,382	3,685	70	31.03	66	33.87	4	14.02	20	8.86	18	9.23	2	6.51
Scottsboro	959	750	209	2	25.02	2	32.00	.	.....	....	.....	..	.....	..	....
Jefferson	88,501	56,953	31,548	150	20.32	115	24.23	35	13.31	85	11.51	40	8.42	45	17.11
Exclusive	62,323	42,044	20,279	96	18.78	78	22.26	18	10.65	25	4.89	11	3.14	14	8.28
Birmingham	26,178	14,909	11,269	54	24.75	37	29.78	17	18.10	60	27.50	29	23.34	31	33.01
Lamar	14,187	11,338	2,849	34	28.75	28	29.62	6	25.27	9	7.61	7	7.40	2	8.42
Lawrence	20,725	12,536	8,189	53	30.68	25	23.93	28	41.35	19	11.00	9	8.61	10	14.77
Exclusive	20,146	12,286	7,860	50	29.78	25	24.41	25	38.13	17	10.12	9	8.79	8	12.20
Courtland	579	250	329	3	62.17	.	....	3	109.42	2	41.45	..	.	2	72.94
Lowndes	31,550	4,466	27,084	69	26.24	13	32.01	56	24.80	25	9.50	5	12.31	20	8.86

Births and Deaths by Counties, Towns and Colors—February, 1890. (Continued.)

Counties and Towns.	Population.			Births.						Deaths.					
	Total.	White.	Colored.	Total.	Rate per M.	White.	Rate per M	Colored.	Rate per M.	Total.	Rate per M	White.	Rate per M.	Colored.	Rate per M.
Madison	38,119	19,228	18,891	84	26.42	42	26.20	42	26.67	43	13.53	20	12.48	23	14.60
Exclusive	30,124	15,230	14,894	66	26.29	34	26.78	32	25.77	26	10.35	12	9.45	14	11.28
Huntsville	7,995	3 998	3,997	18	27.01	8	24.00	10	30.00	17	25.61	8	24.00	9	27.00
Marshall	18,935	17,552	1,383	31	19.64	31	21.19	..	....	7	4.43	6	4.10	1	8.67
Mobile	31,076	17,429	13,647	59	22.77	24	16.52	35	30.77	44	16.99	22	15.14	22	18.24
Monroe	56,172	14,530	41,642	45	28.42	13	18.53	32	36.00	8	5 05	3	4.27	5	5.62
Montgomery	34,289	5,638	28,651	58	12.38	17	14.03	41	11.81	23	4 91	11	9.08	12	3.45
Exclusive	21,883	8,802	12,991	45	15.70	7	15.18	38	17.91	...	....	.	....	....	....
Montgomery	18,990	8,327	10,663	13	7.25	10	13.59	3	2.76	23	22.66	11	14.84	12	11.08
Morgan	24,089	17,903	6,186	34	16.95	23	15.41	11	21.32	22	10.95	15	10 05	7	13.57
Exclusive	16,953	13,903	3,050	24	16.94	20	19.26	4	15.73	13	9.17	9	7.76	4	15.73
Decatur	7,136	4,000	3,136	10	16 81	3	9.00	7	26 76	9	15.13	6	18.00	3	11.47
Perry	29,342	6,806	22,526	72	29.45	16	28.20	56	29.83	26	10.63	9	15.86	17	9.05
Exclusive	25,763	5,306	20,557	67	31.20	15	33 92	52	30.50	20	9.31	8	18.09	12	6.93
Marion	2,153	1,000	1,153	5	27.86	1	12.00	4	41.62	5	27.86	1	12.00	4	41.62
Uniontown	14,16	500	916	..	....	..	....	.	....	1	8.47	..	..	1	13.10
Pike	24,423	15,633	8,790	56	27.51	37	28.16	19	25.93	18	8.84	11	8.37	7	9.55
Exclusive	20,974	13,435	7,541	51	29.17	35	31.26	16	25.46	15	8.58	9	8.03	6	9.55
Troy	3,449	2,200	1,249	5	17.40	2	10.91	3	28.80	3	10.44	2	10.91	1	9.60
St. Clair	17,353	14,285	3,068	46	31.80	43	36.12	3	11.73	8	5.53	5	3.40	3	11.73
Sumter	29,574	5,919	23,655	57	23.12	15	30.40	42	21.30	22	8.92	9	18.24	13	6.59
Exclusive	27,708	5,214	22,584	54	23.39	15	24.52	39	20.81	21	9.09	9	20.71	12	6.40
Livingston	805	305	500	2	29.81	..	....	2	48.00	..	.....	...	....	...	....
Gainesville	1,071	400	671	1	11.20	.	.	1	18.00	1	11.20	..	....	1	18.03
Talladega	29,346	15,343	14,003	60	24.53	37	28.93	23	19.70	20	8.17	13	10.16	7	4.59
Exclusive	26,846	13,843	13,003	57	25.47	34	29.48	23	21.22	18	8.04	11	9.53	7	6.46

Talladega	2,500	1,500	1,000	3	14 40	3	24 00	.	.....	2	9.60	2	16 00	....	....
Tallapoosa	22,460	16,854	8,606	55	25 94	40	28 47	15	20.91	16	7.54	12	8.54	4	5 57
Exclusive	23,660	15,354	8,306	51	23 69	36	28 13	15	21.67	13	6 03	9	7.04	4	5.78
Alexander City	800	700	100	1	15 00	1	17 14	...	.....	1	15 00	1	17.14	..	....
Dadeville	1,000	800	200	3	36 00	3	45 00	.		2	24 00	2	30 00	..	....
Tuscaloosa	30,352	18,213	12,139	42	16.60	32	21 08	10	9 88	19	7 51	8	5 27	11	10.87
Exclusive	23,552	13,813	9,739	32	16.30	25	21.61	7	8 62	13	6 62	6	5 18	7	8 62
Tuskaloosa	5,000	3,000	2,000	9	21.60	6	24.00	3	18 00	6	14 40	2	8 00	4	24 00
North Port	700	500	200	1	17 14	1	24 00		. .	..	.....	.	.....	..	
Insane Asylum	1,100	900	200	.				..	...	20	218 18	16	213 33	4	240 00
Winston	6,520	6,520	...	7	12 88	7	12.88	..	...	2	3 68	2	3 68	...	.....
Total for February	981,261	525,664	455,597	2013	24 64	1171	26 73	1842	48 51	766	9.37	399	8 99	367	9 66
Exclusive of Towns	817,574	433,625	383,949	1716	25 21	1002	27 73	1714	53 57	499	7.33	260	7.19	239	12.19
Total of Towns	163 687	92 039	71,648	297	21 77	169	22 03	128	21 43	267	19.57	139	18 12	128	21.43

Births and Deaths by Counties, Towns and Colors—March, 1890.

Counties and Towns.	Population.			Births.						Deaths.					
	Total.	White.	Colored.	Total.	Rate per M.	White.	Rate per M.	Colored.	Rate per M.	Total.	Rate per M.	White.	Rate per M.	Colored.	Rate per M.
Prattville	1,200	900	300	6	60.00	4	53.33	2	80.00	2	20.00	2	26.66	...	...
Baldwin	8,941	5,635	3,306	19	25 49	12	25 33	7	25.54	3	4 02	1	2.11	2	7 24
Barbour	34,898	13,321	21,577	78	26 81	31	27 92	47	26.13	13	4.46	9	8.10	4	2.22
Exclusive	29,874	10,121	19,753	66	26 51	25	29.64	41	24 70	8	3 21	5	5 92	3	1 80
Eufaula	4,027	2,600	1,427	7	20 69	4	18 61	3	25 22	3	8.86	3	13.96	..	...
Clayton	997	600	397	5	60 18	2	40 00	3	90.67	2	24 07	1	20.00	1	30.22
Blount	21,927	20,115	1,812	43	23 52	43	25.65	..	...	7	3 83	7	4 18	..	....
Bullock	27,033	6,066	20,967	76	33.69	8	15 82	68	38 91	26	11.52	6	11.86	20	11.44
Exclusive	25,016	5,066	19,950	71	34 06	6	14 21	65	36 09	25	11 99	6	14 21	19	11.41
Union Springs	2,017	1,000	1,017	5	29.28	2	24 00	3	35 39	1	5 85	..		1	11 79
Butler	21,581	11,368	10,213	75	42 61	38	40 09	37	43.43	14	7.81	4	4 22	10	11 74
Exclusive	18,779	9,968	8,81	66	42 05	34	40.92	32	43 58	14	8 92	4	4.81	10	13 62
Greenville	2,802	1,400	1,402	9	38.54	4	34 88	5	42 79		....	.		..	....
Calhoun	33,835	23,891	9,944	61	21 63	42	21 09	19	23.88	19	6 73	13	6.52	6	7 54
Exclusive	20,301	15,092	5,209	40	23.64	31	24 64	9	20 72	10	5.91	8	6 20	2	4 60
Anniston	10,113	6,399	3,714	9	10 67	6	11 25	3	9 69	5	5.93	4	7 50	1	3 23
Jacksonville	1,237	900	337	5	48 50	2	26 66	3	106 82	2	19 40	1	13 33	1	35.60
Oxford	1,473	900	573	4	32 50	1	13 33	3	62 82	2	16 29	..	.	2	41.88
Piedmont	711	600	111	3	50 63	2	40 00	1	108 10	.	.	.	.	.	
Choctaw	17,526	8,110	9,416	17	11 61	7	10 35	10	12 74	13	8 88	6	8 87	4	9.21
Clarke	22,622	9,627	12,995	68	36 06	31	38 62	37	34 16	12	6 36	7	8 72	5	4 61
Clay	15,765	14,086	1,679	40	30 44	37	31.51	3	21 40	5	3 80	5	4 25	..	..
Conecuh	14,594	7,956	6,638	35	28 77	16	24 32	19	35 33	11	9 04	3	4 56	8	14 45
Exclusive	13,557	7,341	6,216	31	27 44	15	24 52	16	30 88	10	8 85	2	3.27	8	15 44
Evergreen	1,037	615	422	4	46 28	1	19 51	3	85 31	1	11 57	1	19 51	..	....
Coosa	15,906	10,486	5,420	26	19 61	22	25.16	4	8.85	10	7 54	5	5.72	5	11 07

Crenshaw	15,425	11,732	3,693	27	21.00	22	22 48	5	16 24	13	10.11	11	11.24	2	6 49
Cullman	13,439	13,439	.....	31	27 76	31	27 76	...	...	17	15 22	17	15 22	..	....
Exclusive	12,422	12,422	.....	29	28 01	29	28 01	...	....	11	10 62	11	10 62	..	....
Cullman	1,017	1,017	.....	2	23 60	2	23 60	..	.	6	70 79	6	70.79	..	..
Dallas	49,350	7,906	41,444	100	24.31	13	19.72	87	25 18	49	11.91	6	9 10	43	12 43
Exclusive	41,728	4,406	37,322	85	24 44	6	16 34	79	25 40	43	12 36	5	13.61	38	12.21
Selma	7,622	3 500	4,122	15	23.61	7	24 00	8	23 28	6	9 44	1	3 42	5	14 55
DeKalb	21,010	19,881	1,129	51	28 99	50	30 17	1	10 62	21	11 93	21	12 67	..	....
Exclusive	18,312	17,886	431	50	32 58	49	32 88	1	27.84	11	7 16	11	7 38	..	....
Fort Payne	2,698	2,000	698	1	4.47	1	6 00	..	.	10	44.47	10	60 00	.	..
Elmore	21.732	11,329	10,403	49	27 05	26	27.45	23	26 51	14	7 72	3	3.16	11	12.6
Exclusive	20,919	10.829	10,090	49	28 11	26	30.10	23	27 35	13	7.45	2	2 31	11	13.0
Wetumpka	813	500	313	..	.. .	.		....	....	1	14 76	1	24 00	.	...
Escambia	8,666	5,674	2,992	36	49 82	20	42 28	16	66 10	8	11.07	3	6 34	5	20 0
Exclusive	7,302	4,799	2,503	31	42 92	19	40.18	12	48 12	7	9 69	2	4 23	5	20.0
Brewton	1,115	750	365	4	43 05	1	16 00	3	98.63	1	10 76	1	16 00	..	....
Alco	249	125	124	1	48 00	..	..	1	96 77	....	....	.	.		....
Etowah	21,927	18,097	3,829	71	38 85	53	35 13	18	56 41	27	14 77	19	12 59	8	25 0
Exclusive	14,926	12,797	2,129	62	49 84	49	45 88	13	73 27	22	17 68	17	16 04	5	28 1
Gadsden	5,000	3,800	1,200	8	19.20	3	9 47	5	50.00	2	4 80	1	3.15	1	10 00
Attalla	2,000	1,500	500	1	6 00	1	8 00	...	....	3	18 00	1	8 00	2	48.0
Fayette	12,823	11,062	1,761	26	24 32	23	24 93	3	20 40	6	5.61	3	3.25	3	20 4
Greene	22,007	3,192	18,815	27	14 72	4	15 03	23	14 66	15	8.17	4	15 03	4	7 2
Hale	27,501	5,053	22,448	51	22 25	6	14 24	45	24 05	7	8 05	1	2 37	6	3.2
Exclusive	25,742	4,153	21,589	49	21 72	5	14 44	44	24 45	7	2.86	1	2 89	6	3 3
Greensboro	1,759	900	859	2	13 64	1	13 33	1	13 96	..	.	..	....	..	
Jackson	28,026	24,132	3,894	73	31 25	62	30 82	11	33 89	25	10.60	21	10 44	4	12 3
Exclusive	27,067	23,382	3,685	71	31.47	61	31.31	10	32 56	24	10 63	21	10.77	3	9 76
Scottsboro	959	750	209	2	25 02	1	16.00	1	57 41	1	12 51	..	....	1	57.41
Jefferson	88,501	56,953	31,548	197	26 69	145	30.55	52	19 77	109	14.76	53	11.10	56	21.89
Exclusive	62,323	42,044	20,279	143	27.98	113	37 10	30	17.75	48	9.39	24	6.85	24	14.20
Birmingham	26,178	14,909	11,269	54	24.75	32	25.75	22	23.42	61	28.06	29	23.34	32	34.06
Lamar	14,187	11,338	2,849	35	29.60	24	25.39	11	46.33	6	5.07	4	4.23	2	8.42
Lawrence	20,725	12,536	8,189	34	19 68	22	21.05	12	17.72	6	3.47	4	3.82	2	2.95
Exclusive	20,146	12,286	7,860	33	19.65	22	21.48	11	16.78	6	3.57	4	3.90	2	3.05

Births and Deaths by Counties, Towns and Colors—March, 1890. (Continued.)

Counties and Towns.	Population.			Births.						Deaths.					
	Total.	White.	Colored.	Total.	Rate per M.	White.	Rate per M.	Colored.	Rate per M.	Total.	Rate per M	White.	Rate per M	Colored.	Rate per M
Courtland	579	250	329	1	20.72	..	.....	1	36.47	....	.....	....	.....	....	.....
Lowndes.	31,550	4,446	27,084	73	27.76	8	19.70	65	28 79	24	9.12	3	7.38	21	9.30
Madison	38,119	19,228	18,891	61	19.20	28	17.47	33	20.96	47	14.79	17	10.60	30	19.05
Exclusive	30,124	15,230	14,894	46	18.32	21	16.54	25	20.14	32	12.74	11	8.66	21	16.92
Huntsville	7,995	3,998	3,997	15	22.51	7	21.00	8	24.00	15	22.51	6	18.00	9	27.00
Marshall	18,935	17.552	1,383	29	18.38	25	17.09	4	34.70	15	9.50	9	6.15	6	52.06
Mobile	31,076	17,429	13,647	66	25 48	36	24.78	30	26.38	67	25.87	28	19 27	39	34.09
Monroe	18,990	8,327	10,663	52	32 85	20	28 52	32	36.00	5	3.15	3	4.27	2	2 25
Montgomery	56,172	14,530	41,642	75	16.02	16	13.21	59	16.99	41	8.75	9	7.42	32	9.21
Exclusive	34,289	5,638	28,651	47	16.39	4	8.51	43	18 01	24	8.37	2	4 25	22	9 21
Montgomery	21,883	8,892	12,991	28	15.42	12	16.19	16	14 78	17	9.36	7	9.44	10	9 23
Morgan	24,089	17,903	6,186	43	21.41	34	22.78	9	17.45	16	7 96	14	9.38	2	3 8
Exclusive	16,953	13,903	3,050	38	26.83	30	25.89	8	31.48	11	7.76	11	9.49	..	....
Decatur	7,136	4,000	3,136	5	8.40	4	12.00	1	3.82	5	8 40	3	9.00	2	7.64
Perry	29,332	6,806	22,526	60	24.54	11	19.39	49	26.10	22	9 00	5	8 81	17	9.0
Exclusive	25,763	5,306	20,557	58	27.01	11	24.87	47	27.56	20	9.31	3	6.78	17	9.97
Marion	2,153	1,000	1,153	2	7.15	..	...	2	20.81	2	7.15	2	24.00	..	....
Uniontown	1,416	500	916			..		..		....	....	...	.	..	
Pike	24,423	15,633	8,790	60	33 89	43	32.73	26	35 43	24	11.79	13	9.89	11	17.7
Exclusive	20,974	13,433	7,541	61	34.89	36	32.15	25	39.78	18	10.29	11	9.82	7	11.14
Troy	3,449	2,200	1,249	8	27.84	7	38.18	1	9.60	6	20.88	1	10.91	4	38.40
St. Clair	17,353	14,285	3,068	64	44 25	59	49.50	5	19.55	15	10 37	12	10 08	3	11.7
Sumter	29,574	5,919	23,655	33	13.38	7	14.18	26	13.18	19	7.70	5	10.13	14	7.10
Exclusive	27,708	5,214	22,584	31	13.43	6	13.81	25	13.34	18	7.79	5	11.50	13	6.93
Livingston	805	305	500	1	14.90	....	....	1	24.00	1	14.90	....	....	1	24.00
Gainesville	1,071	400	671	1	11.20	1	30.00	....	....	....	....	....	....	..	....

Talladega	29,346	15,343	14,003	86	35.16	49	38.33	37	31.70	27	11.04	12	9.38	15	12.85
Exclusive	26,846	13,843	13,003	85	37.99	48	41.62	37	33.44	26	11.62	11	9.53	15	13.8
Talladega	2,500	1,500	1,000	1	4.80	1	8.00		...	1	4.80	1	8.00	...	....
Tallapoosa	25,460	16,854	8,600	67	31.60	50	35.59	17	23.69	13	6.13	7	4.98	6	8.3
Exclusive	23,060	15,354	8,306	67	..	50	....	17	..	13	.	7	.	6	....
Alexander City	800	700	100	..	....	..	....		..		....		.....	..	....
Dadeville	1,000	800	200	..	...			...		.			.....	..	...
Tuskaloosa	30,352	18,213	12,139	35	13.83	17	11.19	18	17.79	20	10.27	14	9.22	12	11.8
Exclusive	23,552	13,813	9,739	30	15.28	15	12.96	15	18.48	9	4.58	5	4.32	4	5.9
Tuskaloosa	5,000	3,000	2,000	4	9.60	1	4.00	3	18.00	4	9.60			4	24.00
North Port	700	500	200	1	17.14	1	24.00	.	...	1	17.14	1	24.00	....	
Insane Asylum	1,100	900	200	.	...	.		...	....	12	130.90	8	106.66	4	240.0
Winston	6,520	6,520	.....	11	20.24	11	20.24		...	3	5.52	3	5.52	..	...
Total for March	981,261	525,664	455,597	2166	26.50	1206	27.53	960	25.28	822	10.06	392	8.95	430	11.3
Exclusive of towns	817,574	433,625	383,949	1896	27.70	1059	29.30	837	26.15	582	8.55	272	7.52	310	9.69
Total for towns	163,687	92,039	71,648	270	19.79	147	19.16	123	20.60	240	17.59	120	15.64	120	20.1

Births and Deaths by Counties, Towns and Colors—April, 1890.

Counties and Towns.	Population.			Births.						Deaths.					
	Total.	White.	Colored.	Total.	Rate per M.	White.	Rate per M	Colored.	Rate per M	Total.	Rate per M	White.	Rate per M	Colored.	Rate per M.
Prattville	1,200	900	300	4	40.00	4	53 33	...	.....	2	20 00	1	13 33	1	40 00
Baldwin	8,941	5,635	3,306	10	13 42	5	10 55	5	18.14	2	2 68	2	4 22	...	.....
Barbour	34,898	13,321	21,577	68	23 38	29	26 12	39	21 69	16	5.50	8	7 20	8	4 44
Exclusive	29,874	10,121	19,753	55	22 09	21	24.89	34	20.48	15	6 02	7	8 29	8	4.81
Eufaula	4,026	2,600	1,429	9	26 60	6	27.92	3	25.22	1	2 95	1	4 65	..	....
Clayton	997	600	397	4	48 14	2	40.00	2	60 45	..		..	....	..	.....
Blount	21,927	20,115	1,812	60	32 83	59	35.19	1	6 62	6	3 28	6	3.58	.	....
Bullock	27,033	6,066	20,967	74	32 81	10	19 78	64	36 62	24	10 64	3	5 93	21	9.31
Exclusive	25,016	5,066	19,950	70	33 57	9	21 31	61	36 69	20	9 59	3	7.10	17	10 22
Union Springs	2,017	1,000	1,017	4	23 42	1	12 00	3	35 39	4	23 42	..		4	47.18
Butler	21,581	11,368	10,213	70	38 81	34	35 89	36	42 32	24	13.40	15	12 63	9	10.57
Exclusive	18,779	9,968	8,811	61	38 86	29	34.90	32	43 58	22	10 55	13	15 65	9	12.25
Greenville	2,802	1,400	1,402	9	38.54	5	42.85	4	34 23	2	8 56	2	17 14	..	..
Calhoun	33,835	23,891	9,944	80	28.36	67	33 65	13	16.34	26	9 22	16	8 03	10	12 57
Exclusive	20,301	15,092	5,209	46	27.19	42	32 39	4	9 21	11	6.50	7	5 56	4	9 21
Anniston	10,113	6,399	3,714	29	34 41	21	39.38	8	25 84	13	15 42	8	15 00	5	16.15
Jacksonville	1,237	900	337	2	19 40	2	26 66	..	....	1	9.70	..	....	1	35.60
Oxford	1,473	900	573	2	16.29	1	13 33	1	20.94	..	.....	...	.	...	....
Piedmont	711	600	111	1	16 87	1	20 00	..	...	1	16 87	1	20 00	..	.....
Choctaw	17,526	8,110	9,416	12	8 20	7	10 35	5	6 37	12	8 20	6	8 87	6	7.64
Clarke	22,622	9,627	12,995	64	33.94	28	34 90	36	33.24	11	5 83	4	4 98	7	6.46
Clay	15,765	14,086	1,679	45	36 53	38	32 37	7	50.03	6	4 56	6	5.11	...	....
Conecuh	14,594	7,956	6,638	34	27.95	19	28 89	15	27 11	14	11.51	4	6.08	10	18 07
Exclusive	13,557	7,341	6,216	30	26.55	16	26 15	14	27 02	10	8 85	3	4 90	7	13.51
Evergreen	1,037	615	422	4	46 29	3	59 53	1	28.43	4	46.29	1	19.51	3	85.31
Coosa	15,906	10,486	5,420	27	20 37	19	21 74	8	17.71	9	6 79	7	8 01	2	4.42

Crenshaw	15,425	11,732	3,693	33	25 67	30	30 68	3	9.74	8	6 62	5	5 11	3	9.74
Cullman	13,439	13,439	....	50	44 79	50	44.79	..	....	7	6 27	7	6.27	..	....
Exclusive	12,422	12,422	....	45	43 47	45	43 47	.	...	7	6 76	7	6 76	...	.....
Cullman	1,017	1,017	....	5	58 99	5	58 99	..	....	..	..	..	..	..	..
Dallas	49,350	7,906	41,444	89	21 64	15	22 76	74	21 42	55	13 37	7	10 62	48	13 89
Exclusive	41,728	4,406	37,322	7	20 42	1	2.72	70	22 50	37	10 64	3	8 17	34	10.93
Selma	7,622	3,500	4,122	18	28.33	14	48 90	4	11 64	18	28 33	4	13 71	14	40.75
DeKalb	21,010	19,881	1,129	56	32 04	56	21.72	...	....	16	19 05	16	9 65	..	.....
Exclusive	18,312	17,881	431	46	29 68	46	30 87	..	.....	12	7 82	12	8 05	..	.....
Fort Payne	2,698	2,000	698	10	44 47	10	60 00	..		4	17 78	4	24.00	..	.....
Elmore	21,732	11,329	10,403	42	23 19	29	30.71	13	15 00	19	10.49	7	7.41	12	13 84
Exclusive	20,919	10,829	10,090	39	22 40	29	33.57	10	11 89	19	10 89	7	8 10	12	14 29
Wetumpka	813	500	313	3	44 28	..		3	115 01	..	....	..	.	..	....
Escambia	8,666	5,674	2,992	18	24 92	11	23 26	7	28 07	4	5.55	3	6 34	1	4.10
Exclusive	7,302	4,799	2,503	17	27 93	11	27.50	6	28 74	2	3 28	2	5 00	..	.....
Brewton	1,115	750	365	.	.	..	....			1	...	..	..	1	.....
Alco	249	125	124	1	48.19	..		1	96 77	1	48 19	1	96 00	..	....
Etowah	21,926	18,097	3,829	53	29 00	43	28 51	10	31 35	18	9 85	10	6.63	8	25 06
Exclusive	14,926	12,797	2,129	43	34 56	36	33 75	7	39 45	13	10 45	8	7 50	5	28 18
Gadsden	5,000	3,800	1,200	8	19 20	6	18 94	2	20 00	5	12 00	2	6 31	3	30 00
Attalla	2,000	1,500	500	2	12 00	1	8 00	1	24 00	..	..	..	....	..	....
Fayette	12,823	11,062	1,761	25	23 39	22	23 86	3	11 40	3	2 80	3	3 25	.	
Greene	22,007	3,192	18,815	29	15 81	2	7 51	27	17 22	12	6 54	2	7.51	10	6 37
Hale	27,501	5,053	22,448	42	34 32	7	16 62	35	18.71	23	10 04	4	9.49	19	10 15
Exclusive	25,742	4,153	21,589	41	19 11	6	17 33	35	19 45	23	10 62	4	11 55	19	10 56
Greensboro	1,759	900	859	1	6 82	1	13 33	..	.	..	...	..	...	...	...
Jackson	28,026	24 132	3,894	65	27 83	60	29 83	5	15 40	31	13 27	26	12 82	5	15 40
Exclusive	27,067	23,382	3,685	62	27 48	57	29 25	5	16 28	31	13 74	26	13 34	5	16 28
Jefferson	88,501	56,953	31,548	133	18 03	96	20 22	37	14 07	118	16 00	47	9 90	71	27 00
Exclusive	62,323	42,044	20,279	78	15.26	66	18 83	12	7 00	54	10 56	20	5 71	34	20 12
Birmingham	26,178	14,909	11,269	55	25 21	30	24 14	25	25 62	64	29 33	27	21 73	37	39 40
Lamar	14,187	11,338	2,849	34	28 75	25	26 45	9	37 90	18	15 22	16	16 93	2	8 42
Lawrence	20,725	12,536	8,189	20	11 58	14	13 40	6	8.86	13	7 52	6	5 74	7	10 34
Exclusive	20,146	12,286	7,860	20	11.91	14	13 66	6	9.15	13	7.74	6	5 86	7	10 67
Courtland	579	250	329	....	.....	....	....	....	.....	....	.....	...	.....	..	.....

Births and Deaths by Counties, Towns and Colors—April, 1890. (Continued.)

Counties and Towns.	Population.			Births.						Deaths.					
	Total.	White.	Colored.	Total.	Rate per M	White	Rate per M	Colored.	Rate per M	Total.	Rate per M	White.	Rate per M.	Colored.	Rate per M
Lowndes	31,550	4,466	27,084	63	23.96	1	2.46	62	27.47	40	15.21	1	2.46	39	17.28
Madison	38,119	19,228	18,891	61	19.20	26	16.22	35	22.23	22	6.92	7	4.36	15	9.53
Exclusive	30,124	15,230	14,894	53	21.01	25	19 69	28	19.21	13	5 17	4	3.15	9	7.25
Huntsville	7,995	3,998	3,997	8	12.00	1	3 00	7	21.00	9	13.50	3	9.00	6	18 00
Marshall	18,935	17,552	1,383	28	17.74	27	18 46	1	8.67	8	5.07	5	3.41	3	26.03
Mobile	31,076	17,429	13,647	61	23.55	28	19.27	33	29.01	59	22.58	26	17.90	33	29.01
Monroe	56,172	14,530	41,642	44	27.80	18	25.68	26	29.26	15	9.47	7	9 98	8	9.00
Montgomery	34,289	5,638	28,651	55	12 85	16	13 21	39	11.24	35	7.47	9	7.40	26	7.49
Exclusive	21,883	8,892	12,991	41	14.30	10	21.28	31	13.58	21	7.32	4	8.51	17	7.12
Montgomery	18,990	8,3 7	10,663	14	7.71	6	8.13	8	7.38	14	7.71	5	6.74	9	8.31
Morgan	24,089	17,903	6,186	50	24.92	41	27.48	9	17.46	33	16 44	20	13.40	13	25.21
Exclusive	16,953	13,903	3.050	36	25.41	33	28.26	3	11.80	20	14.12	12	10.35	8	31 47
Decatur	7,136	4,000	3,136	14	23 56	8	24 00	6	22.93	13	21.86	8	24.00	5	19.11
Perry	29,332	6,806	22,526	41	16 77	10	17.63	31	16 51	22	9.00	4	7.05	18	9.59
Exclusive	25,763	5,30	20,557	38	17 70	8	18.09	30	17.59	18	8.92	2	4.52	16	9 38
Marion	2,153	1,000	1,155	3	16.72	2	24.00	1	13.10	3	16 72	1	12.00	2	26.20
Uniontown	1,416	500	916					..		1	8.45	1	24.00	..	....
Pike	24,423	15,633	8,790	54	26.53	38	28.92	16	21.84	14	5.72	9	6 85	5	6.82
Exclusive	20 974	13,433	7,541	50	28 60	34	30.17	16	25.47	10	5.72	5	4.46	5	7.95
Troy	3,449	2,200	1,249	4	13.92	4	21 81		....	4	13.92	4	21.81	.	....
St. Clair	17,353	14,285	3,068	53	36.65	44	36.96	9	35.20	12	8.29	10	8 40	2	7.82
Sumter	29,574	5,919	23.655	35	14.20	5	10.13	30	15.21	17	6.89	1	2.02	16	8.11
Exclusive	27,708	5,214	22,584	33	14 29	5	11.53	28	14.94	15	6.98	1	2 30	14	7.47
Livingston	805	305	500	1	14.90		...	1	24.00	1	14.90	..	..	1	24.00
Gainesville	1,071	400	671	1	11.20	.		1	18.03	1	11.20	..		1	18 03
Talladega	29,346	15,343	14,003	56	22.89	21	16.42	35	29.99	29	11.85	10	7.80	19	16.28

Talladega	2,500	1,500	1,000	3	14 40	3	24 00	..	.....	2	9.60	2	16 00	....	.....
Tallapoosa	22.460	16,854	8,606	55	25 94	40	28 47	15	20.91	16	7.54	12	8.54	4	5 57
Exclusive	23,660	15,354	8,306	51	23 69	36	28 13	15	21.67	13	6 03	9	7.04	4	5.78
Alexander City	800	700	100	1	15 00	1	17 14	...	.....	1	15.00	1	17.14	..	....
Dadeville	1,000	800	200	3	36 00	3	45 00	..		2	24 00	2	30 00	...	....
Tuscaloosa	30,352	18,213	12,139	42	16.60	32	21 08	10	9 88	19	7 51	8	5 27	11	10.87
Exclusive	23,552	13,813	9,739	32	16.30	25	21.61	7	8 62	13	6 62	6	5 18	7	8 62
Tuskaloosa	5,000	3,000	2,000	9	21.60	6	24.00	3	18.00	6	14 40	2	8 00	4	24 00
North Port	700	500	200	1	17 14	1	24 00	.	. .	..	.....	.	.....	..	
Insane Asylum	1,100	900	200					..	...	20	218 18	16	213 33	4	240 00
Winston	6,520	6,520	...	7	12 88	7	12.88	.	...	2	3 68	2	3 68	...	.....
Total for February	981,264	525,664	455,597	2013	24 64	1174	26 73	1842	48 51	766	9.37	399	8 99	367	9 60
Exclusive of Towns	817,574	433,625	383,949	1716	25 21	1002	27 73	1714	53 57	499	7.33	260	7.19	239	12.19
Total of Towns	163,687	92,039	71,648	297	21 77	169	22 03	128	21.43	267	19.57	139	18 12	128	21.43

Births and Deaths by Counties, Towns and Colors—March, 1890.

Counties and Towns.	Population.			Births.						Deaths.					
	Total.	White.	Colored.	Total.	Rate per M.	White.	Rate per M.	Colored.	Rate per M.	Total.	Rate per M.	White.	Rate per M.	Colored.	Rate per M.
Prattville	1,200	900	300	6	60.00	4	53.33	2	80.00	2	20.00	2	26.66	...	...
Baldwin	8,941	5,635	3,306	19	25 49	1[illegible]	25 33	7	25.54	3	4 02	1	2.11	2	7 24
Barbour	34,898	13,321	21,577	78	26 81	31	27 92	47	26 13	13	4.46	9	8.10	4	2 22
Exclusive	29,874	10,121	19,753	66	26 51	25	29.64	41	24 70	8	3 21	5	5 92	3	1 80
Eufaula	4,027	2,600	1,427	7	20 69	4	18 61	3	25 22	3	8.86	3	13.96	..	...
Clayton	997	600	397	5	60 18	2	40 00	3	90.67	2	24 07	1	20.00	1	30 22
Blount	21,927	20,115	1,812	43	23 52	43	25.65	..	...	7	3 83	7	4 18	..	.....
Bullock	27,033	6,066	20,967	76	33.69	8	15 82	68	38 91	26	11.52	6	11.86	20	11.44
Exclusive	25,016	5,066	19,950	71	34 06	6	14 21	65	36 09	25	11 99	6	14 21	19	11.41
Union Springs	2,017	1,000	1,017	5	29 28	2	24 00	3	35 39	1	5 85	..		1	11 79
Butler	21,581	11,368	10,213	75	42 61	3[illegible]	40 09	37	43 43	14	7.81	4	4 22	10	11 74
Exclusive	18,779	9,968	8,81	66	42 05	34	40.92	32	43 58	14	8 92	4	4.81	10	13 62
Greenville	2,802	1,400	1,402	9	38.54	4	34 88	5	42 79		....	..		..	....
Calhoun	33,835	23,891	9,944	61	21 63	42	21 09	19	23.88	19	6 73	13	6.52	6	7 54
Exclusive	20,301	15,092	5,209	40	23.64	31	24 64	9	20 72	10	5.91	8	6 20	2	4 60
Anniston	10,113	6,399	3,714	9	10 67	6	11 25	3	9 69	5	5.93	4	7 50	1	3 23
Jacksonville	1,237	900	337	5	48 50	2	26 66	3	106 82	2	19 40	1	13 33	1	35.60
Oxford	1,473	900	573	4	32 50	1	13 33	3	62 82	2	16 29	..	.	2	41.88
Piedmont	711	600	111	3	50 63	2	40 00	1	108 10	.	.	.		..	
Choctaw	17,526	8,110	9,416	17	11 61	7	10 35	10	12 74	13	8 88	6	8 87	4	9.21
Clarke	22,622	9,627	12,995	68	36 06	31	38 62	37	34 16	12	6 36	7	8 72	5	4 61
Clay	15,765	14,086	1,679	40	30 44	37	31.51	3	21 40	5	3 86	5	4 25	..	..
Conecuh	14,594	7,956	6,638	35	28 77	16	24 32	19	35 33	11	9 04	3	4 56	8	14 45
Exclusive	13,557	7,341	6,216	31	27 44	15	24 52	16	30 88	10	8 85	2	3.27	8	15 44
Evergreen	1,037	615	422	4	46 28	1	19 51	3	85 31	1	11.57	1	19 51	..	....
Coosa	15,906	10,486	5,420	26	19 61	22	25.16	4	8.85	10	7 54	5	5.72	5	11 07

Crenshaw	15,425	11,732	3,693	27	21.00	22	22 48	5	16 24	13	10.11	11	11.24	2	6 49
Cullman	13,439	13,439	.....	31	27 76	31	27 76	....	....	17	15 22	17	15 22	..	....
Exclusive	12,422	12,422	... .	29	28 01	29	28 01	...	....	11	10 62	11	10 62	..	....
Cullman	1,017	1,017	.....	2	23 60	2	23 60	..	.	6	70 79	6	70.79	..	...
Dallas	49,350	7,906	41,444	100	24 31	13	19 72	87	25 18	49	11.91	6	9 10	43	12 43
Exclusive	41,728	4,406	37,322	85	24 44	6	16 34	79	25 40	43	12 36	5	13 61	38	12.21
Selma	7,622	3 500	4,122	15	23 63	7	24 00	8	23 28	6	9 44	1	3 42	5	14 55
DeKalb	21,010	19,881	1,129	51	28 99	50	30 17	1	10 62	21	11 93	21	12 67	..	....
Exclusive	18,312	17,886	431	50	32 58	49	32 88	1	27.84	11	7 16	11	7 38	..	....
Fort Payne	2,698	2,000	698	1	4.47	1	6 00	..		10	44.47	10	60 00	..	..
Elmore	21.732	11,329	10,403	49	27 05	26	27 45	23	26 51	14	7 72	3	3.16	11	12.6
Exclusive	20,919	10,829	10,090	49	28 11	26	30.10	23	27 35	13	7.45	2	2 31	11	13.08
Wetumpka	813	500	313	..	. .			....	....	1	14 76	1	24 00	..	...
Escambia	8,666	5,674	2,992	36	49 82	20	42 28	16	66 10	8	11.07	3	6 34	5	20 05
Exclusive	7,302	4,799	2,503	31	42 92	19	40 18	12	48 12	7	9 69	2	4 23	5	20.07
Brewton	1,115	750	365	4	43 05	1	16 00	3	98.63	1	10 76	1	16 00	..	...
Alco	249	125	124	1	48 00	..	..	1	96 77	....	....	.	.		...
Etowah	21,927	18,097	3,829	71	38 85	53	35 13	18	56 41	27	14 77	19	12 59	8	25 07
Exclusive	14.926	12,797	2,129	62	49 84	49	45 88	13	73 27	22	17 68	17	16 04	5	28 18
Gadsden	5,000	3.800	1,200	8	19.20	3	9 47	5	50.00	2	4 80	1	3 15	1	10 00
Attalla	2,000	1,500	500	1	6 00	1	8 00	..	....	3	18 00	1	8 00	2	48 00
Fayette	12,823	11,062	1,761	26	24 32	23	24 93	3	20 40	6	5.61	3	3.25	3	20 40
Greene	22,007	3,192	18,815	27	14 72	4	15 03	23	14 66	15	8.17	4	15 03	4	7 23
Hale	27,501	5,053	22,448	51	22 25	6	14 24	45	24 05	7	8 05	1	2 37	6	3 20
Exclusive	25,742	4,153	21,589	49	21 72	5	14 44	44	24 45	7	2.86	1	2 89	6	3 33
Greensboro	1,759	900	859	2	13 64	1	13 33	1	13 96	..	.	..	...	..	
Jackson	28,026	24,132	3,894	73	31 25	62	30 82	11	33 89	25	10.60	21	10 44	4	12 32
Exclusive	27,067	23,382	3,685	71	31.47	61	31.31	10	32 56	24	10 63	21	10.77	3	9 76
Scottsboro	959	750	209	2	25 02	1	16.00	1	57 41	1	12 51	..	....	1	57.41
Jefferson	88,501	56,953	31,548	197	26 69	145	30.55	52	19.77	109	14 76	53	11 10	56	21.89
Exclusive	62,323	42,044	20,279	143	27.98	113	37 10	30	17.75	48	9 39	24	6.85	24	14.20
Birmingham	26,178	14,909	11,269	54	24.75	32	25.75	22	23.42	61	28.06	29	23 34	32	34.06
Lamar	14,187	11,338	2,849	35	29.60	24	25.39	11	46.33	6	5.07	4	4.23	2	8.42
Lawrence	20,725	12,536	8,189	34	19 68	22	21.05	12	17.72	6	3.47	4	3.82	2	2.95
Exclusive	20,146	12,286	7,860	33	19.65	22	21.48	11	16.78	6	3.57	4	3.90	2	3.05

Births and Deaths by Counties, Towns and Colors—March, 1890. (Continued.)

Counties and Towns.	Population.			Births.						Deaths.					
	Total.	White.	Colored.	Total.	Rate per M.	White.	Rate per M.	Colored.	Rate per M.	Total.	Rate per M	White.	Rate per M.	Colored.	Rate per M
Courtland	579	250	329	1	20.72	..	....	1	36.47	....	....	....	....	....	....
Lowndes.	31,550	4,446	27,084	73	27.76	8	19.70	65	28 79	24	9 12	3	7.38	21	9.30
Madison	38,119	19,228	18,891	61	19.20	28	17.47	33	20.96	47	14.79	17	10.60	30	19.05
Exclusive	30,124	15,230	14,894	46	18.32	21	16.54	25	20.14	32	12.74	11	8.66	21	16.92
Huntsville	7,995	3,998	3,997	15	22.51	7	21.00	8	24.00	15	22.51	6	18.00	9	27.00
Marshall	18,935	17.552	1,383	29	18.38	25	17.09	4	34.70	15	9.50	9	6.15	6	52.06
Mobile	31,076	17,429	13,647	66	25 48	36	24.78	30	26.38	67	25.87	28	19.27	39	34.09
Monroe	18,990	8,327	10,663	52	32 85	20	28 52	32	36.00	5	3.15	3	4.27	2	2 25
Montgomery	56,172	14,530	41.642	75	16.02	16	13.21	59	16.99	41	8.75	9	7.42	32	9.21
Exclusive	34,289	5,638	28,651	47	16.39	4	8.51	43	18 01	24	8.37	2	4 25	22	9 21
Montgomery	21,883	8,892	12,991	28	15.42	12	16.19	16	14 78	17	9.36	7	9.44	10	9 23
Morgan	24,089	17,903	6,186	43	21.41	34	22.78	9	17.45	16	7 96	14	9.38	2	3 8.
Exclusive	16,953	13,903	3,050	38	26.83	30	25.89	8	31.48	11	7.76	11	9.49	...	....
Decatur	7,136	4,000	3,136	5	8.40	4	12.00	1	3.82	5	8 40	3	9.00	2	7.64
Perry	29,332	6,806	22,526	60	24.54	11	19.39	49	26.10	22	9 00	5	8.81	17	9.0
Exclusive	25,763	5,306	20,557	58	27.01	11	24.87	47	27.56	20	9.31	3	6.78	17	9.97
Marion	2,153	1,000	1,153	2	7.15	..	...	2	20.81	2	7.15	2	24.00	..	....
Uniontown	1,416	500	916			..				....	....	....	....	..	
Pike	24,423	15,633	8,790	69	33 89	43	32.73	26	35 43	24	11.79	13	9.89	11	17.7
Exclusive	20,974	13,433	7,541	61	34.89	36	32.15	25	39.78	18	10.29	11	9.82	7	11.14
Troy	3,449	2,200	1,249	8	27.84	7	38.18	1	9.60	6	20.88	1	10.91	4	38.40
St. Clair	17,353	14,285	3,068	64	44·25	59	49.50	5	19.55	15	10.37	12	10 08	3	11.7
Sumter	29,574	5,919	23,655	33	13.38	7	14.18	26	13.18	19	7.70	5	10.13	14	7.10
Exclusive	27,708	5,214	22,584	31	13.43	6	13.81	25	13.34	18	7.79	5	11.50	13	6.93
Livingston	805	305	500	1	14.90	....	....	1	24.00	1	14.90	...	....	1	24.00
Gainesville	1,071	400	671	1	11.20	1	30.00	....	....	....	....	....	....	..	....

Talladega	29,346	15,343	14,003	86	35.16	49	38.33	37	31.70	27	11.04	12	9.38	15	12.85
Exclusive	26,846	13,843	13,003	85	37.99	48	41.62	37	33.44	26	11.62	11	9.53	15	13.8
Talladega	2,500	1,500	1,000	1	4.80	1	8.00		...	1	4.80	1	8.00	..	....
Tallapoosa	25,460	16,854	8,600	67	31.60	50	35.59	17	23.69	13	6.13	7	4.98	6	8.3
Exclusive	23,060	15,354	8,306	67	..	50	...	17	...	13	..	7	.	6	....
Alexander City	800	700	100	..	....	..	....		...		...		.....	.	....
Dadeville	1,000	800	200	..	...			...		.		.	.....	.	...
Tuskaloosa	30,352	18,213	12,139	35	13.83	17	11.19	18	17.79	20	10.27	14	9.22	12	11.8
Exclusive	23,552	13,813	9,739	30	15.28	15	12.96	15	18.48	9	4.58	5	4.32	4	5.9
Tuskaloosa	5,000	3,000	2,000	4	9.60	1	4.00	3	18.00	4	9.60	.		4	24.00
North Port	700	500	200	1	17.14	1	24.00	.	..	1	17.14	1	24.00	...	
Insane Asylum	1,100	900	200	..	...	.		...	...	12	130.90	8	106.66	4	240.0
Winston	6,520	6,520	.....	11	20.24	11	20.24		...	3	5.52	3	5.52	..	..
Total for March	981,261	525,664	455,597	2166	26.50	1206	27.53	960	25.28	822	10.06	392	8.95	430	11.3
Exclusive of towns	817,574	433,625	383,949	1896	27.76	1059	29.30	837	26.15	582	8.55	272	7.52	310	9.6
Total for towns	163,687	92,039	71,648	270	19.79	147	19.16	123	20.60	240	17.59	120	15.64	120	20.1

Births and Deaths by Counties, Towns and Colors—April, 1890.

Counties and Towns.	Population.			Births.						Deaths.					
	Total.	White.	Colored.	Total.	Rate per M.	White.	Rate per M	Colored.	Rate per M	Total.	Rate per M	White.	Rate per M	Colored.	Rate per M.
Prattville	1,200	900	300	4	40.00	4	53 33	..	.....	2	20 00	1	13 33	1	40.00
Baldwin	8,941	5,635	3,306	10	13 42	5	10 55	5	18.14	2	2 68	2	4 22	...	.....
Barbour	34,898	13,321	21,577	68	23 38	29	26 12	39	21 69	16	5.50	8	7 20	8	4 44
Exclusive	29,874	10,121	19,753	55	22 09	21	24.89	34	20.48	15	6 02	7	8.29	8	4.81
Eufaula	4,026	2,600	1,429	9	26 60	6	27.92	3	25.22	1	2 95	1	4 65	..	.....
Clayton	997	600	397	4	48 14	2	40.00	2	60 45	..		.	...	..	.....
Blount	21,927	20,115	1,812	60	32 83	59	35.19	1	6 62	6	3 28	6	3.58		....
Bullock	27,033	6,066	20,967	74	32 81	10	19 78	64	36 62	24	10 64	3	5 93	21	9.31
Exclusive	25,016	5,066	19,950	70	33 57	9	21 31	61	36 69	20	9 59	3	7.10	17	10.22
Union Springs	2,017	1,000	1,017	4	23 42	1	12 00	3	35 39	4	23 42	..		4	47.18
Butler	21,581	11,368	10,213	70	38 81	34	35 89	36	42 32	24	13.40	15	12.63	9	10.57
Exclusive	18,779	9,968	8,811	61	38 86	29	34.90	32	43 58	22	10 55	13	15 65	9	12.25
Greenville	2,802	1,400	1,402	9	38.54	5	42.85	4	34 23	2	8 56	2	17 14	...	. .
Calhoun	33,835	23,891	9,944	80	28.36	67	33 65	13	16.34	26	9 22	16	8 03	10	12 57
Exclusive	20,301	15,092	5,209	46	27.19	42	32 39	4	9 21	11	6.50	7	5 56	4	9 21
Anniston	10,113	6,399	3,714	29	34 41	21	39.38	8	25 84	13	15 42	8	15 00	5	16.17
Jacksonville	1,237	900	337	2	19 40	2	26 66	..	....	1	9 70	...	....	1	35.60
Oxford	1,473	900	573	2	16.29	1	13 33	1	20.94	..	.....	...	.	..	....
Piedmont	711	600	111	1	16 87	1	20 00	..	....	1	16 87	1	20 00	..	.....
Choctaw	17,526	8,110	9,416	12	8 20	7	10 35	5	6 37	12	8 20	6	8 87	6	7.64
Clarke	22,622	9,627	12,995	64	33.94	28	34 90	36	33.24	11	5 83	4	4 98	7	6.46
Clay	15,765	14,086	1,679	45	36 53	38	32 37	7	50.03	6	4 56	6	5.11	..	....
Conecuh	14,594	7,956	6,638	34	27.95	19	28 89	15	27 11	14	11.51	4	6.08	10	18.07
Exclusive	13,557	7,341	6,216	30	26.55	16	26 15	14	27 02	10	8 85	3	4 90	7	13.51
Evergreen	1,037	615	422	4	46 29	3	59 53	1	28.43	4	46.29	1	19.51	3	85.31
Coosa	15,906	10,486	5,420	27	20 37	19	21 74	8	17.71	9	6 79	7	8 01	2	4.42

Crenshaw	15,425	11,732	3,693	33	25 67	30	30 68	3	9.74	8	6 62	5	5.11	3	9.74
Cullman	13,439	13,439	....	50	44 79	50	44.79	..	....	7	6 27	7	6.27	..	....
Exclusive	12,422	12,422	....	45	43 47	45	43 47	.	....	7	6 76	7	6 76	..	.....
Cullman	1,017	1,017	....	5	58 99	5	58 99		....	..				..	
Dallas	49,350	7,906	41,444	89	21 64	15	22 76	74	21 42	55	13 37	7	10 62	48	13 89
Exclusive	41,728	4,406	37,322	71	20 42	1	2.72	70	22 50	37	10 64	3	8 17	34	10.93
Selma	7,622	3,500	4,122	18	28.33	14	48 90	4	11 64	18	28 33	4	13 71	14	40.75
DeKalb	21,010	19,881	1,129	56	32 04	56	21.72	..	....	16	19 05	16	9 65	.	....
Exclusive	18,312	17,881	431	46	29 68	46	30 87	..	.....	12	7 82	12	8 05	.	.....
Fort Payne	2,698	2,000	698	10	44 47	10	60 00	..		4	17 78	4	24.00	..	.....
Elmore	21,732	11,329	10,403	42	23 19	29	30.71	13	15 00	19	10.49	7	7.41	12	13 84
Exclusive	20,919	10,829	10,090	39	22 40	29	33.57	10	11 89	19	10 89	7	8 10	12	14 29
Wetumpka	813	500	313	3	44 28	..		3	115 01	..	...	..		..	.....
Escambia	8,666	5,674	2,992	18	24 92	11	23 26	7	28 07	4	5.55	3	6 34	1	4.10
Exclusive	7,302	4,799	2,503	17	27 93	11	27.50	6	28 74	2	3 28	2	5 00	..	.....
Brewton	1,115	750	365		.	.	....			1	...	..	..	1	....
Atco	249	125	124	1	48.19	..		1	96 77	1	48 19	1	96 00	..	..
Etowah	21,926	18,097	3,829	53	29 00	43	28 51	10	31 35	18	9 85	10	6.63	8	25 06
Exclusive	14,926	12,797	2,129	43	34 56	36	33 75	7	39 45	13	10 45	8	7 50	5	28 18
Gadsden	5,000	3,800	1,200	8	19 20	6	18 94	2	20 00	5	12 00	2	6 31	3	30 00
Attalla	2,000	1,500	500	2	12 00	1	8 00	1	24 00	..		..	...	..	....
Fayette	12,823	11,062	1,761	25	23 39	22	23 86	3	11 40	3	2 80	3	3 25	..	
Greene	22,007	3,192	18,815	29	15 81	2	7 51	27	17 22	12	6 54	2	7.51	10	6 37
Hale	27,501	5,053	22,448	42	34 32	7	16 62	35	18.71	23	10 04	4	9 49	19	10 15
Exclusive	25,742	4,153	21,589	41	19 11	6	17 33	35	19 45	23	10 62	4	11 55	19	10 56
Greensboro	1,759	900	859	1	6 82	1	13 33	..		..	...	..	...	..	...
Jackson	28,026	24 132	3,894	65	27 83	60	29 83	5	15 40	31	13 27	26	12 82	5	15 40
Exclusive	27,067	23,382	3,685	62	27 48	57	29 25	5	16 28	31	13 74	26	13 34	5	16 28
Jefferson	88,501	56,953	31,548	133	18 03	96	20 22	37	14 07	118	16 00	47	9 90	71	27.00
Exclusive	62,323	42,044	20,279	78	15.26	66	18 83	12	7 00	54	10 56	20	5 71	34	20 12
Birmingham	26,178	14,909	11,269	55	25 21	30	24 14	25	25 62	64	29 33	27	21 73	37	39 40
Lamar	14,187	11,338	2,849	34	28 75	25	26 45	9	37 90	18	15 22	16	16 93	2	8 42
Lawrence	20,725	12,536	8,189	20	11 58	14	13 40	6	8 86	13	7 52	6	5 74	7	10 34
Exclusive	20,146	12,286	7,860	20	11.91	14	13 66	6	9.15	13	7.74	6	5 86	7	10 67
Courtland	579	250	329	....	.....	....	....	....	.....	....	....	....	.....	..	.....

Births and Deaths by Counties, Towns and Colors—April, 1890. (Continued.)

Counties and Towns.	Population.			Births.						Deaths.					
	Total.	White.	Colored.	Total.	Rate per M	White	Rate per M	Colored.	Rate per M	Total.	Rate per M	White.	Rate per M.	Colored.	Rate per M
Lowndes	31,550	4,466	27,084	63	23.96	1	2.46	62	27.47	40	15.21	1	2 46	39	17.28
Madison	38,119	19,228	18,891	61	19.20	26	16.22	35	22.23	22	6.92	7	4.36	15	9.53
Exclusive	30,124	15,230	14,894	53	21.01	25	19 69	28	19.21	13	5 17	4	3.15	9	7.25
Huntsville	7,995	3,998	3,997	8	12.00	1	3 00	7	21.00	9	13.50	3	9.00	6	18 00
Marshall	18,935	17,552	1,383	28	17.74	27	18 46	1	8.67	8	5 07	5	3.41	3	26.03
Mobile	31,076	17,429	13,647	61	23.55	28	19.27	33	29.01	59	22.58	26	17.90	33	29.01
Monroe	56,172	14,530	41,642	44	27.80	18	25 68	26	29.26	15	9.47	7	9 98	8	9.00
Montgomery	34,289	5,638	28,651	55	12 85	16	13 21	39	11.24	35	7.47	9	7.40	26	7.49
Exclusive	21,883	8,892	12,991	41	14.30	10	21.28	31	13.58	21	7.32	4	8.51	17	7.12
Montgomery	18,990	8,3 7	10,663	14	7.71	6	8.13	8	7.38	14	7.71	5	6.74	9	8.31
Morgan	24,089	17,903	6,186	50	24.92	41	27.48	9	17.46	33	16 44	20	13.40	13	25.21
Exclusive	16,953	13,903	3,050	36	25.41	33	28.26	3	11.80	20	14.12	12	10.35	8	31 47
Decatur	7,136	4,000	3,136	14	23 56	8	24 00	6	22.93	13	21.86	8	24.00	5	19.11
Perry	29,332	6,806	22,526	41	16 77	10	17.63	31	16 51	22	9.00	4	7.05	18	9.59
Exclusive	25,763	5,306	20,557	38	17 70	8	18.09	30	17.59	18	8.92	2	4.52	16	9 38
Marion	2,153	1,000	1,155	3	16.72	2	24.00	1	13.10	3	16 72	1	12.00	2	26.20
Uniontown	1,416	500	916					..		1	8.45	1	24 00	..	....
Pike	24,423	15,633	8,790	54	26.53	38	28 92	16	21.84	14	5.72	9	6.85	5	6.82
Exclusive	20 974	13,433	7,541	50	28 60	34	30.17	16	25.47	10	5.72	5	4.46	5	7.95
Troy	3,449	2,200	1,249	4	13.92	4	21 81	.	...	4	13.92	4	21.81	.	....
St. Clair	17,353	14,285	3,068	53	36.65	44	36.96	9	35.20	12	8.29	10	8.40	2	7.82
Sumter	29,574	5,919	23,655	35	14.20	5	10.13	30	15.21	17	6.89	1	2.02	16	8.11
Exclusive	27,708	5,214	22,584	33	14 29	5	11.53	28	14.94	15	6.98	1	2 30	14	7.47
Livingston	805	305	500	1	14.90		...	1	24.00	1	14.90	..	..	1	24.00
Gainesville	1,071	400	671	1	11.20	.		1	18.03	1	11.20	..		1	18 03
Talladega	29,346	15,343	14,003	56	22.89	21	16.42	35	29.99	29	11.85	10	7.80	19	16.28

Exclusive	26,846	13,843	13,003	54	24.13	20	16.34	34	31.37	24	10.72	6	5.20	18	16.61
Talladega	2,500	1,500	1,000	2	9.60	1	8.00	1	12.00	5	24.00	4	32.00	1	12.00
Tallapoosa	25,460	16,854	8,606	54	25.45	32	22.78	22	30.70	13	6.12	12	8.54	1	1.39
Exclusive	23,060	15,354	8,306	53	24.61	31	23 23	22	31.80	10	4.64	9	7.03	1	1.44
Alexander City	800	700	100	1	15.00	1	17.14	..	.....	1	15.00	1	17.14	..	.....
Dadeville	1,000	800	200	..	....	..	.	.	....	2	24.00	2	15.00	..	.....
Tuskaloosa	30,352	18,213	12,139	23	9.09	18	11.85	5	4.94	20	7.90	15	9.88	5	4.94
Exclusive	23,552	13,813	9,739	17	8.66	14	12.10	3	3 69	11	5.60	8	6.91	3	3.69
Tuskaloosa	5,000	3,000	2,000	6	14.40	4	16.00	2	12.00	5	12.00	5	20.00	..	.....
North Port	700	500	200	..	....	..	....	.	...	1	17.14	..	....	1	60.00
Insane Asylum	1,100	900	200	..	..	..	....	..	...	3	32.72	2	26.66	1	60.00
Winston	6,520	6,520	.....	5	9.20	5	9.20	.	...	2	3.68	2	3.68	..	....
Total for April	981,261	525,664	455,597	1949	23.85	1139	26.00	810	21.33	827	10.20	374	8.53	453	11.93
Exclusive of Towns	817,574	433,625	383,949	1661	24.41	968	26.78	693	21.65	585	8.59	261	7 22	324	10.12
Total for Towns	163,687	92,039	71,648	288	21.11	171	22.29	117	19.59	242	17.74	113	14 73	129	21.60

Births and Deaths by Counties, Towns and Colors—May, 1890.

Counties and Towns.	Population.			Births.						Deaths.					
	Total.	White.	Colored.	Total.	Rate per M	White.	Rate per M	Colored.	Rate per M	Total.	Rate per M	White.	Rate per M	Colored.	Rate per M.
Prattville	1,200	900	300	3	30.00	1	13.33	2	80.00	3	30 00	1	13.33	2	80.00
Baldwin	8,941	5,635	3,306	17	22.81	6	12.66	11	39 91	3	4 02	1	2.11	2	7.25
Barbour	34,898	13,321	21,577	49	16.84	21	18.91	28	15 57	17	5.84	7	6 30	10	5.56
Exclusive	29,874	10,121	19,753	45	18 07	19	22.52	26	15 66	13	5 22	5	5 92	8	4.82
Eufaula	4,026	2,600	1,429	4	11.82	2	9.30	2	16 81	4	11 82	2	9.30	2	16 81
Clayton	997	600	397	..	....	..	....	..	....	..	....	..	....	....	....
Blount	21,927	20,115	1,812	35	19.15	33	19 58	2	13 24	19	10 37	19	11 33	....	....
Bullock	27,033	6,066	20,967	68	30 15	14	27.69	54	30 90	35	15.51	9	17 80	26	14.87
Exclusive	25,016	5,066	19,950	62	29 74	12	28 42	50	30 07	31	14 87	8	18 95	23	13 83
Union Springs	2,017	1,000	1,017	6	35.13	2	24 00	4	47 18	4	23 42	1	12 00	3	35 39
Butler	21,581	11,368	10,213	50	27 72	19	20 04	31	36 39	19	10 53	14	14 77	5	5 87
Exclusive	18,779	9,968	8 811	48	30 55	18	21 66	30	40 85	16	10 18	11	13 23	5	6 81
Greenville	2,802	1,400	1 402	2	8 56	1	8.57	1	8 55	3	12 84	3	25 71	..	....
Calhoun	33,835	23,891	9,944	71	25 17	50	25.11	21	26.39	27	9 57	22	11.04	5	6 28
Exclusive	20,301	15,092	5,209	34	20 09	26	20 67	8	18 43	12	7 09	12	9 54	..	....
Anniston	10,113	6,399	3,714	26	30 84	18	33.75	8	25 84	11	13 05	7	13.12	4	12.92
Jacksonville	1,237	900	337	6	58 20	2	26 66	4	142.43	..	...		...		..
Oxford	1,473	900	573	4	32 58	3	40 00	1	20 94	1	8 14	..	..	1	20.94
Piedmont	711	600	111	1	16.87	1	20 00	.	....	3	50 63	3	60 00		
Choctaw	17,526	8,110	9,416	23	15 72	16	23 66	7	8 91	6	4.10	4	5 91	2	2 54
Clarke	22,622	9,627	12,995	74	39 24	31	38 62	43	39.70	17	9 01	7	8 72	10	9 23
Clay	15,765	14,086	1,679	53	40 33	45	38.33	8	57 17	15	11 41	15	12.77	.	....
Conecuh	14,594	7,956	6,638	29	23 84	13	19 76	16	28.91	13	10.68	7	10 64	6	10 84
Exclusive	13,557	7,341	6,216	27	23.90	13	21.25	14	27.02	11	9.73	5	8.17	6	11.58
Evergreen	1,037	615	422	2	23.14	..		2	56 87	2	23 14	2	39.02	..	..
Coosa	15,906	10,486	5,420	32	24 14	20	22.88	12	26 56	15	11.31	9	10.29	6	13 28

Crenshaw	15,425	11,732	3,693	28	21.78	27	27.59	1	3.24	9	7.00	6	6.13	3	9.74
Cullman	13,439	13,439	.....	33	29.56	33	29.56	..	.....	8	7 16	8	7.16	....	....
Exclusive	12,422	12,422	.....	32	30.91	32	30.91	..	....	6	5 79	6	5.79	....	....
Cullman	1,017	1,017	.....	1	11.79	1	11.79	..	....	2	23.59	2	23 59	..	.
Dallas	49,350	7,906	41,444	54	13.12	8	12 13	46	13 31	54	13.12	9	13.65	45	13.02
Exclusive	41,728	4,406	37,322	46	13 22	6	16.34	40	12 86	35	10.06	3	8 17	32	10.28
Selma	7,622	3,500	4,122	8	12 59	2	6.85	6	17 46	19	29 91	6	16 34	13	37 84
DeKalb	21,010	19,881	1,129	60	34 11	57	34 39	3	31.88	16	9 09	16	3 6[illegible]	..	....
Exclusive	18,312	17,881	43[illegible]	55	35 84	55	36 91	.	....	8	5 21	8	5 37	..	....
Fort Payne	2,698	2,000	698	5	22.23	2	12.00	3	51 57	8	35 58	8	48 00	..	..
Elmore	21,732	11,329	10,403	57	31.46	36	38.12	21	24 21	18	9 93	8	8 47	10	11 53
Exclusive	20,919	10,829	10,090	54	30.97	35	41 52	19	22 59	18	10.32	8	9 26	10	11.89
Wetumpka	813	500	313	3	44 28	1	24 00	2	56 67	..	...	..	...	..	....
Escambia	8,666	5,674	2,992	28	38 75	20	42 28	8	32.08	7	9 68	4	8 45	3	12 03
Exclusive	7,302	4,799	2,503	25	41 08	17	42 50	8	38 32	6	9 86	3	7 50	3	14.37
Brewton	1,115	750	365	2	21 52	2	32 00	..	.....	1	10 76	1	16 00	..	.....
Alco	249	125	124	1	48 19	1	96 00	.	..	...	...	..	..	..	....
Etowah	21,926	18,097	3,829	54	29 55	47	31 16	7	21 93	15	8 20	9	5 96	6	18.80
Exclusive	14,926	12,797	2,129	39	31 34	35	33.0	4	22 54	13	10 45	9	8 44	4	22.54
Gadsden	5,000	3,800	1,200	10	24 00	9	28.41	1	10 00	2	4 80	..	...	2	20.00
Attalla	2,000	1,500	500	5	30 00	3	24.00	2	48 00	..	..	..	...	..	.....
Fayette	12,823	11,062	1,761	26	24.32	2[illegible]	22 76	5	34.01	10	9 35	7	7 58	3	20 40
Greene	22,007	3,192	18,815	19	10.35	5	18 79	14	8.92	27	14 72	5	18 79	22	14 02
Hale	27,501	5,053	22,448	38	16 57	13	30.86	25	13 36	32	13 69	9	21.36	23	12.29
Exclusive	25,742	4,153	21,589	38	17.71	13	37.55	25	13 89	29	13 52	6	17 33	23	12.78
Greensboro	1,759	900	859	..	.....			..		3	20 46	3	40 00	..	....
Jackson	28,026	24 132	3,894	63	26 97	57	28.34	6	18 48	24	10 27	19	9 44	5	15.40
Exclusive	27,067	23,382	3,685	60	26 60	54	27 71	6	19 53	22	9 75	17	8 72	5	16 28
Scottsboro	959	750	209	3	37 54	3	48 00	.	...	2	25 02	2	32 00	.	...
Jefferson	88,501	56,953	31,548	120	16 26	85	17.90	35	13 31	119	16 12	61	12 85	58	22.05
Exclusive	62,323	42,044	20,279	76	14.87	60	16.12	16	9.46	32	6.26	18	4 93	14	8 28
Birmingham	26,178	14,909	11,269	44	20.17	25	20.12	19	20 23	87	39 88	43	34 61	44	46 85
Lamar	14,187	11,338	2,849	30	25 37	23	24 33	7	29.48	11	9 30	9	9 52	2	8.42
Lawrence	20,725	12,536	8,189	27	15.63	13	12 44	14	20.67	12	6.94	3	2 87	9	13.29
Exclusive	20,146	12,286	7,860	27	16.09	13	12.69	14	21 35	12	7.14	3	2 93	9	13.72

Births and Deaths by Counties, Towns and Colors—May, 1890. (Continued.)

Counties and Towns.	Population.			Births.						Deaths.					
	Total.	White.	Colored.	Total.	Rate per M.	White.	Rate per M.	Colored.	Rate per M	Total.	Rate per M	White.	Rate per M.	Colored.	Rate per M
Courtland	579	250	329	...	.....	...	.....	...	.....	...	....	...	.....	..	....
Lowndes.	31,550	4,446	27,084	83	31.56	6	15.77	77	34.11	37	14.07	2	4.92	35	15.50
Madison	38,119	19,228	18,891	64	20.14	39	24.33	25	15.88	34	10.70	9	5.61	25	15.88
Exclusive	30,124	15,230	14,894	51	20.31	31	24.31	20	16.11	20	7.96	4	3.15	16	12.89
Huntsville	7,995	3,998	3,997	13	19.51	8	24.00	5	15.00	14	21.01	5	15.00	9	27.00
Marshall	18,935	17.552	1,383	38	24.08	34	23.24	4	34.79	8	5 07	7	4.78	1	8.67
Mobile	31,076	17,429	13,647	60	23.17	33	22.72	27	23.74	80	30.89	33	22.72	47	40.32
Monroe	18,990	8,327	10,663	46	29.06	15	21.39	31	34.87	18	11.37	8	11.40	10	11.25
Montgomery	56,172	14,530	41,642	46	9 82	13	10.73	33	9.50	49	10.46	20	16.51	29	8.35
Exclusive	34,289	5,638	28,651	34	11.86	5	10.64	29	12.14	17	5.93	3	6.38	14	5 86
Montgomery	21,883	8,892	12,991	12	6.60	8	10.79	4	3.69	32	17.62	17	22.94	15	13 85
Morgan	24,089	17,903	6,186	49	24.40	35	23.45	14	27.14	37	18 42	22	14.74	15	29.08
Exclusive	16,953	13,903	3,050	35	24.81	29	25 03	5	23.60	23	16.24	17	14.67	6	23.60
Decatur	7,136	4,000	3,136	14	23.54	6	18.00	8	30.58	14	23.54	5	15.00	9	34.40
Perry	29,332	6,806	22,526	51	20.86	10	17.63	41	21.84	19	7.77	4	7.05	15	7.98
Exclusive	25,763	5,306	20,557	51	23.75	10	22.61	41	24.04	19	8 85	4	9.04	15	8.79
Marion	2,153	1,000	1,153	..	.....	...	....	.	.....	..	....	..	.....	..	....
Uniontown	1,416	500	916	..	...	.	...	.	.....	.	....	..	.....	..	.....
Pike	24,423	15,633	8,790	58	28.49	32	24.35	26	35.49	15	7.36	7	5 32	8	10.92
Exclusive	20,974	13,433	7,541	49	28.03	29	25 90	20	31.82	9	5 23	5	4.46	4	6.36
Troy	3,449	2,200	1,249	9	31 32	3	16.36	6	57.60	6	20.38	2	10.91	4	38.40
St. Clair	17,353	14,285	3,068	52	35.95	48	40.22	4	15.64	12	8.29	10	8.40	2	7.82
Sumter	29,574	5,919	23,655	43	17.44	9	18.24	34	17.24	23	9.33	5	10.13	18	9.12
Exclusive	27,708	5,214	22,584	37	16.03	7	16.11	30	16.01	20	8.66	4	9.20	16	8.54
Livingston	805	305	500	4	59.62	2	78.68	2	48.00	2	29.81	1	39.34	1	24.00
Gainesville	1,071	400	671	2	22.40	....	.....	2	36.06	1	11.20	....	.....	1	18.03

Talladega	29,346	15,343	14,003	46	18.80	27	21.11	19	16.28	31	12 67	15	11.73	16	13.11
Exclusive	26,846	13,843	13,003	41	18.32	23	19 94	18	16.61	26	11.62	11	9 53	15	13 84
Talladega	2,500	1,500	1,000	5	24.00	4	32.00	1	12 00	5	24 00	4	32 00	1	12.00
Tallapoosa	22,460	16,854	8,606	52	24.52	34	24.20	18	25 09	23	10 84	18	12 81	5	6 97
Exclusive	23,660	15,354	8,306	47	23 83	31	24.22	16	23 12	21	10 65	17	13 28	4	5.78
Alexander City	800	700	100	3	45 00	1	17.14	2	240 00	...	....	..	..	..	....
Dadeville	1,000	800	200	2	24.00	2	30 00	..	...	2	24 00	1	15 00	1	60 00
Tuskaloosa	30,352	18,213	12,139	42	16 60	27	17 78	15	14 82	34	13 44	18	11.85	16	15 81
Exclusive	23,552	13,813	9,739	30	15.28	20	17 28	10	12 32	13	6.62	7	6 05	6	7 3[illegible]
Tuskaloosa	5,000	3,000	2,000	11	26 40	6	24.00	5	30.00	14	33 60	5	20 00	9	54 00
North Port	700	500	200	1	17 14	1	24 00	..	.....	1	17.14	1	24 00	.	...
Insane Asylum	1,100	900	200	.		..	.....	...	.....	6	65 45	5	66 66	1	60 00
Winston	6,520	6,520	.....	13	23 92	13	23.92	..	...	5	9 20	5	9.20	..	....
Total for May	981,261	525,664	455,597	1884	23 05	1091	24.90	793	20 88	876	10 72	371	8 47	505	13 30
Exclusive of Towns	817,574	433,625	383,949	1612	23 68	938	25.94	674	21.06	545	8 00	208	5 75	337	10 53
Total for Towns	163 687	92,039	71,648	272	19.94	153	19 94	119	19 94	331	24 26	163	21 25	168	28 13

Births and Deaths by Counties, Towns and Colors—June, 1890.

Counties and Towns.	Population			Births						Deaths.					
	Total.	White.	Colored.	Total.	Rate per M	White.	Rate per M.	Colored.	Rate per M	Total.	Rate per M	White.	Rate per M	Colored.	Rate per M
Prattville	1,200	900	300	3	30.00	2	26.66	1	40.00	2	20 00	2	26 66	..	...
Baldwin	8,941	5,635	3,306	11	14.76	9	18 99	2	7 25	3	4.02	3	6 33		...
Barbour	34,898	13,321	21,577	54	18 56	2[illegible]	19 81	32	17 79	22	7.56	9	8 10	13	7 22
Exclusive	29,874	10,121	19,753	50	20 08	20	23 71	30	18.07	15	6 02	5	5.92	10	6 02
Eufaula	4,027	2,600	1,427	2	5 91			2	16 81	4	11.82	2	9 30	2	16.81
Clayton	997	600	397	2	24.07	2	40 00			3	36 10	2	40 00	1	30 22
Blount	21,927	20,115	1,812	36	19 69	33	19 66	3	19 86	4	2 18	4	2 38	.	.
Bullock	27,033	6,066	20,967	68	30 15	8	15 82	60	34 33	25	11 08	4	7 91	21	12.01
Exclusive	25,016	5,066	19,950	60	28 78	6	14.21	54	32 48	19	9 11	3	7 10	16	9.62
Union Springs	2,017	1,000	1,017	8	46 85	2	24 00	6	70 78	6	35 14	1	12 00	5	58 98
Butler	21,581	11,368	10,213	38	21 07	23	24 26	15	17 61	22	12 19	13	13 71	9	10 56
Exclusive	18,779	9,968	8,81[illegible]	3[illegible]	23.29	22	26.48	13	17 70	19	12 10	11	13 24	8	10 89
Greenville	2,802	1,400	1,402	3	12 84	1	8 57	2	17 11	3	12 84	2	17.14	1	8 55
Calhoun	33,835	23,891	9,944	103	36.52	7	36 15	31	38.96	38	13 47	23	11 55	15	18.85
Exclusive	20,301	15,092	5,209	56	33 10	42	33 39	14	32 25	21	12.41	15	11.92	6	13.81
Anniston	10,113	6,399	3,714	37	43 89	26	48 75	11	35 54	12	14 23	5	9.37	7	22 61
Jacksonville	1,237	900	337	1	9 70			1	35 60	4	38.80	3	40 00	1	35 60
Oxford	1,473	900	573	7	57 02	2	26 66	5	104 71	1	8.14		....	1	20 94
Piedmont	711	600	111	2	23 75	2	40 00			..	.	.	..	..	.
Choctaw	17,526	8,110	9,416	17	11 61	14	20 00	3	3 82	19	12 98	11	16 26	8	10.19
Clarke	22,622	9,627	12,995	67	35 53	35	43.61	32	29 54	14	7 42	4	4.98	10	9 23
Clay	15,765	14,086	1,679	33	25 11	29	24 70	4	28 58	14	10 65	12	10 22	2	14 29
Conecuh	14,594	7,956	6,638	33	27 13	10	15 20	23	41 56	10	8 22	3	4 56	7	12 64
Exclusive	13,557	7,341	6,216	31	27 44	10	16 34	21	40 54	10	8.85	3	4 90	7	13 51
Evergreen	1,037	615	422	2	23 14			2	56 87	..	.	..	.	..	.....
Coosa	15,906	10,486	5,420	31	23 38	23	26.31	8	17 71	11	8 29	6	6 86	5	11 07

Crenshaw	15,425	11,732	3,693	10	7.77	7	7.15	3	9.74	5	3 88	4	4.08	1	3.24
Cullman	13,439	13,439	.....	22	19.70	22	19 70		..	10	8 95	10	8 95	....	.....
Exclusive	12,422	12,422	....	19	18 36	19	18.36	..	....	9	8 69	9	8 69	....	.....
Cullman	1,017	1,017	.....	3	35 39	3	35 39		.	1	11 80	1	11 80	....	.....
Dallas	49,350	7,906	41,444	61	14.82	9	13 65	52	15.05	54	13 12	12	18.20	42	12.15
Exclusive	41,728	4,406	37,322	51	14.66	7	19.06	44	14.14	39	11.21	6	16.33	33	10.61
Selma	7,622	3 500	4,122	10	15 74	2	6.85	8	23.28	15	23 61	6	20 57	9	26.20
DeKalb	21,010	19,881	1,129	40	22 74	36	21 72	4	42.48	14	7 95	12	7.24	2	21.24
Exclusive	18,312	17,886	431	38	24 76	34	22.81	4	111.36	7	4 56	7	4.69	....	.....
Fort Payne	2,698	2,000	698	2	8 89	2	12 00	..	..	7	31 13	5	30 00	2	34 38
Elmore	21.732	11,329	10,403	42	23 18	23	24 35	19	21.90	24	13 25	16	16 94	8	9 22
Exclusive	20,919	10.829	10,090	41	23 52	23	26 63	18	21.40	20	11 47	13	15 05	7	8.32
Wetumpka	813	500	313	1	14 76			1	38.33	4	59 04	3	72 00	1	38 33
Escambia	8,666	5,674	2,992	22	30 44	15	31 71	7	28.07	5	6 92	3	6 34	2	8 02
Exclusive	7,302	4,799	2,503	21	34 51	14	43.00	7	33.53	4	6 57	3	7.50	1	4 79
Brewton	1,115	750	365	1	10.76	1	16 00	..	..	1	10 76	..	....	1	32 87
Alco	249	125	124				....	..		....			..	..	.....
Etowah	21.927	18,097	3,829	68	37 21	59	39 11	9	28.20	33	18 06	25	16.57	8	25 07
Exclusive	14.926	12,797	2,129	55	44 21	48	45 00	7	39 45	26	20 91	19	17 81	7	39 45
Gadsden	5.000	3,800	1,200	11	26 40	9	28 41	2	20 00	6	14.40	5	15 78	1	10 00
Attalla	2,000	1.500	500	2	12.00	2	16 00	..	...	1	6 00	1	8 00	..	..
Fayette	12,823	11.062	1,761	22	20 58	22	23 84		.	10	9 35	9	9 75	1	6 80
Greene	22 007	3,192	18,815	21	11 44	4	15 03	17	10.84	16	8 72	4	15 03	12	7 65
Hale	27,501	5,053	22,448	30	13 08	6	20 24	24	12 83	13	5 67	5	6 87	8	4 27
Exclusive	25,742	4,153	21,589	28	13.05	4	11 55	24	13 34	10	4 66	2	5 77	8	4.44
Greensboro	1,759	900	859	2	13 64	2	26.66		..	3	20 46	3	40 00	..	....
Jackson	28,026	24,132	3,894	60	25 68	55	27 34	5	15.40	29	12 41	29	14 41	..	..
Exclusive	27,067	23,382	3,685	60	26 60	55	28.22	5	.16.28	28	12 41	28	14 87	..	....
Scottsboro	959	750	209		....	..	....	..	.	1	12 51	1	16 00	..	
Jefferson	88,501	56,953	31,548	133	18 02	106	22 33	27	10 26	127	17 20	63	13 27	64	24 33
Exclusive	62,323	42,044	20,279	71	14 09	64	18.26	7	4.14	46	9 00	23	6 56	23	13 61
Birmingham	26,178	14,909	11,269	62	28 42	42	33 80	20	21 39	81	37.16	40	32 19	41	43 65
Lamar	14,187	11,338	2,849	33	27.91	28	29.62	5	21.06	18	15 22	13	13 75	5	21 06
Lawrence	20,725	12,536	8,189	20	11 58	8	7 65	12	17.72	16	9 26	9	8 61	7	10 33
Exclusive	20,146	12,286	7,860	19	11.31	8	7 71	11	16.78	16	9.53	9	8 78	7	10 67

Births and Deaths by Counties, Towns and Colors—June, 1890. (Continued.)

Counties and Towns.	Population			Births.						Deaths.					
	Total.	White.	Colored.	Total.	Rate per M	White	Rate per M	Colored.	Rate per M	Total.	Rate per M	White.	Rate per M	Colored.	Rate per M
Courtland	579	250	329	1	20.72			1	36.47	...	.....	....	....	..	...
Lowndes	31,550	4,466	27,084	94	35.74	6	14.77	88	38.98	42	15.97	6	14.77	36	15.94
Madison	38,119	19,228	18,891	56	17.62	35	21.84	21	13.33	34	10.70	19	11 85	15	9.52
Exclusive	30,124	15,230	14,894	47	18.72	31	24.42	16	12.89	25	9.95	14	32.30	11	8.86
Huntsville	7,995	3,998	3,997	8	13 50	4	12 00	5	15.00	9	13.50	5	15.00	4	12.00
Marshall	18,935	17,552	1,383	21	13.30	20	13 67	1	8.67	12	7.60	12	8.20	..	.....
Mobile	31,076	17,429	13,647	48	18 53	24	16.52	24	21.10	104	40.16	50	34 42	54	46.48
Monroe	56,172	14,530	41,642	29	18.32	15	21.39	14	15.75	13	8 21	7	9.98	6	6.75
Montgomery	34,289	5,638	28,651	59	12.60	23	18.99	36	10.37	60	12.81	25	20.64	35	10.08
Exclusive	21,883	8,892	12,991	38	13.25	12	25.54	26	10.89	29	10 12	10	21.28	19	7.95
Montgomery	18,990	8,327	10,663	21	11.56	11	14.84	10	9.23	31	16.07	15	20.24	16	14.78
Morgan	24,089	17,903	6,186	49	24.40	40	26 80	9	17.45	38	19.82	24	16.08	14	27.14
Exclusive	16,953	13,903	3,050	36	25.42	30	25.89	6	23.60	17	12.00	13	11.22	4	15.73
Decatur	7,136	4,000	3,136	13	20.86	10	30.00	3	11.87	21	35.31	11	33.00	10	38.23
Perry	29,332	6,806	22,526	38	15.54	10	17.63	28	14 91	26	10.63	10	17.63	16	8.52
Exclusive	25,763	5,306	20,557	33	15.37	9	20.35	24	14 07	22	10 24	9	20.35	13	7.62
Marion	2,153	1,000	1,155	2	11.14	..		2	20.81	4	22.29	1	12.00	3	31.22
Uniontown	1,416	500	916	3	25.42	1	24.00	2	26.20	..	..			..	
Pike	24,423	15,633	8,790	53	26 03	32	24.35	21	28.66	22	10 80	12	9.13	10	13.65
Exclusive	20,974	13,433	7,541	44	25.17	28	25.01	16	25.46	18	10.29	10	8 93	8	12.72
Troy	3,449	2,200	1,249	9	31.32	4	21.82	5	48.00	4	13.92	2	10.90	2	19.20
St. Clair	17,353	14,285	3,068	55	38.03	49	41.16	6	23.46	7	4.84	6	5.04	1	3.91
Sumter	29,574	5,919	23,655	38	15.41	6	12.16	32	16 23	13	5.27	3	6.08	10	5 07
Exclusive	27,708	5,214	22,584	36	15.59	5	11.50	31	16.54	11	4.76	3	6.90	8	4 27
Livingston	805	305	500	1	14.90	1	39.34	..	...	1	14 90	..	....	1	24.00
Gainesville	1,071	400	671	1	11.20	....	....	1	18.03	1	11.20	....	....	1	18.03

Talladega	29,346	15,343	14,003	51	20 85	21	16 42	30	25.70	21	8.58	12	9.38	9	7.71
Exclusive	26,846	13,843	13,003	46	20 56	16	13 77	30	27.68	17	7.59	8	6.88	9	8 30
Talladega	2,500	1,500	1,000	5	24.00	5	40.00	...	.....	4	19.20	4	32.00	...	.....
Tallapoosa	22,460	16,854	8,606	58	27 35	46	32.74	12	16 72	20	9.43	10	7.11	10	13 94
Exclusive	23,660	15,354	8,306	55	27 89	44	34 38	11	15.89	19	9.63	10	7.81	9	13 00
Alexander City	800	700	100	...	....	...	.....	...	.....	1	15.00	...	.....	1	120.00
Daderille	1,000	800	200	3	36.00	2	30.00	1	60 00	...	....	...	.....	..	
Tuskaloosa	30,352	18,213	12,139	36	14 23	21	13.83	15	14 82	27	10 72	13	8 56	14	13 84
Exclusive	23,552	13,813	9,739	21	10 70	10	8 64	11	13 55	10	5 09	5	4 32	5	6.16
Tuskaloosa	5,000	3,000	2,000	10	24.00	7	28.00	3	18 00	11	26.40	4	16.00	7	42 00
North Port	700	500	200	5	85.71	4	96.00	1	60.00	2	34 28	1	24 00	1	60 00
Insane Asylum	1,100	900	200	...	....	..	...	..	.....	4	43 63	3	40 00	1	60 00
Winston	6,520	6,520	...	12	22.08	12	22.08	....	.....	1	1.84	1	1.84	...	.....
Total for June	981,261	525,664	455,597	1775	21.72	1040	23 74	735	19.36	998	12 21	518	11.81	480	12 64
Exclusive of Towns	817,574	433,625	383,949	1483	21.79	867	23.99	616	19 25	646	9 49	340	9.40	306	9 56
Total for Towns	163 687	92,039	71,648	292	21.40	173	22 55	119	19 93	352	25 80	178	23.20	174	29.14

Births and Deaths by Counties, Towns and Colors—July, 1890.

Counties and Towns.	Population.			Births.						Deaths.					
	Total.	White.	Colored.	Total.	Rate per M.	White.	Rate per M.	Colored.	Rate per M.	Total.	Rate per M.	White.	Rate per M.	Colored.	Rate per M.
Prattville	1,200	900	300	3	30 00	2	26 66	1	40.00	...	.	....	...	..	...
Baldwin	8,941	5,635	3,306	17	22 81	9	18 00	8	29 03	5	6 71	2	4 22	3	10.88
Barbour	34,898	13,321	21,577	79	27 16	40	36 03	39	21.69	13	4 47	10	9 00	3	1 66
Exclusive	29,874	10,121	19,753	64	25 70	31	36 75	33	19 88	9	3 61	7	8 29	2	1 20
Eufaula	4,026	2,600	1,429	8	23 64	5	23 27	3	25 22	4	11.82	3	13 96	1	8.41
Clayton	997	600	397	7	84 25	4	80 00	3	90 67	...	....	...	.	..	....
Blount	21,927	20,115	1,812	20	10 94	19	11 33	1	6 62	6	3.28	6	3 58	.	..
Bullock	27,033	6,066	20,967	84	37 24	16	31 64	68	38 91	29	12 85	6	11 86	23	13 16
Exclusive	25,016	5,066	19,950	79	37 89	13	30 79	66	39 70	23	11 03	3	8 06	20	12 03
Union Springs	2,017	1,000	1,017	5	29 74	3	36 00	2	23 59	6	35 19	3	36 00	3	35 39
Butler	21,581	11,368	10,213	54	29 94	26	27.44	28	32 89	23	12 75	9	9 50	14	16 44
Exclusive	18,779	9,968	8 811	46	29 30	22	26 48	24	32.68	21	13 38	9	10 83	12	15.94
Greenville	2,802	1,400	1 402	8	34 26	4	34 28	4	34 23	2	8 56	.	....	2	17.11
Calhoun	33,835	23,891	9,944	78	27 66	73	36 66	25	47 59	41	14 54	26	13 06	15	18 85
Exclusive	20,301	15,092	5,209	44	26 01	33	26 24	11	25 34	16	9 45	12	9 54	4	9 31
Anniston	10,113	6,399	3,714	25	26 66	13	24.27	12	38 77	20	23 73	11	20 62	9	28.08
Jacksonville	1,237	900	337	1	9 70	1	13 33	..	.....	1	9.70	..	.....	1	35 60
Oxford	1,473	900	573	6	48.88	4	53.33	2	41 88	1	8 14	..	...	1	20 94
Piedmont	711	600	111	2	33 75	2	40 00	.	....	3	50 63	3	60 00	..	.....
Choctaw	17,526	8,110	9,416	11	7 51	5	7 39	6	7 64	9	6 14	7	10 35	2	2 54
Clarke	22,622	9,627	12,995	70	37 12	31	38 63	39	36 01	13	6.89	4	4.98	9	8 31
Clay	15,765	14,086	1,679	29	22 01	27	23 00	2	14 20	3	2 28	3	2 55	..	...
Conecuh	14,594	7,956	6,638	39	32 06	20	30 40	19	34 33	11	9 04	3	4 56	8	14 45
Exclusive	13,557	7,341	6,216	38	33 63	20	32 69	18	34 74	11	9 73	3	4 90	8	15 44
Evergreen	1,037	615	422	1	11.57	.	.	1	28 43	...	.....	..	....	....	....
Coosa	15,906	10,486	5,420	24	18 10	17	19 44	7	15 49	12	9.05	8	9.15	4	8.85

Crenshaw	15,425	11,732	3,693	19	14 78	17	17.37	2	6 49	7	5.44	5	5.11	2	6 49
Cullman	13,439	13,439	.....	40	35 83	40	35.83	...	....	11	9 85	11	9 85	..	....
Exclusive	12,422	12,422	...	38	36 71	38	36.71	..	....	10	9 66	10	9 66	..	.....
Cullman	1,017	1,017	.....	2	23 59	2	23 59	..	...	1	11 80	1	11 80	..	..
Dallas	49,350	7,906	41,444	88	21 39	13	19 73	75	21 71	51	12 39	11	16 68	40	11 58
Exclusive	41,728	4,406	37,322	73	20 99	6	16.33	67	21 54	38	11 00	7	19 06	31	9 96
Selma	7,622	3 500	4,122	15	23 61	7	24 00	8	23 29	13	20 36	4	13.71	9	26 20
DeKalb	21,010	19,881	1,129	50	28 42	48	28 96	2	21 25	18	10 23	14	8 45	4	42 51
Exclusive	18,312	17,886	431	40	26 21	39	26.17	1	27 84	11	7 20	9	6.04	2	55 68
Fort Payne	2,698	2,000	698	10	44 47	9	54 00	1	17.19	7	31 13	5	30.00	2	34 38
Elmore	21.732	11,329	10,403	48	26 51	23	24 36	25	28.83	14	7 73	7	7 41	7	8.07
Exclusive	20,919	10.829	10,090	47	26 96	23	26 63	24	28 54	14	8 03	7	7 45	7	8 32
Wetumpka	813	500	313	1	14 76	.		1	38.33	..		..	.....	..	....
Escambia	8,666	5,674	2,992	25	34 61	17	35 95	8	32 08	6	8 30	5	10 57	1	4 01
Exclusive	7,302	4,799	2,503	21	34 51	14	35 00	7	33 53	3	4 93	3	7 51	..	....
Brewton	1,115	750	365	3	32 28	2	32 00	1	32 87	3	32 28	2	32 00	1	32 87
Alco	249	125	124	1	48 19	1	96 00	..	...	..	....	..	....	...	
Etowah	21.927	18,097	3,829	68	37 21	57	37.79	11	34.47	31	16 96	27	17 90	4	12 53
Exclusive	14.926	12,797	2,129	55	44 21	49	45 94	6	35 81	22	17 68	19	17 81	3	16 90
Gadsden	5,000	3.800	1,200	3	7 20	2	6 31	1	10 00	8	19 20	7	22 09	1	10 00
Attalla	2,000	1,500	500	10	60.00	6	48 00	4	96 00	1	6.00	1	8 00	..	....
Fayette	12,823	11,062	1,761	28	26.19	28	30 35	...	...	6	5 61	6	6 50	..	.
Greene	22 007	3,192	18,815	26	14 17	7	26 31	19	12.11	11	5 99	4	15 03	7	4 46
Hale	27,501	5,053	22,448	42	18 32	13	30 87	29	15 50	15	6.54	7	16 62	8	4 27
Exclusive	25,742	4,153	21,589	40	18 64	12	34.67	28	15 56	14	6 52	6	17 33	8	4 45
Greensboro	1,759	900	859	2	13 64	1	13 33	1	13 96	1	6 82	1	13 33	..	.
Jackson	28,026	24,132	3,894	77	32 96	71	35 30	6	18 48	27	11 57	25	12 43	2	6 16
Exclusive	27,067	23,382	3,685	74	32 80	69	35 61	5	16 28	26	11.52	25	12 83	1	3 25
Scottsboro	959	750	209	3	37 54	2	32 00	1	57.41	1	12 51	..	...	1	57 41
Jefferson	88,501	56,953	31,548	153	20 74	119	25 07	34	12.93	146	19.79	51	10 74	95	36 12
Exclusive	62,323	42,044	20,279	87	17 02	78	22 26	9	5.32	48	9 39	23	6 56	25	14 79
Birmingham	26,178	14,909	11,269	66	30 80	41	33 00	25	26.62	98	44 92	28	22 53	70	74 53
Lamar	14,187	11,338	2,849	32	27 06	28	29 62	4	16.84	7	5 92	6	6.34	1	4 21
Lawrence	20,725	12,536	8,189	36	20.84	13	12.44	23	33.97	9	5 21	3	2 87	6	8.86
Exclusive	20,146	12,286	7,860	34	20.25	12	11.72	22	33.55	9	5.36	3	2 92	6	9 15

Births and Deaths by Counties, Towns and Colors—July, 1890. (Continued.)

Counties and Towns.	Population			Births.						Deaths.					
	Total.	White.	Colored.	Total.	Rate per M	White.	Rate per M	Colored.	Rate per M.	Total.	Rate per M	White.	Rate per M.	Colored.	Rate per M
Courtland	579	250	329	2	41.45	1	48.00	1	36.47	....	....	..		.	....
Lowndes	31,550	4,466	27,084	69	26.24	4	9.85	65	28.79	40	15.21	2	4.92	28	17.03
Madison	38,119	19,228	18,891	55	17.31	21	13.10	34	21.59	31	9.75	10	6.24	21	13.33
Exclusive	30,124	15,230	14,894	38	15.03	18	14.18	20	16.11	18	7.17	6	4.72	12	9.65
Huntsville	7,995	3,998	3,997	17	26.51	3	9.00	14	42.00	13	19.51	4	12.00	9	27.00
Marshall	18,935	17,552	1,383	30	19.01	28	19.14	2	17.35	8	5.07	7	4.78	1	8.67
Mobile	31,076	17,429	13,647	84	32.43	36	24.78	48	38.69	98	37.84	43	29.60	55	48.36
Monroe	56,172	14,530	41,642	28	17.69	10	14 26	18	20.25	12	7.58	3	4.27	9	10 12
Montgomery	34,289	5,638	28,651	58	12.38	15	12.38	43	12.38	71	12.38	20	16.51	51	14 68
Exclusive	21,883	8,892	12,991	47	16.48	9	19.15	38	15.91	26	9.09	6	12.76	20	8.37
Montgomery	18,990	8,327	10,663	11	6.05	6	8.10	5	4.61	45	24.78	14	19.09	31	28.63
Morgan	24,089	17,903	6,186	48	23.84	35	23.45	13	25.20	20	9.96	18	12.06	2	3.87
Exclusive	16,953	13,903	3,050	37	24.02	26	22.44	11	43.27	12	8.47	10	8 63	2	7.86
Decatur	7,136	4,000	3,136	11	18.49	9	27.00	2	7.64	8	13.45	8	24.00	..	...
Perry	29,332	6,806	22,526	84	34.36	23	40.54	61	32.49	14	5.72	3	5.28	11	5.85
Exclusive	25,763	5,306	20,557	73	33.91	21	47.49	52	30.49	10	4.65	2	4.52	8	4.69
Marion	2,153	1,000	1,155	2	11.14	..	....	2	20.81	2	11.14	..	..	2	20.81
Uniontown	1,416	500	916	9	76.27	2	48.00	7	91.70	2	16.95	1	24.00	1	13.10
Pike	24,423	15,633	8,790	56	27.51	31	23.59	25	34.12	20	9.82	14	10.65	6	8.19
Exclusive	20,974	13,433	7,541	47	26.88	26	22.92	21	33.41	18	10.29	13	11.61	5	7.95
Troy	3,449	2,200	1,249	9	31.32	5	27.27	4	38.40	2	6.96	1	5.45	1	9.60
St. Clair	17,353	14,285	3,068	26	17.97	25	21.00	1	3.91	9	6.22	7	5.88	2	7.82
Sumter	29,574	5,919	23,655	48	19.47	8	16.21	40	20.28	22	8.92	9	18 24	13	6 59
Exclusive	27,708	5,214	22,584	47	20.26	8	18.41	39	20.81	14	6.06	5	11.50	9	4 80
Livingston	805	305	500	...	.	..	.....	...	..	4	59.62	2	78.68	2	48.00
Gainesville	1,071	400	671	1	11.20	....	.....	1	18.03	4	44.81	2	60.00	2	36.06

Talladega	29,346	15,343	14,003	42	17.17	23	18.03	19	16.28	29	11.85	15	11.76	14	11.99
Exclusive	26,846	13,843	13,003	41	18 32	22	19.07	19	17.53	26	11.52	12	10.40	14	12 92
Talladega	2,500	1,500	1,000	1	4.80	1	8.00	..		3	14.40	3	24.00	..	.....
Tallapoosa	25,460	16,854	8,606	52	24.52	37	26.34	15	20.91	14	6.60	9	6.40	5	6.97
Exclusive	23,060	15,354	8,306	51	25 86	37	28.91	14	20.23	13	6.59	8	6.25	5	7.22
Alexander City	800	700	100	..	.	..	....	..		1	15.00	1	17.14	..	....
Dadeville	1,000	800	200	1	12.00	..	....	1	60.00	..	...	.		..	....
Tuskaloosa	30,352	18,213	12,139	50	19.76	31	21.42	19	18.78	30	11.86	15	9.88	15	14.82
Exclusive	23,552	13,813	9,739	30	15.28	20	17.29	10	12.32	14	7.13	6	5 18	8	9.75
Tuskaloosa	5,000	3,000	2,000	15	31.00	6	24.00	9	54.00	7	16 80	1	4.00	6	36.00
North Port	700	500	200	5	85.71	5	120.00	..	..	2	34.28	2	48.00	..	. .
Insane Asylum	1,100	900	200	.		..	..	..	..	7	76.36	6	80.00	1	60.00
Winston	6,520	6,520	.....	20	36.80	20	36 80	..	....	3	5.52	3	5.52	..	.....
Total for July	981,261	525,664	455,597	1990	24.35	1115	25 45	875	23.05	945	11.56	444	10.13	501	13.19
Exclusive of Towns	817,574	433,625	383,949	1640	24.09	930	25.73	710	22.19	577	8.47	287	7.94	290	9.06
Total for Towns	163,687	92 039	71 648	350	25.68	185	24 12	165	26 00	368	26 97	157	20 47	211	35.33

Births and Deaths by Counties, Towns and Colors—August, 1890.

Counties and Towns.	Population.			Births						Deaths.					
	Total.	White.	Colored.	Total.	Rate per M	White.	Rate per M.	Colored.	Rate per M	Total.	Rate per M	White.	Rate per M	Colored.	Rate per M
Prattville	1,200	900	300	4	40.00	2	26 66	2	80 00	..		..			
Baldwin	8,941	5,635	3,306	12	16 10	10	21 11	2	7.25	2	2.68	1	2.11	1	3 62
Barbour	34,898	13,321	21,577	56	19 25	30	27 02	26	14 46	18	6.18	8	7.20	10	5 56
Exclusive	29,874	10,121	19,753	45	20 17	24	28 45	21	12.65	15	6 72	6	7.11	9	5 42
Eufaula	4,027	2,600	1,427	8	23 64	5	23 27	3	25 22	3	8 86	2	9.30	1	8 41
Clayton	997	600	397	3	36 10	1	20 00	2	60 45			..			
Blount	21,927	20,115	1,812	27	14 77	27	16 10	.		6	3 28	5	2.98	1	6 62
Bullock	27,033	6,066	20,967	75	33 25	13	25.71	62	35 48	25	11 08	6	11 86	19	10 87
Exclusive	25 016	5,066	19.950	70	33 58	12	28 48	58	34 88	23	11 03	6	14 21	17	10.22
Union Springs	2,017	1,000	1,017	5	29 74	1	12 00	4	47 18	2	11 89	.		2	23.59
Butler	21,581	11,368	10,213	61	33 82	29	30 61	32	37.69	24	13.30	18	19 00	6	7 04
Exclusive	18,779	9,968	8,81	55	35 04	27	32.50	28	38.13	18	11 47	13	15 65	5	5 87
Greenville	2.802	1,400	1,402	6	25 69	2	17 14	4	34 23	6	25 69	5	42 85	1	8 55
Calhoun	33,835	23,891	9,944	96	34 04	76	38 17	20	25 14	25	8 86	20	10 04	5	6 28
Exclusive	20,301	15,092	5.209	46	27 19	37	29.41	9	20.73	9	5 32	8	6 36	1	2 30
Anniston	10,113	6,399	3,714	34	40.34	28	52 50	6	19 38	12	14 23	8	15 00	4	12 92
Jacksonville	1,237	900	337	3	29 10	3	40 00	..		2	19 40	2	26 66	...	....
Oxford	1,473	900	573	7	57 02	3	40 00	4	83 77	1	8 14	1	13 33	..	....
Piedmont	711	600	111	6	100 26	5	100 00	1	108 10	1	16 87	1	20 00	..	.....
Choctaw	17,526	8,110	9,416	22	15 03	11	16 26	11	14.01	7	4.78	5	7 39	2	2 54
Clarke	22,622	9,627	12,995	69	36 59	30	37 38	39	36.01	16	8 48	7	8 72	9	8.31
Clay	15,765	14,086	1,679	36	27 40	32	27 26	4	28 58	9	6 85	9	7 66	...	
Conecuh	14,594	7,956	6,638	41	33 71	22	33 44	19	34 33	14	11 51	5	7 60	9	16 26
Exclusive	13,557	7,341	6,216	37	30.42	18	29 41	19	36 68	11	9 73	4	6 53	7	13.51
Evergreen	1,037	615	422	4	46 28	4	78 04	..		3	34.71	1	19 51	2	56.87
Coosa	15,906	10,486	5,420	37	27 91	30	34 32	7	15 49	6	4 52	5	5 72	1	2.21

Crenshaw	15,425	11,732	3,693	24	18.66	24	20.44	4	12.99	8	6.22	6	6.13	2	6.49
Cullman	13,439	13,439	...	28	25.07	28	25.07	...	...	6	5.37	6	5.37	...	...
Exclusive	12,422	12,422	...	25	24.25	25	24.25	...	...	4	3.86	4	3.86	..	..
Cullman	1,017	1,017	...	3	35.39	3	35.39	...	...	2	23.59	2	23.59	..	..
Dallas	49,350	7,906	41,444	123	27.90	15	22.75	108	31.26	59	14.34	12	18.20	47	13.59
Exclusive	41,728	4,406	37,322	10	29.04	7	19.07	94	30.22	36	10.35	6	16.34	30	9.64
Selma	7,622	3,500	4,122	2.	34.62	8	27.43	14	40.75	23	36.20	6	20.56	17	49.48
DeKalb	21,010	19,881	1,129	45	25.58	43	25.95	2	21.25	18	10.23	14	8.44	4	42.51
Exclusive	18,312	17,881	43	36	23.59	36	24.16	...	...	13	8.52	12	8.05	1	27.84
Fort Payne	2,698	2,000	698	9	40.03	7	42.00	2	34.38	5	22.23	2	12.00	3	51.57
Elmore	21,732	11,329	10,403	42	23.74	25	26.47	18	20.75	13	7.17	6	6.35	7	8.07
Exclusive	20,919	10,829	10,090	40	22.94	24	26.59	16	19.02	13	7.45	6	6.64	7	8.32
Wetumpka	813	500	313	3	44.28	1	24.00	2	76.67	.	....	.	....	.	....
Escambia	8,666	5,674	2,992	29	40.13	15	31.71	14	56.14	7	9.68	4	8.45	3	12.03
Exclusive	7,302	4,799	2,503	23	37.81	13	32.50	10	47.90	7	11.50	4	10.00	3	14.37
Brewton	1,115	750	365	5	53.81	2	32.00	3	98.63	...	.....	.	...	...	.....
Alco	249	125	124	1	48.19	.	...	1	96.77	...	.....	..	...	..	..
Etowah	21,926	18,097	3,829	55	30.10	45	29.83	10	31.34	21	11.49	18	11.93	3	9.40
Exclusive	14,926	12,797	2,129	40	36.98	40	17.50	6	33.81	15	12.05	14	13.12	1	5.63
Gadsden	5,000	3,800	1,200	6	14.40	3	9.47	3	30.00	4	9.60	3	9.47	1	10.00
Attalla	2,000	1,500	500	3	18.00	2	16.00	1	24.00	2	12.00	1	8.00	1	24.00
Fayette	12,823	11,062	1,761	18	16.84	17	18.42	1	6.80	5	4.67	4	4.33	1	6.80
Greene	22,007	3,192	18,815	35	19.08	5	18.79	30	19.13	15	8.17	1	3.75	14	9.92
Hale	27,501	5,053	22,448	40	17.45	10	23.74	30	16.03	12	5.23	3	7.12	9	4.81
Exclusive	25,742	4,153	21,589	36	16.78	6	17.33	30	16.67	12	5.59	3	8.66	9	5.00
Greensboro	1,759	900	859	4	27.28	4	53.32	.	....	.	....	.	....	..	..
Jackson	28,026	24,132	3,894	81	34.67	78	38.78	3	9.24	24	10.27	20	9.94	4	12.32
Exclusive	27,067	23,382	3,685	78	36.58	75	38.49	3	9.76	22	9.75	19	9.75	3	9.76
Scottsboro	959	750	209	3	37.54	3	48.00	.	....	2	25.02	1	16.00	1	57.41
Jefferson	88,501	56,953	31,548	145	19.66	104	21.91	41	15.59	107	14.49	52	10.95	55	20.91
Exclusive	62,323	42,044	20,279	81	15.85	71	20.26	10	5.91	38	7.43	23	6.66	15	8.87
Birmingham	26,178	14,909	11,269	64	29.33	33	26.56	31	33.10	69	31.62	29	23.34	40	42.59
Lamar	14,187	11,338	2,849	43	36.37	36	38.10	7	28.48	7	5.92	5	5.29	2	8.42
Lawrence	20,725	12,536	8,189	34	19.68	17	16.27	17	25.10	17	9.84	6	5.74	11	16.24
Exclusive	20,146	12,286	7,860	31	18.46	17	16.60	14	21.35	14	8.33	5	4.88	9	13.72

Births and Deaths by Counties, Towns and Colors—August, 1890. (Continued.)

Counties and Towns.	Population.			Births.						Deaths.					
	Total.	White.	Colored.	Total.	Rate per M.	White.	Rate per M	Colored.	Rate per M	Total.	Rate per M	White.	Rate per M.	Colored.	Rate per M
Courtland	579	250	329	3	62.17	....	...	3	109.32	3	62 17	1	48.00	2	72.94
Lowndes.	31,550	4,446	27,084	85	32.02	10	24 63	75	33.22	31	12.18	6	14.77	25	11 07
Madison	38,119	19,228	18,891	64	20.14	33	20.59	31	19 68	32	10.17	11	6.86	21	13 33
Exclusive	30,124	15,230	14,894	54	21.51	29	22 85	25	20.14	19	7.57	8	7.10	11	8.86
Huntsville	7,995	3,998	3,997	10	15.00	4	12 00	6	18.00	13	19.50	3	9.00	10	30.00
Marshall	18,935	17.552	1,383	29	18.38	29	19.82	.	.....	10	6 33	8	5 46	2	17 35
Mobile	31,076	17,429	13,647	94	36 29	40	27.53	54	47.48	62	23 94	22	15.15	40	35.17
Monroe	18,990	8,327	10,663	57	33.49	21	29.94	32	36.00	24	15.17	4	5.70	20	22.50
Montgomery	56,172	14,530	41,642	67	14.31	18	14.86	49	14.11	62	13.24	13	10.73	49	14 11
Exclusive	34,289	5,638	28,651	34	11.89	7	14.90	27	11.30	32	11.19	3	6.38	29	12.14
Montgomery	21,883	8,892	12,991	33	18.17	11	14.84	22	20.32	30	16.52	10	13.49	20	18.47
Morgan	24,089	17,903	6,186	68	33.87	47	31.49	21	40.71	25	12.45	19	12.73	6	11.62
Exclusive	16,953	13,903	3,050	52	36 71	35	30 20	17	66.88	15	10.59	11	9.49	4	15.73
Decatur	7,136	4,000	3,136	16	26.90	12	36.00	4	15.33	10	16.81	8	24 00	2	7.64
Perry	29,332	6,806	22,526	57	23 31	26	45.83	31	16 51	18	7.35	8	14.10	10	5.32
Exclusive	25,763	5,306	20,557	45	21 06	19	42.97	26	15.24	16	7.45	7	15 83	9	5.27
Marion	2,153	1,000	1,153	7	39.01	2	24.00	5	52.03	2	11.14	1	12.00	1	10.40
Uniontown	1,416	500	916	5	42.37	5	120.00	..		...		..	.	..	....
Pike	24,423	15,633	8,790	53	26 03	37	28 16	16	21 84	11	5.40	8	6 08	3	4.09
Exclusive	20,974	13,433	7,541	44	25.17	31	27.69	13	20.69	9	5.13	6	5.35	3	4.77
Troy	3,449	2,200	1,249	9	31.32	6	32.72	3	28.80	2	6.96	2	10.91	..	.
St. Clair	17,353	14,285	3,068	58	40.10	54	45.36	4	15.64	11	7.60	9	7.56	2	7.82
Sumter	29,574	5,919	23,655	42	17.03	11	22.29	31	15.72	10	4.05	3	6.08	7	3.55
Exclusive	27,708	5,214	22,584	39	16.79	11	25.31	28	14.94	9	3.88	3	6.90	6	3.19
Livingston	805	305	500	3	43.71	..	....	3	72.00	1	14.90	..	.....	1	39.34
Gainesville	1,071	400	671	..	....	..	....	..	....	..	...	..	....	..	.....

Talladega	29,346	15,343	14,003	44	17.99	21	16.42	23	19.70	15	6.13	5	3.91	10	8.56
Exclusive	26,846	13,843	13,003	39	17.33	16	13.87	23	21.22	15	6.60	5	4 33	10	9.22
Talladega	2,500	1,500	1,000	5	24.00	5	40.00	..	....	..	.....	....	.....	....	.....
Tallapoosa	22,460	16,854	8,606	56	26.41	40	28 47	15	22.20	11	5.18	10	7.11	1	1.39
Exclusive	23,660	15,354	8,306	54	27.38	40	31.26	14	20.24	8	4 05	7	5.47	1	1.44
Alexander City	800	700	100	1	15 00	..	....	1	120.00	2	30 00	2	34 28	..	.....
Dadeville	1,000	800	200	1	12 00	..	...	1	60 00	1	12.00	1	15.00	..	....
Tuskaloosa	30,352	18,213	12,139	42	16 60	23	15.15	19	18.78	26	10 27	11	7 24	15	13.82
Exclusive	23,552	13,813	9,739	30	15 28	19	16 42	11	13 55	14	7 13	5	4 32	9	11.15
Tuskaloosa	5,000	3,000	2,000	11	26 40	3	12.00	8	48.00	4	9 60	2	8 00	2	12.00
North Port	700	500	200	1	17.14	1	24 00	..	....	1	17.14	1	24 00	...	....
Insane Asylum	1,100	900	200	..		..	....	...	.....	7	76 33	3	40.00	4	240.00
Winston	6,520	6,520	.....	11	20.24	11	20.24	..	....	3	5 52	3	5.52	..	.....
Total for August	981,261	525,664	455,597	2102	25.91	1191	27.19	911	23 99	822	10 05	387	8.73	435	11.45
Exclusive of Towns	817,574	433,625	383,949	1700	24 97	982	27.17	718	22.44	547	8 03	265	7 33	282	8.81
Total for Towns	163 687	92,039	71,648	402	29.47	209	27.25	193	32 32	275	20.16	122	16.00	153	25.63

Births and Deaths by Counties, Towns and Colors—September, 1890.

Counties and Towns.	Population.			Births.						Deaths.					
	Total.	White.	Colored.	Total.	Rate per M.	White.	Rate per M	Colored.	Rate per M.	Total.	Rate per M	White.	Rate per M.	Colored.	Rate per M.
Prattville	1,200	900	300	7	70 00	6	80 00	1	40 00	..	....	..	.....	..	.....
Baldwin	8,941	5,635	3,306	14	18.78	7	14 78	7	25 40	3	4 02	3	6.33	....	.....
Barbour	34,898	13,321	21,577	56	19 25	29	26.12	27	15 01	14	4 81	5	4 50	9	5.00
Exclusive	29,874	10,121	19,753	48	19.28	24	27.45	24	14 45	12	4 82	4	4 74	8	4.82
Eufaula	4,026	2,600	1,429	5	14 77	3	13.96	2	16.81	2	5 91	1	4 65	1	8 41
Clayton	997	600	397	3	36.10	2	40.00	1	30 22	..	....	..	.....	..	....
Blount	21,927	20,115	1,812	36	19.69	35	19 88	1	6 62	4	2.18	4	2 38	..	....
Bullock	27,033	6,066	20,967	100	44 34	14	27 69	96	54 94	13	13.74	9	17 80	22	12.59
Exclusive	25,016	5,066	19,950	98	47.01	13	30 79	85	51 12	27	12 95	6	14 21	21	12 63
Union Springs	2,017	1,000	1,017	2	11 71	1	12.00	1	11 79	4	23.42	3	36 00	1	11.79
Butler	21,581	11,368	10,213	62	34 37	35	36 92	27	31.69	15	8 31	9	9.49	6	7 04
Exclusive	18,779	9,968	8.811	54	34 40	31	37.31	23	31 32	11	7 00	6	7 22	5	5 87
Greenville	2,802	1,400	1,402	8	34 26	4	34.28	4	34 23	4	17.13	3	25.71	1	8.55
Calhoun	33,835	23,891	9,944	81	28 72	58	24 12	23	28 91	17	5 02	7	3.51	10	12.57
Exclusive	20,301	15,092	5,209	42	24.82	32	25 44	10	23.03	8	4 73	5	3.97	3	6 91
Anniston	10,113	6,399	3,714	30	35.58	20	18 75	10	32 31	7	8.30	2	3.75	5	16 15
Jacksonville	1,237	900	337	2	19.40	1	13 33	1	35 60	..	....	....	.....	..	....
Oxford	1,473	900	573	6	48 88	4	53 33	2	41.88	2	16 29	..	....	2	41.88
Piedmont	711	600	111	1	16.87	1	20 00	.	...	..	....	..	.....	..	...
Choctaw	17,526	8,110	9,416	26	17 77	15	22 18	11	14.01	6	4.10	3	4.43	3	3.82
Clarke	22,622	9,627	12,995	63	33 41	30	37 38	33	30.47	12	6 36	6	7.47	6	5.54
Clay	15,765	14,086	1,679	39	29.68	37	31.62	2	14 29	9	6 84	7	5 96	2	14 29
Conecuh	14,594	7,956	6,638	41	33 71	22	33 44	19	34.33	19	15 62	6	9 12	13	23.49
Exclusive	13,557	7,341	6,216	40	35.40	22	35 96	18	34 74	15	13 27	4	6 53	11	21 23
Evergreen	1,037	615	422	1	11 57	..		1	28.43	4	46 28	2	39 02	2	56 87
Coosa	15,906	10,486	5,420	30	22 63	23	26 31	7	15.49	8	6.03	4	4.57	4	8.85

Crenshaw	15,425	11,732	3,693	19	14 78	16	16.35	3	9.74	7	5.44	4	4.08	3	9.74
Cullman	13,439	13,439	.....	25	22 39	25	22 39	...	.....	8	7.16	8	7 16	..	....
Exclusive	12,422	12,422	.....	20	19 32	20	19.32	...	....	7	6.76	7	6 76	..	....
Cullman	1,017	1,017	.....	5	58.99	5	58 99	..	...	1	11.79	1	11.79	..	....
Dallas	49,350	7,906	41,444	115	27 95	31	47 02	84	24.31	44	10 69	13	19.72	31	8 97
Exclusive	41,728	4,406	37,322	89	25 59	19	51.74	70	22 50	27	7.76	6	16.33	21	6.75
Selma	7,622	3 500	4,122	26	40 93	12	41.14	14	40.75	17	26.76	7	23 97	10	29.11
DeKalb	21,010	19,881	1,129	40	22.74	40	24 14	..	....	15	8 52	15	9 07	..	....
Exclusive	18,312	17,886	431	35	23 81	35	23 39	..	.....	8	5 21	8	5.37	..	.....
Fort Payne	2,698	2,000	698	5	22 23	5	30 00	..	...	7	31 13	7	42 00	..	.....
Elmore	21.732	11,329	10,403	57	31.46	34	36 00	23	26.51	15	8 28	11	11 64	4	4 16
Exclusive	20,919	10,829	10,090	57	32.69	34	39 36	23	26 35	14	8.03	10	11 58	4	4.75
Wetumpka	813	500	313	..	....	.	....	..	...	5	14.76	1	24 00	..	....
Escambia	8,666	5,674	2,992	16	22 14	13	27 48	3	12.03	6	8 30	2	4 22	4	16.04
Exclusive	7,302	4,799	2,503	12	19.72	10	25 00	2	9.58	6	9 86	2	5 00	4	19 16
Brewton	1,115	750	365	3	32.28	2	32 00	1	32.87	..	.....	..	....	..	.....
Alco	249	125	124	1	48.19	1	96 00	..	...	..	....	..	....	..	.....
Etowah	21,927	18,097	3,829	60	32 83	50	33 15	10	31 34	19	9.39	18	11.93	1	3.13
Exclusive	14,926	12,797	2,129	47	38.78	41	38 44	6	33.81	13	10.45	12	11.31	1	5.63
Gadsden	5,000	3,800	1,200	7	16 80	4	12 62	3	30 00	3	7 20	3	9.47	..	....
Attalla	2,000	1,500	500	6	36.00	5	40 00	1	24 00	3	18.00	3	34 00	..	....
Fayette	12,823	11,062	1,761	37	34 62	35	37 94	2	13 60	4	3 74	4	4 33	..	....
Greene	22,007	3,192	18,815	35	19 08	1	3.75	34	21 67	14	7 63	1	3.75	13	8 29
Hale	27,501	5,053	22,448	32	13 96	9	21.36	23	12 29	9	3 82	5	11 77	4	2.13
Exclusive	25,742	4,153	21,589	29	13.51	6	17 33	23	12.78	8	3 72	5	14.44	3	1.66
Greensboro	1,759	900	859	3	20 46	3	40.00	...	.....	1	6 82	..	...	1	13.97
Jackson	28,026	24,132	3,894	64	27 39	58	28 83	6	18.48	26	10 13	24	11 93	2	6.16
Exclusive	27,067	23,382	3,685	64	28 27	58	29.76	6	19.53	25	11.08	24	12 31	1	3.25
Scottsboro	959	750	209	...	.....	..	.....	..	.....	1	12.51	..	....	1	57.41
Jefferson	88,501	56,953	31,548	208	28.18	159	33 40	49	18.63	120	16 26	59	12 43	61	23 19
Exclusive	62,323	42,044	20,279	125	24 46	109	31.11	16	9.46	53	10.37	32	9.13	21	12.42
Birmingham	26,178	14,909	11,269	83	38.04	50	40.24	33	35.12	67	30 71	27	21 72	40	42.59
Lamar	14,187	11,338	2,849	38	32.14	35	37 03	3	12.63	12	10.14	12	12.69	...	....
Lawrence	20,725	12,536	8,189	30	17.37	13	12 44	17	25.10	19	11.00	6	5.74	13	19.82
Exclusive	20,146	12,286	7,860	30	17.86	13	12.69	17	25.93	19	11.31	6	5.85	13	19.82

Births and Deaths by Counties, Towns and Colors—September, 1890. (Continued.)

Counties and Towns.	Population.			Births.						Deaths.					
	Total.	White.	Colored.	Total.	Rate per M.	White.	Rate per M.	Colored.	Rate per M.	Total.	Rate per M.	White.	Rate per M.	Colored.	Rate per M.
Courtland	579	250	329	....	.....	...	...	....	....	..	.....	..	....	....	.....
Lowndes	31,550	4,466	27,084	95	36.12	8	19.70	87	38.54	40	15.21	6	14.77	34	15.06
Madison	38,119	19,228	18,891	67	21.09	29	18.09	38	24.13	32	10 07	15	6.36	17	10.79
Exclusive	30,124	15,230	14,894	53	21.10	26	20.48	27	22.75	21	18.36	14	11.03	7	5.63
Huntsville	7,995	3,998	3,997	14	21.00	3	9 00	11	33.00	11	16.50	1	3.00	10	30.00
Marshall	18,935	17,552	1,383	29	18.38	27	18.45	2	17.35	7	4.43	4	2.73	3	26.03
Mobile	31,076	17,429	13,647	96	37.03	36	24.78	60	52.75	54	20.85	27	18.59	27	23.74
Monroe	56,172	14,530	41,642	48	30.33	22	31 37	26	29.25	13	8.21	5	7.13	8	9.00
Montgomery	34,289	5,638	28,651	61	13.02	12	9.90	49	14.11	57	12.17	20	16.51	37	10.65
Exclusive	21,883	8,892	12,991	37	12.91	3	6.38	34	10.05	28	9.77	9	19.15	19	7.95
Montgomery	18,990	8,327	10,663	24	13.21	9	12.14	15	13.87	29	16.07	11	14.84	18	16.64
Morgan	24,089	17,903	6,186	64	31.87	55	36.86	9	17.45	22	10.95	11	7.37	11	21.32
Exclusive	16,953	13,903	3,050	52	36.71	47	38.36	5	34.67	16	11.29	9	7.76	7	27.53
Decatur	7,136	4,000	3,136	12	20.18	8	24.00	4	15.29	6	10.09	2	6.00	4	15.29
Perry	29,332	6,806	22,526	50	20.45	13	22.91	37	19.70	13	5.31	3	5.28	10	5.32
Exclusive	25,763	5,306	20,557	40	18.63	8	18.09	32	18.77	11	5 12	3	6.78	8	4.69
Marion	2,153	1,000	1,155	5	27.86	1	12.00	4	41.62	1	5.57	..	.....	1	10.40
Uniontown	1,416	500	916	5	42.37	4	96.00	1	13.10	1	8.47	...	....	1	13.10
Pike	24,423	15,633	8,790	64	31.44	42	31.97	22	30.03	19	9.33	16	12.17	3	4 09
Exclusive	20,974	13,433	7,541	52	29.75	38	23.94	14	22.27	17	9.72	14	12.50	3	4.77
Troy	3,449	2,200	1,249	12	41.76	4	21.81	8	76.80	2	6.96	2	10.91	..	....
St. Clair	17,353	14,285	3,068	54	37.34	53	44.52	1	3.91	14	9.68	12	8.08	2	7.82
Sumter	29,574	5,919	23,655	31	12.57	8	16.21	23	11.66	13	5.27	4	8.10	9	4.56
Exclusive	27,708	5,214	22,584	28	12.13	7	16.11	21	11.19	13	5.63	4	9.20	9	4.80
Livingston	805	305	500	3	44.71	1	39.34	2	48.00	...	.....	...	....	..	....
Gainesville	1,071	400	671	....	.....	....	.....	....	....	....	.....	....	.....	....	.....

Talladega	29,346	15,343	14,003	65	26.53	43	33.63	22	18.85	23	9.40	13	10.16	10	8.56
Exclusive	26,846	13,843	13,003	59	26.37	38	32.94	21	19.38	22	9.83	12	10.40	10	9.22
Talladega	2,500	1,500	1,000	6	28.80	5	40.00	1	12.00	1	4.80	1	8.00	..	....
Tallapoosa	25,466	16,854	8,600	46	21.69	36	25.63	10	13.94	14	6.60	10	7.11	4	5.57
Exclusive	23,066	15,354	8,300	41	20.79	35	25.79	8	11.56	14	7.10	10	7.81	4	5.78
Alexander City	800	700	100	1	15.00	1	17.14	..	..	..	....	..	..	..	..
Dadeville	1,060	800	200	4	48.00	2	30.00	2	120.00	..	..	..	....	..	....
Tuskaloosa	30,352	18,213	12,139	45	17.79	31	21.42	14	13.84	25	9.88	17	11.26	8	7.90
Exclusive	23,552	13,813	9,739	40	20.38	31	26.79	9	11.08	12	6.14	9	7.77	3	3.69
Tuskaloosa	5,000	3,000	2,000	5	12.00	..	....	5	30.00	10	24.00	7	28.00	3	18.00
North Port	700	500	200	..	....	..	....	..	....	..	..	..		..	
Insane Asylum	1,100	900	200	..	....	..	....	..	....	3	32.92	1	13.32	2	120.00
Winston	6,520	6,520	.....	13	23.92	13	23.92	..	...	3	5.52	3	5.52	..	...
Total for September	981,261	525,664	455,597	2159	26.42	1258	28.70	901	23.73	805	9.85	411	9.38	394	10.37
Exclusive of Towns	817,574	433,625	383,949	1768	24.97	1055	29.19	713	22.28	563	8.27	299	8.27	264	8.27
Total for Towns	163,687	92,039	71,648	391	28.66	203	26.46	188	18.22	242	17.74	112	14.60	130	21.17

Births and Deaths by Counties, Towns and Colors—October, 1890.

Counties and Towns.	Population.			Births.						Deaths.					
	Total.	White.	Colored.	Total.	Rate per M.	White.	Rate per M.	Colored.	Rate per M	Total.	Rate per M	White.	Rate per M	Colored.	Rate per M
Prattville	1,200	900	300	6	60 00	4	53.33	2	80.00	1	10 00	1	13 33	..	....
Baldwin	8,941	5,635	3,306	15	20.13	8	16 88	7	25 40	3	4 02	1	2 11	2	7.25
Barbour	34,898	13,321	21,577	54	18.56	19	17 11	35	19 46	11	3.78	5	4.50	6	3.33
Exclusive	29,874	10,121	19,753	50	20 08	18	21.34	32	19 21	6	2 41	3	3 55	3	1.80
Eufaula	4,027	2,600	1,427	3	8 86	..		3	25 22	3	8 86	1	4 65	2	16.81
Clayton	997	600	397	1	12 03	1	20 00	..	....	2	24 07	1	20 00	1	30 22
Blount	21,927	20,115	1,812	39	21.34	39	23 26	..		4	2.18	4	2.00	.	
Bullock	27,033	6,066	20,967	49	21 72	5	9.89	44	25 18	24	10 64	5	9 89	19	10.87
Exclusive	25,016	5,066	19,950	49	23 50	5	11.84	44	26.46	21	10 07	5	11.84	16	8 42
Union Springs	2,017	1,000	1,017					..	.....	3	17 56	.		3	35.39
Butler	21,581	11,368	10,213	63	34.93	32	33 76	31	36 39	19	10 53	10	10.55	9	10.56
Exclusive	18,779	9,968	8,811	53	33 76	27	32 50	26	35.41	14	8 92	7	8 42	7	9 53
Greenville	2,802	1,400	1,402	10	42.82	5	42 85	5	42 79	5	21 41	3	3 61	2	2 72
Calhoun	33,835	23,891	9,944	86	30 49	66	33 14	20	25 14	22	7 80	16	8 03	6	7.54
Exclusive	20,301	15,092	5,209	41	24 23	28	22.26	13	29.94	9	5 32	7	5 56	2	4 60
Anniston	10,113	6,399	3,714	37	43 90	31	58.13	6	19 38	12	15.43	8	15 00	4	12 92
Jacksonville	1,237	900	337	1	9 70	1	13 33	..		1	9.70	1	13 33	..	.....
Oxford	1,473	900	573	5	40 73	4	53 33	1	20 94	..	....	..	....	..	.....
Piedmont	711	600	111	2	33.75	2	40.00	..	.....	..	..	..	...	..	....
Choctaw	17,526	8,110	9,416	27	18.45	16	23.66	11	14 01	9	6 15	4	5.90	5	6 37
Clarke	22,622	9,627	12,995	69	36.59	32	39.87	37	34.16	20	10 60	7	8 72	13	12 00
Clay	15,765	14,086	1,679	47	35.77	45	38.33	2	14.29	8	6.08	5	4 25	3	21.44
Conecuh	14,594	7,956	6,638	37	30 42	23	24.96	14	35.29	12	9.86	5	7 60	7	12.64
Exclusive	13,557	7,341	6,216	34	30.09	20	3 26	14	27.02	12	10.62	5	8.17	7	13.51
Evergreen	1,037	615	422	3	34 71	3	48 53	..	.....	..	....	..	.	..	.....
Coosa	15,906	10,486	5,420	27	20.36	24	27.45	3	6.64	6	4 52	5	5.72	1	2.21

Crenshaw	15,425	11,732	3,693	24	18 66	20	20 44	4	12.99	3	2 33	3	3.06	...	.....
Cullman	13.439	13,439	.....	43	38 51	43	38 51	...	.....	9	8 06	9	8 06	....	.....
Exclusive	12,422	12,422	.....	37	35.74	37	35 74	..	.....	5	4.83	5	4 83	..	.....
Cullman	1,017	1,017	.....	6	70.79	6	70.79	.		4	47 19	4	47 19	..	...
Dallas	49,350	7,906	41,444	108	26 25	28	42.47	80	23 16	27	6 56	6	9.10	21	6 07
Exclusive	41,728	4,406	37,322	86	24 72	17	46 29	69	22.18	17	4 88	2	5 44	15	4 82
Selma	7,622	3,500	4,122	22	34 63	11	37.71	11	32 02	10	15.74	4	13 69	6	17 46
DeKalb.	21,010	19,881	1,129	35	19 89	35	21 12	..	....	11	6 26	10	6 03	1	10 62
Exclusive	18,312	17,881	43	34	22 16	34	22.81	..	....	10	6 51	9	6 04	1	27.84
Fort Payne	2,698	2,000	698	1	4.44	1	6 00	..	..	1	4 44	1	6 00	..	.
Elmore.	21,732	11,329	10,403	57	31 46	36	38 12	21	24.21	9	4 96	5	5 29	4	4.61
Exclusive	20,919	10,829	10,090	56	32 12	35	40 52	21	24.97	9	5 16	5	5.78	4	4 75
Wetumpka	813	500	313	1	14 76	1	24 00	..		..	...	..	...	..	....
Escambia	8,666	5,674	2,992	39	54 77	20	42 28	19	76 19	5	6.92	5	10 57	..	.....
Exclusive.	7,302	4,799	2,503	31	51 14	16	40 00	15	71 85	5	8 21	5	12.50	..	....
Brewton	1,115	750	365	5	53.81	2	32 00	3	98 62	.	....	..	....	..	....
Alco	249	125	124	3	144 57	2	192 00	1	96.77			..		..	
Etowah	21,926	18,097	3,829	52	28.45	46	30 49	6	18 80	13	7 11	9	5 97	4	12 53
Exclusive	14,926	12,797	2,129	46	36 98	41	38 44	5	28.18	8	6 43	7	6.56	1	5 63
Gadsden	5,000	3,800	1,200	5	12 00	4	12 62	1	10 00	2	4 80	..	....	2	20 00
Attalla	2,000	1,500	500	1	6 00	1	8 00	..		3	18 00	2	16.00	1	24 00
Fayette	12,823	11,062	1,761	29	27 13	26	28.18	3	20 40	11	10 29	10	10.84	1	6 80
Greene	22 007	3,192	18,815	37	20 17	4	15 03	33	21 04	18	9 81	7	26 31	11	7.01
Hale..	27,501	5,053	22,448	42	18 32	20	47 48	22	11.76	15	6 54	3	7.12	12	6 41
Exclusive	25,742	4,153	21,589	39	18 18	17	49 11	22	12 22	13	6 06	2	5 77	11	6 11
Greensboro	1,759	900	859	3	20 46	3	40 00			2	13 64	1	13 33	1	13 97
Jackson	28,026	24 132	3,894	66	28 25	60	29 83	6	18 48	31	13.27	28	13 92	3	9 24
Exclusive	27,067	23,382	3,685	64	28 37	58	29 76	6	19 53	31	13 74	28	14 37	3	9 76
Scottsboro	959	750	209	2	25 02	2	32 00	.	. .	..	...		.	..	....
Jefferson	88,501	56,953	31,548	168	22 76	123	25 91	45	17 11	93	12 60	54	11 37	39	14 83
Exclusive	62,323	42.044	20,279	87	17 02	69	19 69	18	10 65	31	6 06	21	5 99	10	5 91
Birmingham	26,178	14,909	11,269	81	37.13	54	43 46	27	28 75	62	28 42	33	26 56	29	30 88
Lamar	14,187	11,338	2,849	34	28 75	28	29 62	6	25.27	9	7 61	7	7 40	2	8.42
Lawrence	20,725	12,536	8,189	30	17 37	21	20 10	9	13.29	17	9 84	10	9 57	7	10 33
Exclusive	20,146	12,286	7,860	30	17.87	21	20.40	9	13 72	17	9 84	10	9.76	7	10 67

Births and Deaths by Counties, Towns and Colors—October, 1890. (Continued.)

Counties and Towns.	Population.			Births.						Deaths.					
	Total.	White.	Colored.	Total.	Rate per M.	White.	Rate per M.	Colored.	Rate per M.	Total.	Rate per M.	White.	Rate per M.	Colored.	Rate per M.
Courtland	579	250	329	..	....	....	.....	....	.....	....	..	..	.....	..	....
Lowndes	31,550	4,446	27,084	63	23.95	4	9.85	59	26.13	30	11.40	6	20.77	24	10.63
Madison	38,119	19,228	18,891	56	17.62	27	16 64	29	28.42	26	9.18	15	9.36	11	6.98
Exclusive	30,124	15,230	14,894	48	19.12	24	18.91	24	19.33	17	6.77	8	6.30	9	7.25
Huntsville	7,995	3,998	3,997	8	12.00	3	9.00	5	15.00	9	13.50	7	21.00	2	6.00
Marshall	18,935	17.552	1,383	22	13.94	21	14 35	1	8.67	6	3.80	6	5.10	..	.....
Mobile	31,076	17,429	13,647	91	35.14	50	34.42	41	36.05	80	30.89	39	26.85	41	36.05
Monroe	18,990	8,327	10,663	36	22.74	26	37.07	10	11.25	4	2.52	3	4.27	1	1.12
Montgomery	56,172	14,530	41,642	37	7.90	18	14 86	19	5.47	61	13.02	19	15.69	42	12.10
Exclusive	34,289	5,638	28,651	24	8.37	10	21.28	14	5.86	35	12.51	7	14.89	28	11.61
Montgomery	21,883	8,892	12,991	13	21.86	8	10.79	5	19.11	26	14.31	12	16.19	14	12.93
Morgan	24,089	17,903	6,186	53	26.39	41	27.47	12	23.26	20	9.96	14	9.38	6	11.63
Exclusive	16,953	13,903	3,050	40	28.24	34	29 34	6	23 54	13	9.18	10	8.63	3	11.83
Decatur	7,136	4,000	3,136	13	21.86	7	21.00	6	22.93	7	11.77	4	12.00	3	11.47
Perry	29,332	6,806	22,526	60	24.54	19	33.49	41	21.84	12	4 90	1	1.76	11	5.85
Exclusive	25,763	5,306	20,557	54	25.15	16	36.18	38	22.88	10	4.65	...	...	10	5 86
Marion	2,153	1,000	1,153	4	22.29	2	24.00	2	20.81	2	11.14	1	12.00	1	10.40
Uniontown	1,416	500	916	2	16 95	1	24.00	1	13.10	..		..	...	..	...
Pike	24,423	15,633	8,790	47	23 09	22	16 74	25	34.12	12	5.89	11	8.37	1	1.26
Exclusive	20,974	13,433	7,541	40	22 88	18	16 08	22	35.00	5	2 86	4	3.57	1	1.59
Troy	3,449	2,200	1,249	7	24.36	4	21.82	3	23 80	7	24.36	7	38.17	...	.....
St. Clair	17,353	14,285	3,068	48	33.19	3	32.76	9	35.19	13	8.98	13	10.92	.	...
Sumter	29,574	5,919	23,655	35	14.19	7	14.18	28	14.20	14	5.67	7	14 18	7	3 55
Exclusive	27,708	5,214	22,584	32	13.86	4	9.20	28	14.94	13	5.63	7	16.11	6	3.20
Livingston	805	305	500	2	29.81	2	78.68	...	.....	..	....	...	.....	...	....
Gainesville	1,071	400	671	1	11.20	1	30.00	...	.....	1	11.20	...	.....	1	18.03

Talladega	29,346	15,343	14,003	61	24 94	47	36.75	14	11.99	25	10.22	13	10.16	12	10.28
Exclusive	26,846	13,843	13,003	56	25 02	43	35.28	13	12 09	24	10 72	12	10 40	12	11.07
Talladega	2,500	1,500	1,000	5	24 00	4	32 00	1	12 00	1	4 80	1	8.00	....	.....
Tallapoosa	22,460	16,854	8,606	31	14.62	25	17 79	6	8.36	10	4.71	7	4.98	3	4 18
Exclusive	23,660	15,354	8,306	28	14 20	23	17.97	5	7.22	10	5.07	7	5 47	3	4 33
Alexander City	800	700	100	1	15 00	1	17.14	..	...	..	.....	...	.....	...	.....
Dadeville	1,000	800	200	2	24 00	1	15 00	1	60 00	..	...	..	.....	..	..
Tuskaloosa	30,352	18,213	12,139	35	13.83	28	18 44	7	6 92	19	7 51	15	9.88	4	3.95
Exclusive	23,552	13,813	9,739	28	14 26	22	19 01	6	7 39	7	3 56	7	6 05	..	....
Tuskaloosa	5,000	3,000	2,000	6	14 40	5	20 00	1	6.00	2	4 80	2	8 00	..	....
North Port	700	500	200	1	17.14	1	24 00	..	....	..	.....	..	.....	..	...
Insane Asylum	1,100	900	200	.	..	.	....	...	....	10	109.09	6	80.00	4	240 00
Winston	6,520	6,520	.....	13	23.92	13	23.92	..	.....	..	....	...	....	..	....
Total for October	981,261	525,664	455,597	1971	24 12	1210	25 62	761	20.04	742	9.08	403	9 20	339	8.92
Exclusive of Towns	817,574	433,625	383,949	1617	23.83	982	27.17	635	19 84	486	7.13	264	7.31	222	7.03
Total for Towns	163 687	92,039	71,648	354	25.96	228	29 72	126	21 12	256	18.76	139	18 12	117	19.79

Births and Deaths by Counties, Towns and Colors—November, 1890.

Counties and Towns.	Population.			Births.						Deaths.					
	Total.	White.	Colored.	Total.	Rate per M.	White.	Rate per M.	Colored.	Rate per M.	Total.	Rate per M	White.	Rate per M.	Colored.	Rate per M.
Prattville	1,200	900	300	1	10 00	..	...	1	40 00	1	10 00	....	....	1	40 00
Baldwin	8,941	5,635	3,306	30	40 26	11	23 22	19	68 95	6	8 05	3	6 33	3	10 88
Barbour	34,898	13,321	21,577	40	13 75	13	11 71	27	12 01	12	4.12	8	7 20	4	2 22
Exclusive	29,874	10,121	19,753	35	14.00	9	10 67	26	15 66	7	2.80	6	7.11	1	6 02
Eufaula	4,026	2,600	1,429	4	11.82	4	17.81	..		4	11 82	1	4 65	3	25.22
Clayton	997	600	397	1	12 03			1	30 22	1	12 03	1	20 00	..	....
Blount	21,927	20,115	1,812	35	19 15	34	20 28	1	6 62	6	3.28	6	3 58	..	....
Bullock	27,033	6,066	20,967	66	29 26	9	17.80	57	32 62	9	3 99	2	3 95	7	4 00
Exclusive	25,016	5,066	19,950	63	30 22	9	21 32	54	32.48	9	4 31	2	4.73	7	4.20
Union Springs	2,017	1,000	1,017	3	17 84		.	3	35 39	....	.	..	...	..	...
Butler	21,581	11,368	10,213	54	29 94	27	28.48	27	31.69	13	7 20	11	11.60	2	2 34
Exclusive	18,779	9,968	8 811	48	30 58	25	30.09	23	31 32	10	6 37	8	9 63	2	2 72
Greenville	2,802	1,400	1,402	6	25 69	2	17 14	4	34 23	3	12 84	3	25 71		
Calhoun	33,835	23,891	9,944	53	18 79	40	20 08	13	16 34	18	6 38	12	6.02	6	7 54
Exclusive	20,301	15,092	5,209	29	17 14	25	19 87	4	9 21	4	2 36	4	31 80	..	
Anniston	10,113	6,399	3,714	17	20 16	10	18.75	7	22.61	10	11 86	6	11.25	4	12.92
Jacksonville	1,237	900	337	2	19 40	1	13 33	1	35 60	3	29.10	2	26 66	1	35.60
Oxford	1,473	900	573	3	24 44	3	40 00	..	.	1	8 14	..	....	1	20 94
Piedmont	711	600	111	2	33 75	1	20.00	1	108 10	..		..		..	...
Choctaw	17,526	8,110	9,416	16	10 93	10	14 79	6	7 64	4	2 73	4	5 91	..	
Clarke	22,622	9,627	12,995	63	33 41	30	37 38	33	30 47	9	4 77	6	7 47	3	2 77
Clay	15,765	14,086	1,679	31	23 59	26	22.14	5	35.73	4	3 04	1	.85	3	21.44
Conecuh	14,594	7,956	6,638	26	21 37	12	18.24	14	25 29	10	8.22	6	9 12	4	7.22
Exclusive	13,557	7,341	6,216	24	21 24	10	16 34	14	27.02	8	7 08	5	8 17	3	5 79
Evergreen	1,037	615	422	2	23 14	2	39 02			2	57 87	1	19 51	1	28 43
Coosa	15,906	10,486	5,420	41	30.93	28	32 03	13	28 78	9	6 78	4	4.57	5	11 07

Crenshaw	15,425	11,732	3,693	16	12 44	16	16 35	....	.....	....	.....	....	...	..	....
Cullman	13,439	13,439	.....	36	32 24	36	32.24	....	.....	3	2.68	3	2 68	..	....
Exclusive	12,422	12,422	.....	34	32 84	34	32 84	...	....	2	1.93	2	1.93	..	....
Cullman	1,017	1,017	.....	2	23.59	2	23 59	...	....	1	11.79	1	11 79		
Dallas	49,350	7,906	41,444	65	15 80	10	15.17	55	15 92	39	9 48	9	13.66	30	8.68
Exclusive	41,728	4,406	37,322	53	15 24	3	8 16	50	16 17	21	6.03	6	16 34	15	4 82
Selma	7,622	3 500	4,122	12	18 8	7	24 00	5	14 55	18	28 32	3	10.28	15	43.66
DeKalb	21,010	19,881	1,129	42	23.87	42	25 34	..	.....	12	6 82	12	7 24	..	....
Exclusive	18,312	17,886	431	39	25 55	39	26.17	..	....	10	6 55	10	6 71	..	....
Fort Payne	2,698	2,000	698	3	13 3	3	18.00	..	..	2	8 89	2	12 00	.	..
Elmore	21.732	11,329	10,403	43	23 74	26	27 53	17	19 60	15	8 28	5	5 29	10	11 53
Exclusive	20,919	10,829	10,090	43	24 66	26	28.81	17	20 21	15	8 60	5	5.54	10	11.89
Wetumpka	813	500	313	.	....	.	....	..	.	..	.....	...	....	....	...
Escambia	8,666	5,674	2,992	21	29.06	15	27.48	8	32 08	3	4 15	1	2 11	2	8 02
Exclusive	7,302	4,799	2,503	18	29 58	11	27.50	7	33 53	3	4.93	1	2 50	2	9.58
Brewton	1,115	750	365	2	21 52	1	16 00	1	32 87	..	.....	..	....	..	...
Alco	249	125	124	1	48 19	1	96 00	..	.....	...	.....	...		.	.....
Etowah	21,927	18,097	3,829	51	27 91	45	29.83	6	18 80	11	6 02	9	5 96	2	6 26
Exclusive	14,926	12,797	2,129	37	29.74	33	30 94	4	22 54	7	5 62	7	6 56	..	...
Gadsden	5,000	3,800	1,200	10	24 00	9	28.41	1	10 00	2	4.80	1	3 15	1	10 00
Attalla	2,000	1,500	500	4	24 00	3	24.00	1	24 00	2	12 00	1	8 00	1	24 00
Fayette	12,823	11,062	1,761	23	21 52	22	23 84	1	6.80	7	6 54	7	7 58	..	
Greene	22,007	3,192	18,815	29	15 81	8	30 07	21	13 39	14	7 63	2	7 51	12	7 65
Hale	27,501	5,053	22,448	35	15 27	4	9 49	31	16 57	12	5 23	4	9 49	8	4 27
Exclusive	25,742	4,153	21,589	33	15 38	3	8 66	30	16 67	10	4 66	3	8 66	7	3 89
Greensboro	1,759	900	859	2	13 64	1	13 33	1	13 97	2	13.64	1	13 33	1	13.97
Jackson	28,026	24,132	3,894	78	33 39	69	34 20	9	27 72	26	11.13	20	9.94	6	18 48
Exclusive	27,067	23,382	3,685	78	34 5[illegible]	69	35.41	9	28.30	23	10 20	17	8 72	6	20.60
Scottsboro	959	750	209		....	..	....			3	37 54	3	48 00	..	....
Jefferson	88,501	56,953	31,548	171	23.17	131	27 60	40	15 21	96	13 00	51	10 74	45	20 91
Exclusive	62,323	42,044	20,279	81	15 85	63	16 9[illegible]	18	10 65	45	8 80	24	6 85	2	12.42
Birmingham	26,178	14,909	11,269	90	41 25	68	54 83	22	23 42	51	23 37	27	21 73	24	25.55
Lamar	14,187	11,338	2,849	34	28.75	29	30 68	5	21.06	6	5 07	6	6 34	....	.
Lawrence	20,725	12,536	8,189	26	15 05	10	9 57	16	23.63	11	6 36	6	5.74	5	7 38
Exclusive	20,146	12,286	7,860	26	15 48	10	9.76	16	24.40	11	6 51	6	5.86	5	7.62

Births and Deaths by Counties, Towns and Colors—November, 1890. (Continued.)

Counties and Towns.	Population.			Births.						Deaths.					
	Total.	White.	Colored.	Total.	Rate per M.	White.	Rate per M.	Colored.	Rate per M.	Total.	Rate per M.	White.	Rate per M.	Colored.	Rate per M.
Courtland	579	250	329	..		..	....	..	....	....		....	....	..	
Lowndes	31,550	4,466	27,084	60	22.8	7	17.04	53	23.47	28	10.64	5	12 31	23	10.18
Madison	38,119	19,228	18,891	61	19.20	29	18.09	32	20.32	24	6 55	9	5.61	15	9.52
Exclusive	30,124	15,230	14,894	47	18.72	18	14.18	29	23.36	16	6.37	7	5.51	9	7.24
Huntsville	7,995	3,998	3,997	14	21.01	11	33 00	3	9.00	8	12.00	2	6.00	6	18.00
Marshall	18,935	17,552	1,383	21	13.30	21	14.35	.	...	4	2.53	3	2.05	1	8.67
Mobile	31,076	17,429	13,647	73	28.18	36	24.78	37	32.53	79	30.50	35	24.09	44	38.67
Monroe	56,172	14,530	41,642	51	32.22	25	35.65	26	29.25	13	8.21	8	11.40	5	5.62
Montgomery	34,289	5,638	28,651	72	15.37	51	42.11	21	6.05	35	7.47	4	3.30	31	8.93
Exclusive	21,883	8,892	12,991	22	7.70	5	10.64	17	7.12	15	5.24	2	4.25	13	5.44
Montgomery	18,990	8,327	10,663	50	27.53	46	62.07	4	3.69	20	11.01	2	2.69	18	16.62
Morgan	24,089	17,903	6,186	35	17.43	26	17.42	9	17.45	34	16.93	23	15.41	11	21.32
Exclusive	16,953	13,903	3,050	26	18.35	20	14.12	6	23.60	19	13.41	16	13.81	3	11.80
Decatur	7,136	4,000	3,136	9	15.12	6	18.00	3	11.47	15	25 22	7	21.00	8	30.58
Perry	29,332	6,806	22,526	64	26.18	14	24.68	50	31.63	13	5.31	2	3.52	11	5,85
Exclusive	25,763	5,306	20,557	59	27 48	10	22.61	49	28.74	9	4.19	....	....	9	5.28
Marion	2,153	1,000	1,155	5	27.86	4	48.00	1	10.40	1	5 57	..	....	1	10 40
Uniontown	1,416	500	916			..	....	.		3	25.42	2	48.00	1	13 10
Pike	24,423	15,633	8,790	54	26.53	41	31.20	13	17.74	26	12.77	19	14.46	7	9.55
Exclusive	20,974	13,433	7,541	44	25.17	33	29.67	11	17.50	18	10.29	16	14.29	2	3.18
Troy	3,449	2,200	1,249	10	34.80	8	43.60	2	19.20	8	27.84	3	16.36	5	48.00
St. Clair	17,353	14,285	3,068	27	18.67	24	20 16	3	11.73	10	6.91	10	8.40	..	...
Sumter	29,574	5,919	23,655	36	14 60	11	22.29	25	12.68	13	5 27	4	8 10	9	4.56
Exclusive	27,708	5,214	22,584	35	15 16	11	25.31	24	12.80	12	5.20	4	9.20	8	4.80
Livingston	805	305	500	.		.	....	..		..		..	....	..	
Gainesville	1,071	400	671	1	11.20	....	....	1	18.03	1	11.20	....	....	1	18.03

Talladega	29,346	15,343	14,003	44	17.99	25	29 55	19	16.38	21	8.58	6	4.69	15	12.85
Exclusive	26,846	13,843	13,003	33	14.75	19	15.60	15	13.84	18	8.04	4	3.46	14	12.90
Talladega	2,500	1,500	1,000	11	52.20	7	56 00	4	48.00	3	14.40	2	16.00	1	12.00
Tallapoosa	25,460	16,854	8,606	35	16.51	26	18.57	9	12.54	8	3.77	8	5.69	..	....
Exclusive	23,060	15,354	8,306	31	15.72	24	18.75	7	10.11	8	4.05	8	6.25	..	....
Alexander City	800	700	100	5	45.00	1	17.14	2	240.00	..	....	....	....	..	....
Dadeville	1,000	800	200	1	12.00	1	15.00	.	...	.	..	..	....	..	.
Tuskaloosa	30,352	18,213	12,139	26	10.27	16	10.53	10	9.88	21	8 30	10	6.58	11	10.87
Exclusive	23,552	13,813	9,739	22	11.21	14	12.10	8	9.85	7	3.56	5	4.32	2	2.46
Tuskaloosa	5,000	3,000	2,000	4	9.60	2	8.00	2	12.00	6	14 40	..	....	6	36.00
North Port	700	500	200	..	...	..	....	..	....	..	.	..		..	.
Insane Asylum	1,100	900	200	.		..	.	..	....	8	87.27	5	66.66	3	180.00
Winston	6,520	6,520	.....	8	14.72	8	14.72		....	1	1.84	1	1.84	..	. .
Total for November	981,261	525,664	455,597	1793	21.94	1061	24.22	732	19.28	687	8.39	345	7.87	342	9.00
Exclusive of Towns	817,574	433,625	383,949	1445	21.13	821	22 72	624	20.10	429	6.30	234	6.47	195	6.09
Total for Towns	163,687	92.039	71,648	348	25.41	240	31.29	108	18 08	258	18.91	111	14 47	147	24.61

Births and Deaths by Counties, Towns and Colors—December, 1890.

Counties and Towns.	Population.			Births.						Deaths.					
	Total.	White.	Colored.	Total.	Rate per M.	White.	Rate per M.	Colored.	Rate per M.	Total.	Rate per M	White.	Rate per M	Colored.	Rate per M.
Prattville	1,200	900	300	2	20 00	2	26.66	..	...	1	10 00	1	13.33	..	.....
Baldwin	8,941	5,635	3,306	15	20 14	11	23.22	4	14 51	4	5.36	2	4 22	2	7.25
Barbour	34,898	13,321	21,577	43	14.78	14	12.61	29	16.12	10	3 43	4	3 60	6	3 33
Exclusive	29,874	10,121	19,753	40	16.06	12	14 24	28	16 86	9	3.61	3	3 56	6	3.61
Eufaula	4,027	2,600	1,427	....		..	..	..		..		..	...	..	.....
Clayton	997	600	397	3	24 07	2	40 00	1	30 22	1	12 03	1	20 00	..	....
Blount	21,927	20,115	1,812	20	10 94	18	10 73	2	13 24	2	1 09	2	1.19	..	....
Bullock	27,033	6,066	20,967	60	26.60	10	19 78	50	28.61	13	5.76	3	5.93	10	8.72
Exclusive	25,016	5,066	19,950	54	25.90	10	23.68	44	26 46	11	5 27	3	7.10	8	4 81
Union Springs	2,017	1,000	1,017	6	35 69	.	....	6	70 78	2	11 89	..	....	2	23 59
Butler	21,581	11,368	10,213	57	31.60	24	25 33	33	38.87	9	4 99	3	3 16	6	7.04
Exclusive	18,779	9,968	8,811	50	31.85	24	28.89	26	35 41	9	5 73	3	3 61	6	8.17
Greenville	2,802	1,400	1,402	7	29 97	..	.	7	59 90	..	.	..	.....	...	....
Calhoun	33,835	23,891	9,944	57	20.21	48	24.10	9	11.31	23	8 16	19	9 54	6	7.54
Exclusive	20,301	15,092	5,209	33	19 50	28	22.26	5	11 51	14	8.27	12	9 53	2	4 60
Anniston	10,113	6,399	3,714	18	21 35	17	31.87	1	3 23	8	9 48	6	11 25	2	6.46
Jacksonville	1,237	900	337	2	19.40	1	13 33	1	35.60	1	9 70	1	13 33	..	...
Oxford	1,473	900	573	2	16.29	1	13 33	1	20.94	..	...	..	....	..	.....
Piedmont	711	600	111	2	33 75	1	20 00	1	108.10	..	....	..	...	..	.....
Choctaw	17,526	8,110	9,416	21	14 35	14	20 60	7	8 91	4	2 73	1	1.47	3	3.82
Clarke	22,622	9,627	12,995	58	30.76	23	28 55	35	32.31	20	10.60	9	11 21	11	10.15
Clay	15,765	14,086	1,679	26	19.78	23	19 59	3	21.44	10	7.61	10	8.51	..	....
Conecuh	14,594	7,956	6,638	29	23.84	14	21 28	15	27.10	12	9.86	6	9 12	6	10 84
Exclusive	13,557	7,341	6,216	28	24.78	13	21 25	15	28 95	12	10.62	6	9 80	6	11.58
Evergreen	1,037	615	422	1	11.59	1	19 51	..	....	...	...	..		..	.....
Coosa	15,906	10,486	5,420	24	18.10	18	20.59	6	13 28	2	1 50	1	1 14	1	2.21

Crenshaw	15,425	11,732	3,693	10	7.77	7	7.15	3	9.74	..	.....	....	....	....	....
Cullman	13,439	13,439	.....	23	20 60	23	20.60	....	.....	5	4 47	5	4.47	....	....
Exclusive	12,422	12,422	.....	18	17 38	18	17 38	....	.....	5	4.83	5	4.83	...	.....
Cullman	1,017	1,017	.....	5	58.99	5	58 99	....	.....	..	....	....	.....	....	.....
Dallas	49,350	7,906	41,444	69	16.77	8	12.13	61	17 65	28	6 80	11	16 68	17	4.92
Exclusive	41,728	4,406	37,322	50	14 37	2	5.44	48	15 43	16	4 60	6	16.34	10	3 21
Selma	7,622	3,500	4,122	19	29.93	6	20 57	13	37.84	12	18 88	5	17.14	7	20.37
DeKalb	21,010	19,881	1,129	36	20 46	36	21 72	..	.....	11	6 25	8	4.82	3	31.88
Exclusive	18,312	17,881	431	28	18.34	28	18.79	..	....	8	5 24	7	4.69	1	27.84
Fort Payne	2,698	2,000	698	8	35 58	8	48.00	..	....	3	13.34	1	6.00	2	34 38
Elmore	21,732	11,329	10,403	58	33 02	31	32.82	27	31 13	6	3 31	3	3.17	3	3 45
Exclusive	20,919	10,829	10,090	56	32.12	29	32 13	27	32.10	6	3 44	3	3.32	3	3 56
Wetumpka	813	500	313	2	29 52	2	48 00	..	.....	....	....	..	.	...	.....
Escambia	8,666	5,674	2,992	20	27 68	16	33 82	4	16 04	7	9 68	4	8.45	3	12 03
Exclusive	7,302	4,799	2,503	17	27.93	15	37.50	2	9 58	5	8 21	4	8 00	1	4.79
Brewton	1,115	750	365	2	21 52	....	...	2	65.75	2	21.52	..	.....	2	65.75
Alco	249	125	124	1	48.19	1	96.00	..		..	....		.	..	....
Etowah	21,926	18,097	3,829	60	32.83	54	35 80	6	18 80	13	7.11	11	7.29	2	6 26
Exclusive	14,926	12,797	2,129	43	34 56	38	35 63	5	28 18	10	8 04	8	7.50	2	11 27
Gadsden	5,000	3,800	1,200	15	36.00	14	44 19	1	10 00	2	4 80	2	6.31	..	....
Attalla	2,000	1,500	500	2	12 00	2	16 00	..	....	1	6.00	1	8.00	..	....
Fayette	12,823	11,062	1,761	24	22 45	22	23.84	2	13 60	5	4.67	4	4.33	1	6 80
Greene	22.007	3,192	18,815	20	10 90	4	15 03	16	10 20	9	4.90	..	....	9	5 73
Hale	27,501	5,053	22,448	40	17 45	10	23.74	30	16 03	16	6 98	4	9.49	12	6 41
Exclusive	25,742	4,153	21,589	38	17.71	9	26.00	29	16.11	13	6 06	3	8 66	10	5 55
Greensboro	1,759	900	859	2	13 64	1	13.33	1	13 97	3	20.46	1	13 33	2	27.93
Jackson	28,026	24 132	3,894	55	23 54	50	24 86	5	15 40	34	14.55	28	13 92	6	18.48
Exclusive	27,067	23,382	3,685	51	22 60	46	23 60	5	16 28	33	14.84	27	13.84	6	19.53
Scottsboro	959	750	209	4	50 05	4	64.00	..		1	12.51	1	16.00	..	
Jefferson	88,501	56,953	31,548	168	22 77	125	26 33	43	16 35	86	11 65	41	8.63	45	17.11
Exclusive	62,323	42,044	20,279	84	16 43	66	18 83	18	10 65	37	7 24	19	5 43	18	10 65
Birmingham	26,178	14,909	11,269	84	38 50	59	47 48	25	26 62	49	22.46	22	17.70	27	28 75
Lamar	14,187	11,338	2,849	25	21.14	18	19.04	7	29 48	8	6 76	6	6 34	2	8 42
Lawrence	20,725	12,536	8,189	29	16 79	15	14 35	14	19 67	8	4.63	5	4.78	3	4 43
Exclusive	20,146	12,286	7,860	29	17.27	15	14 65	14	19.35	8	4.76	5	4.88	3	4.57

Births and Deaths by Counties, Towns and Colors—December, 1890. (Continued.)

Counties and Towns.	Population.			Births.						Deaths.					
	Total.	White.	Colored.	Total.	Rate per M.	White	Rate per M	Colored.	Rate per M	Total.	Rate per M	White.	Rate per M.	Colored.	Rate per M
Courtland	579	250	329	..	....	....	....	....	....	....	....	..	....	..	....
Lowndes.	31,550	4,446	27,084	64	24.33	7	17.24	57	25.25	20	7.60	1	2.46	19	8.41
Madison	38,119	19,228	18,891	49	15.42	2-	17.47	21	13 33	28	8.81	13	8.91	10	6.35
Exclusive	30,124	15,230	14,894	40	15.93	22	17 33	18	14.50	20	7.96	10	7.88	10	8.05
Huntsville	7,995	3,998	3,997	9	13.50	6	18.00	3	9.00	8	12.00	3	9.00	·5	15.00
Marshall	18,935	17.552	1,383	31	19.64	30	20.50	1	8.67	7	4.43	6	4.10	1	8 67
Mobile	31,076	17,429	13,647	58	22.39	19	13.08	39	34.29	80	30.89	40	27.54	40	35.17
Monroe	18,990	8,327	10,663	37	23.38	18	25.66	19	21.37	13	8.21	6	8.55	7	7.87
Montgomery	56,172	14,530	41,642	39	8.33	19	15.69	20	5.76	48	10.25	10	8.25	38	10.94
Exclusive	34,289	5,638	28,651	20	6 99	8	17.02	12	5.02	19	6.64	1	2.12	18	7.43
Montgomery	21,883	8,892	12,991	19	10.56	11	14.84	8	7.39	29	16 00	9	10.34	20	18 47
Morgan	24,089	17,903	6,186	51	25.40	39	26.13	12	23.26	17	8.47	7	4.69	10	19.39
Exclusive	16,953	13,903	3,050	33	23 30	26	22 44	7	27.54	8	5.05	4	13.45	4	15.73
Decatur	7,136	4,000	3,136	18	30.26	13	39.00	5	19.11	9	15.13	3	9.00	6	22.93
Perry	29,332	6,806	22,526	41	16.77	12	21.15	29	15.43	14	5.72	6	10.57	8	4.26
Exclusive	25,763	5,306	20,557	39	18.16	10	22.61	29	17.01	11	5.12	4	9.04	7	4.10
Marion	2,153	1,000	1,153	2	11.14	2	24 00	..	....	2	11.14	1	24.00	1	10.40
Uniontown	1,416	500	916	..	....	.		..	...	1	8.47	1	24.00	..	....
Pike	24,423	15,633	8,790	32	15.72	17	12.94	15	20.47	23	11.29	10	7.61	13	17.74
Exclusive	20,974	13,433	7,541	28	16.02	14	12.50	14	22.28	20	11.44	9	8 03	11	17.50
Troy	3,449	2,200	1,249	4	13.92	3	16.36	1	9.60	3	10.44	1	5.45	2	19.20
St. Clair	17,353	14,285	3,068	21	14.52	18	15.12	3	11.73	9	6.22	9	7.56	..	....
Sumter	29,574	5,919	23,655	22	8.92	2	4.05	20	10.14	6	2.43	3	6.08	3	1.52
Exclusive	27,708	5,214	22,584	20	8.66	1	2.30	19	10.14	5	2.16	2	4.60	3	1.60
Livingston	805	305	500	1	14.90	...	..	1	24.00	..	....	...	..	..	.....
Gainesville	1,071	400	671	1	11.20	1	30 00	..	.....	1	11.20	1	30.00	..	....

Talladega	29,346	15,343	14,003	46	18 80	33	25 86	13	11 13	15	6 13	7	5 47	8	6.85
Exclusive	26,846	13,843	13,003	41	18.32	28	24 28	13	12 09	13	5.81	6	5 20	7	6 46
Talladega	2,500	1,500	1,000	5	24.00	5	40 00	..	.....	2	9.60	1	8 00	1	12 00
Tallapoosa	22 460	16,854	8 606	22	10 37	16	11 39	6	8.36	8	3 77	6	4 27	2	2 78
Exclusive	23,660	15,354	8,306	19	9 63	14	10 94	5	7 22	7	3.54	5	3 90	2	2 89
Alexander City	800	700	100	2	30 00	1	17 14	1	120 00	1	15 00	1	17 14	..	.....
Dadeville	1,000	800	200	1	12 00	1	15 00	.	..	.	..	..	...	.	..
Tuskaloosa	30,3[illegible]2	18,213	12,139	34	13 54	22	14 49	12	11 86	22	8 69	9	5 92	13	12 85
Exclusive	23,552	13,813	9,739	24	12 2[illegible]	20	17 28	4	4 92	8	4 07	4	3 45	4	4 92
Tuskaloosa	5,000	3,000	2,000	7	16 80	.		7	42 00	7	16 80	2	8.00	5	30 00
North Port	700	500	200	3	51 42	2	48.00	1	60 00	.	.	..	...	.	
Insane Asylum	1,100	900	200		.	.		.	...	7	76 36	3	40.00	4	240 00
Winston	6,520	6,520		9	16.56	9	16 56	.	..	2	3.68	2	3 68	.	...
Total for December	981,26[illegible]	525,664	455,597	1604	20 85	926	21 13	678	17 85	658	8.04	326	7 24	332	8 75
Exclusive of Towns	817,574	433,625	383,949	288	18 92	736	20.42	552	17 25	422	6 20	218	6 03	204	6.37
Total for Towns	163 687	92 039	71 648	316	23 16	190	24 76	126	.....	236	21.09	108	14 08	128	21.43

Births and Deaths by Counties, Towns and Colors—For the Year 1890.

Counties and Towns.	Population.			Births.						Deaths.					
	Total.	White.	Colored.	Total.	Rate per M	White.	Rate per M	Colored.	Rate per M	Total.	Rate per M	White.	Rate per M.	Colored.	Rate per M.
Prattville	1,200	900	300	48	40.50	31	34.44	17	56 66	22	18 33	14	15.55	8	26.66
Baldwin	8,941	5,635	3,306	200	22 37	115	20 41	85	25 71	37	4 14	22	3 90	15	4 53
Barbour	34,898	13,321	21,577	677	19.40	284	21.32	393	18.21	177	5.72	93	6 98	84	3 89
Exclusive	29,874	10,121	19,753	589	19 71	235	23 22	354	17 92	133	4 45	66	6 52	67	3 39
Eufaula	4,027	2,600	1,427	54	13 4	31	11 92	23	16 12	31	7 69	18	6 92	13	9.11
Clayton	997	600	397	34	34 11	18	30 00	16	40 30	13	13 04	9	15 00	4	10 07
Blount	21,927	20,115	1,812	445	20 29	428	21 22	17	9 37	77	3 51	76	3 77	1	55
Bullock	27,033	6,066	20,967	864	31.96	136	22 42	728	34 72	286	10 58	61	10 05	225	10 73
Exclusive	25,016	5,066	19,950	814	32 53	121	23.88	693	34.73	251	10 03	52	10 26	199	9.97
Union Springs	2,017	1,000	1,017	50	24 79	15	15 00	35	34 41	35	17 35	9	9 00	26	25 56
Butler	21,581	11,368	10,213	705	32 66	354	31 14	351	34.37	213	9 87	117	10 29	96	9.40
Exclusive	18,779	9,968	8 811	627	33 38	322	32 30	305	34 61	183	9.74	96	9 63	87	9 87
Greenville	2,802	1,400	1.402	78	27 84	32	22 87	46	32 81	30	10 70	21	15 00	9	6 42
Calhoun	33,835	23,891	9,944	919	27.16	657	28 75	232	23 33	305	9 01	201	8 54	104	10.45
Exclusive	20,301	15,092	5,209	490	24.13	387	25 64	103	19 78	136	6 69	104	6 88	32	6 14
Anniston	10,113	6,399	3,714	321	31 74	234	36 56	87	23 69	128	12 65	73	11 41	55	14 81
Jacksonville	1,237	900	337	30	24 25	18	20 00	12	35.61	17	13 74	11	12 22	6	17.80
Oxford	1,473	900	573	51	34 62	28	31 11	23	40 14	15	10.18	4	4 44	11	19 19
Piedmont	711	600	111	27	37 97	20	33.33	7	63 06	9	12 66	9	15.00	..	....
Choctaw	17,526	8,110	9,416	243	13.86	139	17 14	104	11 04	101	5 76	57	7 03	44	4.67
Clarke	22,622	9,627	12,995	804	35.54	364	37 81	440	33 86	164	7 25	70	7 27	94	7 23
Clay	15,765	14,086	1,679	445	28 23	395	28 04	50	29 78	96	6 09	83	5.89	13	7 74
Conecuh	14,594	7,956	6,638	421	28 85	210	26.39	211	31.78	151	10 34	63	7 92	88	13 25
Exclusive	13,557	7,341	6,216	394	29 06	196	26 69	198	31 85	134	9 88	54	7 36	80	12 87
Evergreen	1,037	615	422	27	26 03	14	22 76	13	30.81	17	16 59	9	14 63	8	18.96
Coosa	15,906	10,486	5,420	373	23 45	273	26.03	100	18 45	107	6 70	64	6 10	43	7.93

Crenshaw	15,425	11,732	3,693	190	12 32	154	13.12	36	9.74	76	4 92	55	4.69	21	5.68
Cullman	13,439	13,439	.....	408	30 36	408	30 36	..	.....	109	8 11	109	8 11	..	...
Exclusive	12,422	12,422	.....	368	29.62	368	29 62	..	.....	86	6 92	86	6.92	..	.....
Cullman	1,017	1,017	.....	40	39 33	40	39 33		.....	23	22.61	23	22 61	.	
Dallas	49,350	7,906	41,444	1070	21 80	190	24.03	886	21 38	570	11.55	108	13 66	462	11 15
Exclusive	41,728	4,406	37,322	864	20.71	92	20.88	772	20 68	375	8 99	53	12 01	322	8 63
Selma	7,622	3 500	4,122	212	27 81	98	28.00	114	27 65	195	25 58	55	15.71	140	33 96
DeKalb	21,010	19,881	1,129	541	25.75	528	26 55	13	11 51	185	8 80	169	8 50	16	14 17
Exclusive	18,312	17,881	431	473	25 83	467	26 12	6	13 85	117	6 39	111	6 21	6	13 85
Fort Payne	2,698	2,000	698	68	25 20	61	30.50	7	10.03	68	25 20	58	29 00	10	14.33
Elmore	21.732	11,329	10,403	603	27 75	355	31.33	248	23 84	168	7.73	83	7 33	85	8.17
Exclusive	20,919	10.829	10,090	587	28 06	349	32 23	238	23 58	162	7 74	78	7 20	84	8 32
Wetumpka	813	500	313	16	19 66	6	12 00	10	31 95	6	7 38	5	10 00	1	3 19
Escambia	8,666	5,674	2,992	317	36 35	193	34 01	122	40 77	75	8 65	42	7.40	33	11 03
Exclusive	7,302	4,799	2,503	268	36 70	168	35 01	100	34 94	62	8 49	36	7 50	26	10 38
Brewton	1,115	750	365	33	29 58	17	22 67	16	43 83	11	9 86	5	6 67	6	16 43
Alco	249	125	124	14	56 22	8	64 00	6	48 38	2	8 03	1	8 00	1	8.06
Etowah	21,926	18,097	3,829	702	32 02	586	32 38	116	30 29	232	10 58	177	9 77	55	14 36
Exclusive	14.926	12,797	2,129	562	37 65	484	37.82	78	36 63	173	11 68	139	10 86	34	15 97
Gadsden	5.000	3.800	1,200	10	20 20	74	19 48	27	22 50	41	8 02	26	6 32	15	12 50
Attalla	2,000	1,500	500	39	19.50	28	18.67	11	20 20	18	9 00	12	8 00	6	12 00
Fayette	12,823	11.062	1,761	325	25 34	298	26 94	27	15 33	78	6 08	65	5 87	13	7 38
Greene	22 007	3,192	18,815	336	15 26	61	19 1[illegible]	275	14 55	179	8 13	31	9 71	148	7 87
Hale	27,501	5,053	22,448	460	16 73	109	21 57	351	15 68	180	6 55	48	9 49	132	5 92
Exclusive	25,742	4,153	21,589	432	16 78	90	19 26	342	15 84	160	6 21	36	8 67	124	5 74
Greensboro	1,759	900	859	28	15.91	19	21 11	9	10 47	20	11 56	12	13.33	8	9 31
Jackson	28,026	24,132	3,894	838	29 89	769	31 87	69	17 72	310	11 06	262	10 85	48	12 33
Exclusive	27,067	23,382	3,685	816	30 14	749	32 03	67	15 47	296	10 93	252	10 78	44	11 97
Scottsboro	959	750	209	22	22 94	20	26 66	2	9 57	14	14.59	10	13 33	4	19 16
Jefferson	88,501	56,953	31,548	1922	21 72	1435	25.37	487	10 44	1290	14 57	612	10 74	678	21.49
Exclusive	62,323	42,044	20,279	1106	17.74	915	21 66	191	9 42	485	7.78	251	5 97	234	11 54
Birmingham	26,178	14,909	11,269	816	31 17	520	34 88	296	26 27	805	30.75	361	24 21	444	39 40
Lamar	14,187	11,338	2,849	409	28 83	333	29 37	76	26 66	119	8 38	99	8 73	20	7 02
Lawrence	20,725	12,536	8,189	363	17 51	181	14.44	182	22 22	164	7 91	83	6 62	91	11 11
Exclusive	20,146	12,286	7,860	353	17.52	180	14 65	173	22.01	159	7 89	72	5 86	87	11 07

Births and Deaths by Counties, Towns and Colors—For the Year 1890.

Counties and Towns.	Population.			Births.						Deaths.					
	Total.	White.	Colored.	Total.	Rate per M	White.	Rate per M	Colored.	Rate per M.	Total.	Rate per M.	White.	Rate per M	Colored.	Rate per M.
Courtland	579	250	329	10	17.27	1	4.00	9	27.35	5	8.63	1	4.00	4	12.16
Lowndes	31,550	4,466	27,084	897	28.43	83	18 58	814	30.05	395	12.52	52	11.64	343	12.66
Madison	38,119	19,228	18,891	752	19.72	371	19.29	381	20.16	381	9.99	160	8.32	221	11.69
Exclusive	30,124	15,230	14,894	598	19.85	308	20.24	290	19 49	249	8.26	108	7.08	141	9.49
Huntsville	7,995	3,998	3,997	154	19 26	63	15.76	91	22.76	132	16.51	52	13.01	80	20.02
Marshall	18,935	17,552	1,383	320	16.89	301	17.15	19	13.74	98	5.18	76	4.33	22	15.91
Mobile	31,076	17,429	13,647	877	28.22	401	23.01	476	34.89	857	27.58	384	22.03	473	34.66
Montgomery	56,172	14,530	41,642	711	12.66	232	15 96	479	11.50	639	11.37	187	12.87	452	10.85
Exclusive	34,289	5,638	28,651	454	13.24	84	14.89	370	12.91	282	8.22	56	9.95	226	7.88
Montgomery	21,883	8,892	12,991	257	11.74	148	16.64	109	8 39	357	16.31	131	14.73	226	17.39
Monroe	18,990	8,3 7	10,663	536	28.22	226	27.14	310	29.06	148	7.79	63	7.54	85	7.97
Morgan	24,089	17,903	6,186	594	24 66	441	24.63	153	24.73	307	12.74	201	11.23	106	17.13
Exclusive	16,953	13,903	3,050	443	26.13	354	25.53	89	29.18	188	11.09	134	9.64	54	17.7
Decatur	7,136	4,000	3,136	151	21.16	87	21.75	64	20.41	119	16.67	67	16.75	52	16.79
Perry	29,332	6,806	22,526	696	23.73	183	26.88	513	22.77	225	7.67	65	9.55	160	7.10
Exclusive	25,763	5,300	20,557	631	24.48	155	29.23	476	25.15	190	7.37	51	9.61	139	6.70
Marion	2,153	1,000	1,155	41	19.04	15	15.00	26	22.55	26	12.07	9	9 00	17	14.74
Uniontown	1,416	500	916	24	16.95	13	26.00	11	12.01	9	6 36	5	10 00	4	4.36
Pike	24,423	15,633	8,790	671	27.47	418	26 74	253	28 78	221	9.05	140	8 95	81	9.1[illegible]
Exclusive	20,974	13,433	7,541	575	27 41	363	27.02	212	28.11	170	8.11	110	8.26	60	7.9[illegible]
Troy	3,449	2,200	1,249	96	27.83	55	25 00	41	32.82	51	14 78	30	13 64	21	16.81
St. Clair	17,353	14,285	3,068	576	33.19	515	36.05	61	19.89	137	7 89	115	8.05	22	7 17
Sumter	29,574	5,919	23,655	467	15 78	99	16.72	368	15.55	198	6.69	65	10.98	133	5 62
Exclusive	27,708	5,214	22,584	434	15.66	90	17.26	344	15.23	174	6 28	57	10.93	117	5.1
Livingston	805	305	500	20	24 84	6	19.67	14	28.00	13	16.15	5	16 39	8	16.0
Gainesville	1,071	400	671	13	11.91	3	7.50	10	14.90	11	10.08	3	7 50	8	11 92

Talladega	29,346	15,343	14,003	650	21.81	380	24.77	270	19.28	274	9.34	133	8.67	141	10 07
Exclusive	26,846	13,843	13,003	598	22.28	336	24 27	262	20 15	242	9.01	108	7.82	134	10.31
Talladega	2,500	1,500	1,000	52	20 80	44	29.33	8	8.00	32	12.80	25	16.66	7	7.00
Tallapoosa	25,460	16,854	8,606	584	22.94	428	25 39	156	18.13	168	6 59	124	7 36	44	5.11
Exclusive	23,660	15,354	8,306	550	23.27	407	26.51	143	17.21	153	6 46	111	7.23	42	5 06
Alexander City	800	700	100	13	16.25	7	10.00	6	60.00	8	10 00	7	10 00	1	10.00
Dadeville	1,000	800	200	21	21.00	14	17.50	7	35 00	7	7.00	6	7 50	1	5 00
Tuskaloosa	30,352	18,213	12,139	443	14 59	285	15.65	15	13 01	318	10.47	176	9 66	142	11 69
Exclusive	23,552	13,813	9,739	328	13 92	227	16 43	10	10.37	136	5.77	78	5 64	58	5 95
Tuskaloosa	5,000	3,000	2,000	97	19.40	42	14.00	55	27 50	79	15 80	30	10.00	49	24 50
North Port	700	500	200	18	25.91	16	32.00	2	10.00	9	12 86	6	12.00	3	15 00
Insane Asylum	1,100	900	200	..		..				94	85 45	62	68.88	32	160 00
Winston	6,520	6,520	...	134	20.55	134	20 55			26	3 99	26	3 99		
Total of Counties for 1890	948,303	479,441	468,862	21,762	22.95	12,986	27.08	8776	18.71	8806	9 29	4180	8.72	4626	9.87
Exclusive of Towns	787,816	390,902	396,914	17,829	22 63	10,972	28.06	6857	17 28	5517	7.00	2661	6.80	2856	7 19
Total of Towns	160,487	88,539	71,948	3,933	24.46	2,014	31.78	1919	18 80	3289	11.94	1519	9 89	1770	13 89

Births and Deaths by Cities and Towns—For the Year 1890.

Cities and Towns.	Population.			Births.						Deaths.					
	Total.	White.	Colored.	Total.	Rate per M	White.	Rate per M.	Colored.	Rate per M	Total.	Rate per M	White.	Rate per M	Colored.	Rate per M
Prattville	1,200	900	300	48	40 00	31	34 44	17	56 66	22	18.33	14	15.55	8	26 66
Eufaula	4,027	2,600	1,427	54	13 41	31	11 92	23	16 12	31	7 69	18	6 92	13	9.11
Clayton	997	600	397	34	34 11	18	30 00	16	40 30	13	13 04	9	15.00	4	10.07
Union Springs	2,017	1,000	1,017	50	24 79	15	15 00	35	34 41	35	17 35	9	9 00	26	15 56
Greenville	2,802	1,400	1,402	78	27 84	32	22 87	46	32.81	30	10 70	21	15 00	9	6 42
Anniston	10,113	6,399	3,714	321	31 74	234	36 56	87	23 69	128	12 65	73	11 41	55	14.81
Jacksonville	1,237	900	337	30	24 25	18	20 00	12	35 61	17	13.74	11	12 22	6	17 80
Oxford	1,473	900	573	51	34 62	28	31 11	23	40 14	15	10 18	4	4 44	11	19 19
Piedmont	711	600	111	27	37 97	20	33 33	7	63 06	9	12 66	9	15 00		
Evergreen	1,037	615	422	27	26 03	14	22 76	13	30 81	17	16 59	9	14 63	8	18 96
Cullman	1,017	1,017	.....	40	39 33	40	39 33			23	22 61	23	22 61		...
Selma	7,622	3,500	4,122	212	27 81	98	28 00	114	27 65	195	25 58	55	15 71	140	33 96
Fort Payne	2,698	2,000	698	68	25 20	61	30 50	7	10 03	68	25 20	58	29 00	10	14.33
Wetumpka	813	500	313	16	19 66	6	12 00	10	31 95	6	7 38	5	10 00	1	3 19
Brewton	1,115	750	365	33	29 58	17	22 67	16	43.83	11	9 86	5	6 67	6	16 43
Alco	249	125	124	14	56 22	8	64 00	6	48 38	2	8 03	1	8 00	1	8 06
Gadsden	5,000	3,800	1,200	101	20.20	74	19 48	27	22 50	41	8 02	26	6 37	15	12 50
Attalla	2,000	1,500	500	39	19 50	28	18 67	11	20 20	18	9 00	12	8.00	6	12 00
Greensboro	1,759	900	859	28	15 91	19	21.11	9	10 47	20	11 56	12	13 33	8	9 31
Scottsboro	959	750	209	22	22 94	20	26 66	2	9 57	14	14 59	10	13.33	4	19 14
Birmingham	26,178	14,909	11,269	816	31 17	520	34 88	296	26 27	805	30 75	361	24 21	444	39.40
Courtland	579	250	329	10	17 27	1	4 00	9	27 35	5	8.63	1	4 00	4	12 16
Huntsville	7,995	3,998	3,997	154	19 26	63	15 76	91	22 76	132	16 51	52	13 01	80	20 02
Mobile	31,076	17,429	13,647	877	28 22	401	23 01	476	34 89	857	27 58	384	22 03	473	34 66
Montgomery	21,883	8,892	12,991	257	11 74	148	16 64	109	8.39	357	16 31	131	14.73	226	17.39
Decatur	7,136	4,000	3,136	151	21 16	87	21 75	64	20 41	119	16 67	67	16 75	52	16.79

Marion	2,153	1,000	1,153	41	19.04	15	15 00	26	22.55	26	12.07	9	9.00	17	14 74
Uniontown	1,416	500	916	24	16.95	13	26 00	11	12 0	9	6 36	5	10 00	4	4.36
Troy	3,449	2,200	1,249	96	27 83	55	25 00	41	32 82	51	14 78	30	13 54	21	16.81
Livingston	805	305	500	20	24.84	6	19 67	14	28 00	13	16 15	5	16 39	8	16 00
Gainesville	1,071	400	671	13	11.91	3	7 50	10	14 90	11	10.08	3	7 50	8	11 92
Talladega	2,500	1,500	1,000	52	20.80	44	29 33	8	8 00	32	12.80	25	16 66	7	7.00
Alexander City	800	700	100	13	16 25	7	10 00	6	60 00	8	10.00	7	10 00	1	10 00
Dadeville	1,000	800	200	21	21 00	14	17 50	7	35 00	7	7 00	6	7 50	1	5 00
Tuskaloosa	5,000	3,000	2,000	97	19 40	42	14.00	55	27 50	79	15.80	30	10 00	49	24 50
North Port	700	500	200	18	25 91	16	32 00	2	10 00	9	12 86	6	12 00	3	15 00
Insane Asylum	1,100	900	200	....	...	....	..	.	...	94	85 45	62	68.88	32	160 00
Total of Cities, Towns, 1890	160,487	88,539	71,948	3,933	24 46	2,014	31 78	1919	18 86	3289	11 94	1519	9 89	1770	13 89

Annual Report of Deaths by Causes, Sexes, and Ages, for the State of Alabama for 1890.

I—ZYMOTIC. Miasmatic Diseases.

CAUSE OF DEATH.	Color	Sex	Total	AGES OF DECEDENTS. Under 1 year	1-2 years	2-3 years	3-4 years	4-5 years	5-10 years	10-15 years	15-20 years	20-25 years	25-30 years	30-35 years	35-40 years	40-45 years	45-50 years	50-55 years	55-60 years	60-65 years	65-70 years	70-75 years	75-80 years	80-90 years	90-100 years	Age not given
Measles.	W	M	41	9	8	5	3	1	1	3	1	4	3	2					1							
		F	43	12	5	3		1	4	1	3	3	2	4	1	1			1			2				
	B	M	45	13	10	1		1	1	1	6	3	3	1	1	2		2								
		F	32	10	6	2	3	1	1	2		3			1	1		1								1
	M	M																								
		F																								
Diphtheria.	W	M	10	1		3	1	1	4																	
		F	10	3		2	2	1	2																	
	B	M	2	1					1																	
		F	2						2																	
	M	M	1			1																				
		F																								
Whooping Cough.	W	M	4	3			1																			
		F	15	10		3	1		1																	
	B	M	15	7	4		4																			
		F	14	6	5	2	1																			
	M	M																								
		F																								
LaGrippe.	W	M	26	5		1	1		3	2		4	2	1	1	1		1		1		2		1		
		F	22	7	5							2			3			1		1	1	1	1			
	B	M	17	5	1	1	1		1		1			1			1	1	1	2			1			
		F	10	1		1			1			2		1	1		2				1					
	M	M																								
		F																								

Typhoid Fever.	W	M	152	....	5	6	1	2	7	12	24	22	18	15	16	4	3	4	3	1	....	5	1	1	....	2		
		F	122	...	2	2	1	5	9	13	21	18	6	2	6	7	7	4	5	5	2	2	5	...	...	....		
	B	M	103	2	1	3	1	..	9	5	15	17	16	9	6	2	3	1	3	5	4	...	1	...	..	..		
		F	65	2	1	..	..	2	5	11	11	5	6	8	6	4	1	2	....	....	....	..	..	1	..	..		
	M	M	3	...	....	..	..	..	..	.	..	1	1	1	..	....	....	....	....	....	..	...	....	...	..	....		
		F	3		..						1	2					....	....		..	....		....			.		
Continued Fever.	W	M	6	..	1	..	..	..	..		1	2	2			....	..	..	..	..		..	..	..	..	..		
		F	10	1	..	..	..	..	1	.	..	1	2	2	..	....	..	..	..	..	1	1	..	1	..	..	..		
	B	M	7	..	....	..	..	.		.	3	2	..	..	1	...	...	..	1	..	..	...	..	..	..	..		
		F	7	1	..	..	1	..	2	..	..	1	..	1	1	..	...	..	....	....	....	....	....	..	..	..		
	M	M	..	..	..	..	.	..	..	..	..	..	..		..	....	....	....	..	..	..	..	..	..	..	..		
		F														..					....					.		
Typho-Malarial Fever.	W	M	22	..		1	.		1	1	3	7	3	...	1	1	...	1	....	..	1	1	...	1	..	....		
		F	24	.	1		..	..	2	3	.	8	5	1	..	...	...	1	...	..	1	...	..	2	..	..		
	B	M	26	1	2	..	..		6	2	5	4	1	..	1	2	1	1	..	..	..	...	..	.	..	....		
		F	28	2	1	2	..	3	2	2	6	5	..	..	2	....	....	1	..	1	..	...	..	1	..	..		
	M	M	..	..	..	.	..	.	..	..	..	.	.		..	...	...	...	....	..	..	..	..	..	..	....		
		F														....	....					..				.		
Cerebro-Spinal Fever.	W	M	6	3	1	1	..	..	.	..		..				..	1	..	....	..	..	..	..	..	..	....		
		F	5	3	..	..	..		2	.	..	..	.	..	..	..	..	..	..	..	..	..	..	..	..	....		
	B	M	13		..	..	..	2	..	3	3	2	1	1	..	..	...	..	....	..	1	..	..	..	..	..		
		F	6	1	..		..	..	1	2	1		..	1	.	..	..	..	..	..	..	..	..	.	..	....		
	M	M			.		..		.	..		..			..	..	..	..	....	..	..	..	..	.	..	....		
		F																			....				..	....		
Scarlet Fever.	W	M	7	1	1	3		1	1	..		.	..	..	...	..	..	..	..	..	..	..	..	...	..	..		
		F	4	1	1	..	2	..	..	..	..	..	..	..	..	..	..	..	....	..	..	..	..	..	..	....		
	B	M	2	1	1	..	..	..		..	..	..	....	...	..	..	..	..	..	..	..	..	..	...	..	....		
		F		..	.		..	..		..	..	..	..	..	..	...	..	..	..	....	....	..	..	..	..	....		
	M	M	..	..	..		..	..	..	..	..	..	..	..	..	..	..	..	....	..	..	....	..	..	..	..		
		F												.	....											..		
Summary of Deaths from Miasmatic Diseases.	W	M	274	22	16	20	7	5	17	18	29	39	25	18	18	6	4	6	4	2	1	8		3	....	2		
		F	255	37	14	10	6	7	21	17	24	32	15	9	10	8	7	6	6	7	5	5	7	2	....	...		
	B	M	230	30	19	5	6	3	18	11	33	28	2	12	9	6	5	5	5	7	5	..	2	..	..	..		
		F	164	23	13	7	5	6	14	17	18	16	6	11	11	5	3	4	....	1	1	...	....	2	....	1		
	M	M	4	..	..	1	...	..	..	..	..	1	1	1	...	....	...	...	....	....	....	..	....	....	....	....		
		F	4								1	2	..		....	....	....	....	....		....				..	1		
Gen'l Summary.			93	11	6	43	2	21	70	63	103	118	71	41	48	25	19	21	15	17	12	13	10	7	...	4		

Annual Report of Deaths by Causes, Sexes, and Ages, for the State of Alabama for 1890.

I—Diarrhœal Diseases.

CAUSES OF DEATH.	Color	Sex	Total	AGES OF DECEDENTS. Under 1 year	1-2 years	2-3 years	3-4 years	4-5 years	5-10 years	10-15 years	15-20 years	20-25 years	25-30 years	30-35 years	35-40 years	40-45 years	45-50 years	50-55 years	55-60 years	60-65 years	65-70 years	70-75 years	75-80 years	80-90 years	90-100 years	Age not given
*Colic, Billious.	W	M	4	1												1						1				
		F	2	1	1																	1				
	B.	M	5	1		1				1								1		1						
		F																								
	M	M																								
		F																								
Cholera Morbus.	W	M	5	1			1	1													1		1			
		F	2			1										1										
	B.	M	3	1									1				1									
		F	2														2									
	M	M																								
		F	2													1	1									
Cholera Infantum.	W	M	58	28	20	6	3		1																	
		F	68	44	18	4	1	1																		
	B.	M	29	15	9	5																				
		F	17	8	8	1																				
	M	M	1		1																					
		F	2	1		1																				
Entero Colitis.	W	M	26	14	5	2				2	1			1				1								
		F	24	10	6	5	1			1				1			1									
	B.	M	14	7	5	1	1																			
		F	10	2	3	2	2		1																	
	M	M	1		1																					
		F	2		1			1																		

*110 to 120 years—1 White Male.

Diarrhœa, Chronic.	W	M	17	1	1	...	..	..	3	..	...	1	....	...	1	2	1	1	...	2	...	4	....	....	....	...
		F	14	..	1	..	..	..	....	.	..	..	....	1	....	1	2	2	..	1	2	2	1	1	..	..
	B	M	11	1	1	..	..	..	..	..	..	3	...	....	...	1	1	1	..	1	1	..	..	...	..	1
		F	7	1	..	..	1	..	..	..	..	1	..	...	...	1	1	...	1	...	1	..	...	..	..	..
	M	M	..	..	..	..	..	..	..	..	..	...	..	..	...	...	....	...	..	...	...	...	...	..	..	..
		F				..	..										....			...						..
†Diarrhœa.	W	M	29	8	4	3	2	1	.	2	..	1	..	..	..	...	1	...	1	1	2	1	1	1	..	...
		F	23	6	5	2	1	..	..	..	..	..	1	1	2	...	..	1	...	2	1	..	...	1	....	.
	B	M	26	4	3	3	1	..	3	1	..	1	3	..	.	..	1	..	1	2	..	3	...	..	..	..
		F	27	7	8	2	1	1	1	..	..	..	..	..	..	1	..	2	...	...	1	..	1	1	..	..
	M	M	4	1	2	..	..	..	1	..	..	..	..	..	..	..	..	..	...	..	..	..	...	..	..	..
		F	3	1	2			..																		
‡Dysentery.	W	M	104	22	15	11	2	2	7	2	2	6	3	2	2	2	5	1	3	3	..	2	4	5	1	2
		F	88	9	17	9	..	4	2	..	1	1	4	3	2	3	3	5	3	2	2	6	2	7	1	2
	B	M	85	6	12	10	6	4	2	1	4	1	5	4	2	4	1	3	3	4	7	4	2	...	...	...
		F	82	2	6	8	4	3	8	5	1	1	7	1	3	2	4	6	2	10	2	2	1	2	1	...
	M	M	6	2	..	2	..	..	1	..	..	..	..	..	..	..	..	...	..	1	...	...	....	..	..	..
		F	5		2			1	..		1										1	..				..
Dysentery, Typhoid.	W	M	2	..	.	..	..	..	1	..	..		1	..	..	..	..	..	..	...	...	....	....	...	..	..
		F	1	....	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	...	..	...	...	...	..
	B	M	1	..	..	.	..	..	..	..	..	..	..	1	..	..	..	..	..	...	....	...	...	...	..	..
		F	1	..	..	..	..	..	..	...	..	..	..	..	..	..	..	1	..	..	...	...	..	...	..	..
	M	M	..	..	..	....	..	..	..	..	..	..	..	..	..	..	..	..	..	..	...	..	...	...	..	..
		F						..																		
Summary of Deaths from Diarrhœal Diseases.	W	M	245	75	45	22	8	4	12	6	3	8	4	3	3	5	7	3	4	6	3	8	6	6	1	2
		F	222	70	48	21	2	5	3	1	1	1	5	6	4	5	6	8	3	5	5	8	3	8	1	2
	B	M	174	35	30	20	8	4	5	3	4	5	9	5	2	5	4	5	4	8	8	7	2	...	...	1
		F	146	20	25	13	8	4	10	5	1	2	7	1	3	4	7	9	3	10	4	3	2	3	1	...
	M	M	12	3	4	2	..	..	2	..	..	..	..	..	..	..	..	..	...	1	..	...	...	...	..	...
		F	14	2	5	1	.	2		..	1					1	1				1	...		.	.	...
Gen'l Summary			813	205	157	79	26	19	32	15	10	16	25	15	12	20	25	25	14	30	21	20	13	18	3	5

†100 to 110 years—1 Black Female; ‡100 to 110 years—1 Black Female.

Annual Report of Deaths by Causes, Sexes, and Ages, for the State of Alabama for 1890.

Malarial Diseases.

CAUSES OF DEATH.	Color	Sex	Total	AGES OF DECEDENTS. Under 1 year	1-2 years	2-3 years	3-4 years	4-5 years	5-10 years	10-15 years	15-20 years	20-25 years	25-30 years	30-35 years	35-40 years	40-45 years	45-50 years	50-55 years	55-60 years	60-65 years	65-70 years	70-75 years	75-80 years	80-90 years	90-100 years	Age not given
Malarial Fever.	W	M	34	7	2	1	1	..	6	1	1	3	1	1		2	1	..	..	3	..	2	..	2	.	..
		F	36	1	2	3	3	1	1	1	3	5	6	2	1	..	..	..	..	2	1	3	..	..	1	..
	B	M	52	10	6	2	..	3	2	2	3	4	4	2	.	..	2	1	..	1	1	1	2	3	..	1
		F	40	2	6	2	1	..	3	7	..	1	5	1	3	1	..	2	..	2	2	2	..	..	..	..
	M	M	1	...	...	...	...	..	..	..	....	....	..	...	1	..	...	.	..	..	..	..	..	.	..	...
		F	1	1	...	...	...	..	..	..	...	...	....	..										....		
Congest. Mal. Fever.	W	M	18	3	..	..	....	..		1	1	2	..	..	2	2	2	2	...	1	1	1	1	..	..	..
		F	9	2	..	..	..	..	2	..	..	..	..	1	..	..	..	..	....	1	..	1	2	..	..	..
	B	M	8	..	..	..	1	..	..	1	2	..	..	1	1	..	2	..	...	..	..	..	..	..	..	..
		F	15	...	1	..	1	..	..	3	1	2	..	3	1	2	..	..	..	..	..	..	..	..	..	..
	M	M	1	..	..	1	....	..	..	..	..	..	..	..	.	..	..	..	..	..	..	..	..	..	..	..
		F			....							...	..													
Hemorrhagic Mal. Fever.	W	M	1	..	...	..	..	...	..	....	..	1	...	..	....	...	..	..	..	..	..	..	..	...	...	..
		F	.	..	...	..	...	..	..	..	..	...	...	..	...	..	..	..	..	..	..	..	..	..	..	...
	B	M	..	.	...	..	...	..	.	..	....	..	..	..	.	...	..	..	..	..	..	..	..	..	..	..
		F	1	..	..	..	..	1	..	..	..	...	..	..	..	..	....	...	....	...	..	..	..	..	..	...
	M	M	...	..	..	..	..	..	..	....	..	..	..	....	..	..	....	..	...	...	..	..	..	..	..	..
		F										...	...				....									
Intermittent Fever.	W	M	1	....	..	...	..	...	..	....	...	...	....	1	....	....	...	..	..	....	..	..	...	..	...	....
		F	2	1	..	...	...	..	1	..	..	..	....	..	..	....	...	..	..	...	..	..	...	...	...	..
	B	M	10	1	1	1	2	..	1	..	...	...	....	..	1	2	..	..	..	1	....	..	..	..	...	..
		F	1	1	....	....	...	....	..	..	...	..	....	..	...	...	...	..	..	...	..	..	..	...	...	..
	M	M	2	....	....	...	...	....	....	1	...	..	....	...	1	...	...	....	..	...	..	..	..	..	...	..
		F	1	....	....	..	....	..	1	....	..	..	....	....	....	...	...	..	...	....	..	..	..	.	....	....

Remittent Fever.	W	M	12	1		1	1				1	2		3	1	1						1					
		F	14	3	1		1			2					2		1		2				1		1		
	B	M	19		2	1	1		1	1	2	3	2	3	1	1				1							
		F	16	2	1	2		1	3		3	2		1		1											
	M	M	1	1																							
		F																									
Billious Remittent Fever.	W	M	1							1																	
		F	1						1																		
	B	M	4	1							1	1				1											
		F	5						1	2		1			1												
	M	M																									
		F																									
Gastric Fever.	W	M																									
		F																									
	B	M	1		1																						
		F	2	1							1																
	M	M																									
		F																									
Catarrhal Fever	W	M	11	4	3	1					1	1															
		F	9	2	3				1		1						2						1				
	B	M	15	5					2			1	2			1		1		1					2		
		F	8	2			1					1										1	1		2		
	M	M																									
		F																									
Pernicious Fever.	W	M	3												2	1											
		F	2			1		1																			
	B	M	2					1		1																	
		F	2									1				1											
	M	M																									
		F																									
Malarial Toxæmia.	W	M																									
		F																									
	B	M	1				1																				
		F																									
	M	M																									
		F																									

Annual Report of Deaths by Causes, Sexes, and Ages, for the State of Alabama for 1890.

Malarial Diseases—Continued.

CAUSES OF DEATH.	Color	Sex	Total	Under 1 year	1-2 years	2-3 years	3-4 years	4-5 years	5-10 years	10-15 years	15-20 years	20-25 years	25-30 years	30-35 years	35-40 years	40-45 years	45-50 years	50-55 years	55-60 years	60-65 years	65-70 years	70-75 years	75-80 years	80-90 years	90-100 years	Age not given
			AGES OF DECEDENTS.																							
Spinal Fever.	M | B | W	M																								
		F	4			2								1	1											
		M																								
		F																								
		M																								
		F																								
Summary of Deaths from Malarial Diseases.	M | B | W	M	81	15	5	3	2		6	3	4	9	1	5	5	6	2	2		4	1	4	2	2		
		F	77	9	6	6	4	2	6	3	4	5	6	4	4		3		2	3	1	4	3	1	1	
		M	112	17	10	4	5	4	6	5	8	9	8	6	5	5	4	2		4	1	1	2	5		1
		F	90	8	8	4	3	2	7	12	6	8	5	5	5	5		2		2	2	3	1	2		
		M	5	1		1				1					2											
		F	2	1					1																	
Gen'l Summary			367	51	29	18	14	8	26	24	22	31	20	20	21	16	9	6	2	13	5	12	8	10	1	1

Venereal Diseases.

Syphilis.	M | B | W	M	1																		1					
		F	2	1							1															
		M	16	4	1				1			2	3		1			2			2					
		F	9	1		1			1		1	2	1	1	1											
		M																								
		F	2			1							1													

Syphilis, Congenital.	M	W	M																								
			F																								
		B	M	7	5	1																	1				
			F																								
	M		M																								
			F	1	1																						
Syphilis, Tertiary.	M	W	M																								
			F																								
		B	M																								
			F	1									1														
	M		M																								
			F																								
Syphilitic Paraplegia.	M	W	M																								
			F																								
		B	M	1											1												
			F																								
	M		M																								
			F																								
Summary of Deaths from Venereal Diseases.	M	W	M	1																				1			
			F	2	1							1															
		B	M	24	9	2				1			2	3	1	1			2			2	1				
			F	10	1		1			1		1	3	1	1	1											
	M		M																								
			F	3	1		1							1													
Gen'l Summary				40	12	2	2			2		2	5	5	2	2			2			3	1				

Septic Diseases.

Pyæmia.	M	W	M	4								1						2			1						
			F	2				1					1														
		B	M	1																		1					
			F	3						1						1		1									
	M		M																								
			F																								

Annual Report of Deaths by Causes, Sexes, and Ages, for the State of Alabama for 1890.

Septic Diseases—Continued.

CAUSES OF DEATH	Color	Sex	Total	AGES OF DECEDENTS. Under 1 year	1-2 years	2-3 years	3-4 years	4-5 years	5-10 years	10-15 years	15-20 years	20-25 years	25-30 years	30-35 years	35-40 years	40-45 years	45-50 years	50-55 years	55-60 years	60-65 years	65-70 years	70-75 years	75-80 years	80-90 years	90-100 years	Age not given
Septicæmia.	M | B | W	M	16	1	1	1	...	...	1	..	...	2	1	..	...	2	...	2	...	1	3	...	1	..	...	...
		F	13	1	1	...	...	1	...	...	...	1	4	2	2	..	...	..	...	...	...	1	...	...	...	..
		M	8	...	...	...	...	...	...	...	1	..	...	1	...	2	...	...	...	1	1	...	...	2	...	..
		F	10	...	...	...	...	...	...	1	1	2	4	3	2	2	...	...	...	...	...	1	...	...	...	..
		M	1	...	...	...	..	...	...	...	...	1	...	...	...	...	...	.	..	..	...	...	...	...	...	...
		F	..	...	.	...	...	...	.	.		..	..	..	...	...	...	...	...	...	...	...	...	..	...	...
Septicæmia, Puerperal.	M | B | W	M	...	...	...	...	...	...	...	...	.	..	..	..	...	...	...	...	...	...	...	...	...	...	...	.
		F	62	...	...	...	...	...	.	...	12	14	9	13	10	4	...	...	...	..	...	...	...	...	..	..
		M	..	...	...	..	...	...	...	...	...	...	...	..	..	...	...	...	...	...	...	...	...	...	...	...
		F	35	...	...	...	...	...	..	...	5	9	6	6	4	3	1	1	...	...	...	...	...	...	...	...
		M	...	...	...	..	..	...	...	...	...	...	...	...	...	...	..	...	...	...	...	...	...	...	...	..
		F	.	...	...	.	...	...	...	...	..	..	..	...	.	..	...	...	...	..	...	...	...	...	...	...
Erysipelas.	M | B | W	M	7	...	3	...	..	...	...	1	..	...	...	..	..	...	1	...	2	...	..	...	...	...	...	...
		F	8	1	...	...	...	...	1	...	...	...	1	..	..	...	1	..	...	...	...	2	2	...	...	..
		M	4	..	2	..	.	..	..	..	1	..	1	..	..	...	..	..	...	...	..	...	...	...	..	..
		F		..	..	..	..	..	..	..	..	..	..	..	..	...	..	..	...	...	..	...	...	..	..	..
		M	..	..	..	..	..	...	...	..	..	..	..	..	..	...	.	..	...	...	..	...	..	..	..	..
		F	..					..		.		..			...		..		...	...	...	...		..		..
Erysipelas, Phlegmanous.	M | B | W	M	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...
		F	...	...	...	..	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
		M	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
		F	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	..	...	...	...	...	...	...	...	...
		M	...	...	...	...	...	..	...	...	...	..	...	...	...	...	...	..	...	...	...	...	...	...	..	...
		F	..	..	...	...	...	..	...	...	...	...	...	...	...	...	...	...	...	...	..	...	...	...	...	...

Gangrene.	W	M	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
		F	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
	B	M	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
		F	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
	M	M	1	..	..	..	..	..	..	..	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..
		F	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
Summary of Deaths from Septic Diseases.	W	M	28	1	4	1	..	..	1	2	..	2	1	..	2	2	1	3	2	2	3	..	1	..	..	..	..	..
		F	85	2	1	..	1	1	1	..	13	15	14	15	12	4	1	..	..	..	..	3	2	..	..	..	..	..
	B	M	13	..	2	..	..	..	..	..	2	..	1	1	..	2	..	..	1	1	1	..	..	2	..	..	..	..
		F	54	..	..	..	..	..	1	1	6	11	10	10	7	5	1	1	..	..	..	1	..	..	..	..	..	..
	M	M	2	..	..	..	..	..	..	..	..	1	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..
		F	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
Gen'l Summary			182	3	7	1	1	1	3	3	21	29	26	26	22	13	3	4	3	3	4	4	3	2	..	..	..	..

II—Parasitic Diseases.

Worms.	W	M	3	..	..	1	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	1	..	..	..	..	..	..
		F	2	..	1	..	..	..	..	..	..	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..
	B	M	8	2	2	2	2	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
		F	7	..	2	2	2	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
	M	M	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
		F	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
Thrush.	W	M	1	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
		F	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
	B	M	2	..	1	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
		F	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
	M	M	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
		F	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
Summary of Deaths from Parasitic Diseases.	W	M	4	..	..	2	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	1	..	..	..	..	..	..
		F	2	..	1	..	..	..	..	..	..	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..
	B	M	10	2	3	3	2	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
		F	7	..	2	2	2	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
	M	M	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
		F	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
Gen'l Summary.			23	2	6	7	4	1	1	..	..	..	..	..	..	1	..	..	..	..	..	1	..	..	..	..	..	..

Annual Report of Deaths by Causes, Sexes, and Ages, for the State of Alabama for 1890.

III--Dietetic Diseases.

CAUSES OF DEATH.	Color	Sex	Total	Under 1 year	1-2 years	2-3 years	3-4 years	4-5 years	5-10 years	10-15 years	15-20 years	20-25 years	25-30 years	30-35 years	35-40 years	40-45 years	45-50 years	50-55 years	55-60 years	60-65 years	65-70 years	70-75 years	75-80 years	80-90 years	90-100 years	Age not given
			AGES OF DECEDENTS.																							
Alcoholism.	M | B | W	M	7										1	1		2		1	1	1						
		F	2												2											
		M	5								1			1			1	1	1							
		F	1													1										
		M	1									1														
		F																								
Delirium Tremens.	M | B | W	M	2									1			1											
		F																								
		M																								
		F																								
		M																								
		F																								
Summary of Deaths from Dietetic Diseases.	M | B | W	M	9									1	1	1	1	2		1	1	1						
		F	2												2											
		M	5								1			1			1	1	1							
		F	1													1										
		M	1									1														
		F																								
Gen'l Summary			18								1	2	1	2	3	3	1	2	2	1						

IV—Constitutional Diseases.

Phthisis Pulmonalis.	W	M	157						1		5	18	25	17	15	12	15	15	7	12	5	5	3	2			
		F	207	2					1	4	12	23	28	28	24	21	18	12	5	11	11	2	3	1			1
	B	M	236		2				5	4	27	48	39	23	21	8	13	11	14	6	8	2	1				4
		F	339	2	4	2	2	1	5	12	52	62	55	29	29	24	26	11	3	4	4	2	3	2			5
	M	M	21				1				3	4	6	3	1	1		1									1
		F	24	1						2	2	6	3	4	2	3			1								
Phthisis Fibroid.	W	M																									
		F	1								1																
	B	M																									
		F	1									1															
	M	M																									
		F																									
Phthisis of Bowels.	W	M																									
		F	3												1			1	1								
	B	M	3										1					1	1								
		F																									
	M	M																									
		F																									
Meningitis, Tubercular.	W	M	1													1											
		F																									
	B	M	2	1								1															
		F	2		1																1						
	M	M																									
		F																									
Peritonitis Tubercular.	W	M																									
		F																									
	B	M	1											1													
		F	2									2															
	M	M																									
		F																									
Rheumatism.	W	M	7						1			2	1						1	1	1						
		F	7									1							1	1	3					1	
	B	M	1																			1					
		F	7							1		1				1			1		3						
	M	M																									
		F																									

Annual Report of Deaths by Causes, Sexes, and Ages, for the State of Alabama for 1890.

IV--CONSTITUTIONAL DISEASES--Continued.

CAUSES OF DEATH.	Color	Sex	Total	AGES OF DECEDENTS. Under 1 year	1-2 years	2-3 years	3-4 years	4-5 years	5-10 years	10-15 years	15-20 years	20-25 years	25-30 years	30-35 years	35-40 years	40-45 years	45-50 years	50-55 years	55-60 years	60-65 years	65-70 years	70-75 years	75-80 years	80-90 years	90-100 years	Age not given
Rheumatism, Inflammatory.	W	M	3	1							1				1											
		F	1										1													
	B	M																								
		F																								
	M	M																								
		F																								
Purpura Hemorrhage.	W	M	1		1																					
		F	2									1									1					
	B	M	1		1																					
		F																								
	M	M																								
		F																								
Tabes Mesenterica.	W	M	1		1																					
		F																								
	B	M	3		1				1				1													
		F	1										1													
	M	M	1																			1				
		F	1		1																					
Anæmia.	W	M	4						2													1	1			
		F	2	1									1													
	B	M	4	1		1							1									1				
		F																								
	M	M																								
		F																								

Lucocythæmia.	W	M	2							1										1									
		F																											
	B	M																											
		F																											
	M	M																											
		F																											
Scrofula.	W	M	7	1	3					1					1														
		F	3	1				1				1																	
	B	M	9	3	2				1	1		1		1															
		F	13	1	2	1			1	1		1		2		2	1			1									
	M	M	1			1																							
		F																											
White Swelling.	W	M																											
		F																											
	B	M	1								1																		
		F																											
	M	M																											
		F																											
Lupus.	W	M	1																							1			
		F																											
	B	M																											
		F																											
	M	M																											
		F																											
Rachitis.	W	M																											
		F																											
	B	M																											
		F	1		1																								
	M	M																											
		F	1						1																				
Necrosis of Femur.	W	M																											
		F																											
	B	M	1																1										
		F																											
	M	M																											
		F																											

Annual Report of Deaths by Causes, Sexes, and Ages, for the State of Alabama for 1890.

IV—Constitutional Diseases—Continued.

Causes of Death.	Color	Sex	Total	Under 1 year	1-2 years	2-3 years	3-4 years	4-5 years	5-10 years	10-15 years	15-20 years	20-25 years	25-30 years	30-35 years	35-40 years	40-45 years	45-50 years	50-55 years	55-60 years	60-65 years	65-70 years	70-75 years	75-80 years	80-90 years	90-100 years	Age not given
			AGES OF DECEDENTS.																							
Cancer. (Not located.)	W	M	16						1									1	1	2	2	1	4	3	1	
		F	18												1	5	1	1		3	4	1	2			
	B	M	2														1							1		
		F	11								1		1		1		2	1	1	3		1				
	M	M																								
		F	2												1	1										
Cancer of Nose.	W	M																								
		F	1																					1		
	B	M																								
		F																								
	M	M																								
		F																								
Cancer of Mouth.	W	M																								
		F	1		1																					
	B	M																								
		F	1									1														
	M	M	1															1								
		F																								
Cancer of Face.	W	M	4																			1	1	1	1	
		F	1								1															
	B	M																								
		F																								
	M	M																								
		F	1															1								

Cancer of Mammary.	W	M																										
		F	2																		1		1					
	B	M																										
		F																										
	M	M																										
		F																										
Cancer of Breast.	W	M																										
		F	9											1		2	3						1	1	1			
	B	M																										
		F	5														2	1		2								
	M	M																										
		F	1															1										
Cancer of Uterus.	W	M																										
		F	22											2	1	5	5	3	1	2	1	1		1				
	B	M																										
		F	15									1	1	1	3	2	1			2	3			1				
	M	M																										
		F																		1								
Cancer of Rectum.	W	M	1																	1								
		F																										
	B	M																										
		F	1															1										
	M	M																										
		F	1												1													
Cancer of Pancreas.	W	M	1																	1								
		F	1																1									
	B	M																										
		F																										
	M	M																										
		F																										
Cancer of Stomach.	W	M	5												2		1	1					1					
		F	3													2					1							
	B	M	2														1				1							
		F	2															1					1					
	M	M																										
		F																										

Annual Report of Deaths by Causes, Sexes, and Ages, for the State of Alabama for 1890.

IV—CONSTITUTIONAL DISEASES—Continued.

CAUSES OF DEATH.	Color	Sex	Total	AGES OF DECEDENTS. Under 1 year	1-2 years	2-3 years	3-4 years	4-5 years	5-10 years	10-15 years	15-20 years	20-25 years	25-30 years	30-35 years	35-40 years	40-45 years	45-50 years	50-55 years	55-60 years	60-65 years	65-70 years	70-75 years	75-80 years	80-90 years	90-100 years	Age not given
Cancer of Bowels.	W	M	1							1																
		F	3	1										1				1								
	B	M	1																		1					
		F	2																		1	1				
	M	M																								
		F																								
Cancer of Liver.	W	M	2														1					1				
		F	3																3							
	B	M																								
		F	1														1									
	M	M																								
		F																								
Cancer of Œsophagus.	W	M																								
		F	1																1							
	B	M																								
		F																								
	M	M																								
		F																								
Cancer Epithelioma.	W	M																								
		F	2																	2						
	B	M																								
		F																								
	M	M																								
		F																								

Cancer of Ascending Colon.	M | W	M																										
		F																										
	M | B	M	1																									1
		F																										
	M | I	M																										
		F																										
Summary of Deaths from Constitutional Diseases.	M | W	M	214	2	5				5	3	6	20	26	17	19	13	17	17	11	17	8	9	9	7	2		
		F	293	5	1			1	1	4	14	26	30	32	27	35	28	18	12	20	21	6	6	4	1	1	
	M | B	M	268	5	6	1			7	5	28	50	42	25	21	8	16	13	14	6	10	4	1	1		5	
		F	403	3	8	3	2	1	6	14	53	68	58	32	31	30	36	14	5	11	13	5	3	3		5	
	M | I	M	24			1	1				3	4	6	3	1	1		2				1				1	
		F	32	1	1				1	2	2	6	3	4	4	4		2	1	1							
Gen'l Summary			1234	16	21	5	3	2	20	28	106	174	165	113	103	91	97	66	83	55	52	25	19	15	3	12	

V—Developmental Diseases.

Premature Birth.	M | W	M	61	61																								
		F	42	42																								
	M | B	M	49	49																								
		F	21	21																								
	M | I	M	4	4																								
		F	2	2																								
Cyanosis, Neanatorum.	M | W	M	8	8																								
		F	7	7																								
	M | B	M																										
		F																										
	M | I	M																										
		F																										
Spina Bifida.	M | W	M	2	2																								
		F	2	2																								
	M | B	M	1				1																					
		F																										
	M | I	M																										
		F																										

Annual Report of Deaths by Causes, Sexes, and Ages, for the State of Alabama for 1890.

V--Developmental Diseases--Continued.

Causes of Death.	Color	Sex	Total	Under 1 year	1-2 years	2-3 years	3-4 years	4-5 years	5-10 years	10-15 years	15-20 years	20-25 years	25-30 years	30-35 years	35-40 years	40-45 years	45-50 years	50-55 years	55-60 years	60-65 years	65-70 years	70-75 years	75-80 years	80-90 years	90-100 years	Age not given
			Ages of Decedents.																							
Malformation, Congenital.	W	M	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
		F	2	2	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
	B	M	2	2	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
		F	1	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
	M	M	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
		F	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
Umbilical Hemorrhage.	W	M	1	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
		F	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
	B	M	3	3	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
		F	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
	M	M	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
		F	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
Icterus Neanatorum.	W	M	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
		F	2	2	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
	B	M	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
		F	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
	M	M	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
		F	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
Marasmus.	W	M	12	7	2	2	..	..	..	..	..	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..
		F	23	17	2	1	1	1	..	..	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..
	B	M	17	14	2	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
		F	14	13	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	..	..
	M	M	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
		F	4	3	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..

Inanition.	W	M	12	19	2																			1			
		F	18	15		1						1			1												
	B	M	28	22	4	1												1									
		F	25	15	5	4																					1
	M	M																									
		F																									
Dentition.	W	M	6	5		1																					
		F	7	4	2	1																					
	B	M	25	9	14	2																					
		F	36	10	13	13																					
	M	M																									
		F																									
*Debility. (General.)	W	M	4																				1	1	2		
		F	7	1										1							1	1			2	1	
	B	M	5	2																1		1					
		F	2															1				1					
	M	M																									
		F	1																							1	
†Old Age.	W	M	41																				6	11	17	7	
		F	63																1	1	5	7	16	24	8		
	B	M	42																	1	6	7	5	15	11		
		F	65																		3	7	12	23	12		
	M	M	4																			1	2		1		
		F	6																	1			1	3	1		
Gangrene, Senile.	W	M	3																	1		1	1				
		F																									
	B	M	2																	1				1			
		F																									
	M	M																									
		F																									

*100 to 110 years—1 Black Male; †100 to 110 years—1 White Female, 3 Black Males, 8 Black Females.

Annual Report of Deaths by Causes, Sexes, and Ages, for the State of Alabama for 1890.

V—Developmental Diseases—Continued.

Causes of Death.	Color	Sex	Total	Under 1 year	1-2 years	2-3 years	3-4 years	4-5 years	5-10 years	10-15 years	15-20 years	20-25 years	25-30 years	30-35 years	35-40 years	40-45 years	45-50 years	50-55 years	55-60 years	60-65 years	65-70 years	70-75 years	75-80 years	80-90 years	90-100 years	Age not given
			Ages of Decedents.																							
Summary of Deaths from Developmental Diseases.	M | B | W	M	160	109	4	3	...	..	..	..	....	...	..	...	...	1	...	.	..	1	.	8	14	19	7	...
		F	173	92	4	3	1	1	...	..	..	1	..	1	2	..	..	..	1	1	6	8	16	26	9	...
		M	174	100	21	3	1	1	...	..	..	....	.	..	...	..	..	1	...	3	...	8	5	16	11	...
		F	164	60	18	17	....	....	..	..	....	.	..	...	..	...	...	1	..	...	3	8	13	23	12	1
	M | B |	M	8	4	..	....	..	...	..	..	..	....	...	...	..	...	...	..	...	...	....	1	2	...	1	...
		F	13	5		.		1	..	..	.				...	.			..	1	.	....	1	3	2	...
Gen'l Summary			692	364	47	26	2	3				1		1	2	1		2	1	6	9	33	51	87	42	1

VI—Local Diseases—Nervous System.

Meningitis.	M | B | W	M	34	10	7	4	...	1	2	..	..	2	1	..	2	..	..	3	...	..	1	..	1	...	..	...
		F	31	11	5	2	1	1	3	1	1	1	2	.	.	1	....	..	1	...	..	..	1	...	..	...
		M	29	5	4	1	..	1	6	..	3	1	.	1	2	..	1	2	...	..	1	..	..	.	...	...
		F	12	1	1	..	....		1	2	2	1	1	..	1	..	.	..	1	1	...	..	..	..	...	...
	M | B |	M	2	..	...	..	..	..	....	.	..	1	...	1	..			..	..	...	..	..	..	...	...	...
		F	2	1	1													..								...
Meningitis, Cerebral.	M | B | W	M	3	..	1	..	..	..	1	..		1	.	...	...	....	..	..	...	...		...	...	...	...	...
		F	9	2	2	1	1	..	..	..	..	1	2	...	...	...	...	...	..	...	...	...	...	...	...	...
		M	3	..	..	..	....	..	1	...	1	..	....	...	...	....	..	1	..	...	...	...	...	...	...	...
		F	1	..	..	..	..	....	..	..	.	1	...	...	...	...	...	..	...	...	..	...	...	...	...	...
	M | B |	M	....	..	..	..	...	..	..	..	...	..	..	..	..	...	...	...	...	...	...	...	...	...	...	...
		F	...	....	....	....	....	....	...	...	....	....	...	...	..	....	...	....	....	...	....	..	....	...	....	...

Meningitis, Cerebro-Spinal.	W	M	12	3	1	1	1	1	1	1	....	1	1	..	....	1	....	....	....	....	....	....	....	....	....	....	....
		F	18	3	3	4	...	2	1	1	1	...	..	..	..	1	1	..	1	..	....	..	....	....	....	....	....
	B	M	8	....	1	1	..	...	1	1	2	2	..	....	..	..	..	..	....	.	....	....	....	....	....	....	....
		F	1	....	....	....	..	....	..	1	..	....	..	..	..	..	..	..	....	..	....	....	....	....	....	....	....
	M	M	..	....	..	....	..	....	....	....	....	....	..	..	..	..	..	..	....	....	....	....	....	....	....	....	....
		F		....		....	.	....	....	....		....	..	..													
Hydrocephalus.	W	M	2	2	..	..	...	..	....	....	....	....	....	....	..	....	....	....	....	....	....	....	....	....	....	....	....
		F	2	..	1	1	..	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	B	M	2	2	...	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
		F	1	1	..	....	..	....	....	..	....	....	....	..	....	....	..	....	....	....	....	....	....	....	....	....	....
	M	M	2	2	..	..	..	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
		F		.		.	..	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Apoplexy.	W	M	39	..	....	..	...	....	...	..	....	....	....	1	2	1	1	7	4	5	9	3	3	3	...	...
		F	35	....	..	..	..	..	...	..	1	...	1	3	2	4	1	2	2	6	7	2	1	3	...	...
	B	M	24	..	..	..	..	....	..	..	....	1	...	1	1	...	2	3	3	3	3	4	2	...	1	...
		F	19	..	..	..	..	...	..	..	...	...	1	1	3	1	3	...	...	2	1	3	1	1	2	..
	M	M	1	..	..	..	..	..	...	..	....	....	....	...	...	1	...	...	...	...	...	...	...	...	...	...
		F	4	.		....	.			.		....	..			....		2	1	.		..	....	1	.	
Neurasthemia.	W	M	2	..	...	.	...	.	..	..	....	..	..	..	..	..	..	..	..	...	....	....	....	2	...	..
		F	2	..	...	..	..	...	..	..	....	..	..	..	..	..	1	...	..	...	....	...	1	...	...	...
	B	M	2	1	..	..	..	.	..	..	.	..	..	..	..	..	..	....	..	..	....	....	..	1	..	...
		F	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	....	..	..	....	..	....	....	..	..
	M	M	..	....	..	..	..	....	..	..	....	..	..	..	..	..	..	..	..	..	....	....	....	....	..	..
		F			..												....	....				....				
Convulsions.	W	M	26	18	2	2	1	..	1	..	..		..		..	1	1			..	..	..		..	..	..
		F	22	15	3	1	..	1	..	....	1	...	..	..	.	..	..	..	..	..	..	..	1	..	..	..
	B	M	63	37	7	6	7	..	2	..	1			..	1	.	..	..	..	..	..	..	1	..	1	..
		F	45	24	4	3	5	2	4	1	..	..	...	1	.	1	..	..	..	..	..	..	.		..	..
	M	M	3	2	..	1	.	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
		F	1	1	..		..	....			.				.							.				
Epilepsy.	W	M	13	1	. .	1	..	...	...	...	1	..	1	1	1	2	2	..	1	1	...	1	...	..	...	..
		F	3	..	....	....	..	....	..	1	...	..	..	1	..	..	..	..	..	....	..	1	...	..	...	...
	B	M	4	...	..	1	..	1	...	..	..	1	....	..	1	..	..	....	....	....	..	..	..	..	..	..
		F	6	..	. .	....	....	....	..	1	2	....	..	1	....	1	....	....	....	1	..	..	..	..	..	..
	M	M	3	....	....	....	....	....	....	....	1	....	....	1	....	....	....	....	....	....	....	....	1	.	....	....
		F	1	...	....	....	....	....	....	....	....	....	....	..	..	....	....	....	1	....	....	....	....	....	....	....

Annual Report of Deaths by Causes, Sexes, and Ages, for the State of Alabama for 1890.

VI—Local Diseases—Continued.

Causes of Death.	Color	Sex	Total	Under 1 year	1-2 years	2-3 years	3-4 years	4-5 years	5-10 years	10-15 years	15-20 years	20-25 years	25-30 years	30-35 years	35-40 years	40-45 years	45-50 years	50-55 years	55-60 years	60-65 years	65-70 years	70-75 years	75-80 years	80-90 years	90-100 years	Age not given
			Ages of decedents.																							
Paralysis.	M | B | W	M	48	1	...	...	...	1	2	1	...	...	1	2	1	3	1	4	5	7	2	6	6	5	1	..
		F	38	...	...	..	...	..	2	...	...	...	1	..	2	2	1	2	2	2	7	9	8	..	...	..
		M	20	..	1		..	...	...	1	1	1	1	1		..	..	1	1	3	2	1	1	4	1	..
		F	24	1	..	...	...	2	...	...	1	..	1	1	..	..	2	1	2	1	4	2	5	1	...	..
	M | B | W	M	2	...	...	...	..	...	...	...	...	...	..	...	1	1	..	...	...	..		..	..	..	...	..
		F	1	...		..	...	...	...	...	..	...				...	..		..		1	...	...	..	..	
Hemiplegia.	M | B | W	M	2	..	..	..	..	..	..	...	..	..	...	1	..	..	...	1	..	..	..	.	..	...	..	...
		F		..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	...	...	..	...	..	..	..	..
		M	...	...	..	...	..	...	..	..	..	...	..	..	..	..	..	..	..	..	..	...	..	..	...	..
		F	...	..	..	..	..	...	...	..	...	..	..	..	...	..	..	..	...	..	...	...	..	...	..	..
	M | B | W	M			..	..	...	..	..	..	..	..	..	..	..	..	..	..	...	..	...	..	..	..	..	..
		F	...	..	..	..	..	..												...				...		
Neuritis.	M | B | W	M	2	...	...	..	..	..	..	...	..	.	..	..	...	1	..	1	..	.	...	..	..	...	..	..
		F	..	..	...	..	...	..	..	..	..	..	..	..	...	..	..	..	..	..	...	...	..	...	...	..
		M	..	..	..	..	..	..	.	..	...	..	.	...	..	..	..	..	..	..	...	...	..	...	..	..
		F	..	..	..	..	..	..	..	..	..	...	..	...	..	..	..	..	...	..	...	...	..	...	..	..
	M | B | W	M	...	...	..	..	..	..	..	..	..	...	..	..	..	..	..	...	..	..	...	...	..	..	..	..
		F	...					.		.		...		.	...		..			..		...				.
Trismus Nascentium.	M | B | W	M	17	17	...	...	..	..	..	...	...	...	...	..	...	...	...	..	...	...	...	...	...	...	...	...
		F	5	5	..	...	..	.	..	...	...	...	...	..	...	...	...	.	...	...	...	...	..	...	...	..
		M	23	23	...	..	..	...	..	..	...	...	...	..	...	...	...	...	..	...	...	..	...	...	...	..
		F	16	16	...	..	...	..	..	..	...	...	...	..	...	...	..	..	...	...	...	...	...	...	...	..
	M | B | W	M	4	4	..	...	..	...	...	...	...	...	...	..	...	...	..	...	...	..	...	...	..	...	...	..
		F	...	...	...	...	...	..	...	..	...	...	...	...	...	..	...	...	...	...	...	...	...	...	...	...

Tetanus.	W	M	3	1	...	...	...	...	1	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
		F	2	1	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	B	M	7	2	...	...	...	...	1	2	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1
		F	6	2	1	1	...	...	...	1	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...
	M	M	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
		F	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Tetanus, Traumatic.	W	M	1	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...
		F	2	...	...	...	...	...	1	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	B	M	1	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
		F	1	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...
	M	M	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
		F	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Locomotor Ataxia.	W	M	1	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...
		F	1	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...
	B	M	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
		F	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	M	M	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...
		F	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Locomotor Ataxia, Progressive.	W	M	1	...	1	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...
		F	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	B	M	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
		F	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	M	M	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
		F	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Spinal Sclerosis.	W	M	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
		F	2	...	...	...	...	...	...	...	...	...	...	...	...	1	1	...	...	...	...	...	...	...	...	...	...
	B	M	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
		F	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	M	M	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
		F	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Myelitis.	W	M	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...
		F	1	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	B	M	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
		F	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	M	M	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
		F	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...

Annual Report of Deaths by Causes, Sexes, and Ages, for the State of Alabama for 1890.

VI—Local Diseases—Continued.

Causes of Death.	Color	Sex	Total	Under 1 year	1-2 years	2-3 years	3-4 years	4-5 years	5-10 years	10-15 years	15-20 years	20-25 years	25-30 years	30-35 years	35-40 years	40-45 years	45-50 years	50-55 years	55-60 years	60-65 years	65-70 years	70-75 years	75-80 years	80-90 years	90-100 years	Age not given
			AGES OF DECEDENTS.																							
Osteo Myelitis.	M	M	1										1													
		F																								
	B	M																								
		F																								
	W	M																								
		F																								
Congestion of Spine.	M	M	1																		1					
		F																								
	B	M																								
		F																								
	W	M																								
		F																								
Spinal Irritation.	M	M	1			1																				
		F	1																1							
	B	M																								
		F																								
	W	M																								
		F																								
Concussion of Spine.	M	M																								
		F																								
	B	M	1																							1
		F																								
	W	M																								
		F																								

*Nervous Prostration.	W	M	4	1																	1				1			
		F	5															1				1					2	
	B	M																										
		F	1												1													
	M	M																										
		F																										
Abscess, Sub-Maxillary.	W	M																										
		F																										
	B	M																										
		F	1			1																						
	M	M																										
		F																										
Gangrene of Mouth.	W	M																										
		F																										
	B	M																										
		F	1													1												
	M	M																										
		F																										
Parotid Abscess.	W	M																										
		F																										
	B	M																										
		F	1															1										
	M	M																										
		F																										
Melancholia.	W	M	2																				1	1				
		F	2								1					1												
	B	M	1																				1					
		F	1												1													
	M	M																										
		F																										
Insanity.	W	M	10													3	2		2		2				1			
		F	3															1	1	1								
	B	M	5										1				3								1			
		F	3								1							1			1							
	M	M																										
		F																										

*100 to 110 years—1 White Male, 1 White Female.

Annual Report of Deaths by Causes, Sexes, and Ages, for the State of Alabama for 1890.

VI--Local Diseases--Continued.

Causes of Death.	Color	Sex	Total	Under 1 year	1-2 years	2-3 years	3-4 years	4-5 years	5-10 years	10-15 years	15-20 years	20-25 years	25-30 years	30-35 years	35-40 years	40-45 years	45-50 years	50-55 years	55-60 years	60-65 years	65-70 years	70-75 years	75-80 years	80-90 years	90-100 years	Age not given
			Ages of decedents.																							
Hystero-Catalepsy.	W	M	1											1												
		F																								
	B	M																								
		F																								
	M	M																								
		F																								
Cerebral Embolism.	W	M	1																1							
		F																								
	B	M																								
		F																								
	M	M																								
		F																								
Cerebral Thrombus.	W	M																								
		F	1																	1						
	B	M																								
		F																								
	M	M																								
		F																								
Cerebral Hyperæmis.	W	M	1	1																						
		F	1	1																						
	B	M																								
		F																								
	M	M																								
		F																								

Congestion of Brain	W	M	49	16	4	3	..	3	2	3	4	3	1	1	..	1	2	2	1	1	1	..	1	..	..	..
		F	39	6	3	2	1	1	5	..	6	1	2	1	1	1	2	2	..	1	..	2	2	..	..	..
	B	M	26	3	3	1	..	1	1	2	3	1	3	1	..	2	..	1	2	..	..	..	2	..	..	..
		F	24	2	..	2	1	..	3	3	3	3	3	..	1	..	2	1	..	..	..	..	..	..	..	..
	M	M	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
		F	3	2	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
Softening of Brain.	W	M	13	..	..	..	..	..	..	..	..	..	..	..	..	..	1	2	..	2	2	3	3	..	..	..
		F	4	..	1	..	..	..	..	..	..	..	..	..	..	1	..	..	..	..	..	..	2	..	..	..
	B	M	2	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	1	..	..	..	..	..	..
		F	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
	M	M	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
		F	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
Concussion of Brain.	W	M	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	..	..	..	..	..
		F	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
	B	M	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
		F	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
	M	M	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
		F	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
Compression of Brain.	W	M	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
		F	1	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
	B	M	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	..	..	..	..	..	..	..
		F	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
	M	M	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
		F	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
Abscess of Brain.	W	M	2	..	..	..	..	..	..	..	..	..	..	..	..	2	..	..	..	..	..	..	..	..	..	..
		F	2	..	..	..	..	..	2	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
	B	M	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
		F	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
	M	M	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
		F	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
Inflammation of Brain.	W	M	8	..	2	..	..	..	1	1	..	1	..	..	..	..	2	1	..	..	..	..	..	..	..	..
		F	2	2	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
	B	M	4	2	..	..	1	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
		F	3	..	1	..	..	..	..	1	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..
	M	M	1	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
		F	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..

Annual Report of Deaths by Causes, Sexes, and Ages, for the State of Alabama for 1890.

VI—Local Diseases—Continued.

CAUSES OF DEATH.	Color	Sex	Total	AGES OF DECEDENTS. Under 1 year	1-2 years	2-3 years	3-4 years	4-5 years	5-10 years	10-15 years	15-20 years	20-25 years	25-30 years	30-35 years	35-40 years	40-45 years	45-50 years	50-55 years	55-60 years	60-65 years	65-70 years	70-75 years	75-80 years	80-90 years	90-100 years	Age not given
Organic Disease of Brain.	M | B | W	M																								
		F	1								1															
		M	1																1							
		F																								
	M | B | W	M																								
		F																								
Hemorrhage of Brain.	M | B | W	M	2													1					1					
		F	7	1													1	1				1	1		1	1
		M	2																					1	1	
		F																								
	M | B | W	M																								
		F																								
Effusion of Brain.	M | B | W	M	2													1								1		
		F	2																2							
		M																								
		F																								
	M | B | W	M																								
		F																								
Phthisis of Brain.	M | B | W	M	1											1												
		F	1						1																	
		M																								
		F																								
	M | B | W	M																								
		F																								

Paralysis of Brain.	M	M	..	..	..	....	..		...	..	..	....	...	..	..	....	..	...	..	..	...	...	.	...	..	..
		F	.	..	..	...	..	..	...	...	..	...	..	..	..	...	...	....	..	.	..	.	..	..	.	...
	B	M	..	..		....	..	..	...	..	..	...	..	..	..	..	..	....	.	...	..	..	..	..	..	...
		F	1	..	..	..	..	..	..	..	..	.	..	..	..	..	..	....	.	.	1	...	..	..	..	..
	W	M	..	..	..	....	..	..	....	..	...	....	..	..	..	..	..	...	...	..	..	..	..	..	..	..
		F		....					..	...		....	..						..		..	.	.		....	
Pelvic Abscess.	M	M	1	..	..		..	.	...	...	...	..	..	..	..	.	...	..	..	.	.	1	..	.	...	..
		F	1	..	..	..	..	..	..	...	...	...	..	..	..	1	...	..	..	..	.	..	..	..	..	..
	B	M	1	..	.	..	..	..	...	...	...	...	1	..	..	..	..	..	..	..	..	..	..	..	..	..
		F	2	..	..	..	..	..	...	..	...	..	..	1	..	..	1	..	...	..	..	..	..	...	..	...
	W	M	..	..	..	..	..	..	...	...	..	...	..	.	...	..	...	...	..	...	..	..	...	...	...	...
		F	.							....	....			...		..		...								
Chronic Abscess.	M	M	..		..	..	..	..	...	...	...	...	...	...	...	...	...	...	...	...	...	...	..	...	.	..
		F	..	..	..	..	..	..	...	...	...	...	...	...	...	...	...	...	..	...	...	..	...	...	..	..
	B	M	1		..	..	...	...	..	...	...	...	..	...	1	...	...	...	...	...	...	...	...	..	...	...
		F	.	.	..	..	..	..	..	...	...	...	...	..	...	...	..	...	..	...	...	...	.	.	...	..
	W	M	.	..	..	..	..	..	...	...	...	...	...	...	...	...	...	...	...	...	...	...	.	...	...	...
		F								...		...	...	...		..										
Summary of Deaths from Local Diseases.	M	M	30	71	17	12	2	6	11	7	5	8	5	9	11	16	10	24	12	21	17	15	15	12	1	..
		F	246	48	18	11	3	5	16	4	12	4	8	8	7	13	8	8	11	10	16	15	16	6	1	..
	B	M	231	75	10	10	8	3	12	7	12	8	6	4	6	5	4	10	7	7	7	5	7	7	3	3
		F	170	47	7	7	6	4	8	10	9	5	6	7	9	3	10	2	3	6	6	5	6	2	2	...
	W	M	19	9	.	1	.	..	...	...	1	1	...	2	1	2	...	..	1	...	...	...	1	..	..	..
		F	12	4	2						..	.	..	..		...	...	2	2		1		.	1		..
Gen'l Summary			986	254	60	41	19	18	47	28	39	26	25	27	34	39	31	46	36	44	47	40	45	28	7	3

Organs Special Sense.

Otitis.	M	M	1	1	.	...	.	...	...	...	...	...	...	...	...	.	...	..	..	...	...	...	...	..	...	...
		F	...	..	..	...	...	...	.	..	...	...	...	...	...	...	...	...	...	...	..	...	..	..	...	...
	B	M	1	..	..	...	...	...	...	..	...	...	...	...	...	...	1	...	...	...	..	...	..	.	..	...
		F	..	..	..	...	...	...	..	...	...	...	...	...	..	..	...	...	...	...	...	...	..	..	..	...
	W	M	..	...	...	..	...	..	..	.	..	...	...	...	.	...	..	...	..	...	...	...	..	.	...	...
		F	...	...	...	...	...	..	...	...	...	...	...	.	..	...	...	...	...	...	...	...	...	...	...	...

Annual Report of Deaths by Causes, Sexes, and Ages, for the State of Alabama for 1890.

ORGANS SPECIAL SENSE—Continued.

CAUSES OF DEATH.	Color	Sex	Total	Under 1 year	1-2 years	2-3 years	3-4 years	4-5 years	5-10 years	10-15 years	15-20 years	20-25 years	25-30 years	30-35 years	35-40 years	40-45 years	45-50 years	50-55 years	55-60 years	60-65 years	65-70 years	70-75 years	75-80 years	80-90 years	90-100 years	Age not given
			AGES OF DECEDENTS.																							
Otitis Media.	W	M																								
		F																								
	B	M	1			1																				
		F																								
	M	M																								
		F																								
Epistaxis.	W	M																								
		F																								
	B	M																								
		F	1							1																
	M	M																								
		F																								
Abscess of Ear.	W	M																								
		F																								
	B	M																								
		F	1											1												
	M	M																								
		F																								
Summary of Deaths from Diseases Organs Special Sense.	W	M	1	1																						
		F																								
	B	M	2			1											1									
		F	2							1				1												
	M	M																								
		F																								
Gen'l Summary			5	1		1				1				1			1									

Circulatory System.

*Dropsy.	W	M	30	1	...	...	..	...	1	2	1	1	3	.	1	2	1	1	...	1	3	3	3	5	1	..
		F	26	...	1	...	1	..	...	2	1	3	2	..	3	...	1	2	...	2	5	1	1	1	...	..
	B	M	33	2	1	2	..	1	..	2	...	2	1	3	..	1	2	3	2	2	1	6	1	1	..	..
		F	51	...	1	1	1	2	3	1	1	2	3	3	5	6	..	5	4	4	3	2	2	..	1	..
	M	M	1	...	...	...	..	...	...	...	...	...	...	...	...	...	...	..	...	1	...	..	..	..	...	..
		F	2	...	...	...	...	...	...	.	...	.	...	...	...	...			...	1	1	...	...	.		..
Dropsy, Renal.	W	M	..	...	..	...	...	...	...	...	...	...	..	...	...	...	..	...	...	..	...	..	..	..	..	...
		F	1	...	..	...	...	...	...	...	...	...	..	...	...	...	...	...	...	1	...	..	..	..	..	.
	B	M	...	..	...	...	...	...	...	...	...	...	...	...	...	...	..	...	...	...	...	..	..	..	..	..
		F	...	...	...	...	...	...	...	...	...	...	...	...	...	...	..	...	...	...	...	.	..	..	...	..
	M	M	1	...	...	...	...	...	...	...	...	...	...	...	..	...	...	1	...	...	...	..	..	..	..	...
		F	...	.	...	...	...	...	...	...	...	...	...	...	...	...	...	...		...	...					
Dropsy, Hepatic.	W	M	3	...	...	..	...	...	...	...	...	...	...	...	...	...	...	...	1	..	...	..	1	..	..	1
		F	2	...	...	...	..	...	...	...	...	...	...	...	...	...	...	...	1	...	...	1	..	.	..	..
	B	M	..	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	..	...	...	...	..	..
		F	2	...	..	...	...	...	..	...	...	...	...	...	..	2	...	...	..	...	...	...	...	...	..	..
	M	M	...	...	...	...	...	...	...	...	...	...	...	...	...	..	..	...	..	...	...	...	..	...	...	...
		F	...	...	...	...	...	...	...	...	...	...	...	...	...	.	..	...		...	.		.			..
Dropsy, Ovarian	W	M	...	..	..	..	...	...	...	..	...	...	..	...	..	...	..	...	...	..	..	...	...	...	..	..
		F	...	...	...	...	...	...	...	...	...	...	..	...	..	...	...	...	...	..	..	.	...	..	..	..
	B	M	...	..	...	.	..	..	...	...	...	...	..	...	..	...	..	...	...	..	...	...	...	..	..	..
		F	1	..	...	...	...	...	...	...	..	..	..	...	..	..	1	..	..	..	...	...	...	..	..	..
	M	M	...	...	..	...	...	...	..	...	...	...	..	..	..	...	...	..	..	..	..	..	..	..	..	...
		F	.	...	...			...				.	..				..	...	..	..			..			
Ascites.	W	M	1	..	...	..	..	..	..	1	..	...	...	...	...	...	...	...	...	...	...	..	..	..	..	
		F	1	..	...	..	..	...	...	...	...	...	...	.	...	...	...	...	..	..	..	1	..	..	..	..
	B	M	1	..	...	..	..	..	...	..	1	..	...	...	...	...	...	...	...	..	..	..	..	..	..	..
		F	...	...	..	..	.	..	..	..	...	...	..	...	...	..	.	..	..	..	...	...	..	..	..	..
	M	M	..	..	...	...	..	..	...	...	...	...	..	...	...	...	...	...	...	..	...	...	..	..	..	..
		F	1	...	...	...	..	.	..	1	.	..		...		..	..			..	...	..	.			

*110 to 120 years—1 Black Female.

Annual Report of Deaths by Causes, Sexes, and Ages, for the State of Alabama for 1890.

CIRCULATORY SYSTEM—Continued.

CAUSES OF DEATH.	Color	Sex	Total	AGES OF DECEDENTS. Under 1 year	1-2 years	2-3 years	3-4 years	4-5 years	5-10 years	10-15 years	15-20 years	20-25 years	25-30 years	30-35 years	35-40 years	40-45 years	45-50 years	50-55 years	55-60 years	60-65 years	65-70 years	70-75 years	75-80 years	80-90 years	90-100 years	Age not given
Anasarca.	W	M	4									1					1					1		1		
		F	6							1						2				1			2			
	B	M	9						1	1	1	1	1							2	1	1				
		F	7			1					2						1	1	1				1			
	M	M																								
		F																								
Hydropericardium.	W	M	11	2					1		1	1								1			3	2		
		F	8								1		1						1	2	1	1	1			
	B	M	9									1	1	1			1			1	2	1		1		
		F	7							1		1	2	1						1				1		
	M	M	1													1										
		F																								
Angina Pectoris.	W	M	5								1					1				1		1		1		
		F	7											1	2		1	1		1			1			
	B	M	2														2									
		F	1								1															
	M	M																								
		F																								
Pericarditis.	W	M	4						2			1									1					
		F	4											1					1	1		1				
	B	M	4									1					2				1					
		F	6								1		1		1		2	1								
	M	M																								
		F																								

Endocarditis.	W	M	4												1	1					2								
		F	1								1																		
	B	M	3														1				1	1							
		F	2												2														
	M	M																											
		F																											
Mitral Insufficiency.	W	M																											
		F	2							1						1													
	B	M	1													1													
		F																											
	M	M																											
		F																											
Mitral Regurgitation.	W	M	1																	1									
		F																											
	B	M																											
		F																											
	M	M																											
		F																											
Mitral Stenosis.	W	M	1																							1			
		F																											
	B	M																											
		F																											
	M	M																											
		F																											
Cardiac Asthenia.	W	M	1														1												
		F	2														1					1							
	B	M																											
		F	2														1					1							
	M	M																											
		F																											
Aneurism of Aorta.	W	M	8									1		1	1	1		1		1	1	1							
		F																											
	B	M	2														1			1									
		F	2															1			1								
	M	M	1														1												
		F																											

Annual Report of Deaths by Causes, Sexes, and Ages, for the State of Alabama for 1890.

CIRCULATORY SYSTEM—Continued.

CAUSES OF DEATH.	Color	Sex	Total	Under 1 year	1-2 years	2-3 years	3-4 years	4-5 years	5-10 years	10-15 years	15-20 years	20-25 years	25-30 years	30-35 years	35-40 years	40-45 years	45-50 years	50-55 years	55-60 years	60-65 years	65-70 years	70-75 years	75-80 years	80-90 years	90-100 years	Age not given
			AGES OF DECEDENTS.																							
Heart Disease. (General.)	W	M	59	3					2		1		1	1	1	1	3	7	6	5	7	11	6	2		2
		F	42		1					1	2	2	3	1	1		2	4	2	6	7	3	1	6		
	B	M	48	1							1	3	2	5	3	1	3	4	4	6	4	7	1	2	1	
		F	60				1		2			2	2	5	3	4	5	7	2	7	5	7	5	2		1
	M	M	6															1	3	1	1					
		F	4										1			1	1		1							
*Valvular Disease of Heart.	W	M	21									1	1	1	1	1		1	2	3	3	1	4	2		
		F	6													1				1	2		2			
	B	M	8								1	1		2			1					1	1			
		F	11												1	1	1	2	1	1			2	1		1
	M	M																								
		F																								
†Hypertrophy of Heart.	W	M	4											1							1	1		1		
		F	3														1						1			1
	B	M	8									1	1		1			2					1	1		
		F	6														1		1				2	1		1
	M	M																								
		F	1						1																	
Paralysis of Heart.	W	M																								
		F	2																	2						
	B	M																								
		F	2													1							1			
	M	M																								
		F	1														1									

*100 to 110 years—1 Black Male; †100 to 110 years—1 Black Male.

Fatty Degen. of Heart.	W	M	5	..	..	..	....	....	..	....	....	....	....	....	1	....	....	....	....	1	2	1	....	....	....	....
		F	5	.	.	..	....	....	.	....	....	....	....	....	....	....	....	....	....	....	2	3	....	....	....	..
	B	M	1	..		....	..	....	....	..	..	...	....	1	....	....	....	....	....	....	....	....	....	....	....	....
		F	1	..	..		....	....	..	..	..	..	....	..	....	....	....	....	1	....	....	....	....	....	....	....
	M	M		.	..	..	....	....		..	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
		F					....	....			....	....	....	....			....	....	....	....	....	....	....	....	....	....
Heart Failure.	W	M	14		..			..	..	..	.	2	..	....	1	....	4	....	3	..	1	.	....	1	2	....
		F	18		.	..	.	..	....	..	4	2	1	3	....	4	....	....	....	1	1	1	....	....	....	1
	B	M	2	..	..	.	..	..	..	..	..	....	....	....	....	1	....	....	1	....	....	.	....	....	....	....
		F	8	..	..	..	..	..	..	....	..	1	..	....	..	3	....	....	....	..	..	2	1	1	..	....
	M	M	.	..		..	..	..	..	..	....	..	..	....	....	....	....	....	..	....	....	..	....	....	....	....
		F	1							....	....	....	....	....		.	....	....			.		....	1	..	....
Phlebetis.	W	M					..	..	..	....	..	..	....	....	..	....	..	....	....	....	....	....	..	....	....	....
		F	..			..	.	..	....	..	....	..	..	....	....	....	....	....	....	....	....	....	....	....	....	....
	B	M		.	..		..	..	..	..	..	..	.	....	..	..	....	....	....	....	....	....	..	....	....	..
		F	1	..		..	.	..	..	..	..	....	1	....	..	....	....	....	....	....	....	....	....	....	.	....
	M	M	..	.	.	..	..	..	..	..	..	..	....	....	....	....	....	....	....	....	....	....	....	....	....	..
		F	..	.									..	....	..	....		..		..	....	....	....	....		....
Anthrepsia.	W	M	.		..	..	....	....		..	..	..	..	..	..	.	..	.	..	..	....	..	....	....	..	....
		F	1	1	....	..	....	....	....	....	..	....	..	..	..	..	..	....	..	....	....	..	..	..	..	....
	B	M	..		..		..	....	....	..	..	..		.	....	..	..	..	....	..	....	..	..	....	..	....
		F	....	....	....	..	....	....	..	..	..	..	..	....	..	..	..	..	..	..	....	..	....	..	..	..
	M	M	..	..	....	..	..	..	....	....	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
		F	..				....	....	..																	
Summary of Deaths from Diseases of Circulatory System.	W	M	176	6		..	..	...	6	3	4	8	5	5	7	7	9	11	12	15	19	20	17	16	3	3
		F	137	1	2	..	1	...	...	5	9	7	7	6	7	8	5	7	5	18	19	12	9	7	...	2
	B	M	131	3	1	2	...	1	2	3	4	10	6	12	5	4	12	9	7	13	10	16	4	5	1	...
		F	170	...	1	2	2	2	5	2	5	6	9	11	10	18	11	17	10	13	10	11	14	6	1	3
	M	M	10	...	.	..	..	..	..	.	..	..	..	...	..	1	1	2	3	2	1	..	..	...	.	..
		F	10	.				...	1	1	...		1	..	..	1	2	..	1	1	1	...	...	1		
Gen'l Summary			634	10	4	4	3	3	13	14	22	31	28	34	29	39	40	46	38	62	60	59	44	35	5	8

Annual Report of Deaths by Causes, Sexes, and Ages, for the State of Alabama for 1890.

RESPIRATORY SYSTEM.

CAUSES OF DEATH.	Color	Sex	Total	Under 1 year	1-2 years	2-3 years	3-4 years	4-5 years	5-10 years	10-15 years	15-20 years	20-25 years	25-30 years	30-35 years	35-40 years	40-45 years	45-50 years	50-55 years	55-60 years	60-65 years	65-70 years	70-75 years	75-80 years	80-90 years	90-100 years	Age not given
			AGES OF DECEDENTS.																							
Pneumonia.	W	M	191	30	23	4	2	4	11	8	10	20	14	15	5	10	5	5	5	4	2	4	6	3	..	1
		F	174	21	17	7	5	3	3	6	14	12	6	6	10	9	9	7	4	7	7	7	8	6	...	...
	B	M	214	18	21	4	5	3	11	11	12	27	17	6	8	11	9	4	5	10	5	7	6	1	1	12
		F	164	27	7	12	5	2	10	6	15	8	7	11	8	1	9	5	2	13	6	5	2	2	1	...
	M	M	16	1	2	...	...	..	...	...	1	3	2	...	1	...	...	3	...	1	..	1	..	1	...	...
		F	13	2	..	1	1		.		1	2	..	1	.	...	1	..	1	.	1	.		..		2
Pneumonia, Lobular.	W	M	4	1	...	...	..	...	..	...	...	1	..	...	...	...	...	..	..	..	..	2	..	...	...	...
		F	6	1	..	...	...	...	..	..	...	...	...	2	...	...	...	1	1	1	...	..	...	...	...	...
	B	M	..	..	..	...	.	..	...	..	...	...	...	...	..	...	...	...	...	..	...	...	.	...	...	..
		F	2	..	..	...	...	..	...	...	...	...	1	...	...	1	...	...	..	...	...	...	...	...	...	...
	M	M	..	...	...	...	..	..	...	...	...	...	...	...	...	...	...	..	..	...	...	..	..	...	...	...
		F			..	..		.	...		...	...	...	...	...	...			.		...	.	...	...	..	.
Pneumonia, Pleuro.	W	M	1	..	..	..	..	..		..	...	1	.	..	...	...	...		...	...	...	...	...	...	...	...
		F	1	..	..	..	..	..	..	..	...	...	..	...	...	1	...	...	...	...	...	...	...	...	...	...
	B	M	..	..	..	..	..	..	..	...	...	...	.	..	..	..	...	...	...	...	...	...	...	...	...	...
		F	..	..	..	..	..	...	..	..	..	...	...	..	...	...	...	..	...	...	...	...	...	...	...	...
	M	M	...	...	...	...	...	..	..	..	..	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
		F			..	..									...	...				...	...	...	..	..	...	...
Pneumonia, Typhoid.	W	M	5	1	..	...	...	...	...	...	1	..	1	1	.	...	...	...	...	1	...	...	...	...	...	..
		F	5	...	...	...	...	...	...	...	1	...	..	1	..	2	1	...	...	...	...	...	...	...	...	.
	B	M	6	1	...	..	1	...	..	...	...	..	1	..	...	..	...	...	..	...	...	...	..	...	...	3
		F	1	...	...	...	...	...	...	...	..	..	..	...	...	1	...	...	..	..	...	...	...	...	...	...
	M	M	...	...	...	...	...	...	...	...	...		...	..	...	...	...	..	..	...	...	...	...	...	...	...
		F	...	...	...	..	...	...	...	...	...	...	...	...	..	...	...	...	...	...	...	...	...	...	...	...

Pneumonia, Catarrhal.	W	M	6	2		1		1					1						1										
		F	2	1	1																								
	B	M	1		1																								
		F																											
	M	M	1		1																								
		F																											
Pneumonia, Croupous.	W	M																											
		F	1															1											
	B	M																											
		F																											
	M	M																											
		F																											
Pneumonia, Broncho.	W	M	6	1									1				1		1					1		1			
		F	1																	1									
	B	M																											
		F																											
	M	M																											
		F																											
Congestion of Lungs.	W	M	18	8	2				1		1	1		1	1			1		1				1					
		F	17	3	2					2	1		3		2		2				1		1						
	B	M	7	1						1	1			1			1	1		1									
		F	11	3	2			1			1				2		1	1											
	M	M	1										1																
		F																											
Hemorrhage of Lungs.	W	M	4										1						1								1		1
		F	3						1	1		1																	
	B	M	5												1	1					1	1	1						
		F	3									2											1						
	M	M	1												1														
		F																											
Odema of Lungs.	W	M	1												1														
		F	4						1		1	1						1											
	B	M	1							1																			
		F																											
	M	M																											
		F																											

Annual Report of Deaths by Causes, Sexes, and Ages, for the State of Alabama for 1890.

RESPIRATORY SYSTEM—Continued.

CAUSES OF DEATH.	Color	Sex	Total	Under 1 year	1-2 years	2-3 years	3-4 years	4-5 years	5-10 years	10-15 years	15-20 years	20-25 years	25-30 years	30-35 years	35-40 years	40-45 years	45-50 years	50-55 years	55-60 years	60-65 years	65-70 years	70-75 years	75-80 years	80-90 years	90-100 years	Age not given
			AGES OF DECEDENTS.																							
Abscess of Lungs.	W	M	4	1									1	1			1									
		F																								
	B	M	1										1													
		F	1															1								
	M	M																								
		F																								
Apoplexy of Lungs.	W	M																								
		F	1																					1		
	B	M																								
		F																								
	M	M																								
		F																								
Gangrene of Lungs.	W	M	1										1													
		F																								
	B	M																								
		F																								
	M	M																								
		F																								
Hæmoptisis.	W	M	1	1																						
		F	2											1		1										
	B	M	1									1														
		F	1									1														
	M	M	1											1												
		F																								

Embolism, Pulmonary.	W	M	1																									1
		F																										
	B	M																										
		F																										
	M	M																										
		F																										
Pleurisy.	W	M	1								1																	
		F																										
	B	M	7								1	1	2			1	1						1					
		F	1									1																
	M	M																										
		F																										
Hydrothorax.	W	M	3														1					2						
		F	3													1			1			1						
	B	M																										
		F	3										1		1			1										
	M	M																										
		F																										
Empyæmia.	W	M																										
		F	2							1														1				
	B	M	1																									1
		F	1						1																			
	M	M																										
		F																										
Asthma.	W	M	1														1											
		F	2																	2								
	B	M	2														1						1					
		F	3															1	1					1				
	M	M																										
		F																										
Croup.	W	M	18	7	1	5	2	3																				
		F	10	6	2		2																					
	B	M	13	4	4	2		1	2																			
		F	4	2				1	1																			
	M	M	1						1																			
		F	1						1																			

Annual Report of Deaths by Causes, Sexes, and Ages, for the State of Alabama for 1890.

RESPIRATORY SYSTEM--Continued.

CAUSES OF DEATH.	Color	Sex	Total	Under 1 year	1-2 years	2-3 years	3-4 years	4-5 years	5-10 years	10-15 years	15-20 years	20-25 years	25-30 years	30-35 years	35-40 years	40-45 years	45-50 years	50-55 years	55-60 years	60-65 years	65-70 years	70-75 years	75-80 years	80-90 years	90-100 years	Age not given
			AGES OF DECEDENTS.																							
Croup, Membraneous.	M | B | W	M	23	3	7	4	4	4	1																	
		F	14	3	6	1	2	1											1							
		M	3	1		1		1																		
		F	4	1	2	1																				
		M																								
		F																								
Bronchitis.	M | B | W	M	33	15	3	2	1	1						1		1			1	1		1	3	2	1	
		F	30	7	1	4	3		2			2				1	2	2		2			3			1
		M	18	3	6	2			1		1		1	1						1	1	1				
		F	20	3	8	2	1		1		1					1					1		2			
		M																								
		F																								
Bronchitis, Capillary.	M | B | W	M	24	12	9	1		2																		
		F	12	5	2		1		1						1		1				1					
		M	9	2	1	3	1		2																	
		F	9	5	1		1																			2
		M	1		1																					
		F	1		1																					
Laryngitis.	M | B | W	M	2	1	1																					
		F	2	1					1																	
		M	2						1			1														
		F	3	1		1						1														
		M																								
		F	1											1												

Laryngeal Abscess.	W	M	..	.	..	..	.		..	...	..	..	..	..	.	..	..	..	...	..	....			.	..	..
		F	..	.	...	..	...	..	...	..	.	..	...	...	..	..	..	...	...	..	..	..	.	..	..	..
	B	M	1	...	..	..	...	..	.	1	..	..	...	...	..	...	..	...	..	..	...	...	...	..	.	...
		F	..	..	..	....	..	..	..	..	...	..	..	...	..	...	...	..	..	..	..	..	..	..	...	..
	M	M	..	..	..	....	..	...	..	.	..	..	..	...	..	...	...	...	..	..	....	..	..	..	..	..
		F																								
Odema of Glottis.	W	M	.	..	...	.	.	..	.	..	..	..	..	...	..	..	.	.	..	..	..	..	..	..	..	..
		F	1	..	.	..	1	..	..	..	..	..	..	...	..	..	..	..	..	.	..	.	..	..	..	..
	B	M	1	..	..	..	..	..	..	1	..	..	..	...	..	..	..	..	..	..	..	..	..	.	..	..
		F	...	.	...	..	..	..	.	...	..	..	..	...	..	..	..	...	..	..	..	..	..	..	..	..
	M	M	...	..	..	..	.	..	..	..	..	.	..	...	..	..	..	..	..	..	..	..	..	..	..	..
		F	.		.					..																
Malignant Tumor Throat.	W	M	...	...	.	...	...	..	..	..	..	.	..	...	...	...	...	..	..	..	.	..	..	..	..	..
		F	1	..	..	..	...	..	..	..	..	..	..	..	..	..	...	..	...	..	..	..	1	...	..	..
	B	M	...	...	..	..	..	..	..	..	..	..	..				...	...	..	..	.	...	..	.	..	..
		F	..	...	..	...	...	..	..	..	..	..		.	..		...	...	..	..	...	..	..	..	..	...
	M	M	..	...	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
		F							...	..							...				....	..	....		..	..
Catarrh Acute.	W	M	1	1	..	.	..	.	..	.	..	..	...		..	..	..	.	..	..		..		.	..	..
		F	1	..	...	..	..	..	..	...	..	.	..	..	..	..	..	..	1	..		.	..			..	..
	B	M	.	.	..	..	..	..	..	..	..	..	..	.			..	..	..	..	..	..	..	..	..	..
		F	..	..	..	..	.	.	..	...	..	..	..	.	..	..	..	..	..	..	.	..	..		..	.
	M	M	..		..	..	..	..	.	..	..	..	..	..	..	..	..	..	..	..	..	..	..		.	..
		F																								
Summary of Deaths from Diseases of Respiratory System	W	M	349	84	46	17	9	15	13	8	13	23	20	19	7	11	10	8	7	6	4	9	11	5	1	3
		F	295	48	31	12	14	4	9	10	17	16	9	10	13	16	15	12	8	12	10	7	14	7	..	1
	B	M	295	31	33	12	7	5	17	15	16	30	22	9	9	12	12	5	5	13	7	12	6	1	1	16
		F	229	41	20	16	7	4	13	6	16	13	9	11	11	4	10	9	3	13	7	6	4	3	1	2
	M	M	22	1	4	..	..	..	1	..	1	3	5	2	1	...	..	3	..	1	..	1	.	1	..	..
		F	16	2	1	1	1		1		1	2		2			1		1		1					2
Gen'l Summary			1206	207	135	58	38	28	54	39	64	87	68	53	41	43	48	37	24	45	29	35	35	17	3	24

Annual Report of Deaths by Causes, Sexes, and Ages, for the State of Alabama for 1890.

DIGESTIVE SYSTEM.

CAUSES OF DEATH.	Color	Sex	Total	Under 1 year	1-2 years	2-3 years	3-4 years	4-5 years	5-10 years	10-15 years	15-20 years	20-25 years	25-30 years	30-35 years	35-40 years	40-45 years	45-50 years	50-55 years	55-60 years	60-65 years	65-70 years	70-75 years	75-80 years	80-90 years	90-100 years	Age not given
			AGES OF DECEDENTS.																							
Tonsilitis.	B W	M	6	3	1	1					1															
		F	3	1					1												1					
		M	3	2				1																		
		F	1	1																						
	M	M																								
		F																								
Pharyngitis.	B W	M	1		1																					
		F																								
		M																								
		F																								
	M	M																								
		F																								
Gastritis.	B W	M	10	4		1										1				1	3					
		F	11	1	2				1				1	1				1				2	1			1
		M	3				1			1						1										
		F	3									1		1				1								
	M	M																								
		F																								
Gastritis, Acute.	B W	M	2	2																						
		F	1																			1				
		M	1		1																					
		F																								
	M	M																								
		F																								

Gastritis, Chronic.	M	M																										
		F	1																					1				
	B	M	1																						1			
		F																										
	W	M																										
		F																										
Enteritis.	M	M	26	9	4	2			2	2									1			3	2	1				
		F	19	2	3	1					2		1	2	1	2	1	3			1							
	B	M	11	3	2	1			2									1		1		1						1
		F	7	2	1		1				1								1									1
	W	M																										
		F																										
Gastro-Enteritis.	M	M	16	6	3	3						1			1	1									1			
		F	19	5	2	1			1	1	1			1	1	1				2	2			1				
	B	M	4	1									1		1						1							
		F	6	2	1					1				1	1													
	W	M																										
		F																										
Perityphlitis.	M	M	3	1							1					1												
		F	4														2				2							
	B	M																										
		F	1							1																		
	W	M																										
		F																										
Jaundice.	M	M	3	1										1					1									
		F	3													1								1				1
	B	M	1								1																	
		F	4	1									1				1		1									
	W	M	1													1												
		F																										
Stomatitis.	M	M	1	1																								
		F	2									2																
	B	M	3	3																								
		F	3	2		1																						
	W	M																										
		F																										

Annual Report of Deaths by Causes, Sexes, and Ages, for the State of Alabama for 1890.

DIGESTIVE SYSTEM—Continued.

CAUSES OF DEATH.	Color	Sex	Total	AGES OF DECEDENTS. Under 1 year	1-2 years	2-3 years	3-4 years	4-5 years	5-10 years	10-15 years	15-20 years	20-25 years	25-30 years	30-35 years	35-40 years	40-45 years	45-50 years	50-55 years	55-60 years	60-65 years	65-70 years	70-75 years	75-80 years	80-90 years	90-100 years	Age not given
Congestion Stomach.	M B W	M	7	1	..	1	1	..	3	..	..	..	..	..	..	..	..	1	..	..	..	..	..	..	..	..
		F	3	1	.	..	1	..	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..
		M	2	1	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
		F	2	..	..	..	..	..	..	1	..	..	1	..		..	..	..	..	..	..	..	..	..	..	..
	M B C	M	..	..	..	..	..	..		..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
		F	..					..		..	..	..				..		..	..	..			..		..	..
Inflammation Stomach.	M B W	M	..	..	..	..	..	..	..	..	..	..	..	..	.	..	..	..	..	..	..	..	..	..	..	..
		F	3	..	1	..	..	..	..	..	..	..	..	..	1	..	..	..	..	..	1	..	..	..	..	..
		M	1	..	..	1	..	..	..	.	..	..	..	..	..	.	..	..	..	..	..	..	..	..	..	..
		F	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
	M B C	M	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
		F					..		..		..	..		..		..						..	..			
Ulcer Stomach.	M B W	M	8	..	..	.	.	..	1	.	..	.	..	..	.	1	1	1	..	2	1	..	1	..	..	..
		F	4	.	..	..	..	..	..	..	..	..	..	..	1	..	1	..	1	..	1	..	..	..	..	..
		M	4	..	.	.	..	..	..	.	..	..	1	..	1	..	1	..	..	1	..	..	..	..	..	..
		F	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	..	..	..	..
	M B C	M	..	..	..	..	..	.	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
		F						.				..	..				..	..	..	..	..		..		..	..
Hemorrhage Stomach.	M B W	M		.		..	..	..	..	..	..		..	.	.	..	..	..	..	..	..	..	..	..	..	..
		F	1	..	..	..	..	.	..	..	1	..	..	.	.	..	..	..	..	..	..	.	..	..	..	..
		M	1	..	..	..	..	..	..	..	..	1	..	..	..	..	..	..	..	..	..	.	..	..	..	..
		F	..	..	..	..	..	..	..	..	..	..	..	..		..	..	..	..	..	..	..	..	..	..	..
	M B C	M	..	..	..	..	..	..	..	..	..		..		.	..		..	..	..	..	..	..	..	..	..
		F	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..

Congestion Stomach and Bowels.	W	M	2	1										1															
		F	6	2	1		1			1																			1
	B	M	2		1															1									
		F	1	1																									
	M	M																											
		F																											
Inflammation Stomach and Bowels.	W	M																											
		F																											
	B	M	1			1																							
		F	1															1											
	M	M																											
		F																											
Congestion Bowels.	W	M	25	6	2	3			1	2	2	1	2	1		1		1					2					1	
		F	19	3	1	1				2	1	1	1		1	3	2		1	1		1							
	B	M	7	1		1		1	1	1	1									1									
		F	9		1	2	1	1	1					1		1					1								
	M	M	1										1																
		F																											
Inflammation Bowels.	W	M	15	6	1	1				1			2						1										1
		F	22	6	2	1				2	1		1		1	1	1	1	3			1				1			
	B	M	4	1		1						1		1															
		F	1												1														
	M	M	1				1																						
		F																											
Intussusception Bowels.	W	M	8							1		1		1		1			1		1					2			
		F	5			1				1		1		1				1											
	B	M	5	1									1	2	1														
		F	3	1					1							1													
	M	M																											
		F																											
Ulceration Bowels.	W	M																											
		F	1															1											
	B	M																											
		F																											
	M	M																											
		F																											

Annual Report of Deaths by Causes, Sexes, and Ages, for the State of Alabama for 1890.

DIGESTIVE SYSTEM—Continued.

CAUSES OF DEATH.	Color	Sex	Total	AGES OF DECEDENTS. Under 1 year	1-2 years	2-3 years	3-4 years	4-5 years	5-10 years	10-15 years	15-20 years	20-25 years	25-30 years	30-35 years	35-40 years	40-45 years	45-50 years	50-55 years	55-60 years	60-65 years	65-70 years	70-75 years	75-80 years	80-90 years	90-100 years	Age not given
Hemorrhage Bowels.	W	M	6								2	3		1												
		F																								
	B	M	5	1									1		1			1						1		
		F	4						1									2			1					
	M	M	1						1																	
		F																								
Occlusion Bowels.	W	M	7					1		1	2		1				1			1						
		F	6	2								1					1				1		1			
	B	M	5						1					1					2	1						
		F	3			1							1							1						
	M	M	1							1																
		F																								
Paralysis Bowels.	W	M	1																				1			
		F																								
	B	M																								
		F																								
	M	M																								
		F																								
Catarrh Bowels.	W	M	2	1	1																					
		F	2															1			1					
	B	M	3			2	1																			
		F	1	1																						
	M	M																								
		F																								

Dropsy Bowels	W	M	1															1										
		F																										
	B	M																										
		F																										
	M	M																										
		F																										
Tumor, Abdominal.	W	M	1															1										
		F	3									1		1					1									
	B	M	1		1																							
		F	1										1															
	M	M																										
		F																										
Abscess, Abdominal.	W	M	1																1									
		F																										
	B	M	1		1																							
		F																										
	M	M																										
		F																										
Pharyngeal Abscess.	W	M	2	1																		1						
		F	1													1												
	B	M																										
		F																										
	M	M																										
		F																										
Appendicitis.	W	M	2																									
		F																										
	B	M																										
		F																										
	M	M																										
		F																										
Peritonitis (Not Puerperal.)	W	M	11			1			1			1			5	1	1										1	
		F	15	2				1		1		2			2	1	3				1	1	1					
	B	M	9											1	1	4				1					1	1		
		F	10			1			1			1		2	1	2	1		1									
	M	M																										
		F	1							1																		

Annual Report of Deaths by Causes, Sexes, and Ages, for the State of Alabama for 1890.

DIGESTIVE SYSTEM—Continued.

CAUSES OF DEATH.	Color	Sex	Total	AGES OF DECEDENTS. Under 1 year	1-2 years	2-3 years	3-4 years	4-5 years	5-10 years	10-15 years	15-20 years	20-25 years	25-30 years	30-35 years	35-40 years	40-45 years	45-50 years	50-55 years	55-60 years	60-65 years	65-70 years	70-75 years	75-80 years	80-90 years	90-100 years	Age not given
Hepatitis.	W	M	6					1				1		1	1		1					1				
		F	4						1								2	1								
	B	M	5									1	1		1		1	1								
		F	4							1			1				1									1
	M	M																								
		F																								
Hepatitis, Chronic.	W	M	2																	2						
		F	2															1		1						
	B	M	1															1								
		F																								
	M	M																								
		F																								
Cirrhosis Liver.	W	M	5											1				1	1	1			1			
		F	2																			1	1			
	B	M	3												1					1		1				
		F	1										1													
	M	M																								
		F																								
Abscess Liver.	W	M	5										1	1			1		1					1		
		F	3			1										1		1								
	B	M	2													1							1			
		F	2									1		1												
	M	M																								
		F																								

Congestion Liver.	W	M	2									1						1										
		F	1			1																						
	B	M																										
		F																										
	M	M																										
		F																										
Atrophy Liver.	W	M																										
		F	2			1															1							
	B	M	1																		1							
		F	1										1															
	M	M																										
		F																										
Sclerosis Liver.	W	M	1																			1						
		F																										
	B	M																										
		F																										
	M	M																										
		F																										
Disease Liver.	W	M	3											1							2							
		F																										
	B	M	3																1	2								
		F																										
	M	M	2																	1			1					
		F																										
Dyspepsia.	W	M	4	1															1		1	1						
		F	2															1						1				
	B	M	2																	1	1							
		F	2																				2					
	M	M																										
		F																										
Stricture Œsophagus.	W	M																										
		F	1											1														
	B	M																										
		F																										
	M	M																										
		F																										

Annual Report of Deaths by Causes, Sexes, and Ages, for the State of Alabama for 1890.

DIGESTIVE SYSTEM—Continued.

CAUSES OF DEATH.	Color	Sex	Total	Under 1 year	1-2 years	2-3 years	3-4 years	4-5 years	5-10 years	10-15 years	15-20 years	20-25 years	25-30 years	30-35 years	35-40 years	40-45 years	45-50 years	50-55 years	55-60 years	60-65 years	65-70 years	70-75 years	75-80 years	80-90 years	90-100 years	Age not given
			AGES OF DECEDENTS.																							
Obstruction Bile Duct.	W	M																								
		F	1																	1						
	B	M																								
		F																								
	M	M																								
		F																								
Catarrh, Gastro & Intestinal.	W	M	4	1		1												1	1							
		F	4	2													2									
	B	M																								
		F	1	1																						
	M	M																								
		F																								
Fistula of Anus.	W	M																								
		F																								
	B	M	2										1								1					
		F																								
	M	M																								
		F																								
Summary of Deaths from Diseases of Digestive System.	W	M	199	45	13	14	1	2	8	8	9	8	11	10	3	6	7	10	6	15	11	2	4	4	1	1
		F	176	27	12	9	2	1	4	8	9	5	8	7	10	9	12	12	7	7	10	7	5	2		3
	B	M	97	14	7	7	2	2	4	2	2	4	7	8	6	2	2	6	6	7	2	2	3	1		1
		F	73	12	3	5	2	1	4	4	2	5	7	6	3	2	5	3	2	1	3	2				2
	M	M	7				1		1	1			1			1			1			1				
		F	1							1																
Gen'l Summary.			553	98	34	35	8	6	21	24	22	22	34	31	22	20	26	31	22	30	26	14	12	7	1	7

Lymphatic System and Ductless Glands.

Splenitis.	W	M																										
		F																										
	B	M	1											1														
		F																										
	M	M																										
		F																										
Lumbar Abscess.	W	M	2													1	1											
		F																										
	B	M	1																	1								
		F																										
	M	M																										
		F																										
Psoas Abscess.	W	M	1															1										
		F																										
	B	M	1													1												
		F	2	1																1								
	M	M																										
		F																										
Summary of Deaths from Diseases of Lymphatic System, etc.	W	M	3													1	1	1										
		F																										
	B	M	3											1		1				1								
		F	2	1																1								
	M	M																										
		F																										
Gen'l Summary.			8	1										1		2	1	1		2								

Urinary System.

Bright's Disease.	W	M	35									1		2	3	3	2	5	5	7	4		2	1				
		F	23							1		1	2	3	4		1	2	1	2	2	2	1	1				
	B	M	30									1	1	1	1	2	2	5	3	3	3	4	1	1				2
		F	17							1		1	1		4	1	2	1	1	3	1	2						
	M	M	5											1		1	1		1				1					
		F	1												1													

Annual Report of Deaths by Causes, Sexes, and Ages, for the State of Alabama for 1890.

URINARY SYSTEM—Continued.

CAUSES OF DEATH.	Color	Sex	Total	Under 1 year	1-2 years	2-3 years	3-4 years	4-5 years	5-10 years	10-15 years	15-20 years	20-25 years	25-30 years	30-35 years	35-40 years	40-45 years	45-50 years	50-55 years	55-60 years	60-65 years	65-70 years	70-75 years	75-80 years	80-90 years	90-100 years	Age not given
			AGES OF DECEDENTS.																							
Nephritis.	W	M	6								1				1	1	1	1	1							
		F	8		1						1	1			1	2					2					
	B	M	8		1				1	1					1	1	1	1			1					
		F	1												1											
	M	M																								
		F																								
Uræmia.	W	M	7																	1		3	2	1		
		F	15	1			1				1	1	1	3	3						2	1	1			
	B	M	8							1					1				1		2		3			
		F	3	1								1				1										
	M	M	1																		1					
		F																								
Diabetes.	W	M	2						1			1														
		F	1						1																	
	B	M	3		1								1									1				
		F	2														1			1						
	M	M																								
		F																								
Calculus.	W	M	4						1		1							1						1		
		F	2														1						1			
	B	M																								
		F																								
	M	M																								
		F																								

Cystitis.	M B W	M	9	1	..	...	....	...	...	..	...	....	...	..	..	..	...	..	...	...	1	1	2	3	1	...	...
		F	..	.	...	...	...	...	...	..	...	..	...	..	..	..	..	..	...	...	..	...	...	...	...	...	...
		M	4	...	...	..	...	..	...	..	..	..	...	..	..	..	..	..	...	...	...	2	...	...	1	...	1
		F	.	..	..	..	..	..		..	...	..	...	..	..	..	..	..	...	...	..	..	..	...	...	..	...
	M	M	1	..	...	..	...	...	...	..	..	..	...	....	..	..	..	..	...	...	..	1	..	...	...	...	...
		F												....	..	..	..	..	...	...	..	..	..	...	...	...	...
Hæmaturia.	W	M	2	..	...	..	..	...	...	...	...	1	...	...	..	1	..	...	...	...	...	...	...	...	...	...	...
		F	....	..	..	..	...	..	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	B	M	..	..	.	..	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	..	...	...
		F	..	..	..	..	...	...	...	...	..	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	M	M	1	..	..	..	...	...	...	....	..	...	...	..	...	...	...	...	...	...	1	...	...	...	...	...	...
		F	....	.																							
Retention Urine.	W	M	....	...	...	..	..	...	...	...	..	..	...	..	...	...	...	...	...	...	...	...	..	...	...	..	..
		F	....	...	...	...	...	..	...	..	..	...	...	...	...	...	...	...	...	...	..	..	..	...	...	...	...
	B	M	1	..	..	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...
		F	..	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	..	...	...	...
	M	M	..	....	...	..	...	...	...	..	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
		F	...	....																							
Malasma Supra Renalis.	W	M	....	....	...	....	....	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
		F	...	....	...	....	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	B	M	...	....	...	....	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
		F	...	....	...	....	...	...	...	...	...	...	...	...	...	...	..	...	...	...	...	...	...	...	...	...	...
	M	M	...	....	...	....	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
		F	1	....	...	....	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...
Hodgkins Disease.	W	M	....	....	...	....	...	...	...	...	...	...	...	...	...	..	...	...	...	...	...	...	...	...	...	...	...
		F	...	....	...	....	...	...	...	...	...	...	...	..	..	..	...	..	...	...	...	...	...	...	...	...	...
	B	M	...	....	...	....	...	...	...	...	...	...	...	...	...	..	...	...	...	...	...	...	...	...	...	...	...
		F	..	....	...	....	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	M	M	...	....	...	....	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
		F	1	....	...	....	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Summary of Deaths from Diseases of Urinary System.	W	M	65	1	....	....	....	....	2	....	2	3	...	2	4	5	3	7	6	9	5	5	7	4	..	...
		F	49	1	1	....	1	....	1	1	2	3	3	6	8	2	2	2	1	2	6	3	3	1	...	...
	B	M	54	....	2	....	...	....	1	2	....	1	2	1	3	3	3	5	5	3	9	5	4	2	....	3
		F	23	1	....	....	...	....	....	....	....	2	1	....	5	2	3	1	1	4	1	2	...	...	...	...
	M	M	8	...	...	....	...	...	...	...	...	..	...	1	..	1	1	....	1	1	2	....	1	...	...	...
		F	3	..	...	....	...	...	...	...	..	1	...	...	2	...	...	...	...	...	...	...	...	...	...	...
Gen'l Summary			202	3	3	...	1	..	4	3	4	10	6	10	22	13	12	15	14	19	23	15	15	7	...	3

Annual Report of Deaths by Causes, Sexes, and Ages, for the State of Alabama for 1890.

GENERATIVE SYSTEM, (MALE.)

CAUSES OF DEATH.	Color	Sex	Total	Under 1 year	1-2 years	2-3 years	3-4 years	4-5 years	5-10 years	10-15 years	15-20 years	20-25 years	25-30 years	30-35 years	35-40 years	40-45 years	45-50 years	50-55 years	55-60 years	60-65 years	65-70 years	70-75 years	75-80 years	80-90 years	90-100 years	Age not given
			AGES OF DECEDENTS.																							
Stricture Urethra.	W	M	1																1							
		F																								
	B	M	2															1	1							
		F																								
	M	M																								
		F																								
Prostatitis.	W	M	2																			2				
		F																								
	B	M	1																		1					
		F																								
	M	M																								
		F																								
Gangrene Penis.	W	M	1																1							
		F																								
	B	M																								
		F																								
	M	M																								
		F																								
Scrotal Ulceration.	W	M																								
		F																								
	B	M	1																	1						
		F																								
	M	M																								
		F																								

Summars of Deaths from Diseases of Generative System. (Male.)	M | W	M	4	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	2	..	..	2	..	..	..	..
		F	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
	M | B	M	4	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	1	1	1	..	..	..	..	..
		F	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
	M | M	M	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
		F	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
Gen'l Summary			8															1	3	1	1	2				

Generative System, (Female.)

Ovarian Tumor.	M | W	M	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
		F	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
	M | B	M	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
		F	3	..	..	..	..	..	..	..	..	2	..	..	..	..	..	..	..	..	..	1	..	..	..	..
	M | M	M	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
		F	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
Fibroid Tumor Uterus.	M | W	M	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
		F	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	..	..	..	..	..
	M | B	M	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
		F	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	..	..	..	..	..
	M | M	M	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
		F	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
Pelvic Cellulitis.	M | W	M	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
		F	1	..	..	..	..	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..
	M | B	M	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
		F	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
	M | M	M	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
		F	1	..	..	..	..	..	..	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..
Suppressed Catamenia.	M | W	M	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
		F	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
	M | B	M	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
		F	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
	M | M	M	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
		F	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..

Annual Report of Deaths by Causes, Sexes, and Ages, for the State of Alabama for 1890.

GENERATIVE SYSTEM, (FEMALE.)—Continued.

CAUSES OF DEATH.	Color	Sex	Total	Under 1 year	1-2 years	2-3 years	3-4 years	4-5 years	5-10 years	10-15 years	15-20 years	20-25 years	25-30 years	30-35 years	35-40 years	40-45 years	45-50 years	50-55 years	55-60 years	60-65 years	65-70 years	70-75 years	75-80 years	80-90 years	90-100 years	Age not given
			AGES OF DECEDENTS.																							
Metritis.	W	M																								
		F	1									1														
	B	M																								
		F	3								1	1					1									
	M	M																								
		F																								
Summary of Deaths from Diseases of Generative System. (Female.)	W	M																								
		F	4									2	1							1						
	B	M																								
		F	7								1	3					1			1		1				
	M	M																								
		F	1											1												
Gen'l Summary			12								1	5	1	1			1			2		1				

AFFECTIONS CONNECTED WITH CHILD BIRTH AND PREGNANCY.

Child Birth.	W	M																								
		F	11									3	1	1	3	3										
	B	M																								
		F	13							1	3	3		3	2	1										
	M	M																								
		F	3								1		1		1											

Parturition.	W	M	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
		F	2	..	..	..	..	..	..	..	..	..	..	..	1	1	..	..	..	..	..	..	..	..	..	..	..	..
	B	M	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
		F	6	..	..	..	..	..	..	..	1	3	..	..	1	1	..	..	..	..	..	..	..	..	..	..	..	..
	M	M	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
		F	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
Placenta Previa.	W	M	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
		F	3	..	..	..	..	..	..	..	..	1	..	1	1	..	..	..	..	..	..	..	..	..	..	..	..	..
	B	M	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
		F	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
	M	M	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
		F	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
Metro-Peritonitis, Puerperal.	W	M	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
		F	1	..	..	..	..	..	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
	B	M	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
		F	4	..	..	..	..	..	..	..	..	1	1	1	1	..	..	..	..	..	..	..	..	..	..	..	..	..
	M	M	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
		F	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
Peritonitis, Puerperal.	W	M	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
		F	10	..	..	..	..	..	..	..	2	1	1	2	2	2	..	..	..	..	..	..	..	..	..	..	..	..
	B	M	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
		F	9	..	..	..	..	..	..	..	3	..	4	1	1	..	..	..	..	..	..	..	..	..	..	..	..	..
	M	M	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
		F	1	..	..	..	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
Convulsions, Puerperal.	W	M	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
		F	18	..	..	..	..	..	..	..	6	5	1	4	1	1	..	..	..	..	..	..	..	..	..	..	..	..
	B	M	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
		F	10	..	..	..	..	..	..	..	4	3	2	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..
	M	M	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
		F	1	..	..	..	..	..	..	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..
Cellulitis, Puerperal.	W	M	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
		F	1	..	..	..	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
	B	M	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
		F	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
	M	M	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
		F	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..

Annual Report of Deaths by Causes, Sexes, and Ages, for the State of Alabama for 1890.

AFFECTIONS CONNECTED WITH CHILD BIRTH AND PREGNANCY—Continued.

CAUSES OF DEATH.	Color	Sex	Total	Under 1 year	1-2 years	2-3 years	3-4 years	4-5 years	5-10 years	10-15 years	15-20 years	20-25 years	25-30 years	30-35 years	35-40 years	40-45 years	45-50 years	50-55 years	55-60 years	60-65 years	65-70 years	70-75 years	75-80 years	80-90 years	90-100 years	Age not given
			AGES OF DECEDENTS.																							
Nausea Gravidarium.	W	M																								
	W	F	3									2			1											
	B	M																								
	B	F																								
	M	M																								
	M	F																								
Hemorrhage, Post Portum.	W	M																								
	W	F	11										5	2	1	3										
	B	M																								
	B	F	8										3	3	2											
	M	M																								
	M	F																								
Hemorrhage Uterus.	W	M																								
	W	F	6									1	1	1	1	1	1									
	B	M																								
	B	F	3									1	1			1										
	M	M																								
	M	F																								
Rupture Uterus.	W	M																								
	W	F	2												1	1										
	B	M																								
	B	F																								
	M	M																								
	M	F																								

Endo-Metritis.	M	W	M																									
			F																									
		B	M																									
			F	2										1			1											
	M		M																									
			F																									
Chorea, Puerperal.	M	W	M																									
			F	2									1	1														
		B	M																									
			F																									
	M		M																									
			F																									
Summary of Deaths from Affections Connected with Child Birth and Pregnancy.		W	M																									
			F	70									9	14	11	11	12	12	1									
		B	M																									
			F	55								1	11	11	12	9	6	5										
	M		M																									
			F	5									2		1	1	1											
Gen'l Summary				130								1	21	25	24	21	19	17	1									

ORGANS OF LOCOMOTION.

Gangrene of Leg.	M	W	M																									
			F																									
		B	M																									
			F	1																							1	
	M		M																									
			F																									
Gangrene of Foot.	M	W	M																									
			F																									
		B	M																									
			F	2															1	1								
	M		M																									
			F																									

Annual Report of Deaths by Causes, Sexes, and Ages, for the State of Alabama for 1890.

ORGANS OF LOCOMOTION—Continued.

CAUSES OF DEATH.	Color	Sex	Total	Under 1 year	1-2 years	2-3 years	3-4 years	4-5 years	5-10 years	10-15 years	15-20 years	20-25 years	25-30 years	30-35 years	35-40 years	40-45 years	45-50 years	50-55 years	55-60 years	60-65 years	65-70 years	70-75 years	75-80 years	80-90 years	90-100 years	Age not given
			AGES OF DECEDENTS.																							
Hip Joint Disease.	W	M																								
		F	1																				1			
	B	M	1									1														
		F																								
	M	M																								
		F																								
Summary of Deaths from Diseases Organs of Locomotion.	W	M																								
		F	1									1														
	B	M	1																				1			
		F	3															1	1						1	
	M	M																								
		F																								
Gen'l Summary.			5									1						1	1				1		1	
			INTEGUMENTARY SYSTEM.																							
Carbuncle.	W	M	1																	1						
		F																								
	B	M																								
		F	1																				1			
	M	M																								
		F																								

Summary of Deaths from Diseases Integumentary System.	W	M	1																		1							
		F																										
	B	M																										
		F	1																					1				
	M	M																										
		F																										
Gen'l Summary			2																		1			1				

VII.—Poisons—Metallic Poisons.

Arsenic.	W	M																										
		F	1															1										
	B	M	2								1																1	
		F	1									1																
	M	M																										
		F																										
Lead.	W	M	1													1												
		F																										
	B	M																										
		F																										
	M	M																										
		F																										
Sol. Atropine.	W	M																										
		F																										
	B	M																										
		F																										
	M	M																										
		F	1	1																								
Summary of Deaths from Metallic Poisons.	W	M	1													1												
		F	1															1										
	B	M	2								1																1	
		F	1									1																
	M	M																										
		F	1	1																								
Gen'l Summary			6	1							1	1				1		1									1	

Annual Report of Deaths by Causes, Sexes, and Ages, for the State of Alabama for 1890.

VEGETABLE POISONS.

CAUSES OF DEATH.	Color	Sex	Total	Under 1 year	1-2 years	2-3 years	3-4 years	4-5 years	5-10 years	10-15 years	15-20 years	20-25 years	25-30 years	30-35 years	35-40 years	40-45 years	45-50 years	50-55 years	55-60 years	60-65 years	65-70 years	70-75 years	75-80 years	80-90 years	90-100 years	Age not given
			AGES OF DECEDENTS.																							
Laudanum.	W	M																								
		F																								
	B	M																								
		F	1		1																					
	M	M																								
		F																								
Morphine.	W	M	2									1				1										
		F	2								1					1										
	B	M	2		1				1																	
		F																								
	M	M																								
		F																								
Opium.	W	M	2		1																		1			
		F	2									1		1												
	B	M	5	3					1		1															
		F	5	2	1							1	1													
	M	M																								
		F	1		1																					
Camphorated Oil.	W	M	1	1																						
		F																								
	B	M																								
		F																								
	M	M																								
		F																								

Wild Parsnip.	W	M	1									1															
		F																									
	B	M																									
		F																									
	M	M																									
		F																									
Buck Eye.	W	M																									
		F																									
	B	M																									
		F																									
	M	M																									
		F	1													1											
Concentrated Lye.	W	M																									
		F																									
	B	M	1					1																			
		F																									
	M	M																									
		F																									
Summary of Deaths from Vegetable Poisons.	W	M	6		1							2				1							1				
		F	4								1	1		1		1											
	B	M	8	3	1			1	2		1																
		F	6	2	2							1	1														
	M	M																									
		F	2		1											1											
Gen'l Summary			26	6	5			1	2		2	4	1	1		3							1				

POISONED WOUNDS.

Hydrophobia.	W	M																									
		F																									
	B	M	1															1									
		F	1								1																
	M	M																									
		F																									

Annual Report of Deaths by Causes, Sexes, and Ages, for the State of Alabama for 1890.

POISONED WOUNDS—Continued.

CAUSES OF DEATH.	Color	Sex	Total	Under 1 year	1-2 years	2-3 years	3-4 years	4-5 years	5-10 years	10-15 years	15-20 years	20-25 years	25-30 years	30-35 years	35-40 years	40-45 years	45-50 years	50-55 years	55-60 years	60-65 years	65-70 years	70-75 years	75-80 years	80-90 years	90-100 years	Age not given
			AGES OF DECEDENTS.																							
Snake Bite.	W	M	1					1																		
		F																								
	B	M	1													1										
		F																								
	M	M																								
		F																								
Summary of Deaths from Poisoned Wounds.	W	M	1					1																		
		F																								
	B	M	2													1		1								
		F	1								1															
	M	M																								
		F																								
Gen'l Summary			4					1			1					1		1								

VIII—VIOLENCE—(ACCIDENTS AND NEGLIGENCE).

Accidents. (Unclassified.)	W	M	14							1	1	2	1	1	1	2	2	1		1	1					
		F	7	1					1		2	1			2											
	B	M	8	1					1		1			1	1			1	1							1
		F	1	1															1							
	M	M																								
		F																								

Railroad Accident.	W	M	38						1	2	5	6	8	3	3	3	2	2	1	2							
		F																									
	B	M	28						1	2	3	2	1	4	2	5	2			2	1						
		F	4													1		1		1		1					2
	M	M																									
		F																									
Gun-shot Wound.	W	M	6				1			1	1	1	1				1										
		F	1														1										
	B	M	8						1	2	1	2		1		1											
		F	2						1		1																
	M	M																									
		F																									
Strangulated.	W	M																									
		F	1	1																							
	B	M																									
		F	2	2																							
	M	M																									
		F																									
Drowning.	W	M	11		1	1				4			2			1	2										
		F																									
	B	M	16				1			3	2	3	2		1		2	1		1							
		F	5			1			2	1	1																
	M	M	1											1													
		F																									
Burns and Scalds.	W	M	11	2	1	3	1		1								1	1							1		
		F	11	2		2	2		1	1	1				1	1											
	B	M	18	2	1	5	3	2	1	2	1			1													
		F	32			4	2	4	8	6		2			1		2			1		1		1			
	M	M																									
		F																									
Falling.	W	M	11	1	1		1			1					1			1				1	2	1	1		
		F	6								1	1					1				1				2		
	B	M	8	2	1	1						1	2	1													
		F	1	1																							
	M	M																									
		F																									

Annual Report of Deaths by Causes, Sexes, and Ages, for the State of Alabama for 1890.

ACCIDENTS AND NEGLIGENCE—Continued.

CAUSES OF DEATH.	Color	Sex	Total	AGES OF DECEDENTS. Under 1 year	1-2 years	2-3 years	3-4 years	4-5 years	5-10 years	10-15 years	15-20 years	20-25 years	25-30 years	30-35 years	35-40 years	40-45 years	45-50 years	50-55 years	55-60 years	60-65 years	65-70 years	70-75 years	75-80 years	80-90 years	90-100 years	Age not given
Lightning Stroke.	M | B | W	M	2	..	..	..	..	..	..	..	..	..	..	..	..	..	1	1	..	..	..	..	..	..	..	..
		F	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	..	..	..	..	..	..
		M	5	..	..	..	..	..	..	..	1	1	2	..	..	..	..	1	..	..	..	..	..	..	..	..
		F	3	..	..	..	..	..	2	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..
	M | B | M	M	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
		F	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
Asphyxia.	M | B | W	M	15	7	..	..	..	..	..	3	..	..	..	..	..	1	..	..	..	1	1	..	1	1	..	..
		F	6	5	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	..	..	..	..	..	..
		M	9	7	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	..	1	..	..	..
		F	7	5	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	1	..	..	..	..
	M | B | M	M	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	..	..	..	..	..	..	..
		F	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
Fracture Skull.	M | B | W	M	4	..	..	..	..	..	1	..	..	..	1	..	1	..	..	1	..	..	..	..	..	..	..	..
		F	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
	M | B | M	M	2	..	..	..	..	..	..	..	1	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..
		F	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
	M | B | M	M	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	..	..	..	..	..	..	..
		F	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
Foreign Body in Trachea.	M | B | W	M	1	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
		F	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
	M | B | M	M	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
		F	3	1	1	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
	M | B | M	M	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
		F	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..

Lock Jaw.	W	M	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
		F	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
	B	M	2	..	..	..	..	..	..	1	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
		F	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
	M	M	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
		F	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
Electric Shock.	W	M	2	..	1	..	..	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
		F	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
	B	M	1	..	..	..	..	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
		F	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
	M	M	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
		F	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
Accident in Mines.	W	M	1	..	..	..	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
		F	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
	B	M	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..
		F	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
	M	M	2	..	..	..	..	..	..	..	..	1	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
		F	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
Accident at Iron Furnace.	W	M	1	..	..	..	..	..	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
		F	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
	B	M	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
		F	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
	M	M	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
		F	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
Powder Explosion in Mines	W	M	2	..	..	..	..	..	..	..	..	..	2	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
		F	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
	B	M	7	..	..	..	..	..	..	..	1	..	3	2	..	..	..	1	..	..	..	..	..	..	..	..	..	..
		F	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
	M	M	2	..	..	..	..	..	..	..	2	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
		F	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
Injury at Pipe Works.	W	M	1	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..
		F	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
	B	M	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
		F	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
	M	M	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
		F	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..

Annual Report of Deaths by Causes, Sexes, and Ages, for the State of Alabama for 1890.

ACCIDENTS AND NEGLIGENCE—Continued.

CAUSES OF DEATH	Color	Sex	Total	AGES OF DECEDENTS. Under 1 year	1-2 years	2-3 years	3-4 years	4-5 years	5-10 years	10-15 years	15-20 years	20-25 years	25-30 years	30-35 years	35-40 years	40-45 years	45-50 years	50-55 years	55-60 years	60-65 years	65-70 years	70-75 years	75-80 years	80-90 years	90-100 years	Age not given
Crushed by Log	W	M																								
		F																								
	B	M	1														1									
		F																								
	M	M																								
		F																								
Killed by Falling Tree.	W	M	6							1			2	1	1								1			
		F																								
	B	M																								
		F																								
	M	M																								
		F																								
Killed by Falling House.	W	M																								
		F																								
	B	M																								
		F	1					1																		
	M	M																								
		F																								
Killed by Wagon	W	M	1															1								
		F																								
	B	M	1																	1						
		F	1				1																			
	M	M	1										1													
		F																								

Killed by Mule	W	M	1																1									
		F																										
	B	M																										
		F																										
	M	M																										
		F																										
Killed by Machinery.	W	M																										
		F																										
	B	M	1														1											
		F																										
	M	M																										
		F																										
Killed by Circular Saw.	W	M																										
		F																										
	B	M	1										1															
		F																										
	M	M																										
		F																										
Killed by Falling Dirt (Mines).	W	M																										
		F																										
	B	M	2									1						1										
		F																										
	M	M																										
		F																										
Killed by Falling Chimney.	W	M	1																			1						
		F																										
	B	M																										
		F																										
	M	M																										
		F																										
Wound on Head	W	M	1														1											
		F																										
	B	M	1										1															
		F																										
	M	M																										
		F																										

Annual Report of Deaths by Causes, Sexes, and Ages, for the State of Alabama for 1890.

ACCIDENTS AND NEGLIGENCE—Continued.

CAUSES OF DEATH.	Color	Sex	Total	Under 1 year	1-2 years	2-3 years	3-4 years	4-5 years	5-10 years	10-15 years	15-20 years	20-25 years	25-30 years	30-35 years	35-40 years	40-45 years	45-50 years	50-55 years	55-60 years	60-65 years	65-70 years	70-75 years	75-80 years	80-90 years	90-100 years	Age not given
			AGES OF DECEDENTS.																							
Rupture Artery.	W	M	2										1					1								
		F																								
	B	M																								
		F																								
	M	M																								
		F																								
Injury to Spine.	W	M																								
		F	1			1																				
	B	M																								
		F																								
	M	M																								
		F																								
Injury, Buggy Pole.	W	M																								
		F																								
	B	M	1													1										
		F																								
	M	M																								
		F																								
Wound Poplitael Artery.	W	M	1								1															
		F																								
	B	M																								
		F																								
	M	M																								
		F																								

Poisoned.	W	M	1	..	..	.	..	..	....	..	..	..	..	..	..	1	..	..	....	..	..	..	..	..	..	..	..
		F	1	..	..	..	....	..	..	..	..	..	..	1	....	..	....	..	....	..	.	.	..	..	....	.	
	B	M	1	.	..	....	1	..	....	..	..	..	..	....	....	..	....	..	..	..	..	....	..	..	..	..	
		F	1	..	1	..	..	..	....	..	..	..	..	....	..	..	....	..	....	..	..	....	..	..	....	..	
	M	M	..	..	..	....	..	..	....	..	..	..	..	..	....	..	..	..	..	..	..	..	..	..	..	..	
		F				....			....	....			....	....													
Exposure to Cold.	W	M	..	....	..	.	..	....	..	..	....	.	..	....	.	..	..	..	....	..	..	....	..	.	..	....	..
		F	....	..	..	..	..	..	..	..	....	....	..	....	....	..	..	..	..	..	..	..	..	..	..	..	
	B	M	1	....	.	..	..	....	....	.	....	..	..	..	..	....	1	....	..	..	..	..	..	..	..	..	
		F	1	....	.	..	..	..	..	.	..	..	..	....	....	..	..	..	..	.	..	..	1	..	..	..	
	M	M	.	....	..	..	..	..	..	..	..	..	..	....	..	..	....	..	..	..	..	..	..	..	..	..	
		F		....						....	....			....				....									
Summary of Deaths from Accidents, Negligence, etc.	W	M	134	10	5	4	3	..	3	14	8	14	16	5	7	10	9	9	1	5	2	1	4	3	1	..	
		F	33	9	..	3	2	.	2	1	4	2		1	3	1	2	.	2	..	1		..	..	2	..	
	B	M	124	12	2	6	5	2	4	9	12	13	13	9	4	9	9	4	1	5	1	.	1	.	..		3
		F	64	10	2	5	4	5	13	7	2	2	1	..	1	1	2	1		2	1	3	1	1	.	..	
	M	M	8	....	..	.	..	..	..	..	2	1	2	1	.	..	..	2	..		..	..	.		..	.	
		F											....	..			....										
Gen'l Summary			362	41	9	18	14	7	22	31	28	32	32	16	15	21	22	16	4	12	5	4	6	4	3		3

Homicide.

Murdered. (Mode not stated.)	W	M	..	.	..	..	..	..	..	.	....	..	....	..	..	..	..	..	..	..	.	.	..	..	.		...
		F	1	..	..	.	..	..	..	..	..	.	.	..	..	1	..	..	.	..	.	..	..	..	..		..
	B	M	4	..	..	..	.		..	..	.	2	..	1	..	..	..	..	.	....	.	..	..	..	..		1
		F	.	..	.			..	..	..	..	..	..	.		..	..	..	....	....	..	..	..	..	..		..
	M	M			..	.			..	..	..		..	....	..	.	.	..	..	..	..	..	..	..	..		..
		F	1													1					....						
Pistol Shot Wound.	W	M	12	..			..	..		..		6	2	1	.	2	..	.	..	..	....	.	..	..			1
		F	2	..	..	....	..	..	..	..	..	..	1	....	.	..	..	..			..	..	..	..			1
	B	M	16	..	..		..	..	..	1	..	5	4	2	1	1	1	1	..	..	..	..	..	..	..		..
		F	.	.	..	..	..	.	..	..	..	..	..	..		..	..	..	..	..	..	..	..	.	..		
	M	M	2	..	..	....	..	..	..	..	..	1	1	.	...	.	..	..	..	..	..	..	..	..	..		..
		F	2	..	..	.	..	..		....	1	....	1	.	..	....	....	..	..	....	..	..	....	..	..		..

Annual Report of Deaths by Causes, Sexes, and Ages, for the State of Alabama for 1890.

HOMICIDE—Continued.

CAUSES OF DEATH.	Color	Sex	Total	AGES OF DECEDENTS. Under 1 year	1-2 years	2-3 years	3-4 years	4-5 years	5-10 years	10-15 years	15-20 years	20-25 years	25-30 years	30-35 years	35-40 years	40-45 years	45-50 years	50-55 years	55-60 years	60-65 years	65-70 years	70-75 years	75-80 years	80-90 years	90-100 years	Age not given
Gun Shot Wound.	W	M	17								3	2	4	3	2	1	1			1						
		F	1														1									
	B	M	38					1	1		2	12	9	3	2	2	2	1		1						2
		F	2										1								1					
	M	M	2									2														
		F																								
Knife Wound.	W	M	4										1	2			1									
		F																								
	B	M	1							1																
		F	9									1	5			1		1								1
	M	M																								
		F																								
With Stone.	W	M	1									1														
		F																								
	B	M																								
		F																								
	M	M																								
		F																								
Summary of Deaths from Homicide.	W	M	34								3	9	7	6	2	3	2			1						1
		F	4										1			1	1									1
	B	M	59					1	1	2	2	19	13	6	3	3	3	2		1						3
		F	11									1	6			1			1		1					1
	M	M	4									3	1													
		F	3								1		1			1										
Gen'l Summary.			115					1	1	2	6	32	29	12	5	9	6	2	1	2	1					6

Pistol.	W	M	1										1																
		F																											
	B	M																											
		F																											
	M	M																											
		F																											
Drowning.	W	M																											
		F	1										1																
	B	M																											
		F																											
	M	M																											
		F																											
Morphine.	W	M	2											1								1							
		F	2										2																
	B	M																											
		F	1											1															
	M	M																											
		F	2											1	1														
Opium.	W	M	1											1															
		F																											
	B	M																											
		F																											
	M	M																											
		F																											
Suicide. (mode not stated)	W	M	2																2										
		F	1										1																
	B	M																											
		F																											
	M	M																											
		F																											

Annual Report of Deaths by Causes, Sexes, and Ages, for the State of Alabama for 1890.

SUICIDE--Continued.

CAUSES OF DEATH.	Color	Sex	Total	Under 1 year	1-2 years	2-3 years	3-4 years	4-5 years	5-10 years	10-15 years	15-20 years	20-25 years	25-30 years	30-35 years	35-40 years	40-45 years	45-50 years	50-55 years	55-60 years	60-65 years	65-70 years	70-75 years	75-80 years	80-90 years	90-100 years	Age not given
			AGES OF DECEDENTS.																							
Summary of Deaths from Suicide.	W	M	6									1	2				2			1						
		F	4									4														
	B	M																								
		F	1										1													
	M	M																								
		F	2										1	1												
Gen'l Summary			13									5	4	1			2			1						
			EXECUTION.																							
Hanging.	W	M	1											1												
		F																								
	B	M	4									1	2			1										
		F																								
	M	M	1																							
		F																								1
Summary of Deaths from Execution.	W	M	1											1												
		F																								
	B	M	4									1	2			1										
		F																								
	M	M	1																							
		F																								1
Gen'l Summary			6									1	2	1		1										1

Class IX.—Surgical Operations.

Caesarean Section.	W	M																										
		F																										
	B	M																										
		F	1											1														
	M	M																										
		F																										
Craniotomy.	W	M	2	2																								
		F																										
	B	M																										
		F																										
	M	M																										
		F																										
Laparotomy.	W	M																										
		F	1															1										
	B	M																										
		F																										
	M	M																										
		F																										
Surgical Operation.	W	M																										
		F	1											1														
	B	M	1							1																		
		F	1													1												
	M	M																										
		F																										
Summary of Deaths from Surgical Operations.	W	M	2																									
		F	2											1				1										
	B	M	1							1																		
		F	2											1		1												
	M	M																										
		F																										
Gen'l Summary			7	2						1				1	1	1		1										

Annual Report of Deaths by Causes, Sexes, and Ages, for the State of Alabama, for 1890.

CAUSES OF DEATH.	Color	Sex	Total	AGES OF DECEDENTS. Under 1 year	1-2 years	2-3 years	3-4 years	4-5 years	5-10 years	10-15 years	15-20 years	20-25 years	25-30 years	30-35 years	35-40 years	40-45 years	45-50 years	50-55 years	55-60 years	60-65 years	65-70 years	70-75 years	75-80 years	80-90 years	90-100 years	Age not given
CLASS X.—UNCLASSIFIED.																										
* Unknown.	W	M	123	52	15	3	2	...	3	4	3	6	5	3	4	3	3	4	...	2	3	5	....	1	....	2
		F	132	69	5	1	....	..	...	1	3	5	4	4	3	5	2	3	4	5	6	4	4	2	1	2
	B	M	302	126	26	11	9	13	11	6	15	17	15	7	8	5	8	3	4	7	5	11	1	3	2	7
		F	448	107	89	13	20	7	19	9	9	23	12	22	16	12	9	11	5	8	7	5	3	10	....	5
	M	M	11	8	1	1	...	...	....	...	..	1	...	....	...	....	...	..	..	..	..	....	..	....	....	...
		F	20	5	...	1	1	.	2	...	1	2	1	4	2	...	.		..				..	....	..	1
† Congestion.	W	M	28	6	5	...	...	2	..	3	2	..	1	3	1	1	1	1	..	1	...	...	...	..	1	..
		F	22	2	2	1	1	1	3	1	2	1	1	1	1	2	1	...	1	1	...	..	..	..	..	..
	B	M	39	3	2	4	2	1	1	2	2	10	4	..	1	1	2	1	2	....	....	..	...	....	....	..
		F	33	3	...	4	1	..	4	3	4	4	2	1	2	1	1	....	1	1	..	...	..	..	....	1
	M	M	1	...	..	1	..	..	..	..	..	..	..	..	..	..	....	..	..	..	..	...	....	....	..	.
		F	4	..		.	..		2			..			2	..				.				.	..	...
Hemorrhage.	W	M	1	1	...	..	..	...	..	..	..	..	..	..	..	..	..	...	..	..	..	...	..	..	..	..
		F	1	..	..	..	...	..	..	..	...	....	....	1	..	...	.	..	...	.	..	...	..	..	...	..
	B	M	...	..	...	...	..	..	..	..	...	..	.	...	..	..	...	...	....	..	..	....	..	..	...	..
		F	..	...	..	..	..	...	...	...	....	...	...	...	...	...	...	....	..	..	..	....	..	..	...	..
	M	M	1	....	...	....	..	....	.	..	....	.	1	...	..	...	...	....	....	..	..	....	..	..	...	..
		F		..	..	....	...	.	.	.	.	.	..	.	....				.	.	..				.	..
Eating Dirt.	W	M	1	..	...	..	..	..	..	..	1	...	.	..	..	...	....	..	....	..	..	...	....	...	..	..
		F	1	...	..	..	...	..	1	....	..	..	..	...	...	....	..	....	....	....	...	....	..	...	..	..
	B	M	1	...	...	...	....	..	..	....	1	...	....	..	...	..	..	....	....	..	..	..	....	...	.	
		F	...	...	...	...	....	..	....	....	..	....	..	..	....	....	..	....	....	....	....	...	....	...	..	..
	M	M	....	....	...	...	...	..	..	...	..	....	....	...	...	....	..	...	....	....	....	...	....	...	..	..
		F	.		....	.		....	....	....	....	....	....	....		....	....	..	....	....	....	....	....	....	..	...

*100 to 110 years—One black male. †100 to 110 years—One black male.

* Summary of Deaths from Causes Unclassified.	W	M	153	59	20	3	2	2	3	7	6	6	6	6	5	4	4	5	...	3	3	5	....	1	1	2
		F	156	71	7	2	1	1	4	2	5	6	5	6	4	7	3	3	5	6	6	4	4	2	1	2
	B	M	342	129	28	15	11	14	12	8	18	27	19	7	9	6	10	4	6	7	5	11	1	3	2	7
		F	481	110	89	17	21	7	23	12	13	27	14	23	18	13	10	11	6	9	7	5	3	10	...	6
	M	M	13	8	1	2	...	....	..	..	..	2	.	.	.	.	...	.	...	...	..	...	...	...	...	.
		F	24	5		1	1		4		1	2	1	4	4	.		..	..	..	..	..	.	..	...	1
Gen'l Summary			1169	382	145	40	36	24	46	29	43	70	46	46	40	30	27	23	17	25	21	25	8	16	4	18
† General Summary of Deaths for the Year 1890.	W	M	2492	535	186	104	35	35	88	64	90	166	133	107	96	104	88	102	63	110	79	97	98	78	18	14
		F	2224	435	151	79	38	28	73	66	102	140	123	116	110	118	94	76	53	92	100	77	71	62	16	17
	B	M	2371	384	183	88	55	41	99	92	144	207	180	108	102	72	84	80	79	86	69	72	39	48	19	4
		F	2340	345	189	99	60	37	98	99	137	192	150	133	120	94	99	76	36	73	65	60	58	60	1	2
	M	M	148	26	9	8	2		4	2	7	17	14	10	6	6	2	9	6	5	3	4	4	1		
		F	147	22	10	4	2	3	4	3	9	13	9	13	11	8	4	4	5	3	4	....	1	5		
‡ Grand Total.			9722	1747	728	382	192	144	366	325	489	735	609	487	445	402	371	347	242	369	320	310	271	254	75	

*100 to 110 years—Two black males.

†100 to 110 years—1 white male, 2 white females; 8 black males, 10 black females. 110 to 120 years—1 white male, 1 black female.

‡100-110 years, 21. 110-120 years, 2.

Annual Report of Deaths by Causes, Colors, Sexes,

Causes of Death.	Total.	Colors.			Sexes.		Deaths per Month.											
		White	Black	Mulatto	Male	Female	January	February	March	April	May	June	July	August	September	October	November	December
Class I.—Zymotic.																		
Miasmatic Diseases.																		
Measles	161	84	77	....	86	75	12	13	18	26	27	23	19	8	4	5	2	4
Diphtheria	25	20	4	1	13	12	2	..	1	..	2	1	2	3	4	5	2	3
Whooping Cough	48	19	29	....	19	29	2	4	2	6	5	5	5	6	1	5	4	3
LaGrippe	75	48	27	...	43	32	8	23	22	10	6	1	.	1	1	.	.	3
Typhoid Fever	448	274	168	6	258	190	20	27	24	27	26	46	66	63	46	37	32	34
Continued Fever	30	16	14	..	13	17	1	.	1	5	2	1	5	3	2	4	5	1
Typho-Malarial Fever	101	46	54	1	48	53	6	3	4	9	3	12	12	15	12	12	10	3
Cerebro-Spinal Fever	30	11	19	....	19	11	4	4	2	1	5	4	1	1	2	4	1	1
Scarlet Fever	13	11	2	....	9	4	1	1	2	4	1	2	.	..	1	..	.	1
Summary of Deaths from Miasmatic Diseases	931	529	394	8	508	423	56	75	96	88	77	95	110	100	73	72	56	53
Diarrhœal Diseases.																		
*Colic, Billious	11	6	5	....	9	2	2	2	1	.	..	1	1	1	2	...	1	...
Cholera Morbus	14	7	5	2	8	6	1	1	..	1	1	2	2	4	1	1	.	..
Cholera Infantum	175	126	46	3	88	87	8	6	..	6	27	33	26	32	20	10	3	4
Entero-Colitis	77	50	24	3	41	36	2	2	3	4	13	13	11	10	8	5	4	2
†Diarrhœa	112	52	53	7	59	53	2	2	3	6	12	18	21	14	12	14	4	4
Diarrhœa, Chronic	49	31	18	....	28	21	3	3	2	2	3	7	4	3	6	10	3	3
‡Dysentery	370	192	167	11	195	175	6	9	13	19	83	75	53	36	37	20	13	6
Dysentery, Typhoid	5	3	2	..	3	2	...	...	..	1	..	..	2	..	1	1	...	...
Summary of Deaths from Diarrhœal diseases	813	467	320	26	431	382	24	25	22	39	139	149	120	100	87	61	28	19
Malarial Diseases.																		
Malarial Fever	164	70	92	2	87	77	4	7	2	7	12	21	26	23	20	23	12	7
Cong. Malarial Fever	50	27	22	1	27	23	1	6	2	2	4	6	10	8	3	5	2	1
Hemorrhagic Mal. Fever	2	1	1	..	1	1	...	1	...	.	...	...	...	..	1	...	...	...
Intermittent Fever	17	3	11	3	13	4	1	...	...	2	1	4	2	3	1	2	1	...
Remittent Fever	62	26	35	1	32	30	4	2	..	4	4	3	5	10	17	9	2	2
Billious Remittent Fever	11	2	9	....	5	6	...	...	...	...	3	1	1	2	.	1	2	1
Gastric Fever	3	...	3	...	1	2	...	...	.	..	1	1	..	.	1	..	...	...
Catarrhal Fever	43	20	23	....	26	17	3	4	6	4	2	4	3	5	1	5	3	3
Pernicious Fever	10	5	5	....	5	5	...	1	...	1	1	1	2	1	1	1	1	...
Spinal Fever	4	4	...	....	....	4	1	...	..	...	...	1	1	1	...	..		..
Malarial Toxæmia	1	....	1	....	1	....	...	...	...	...	1	..	...	...	...	...	..	...
Summary of Deaths from Malarial Diseases	367	158	202	7	198	169	14	21	10	20	29	42	50	53	45	46	23	14
Venereal Diseases.																		
Syphilis	30	3	25	2	17	13	1	1	4	1	3	2	3	4	4	2	2	3
Syphilis, Congenital	8	...	7	1	7	1	1	1	1	1	...	...	...	...	2	...	...	2
Syphilis, Tertiary	1	....	1	....	....	1	...	...	...	...	...	...	...	...	1	...	...	...

* 110–120 years—1. † 100-110 years—1. ‡ 100-110 years—1.

Months and Ages, for the State of Alabama, for 1890.

AGES OF DECEDENTS.

Under 1 year	1-2 years	2-3 years	3-4 years	4-5 years	5-10 years	10-15 years	15-20 years	20-25 years	25-30 years	30-35 years	35-40 years	40-45 years	45-50 years	50-55 years	55-60 years	60-65 years	65-70 years	70-75 years	75-80 years	80-90 years	90-100 years	Age not given
44	29	11	6	4	7	7	10	13	8	7	3	4	....	3	2	..	....	2	...	..	..	1
5	..	6	3	2	9	..	..	..	..	..	....	....	..	....	....	....	....	....	....	....	....	...
26	9	5	7	..	1	..	..	..	....	....	..	..	..	....	..	....	....	....	....	....	....	..
18	6	3	2	..	5	2	1	8	2	3	5	1	3	3	1	4	2	3	2	1	....	...
4	9	11	3	9	30	41	72	65	47	35	34	17	14	11	11	11	6	7	7	2	.	2
2	1	...	1	..	3	..	4	6	4	3	2	..	...	..	1	1	1	..	1	.	..	...
3	4	3	..	3	11	8	14	24	9	1	4	3	1	4	..	1	2	1	...	4	..	1
7	1	1	....	2	3	5	4	2	1	2	....	....	1	..	....	..	1	....	....	....	....	...
3	3	3	2	1	1	..	....	....	..	..	....	..	..	....	.	..	.	..	.	....	....	...
112	62	18	43	24	21	70	63	105	118	71	51	48	25	19	21	15	17	12	13	10	7	4
2	1	1	.	....	....	1	....	....	....	....	..	1	..	1	....	1	....	2	....	....	....	...
2	.	1	1	1	....	..	....	....	1	..	....	2	4	..	....	....	1	..	1	....	....	...
96	56	17	4	1	1	....	..	....	..	....	....	..	..	....	....	....	....	....	....	....	....	...
33	21	10	3	1	1	3	1	..	....	2	..	..	1	1	....	....	....	....	....	....	....	...
27	24	10	5	2	5	3	....	2	4	1	2	1	2	3	2	5	4	4	2	3	....	...
3	3	..	1	..	3	....	..	5	..	1	1	5	5	4	1	4	4	6	1	1	..	1
41	52	40	12	14	20	8	9	9	19	10	9	11	13	15	11	20	12	14	9	14	3	4
...	....	....	....	....	2	..	....	....	1	1	....	..	...	1	..	....	....	....	....	....	....	...
204	157	79	26	19	32	15	10	16	25	15	12	20	25	25	14	30	21	26	13	18	3	5
21	16	8	5	4	12	11	7	13	16	6	7	3	3	3	...	8	4	8	2	5	1	1
5	1	1	2	..	2	5	4	4	....	5	4	4	3	2	...	2	1	2	3	....	....	...
....	....	....	....	1	....	....	....	1	....	....	....	....	..	....	....	....	....	....	....	....	....	...
3	1	1	2	....	3	1	....	....	....	1	2	2	....	....	....	1	....	....	....	....	....	...
7	4	4	3	1	4	3	6	7	2	7	4	3	1	...	2	1	...	1	1	1	....	...
1	....	....	..	....	2	3	1	2	....	....	1	1	..	....	....	....	....	....	....	....	....	...
1	1	..	....	....	....	....	1	..	..	....	....	....	....	....	....	....	....	....	....	....	....	...
13	6	1	1	...	3	..	2	3	2	....	....	1	2	1	...	1	2	4	....	....	....	...
...	..	1	...	2	..	1	1	1	....	....	2	2	....	....	....	....	....	....	....	....	....	...
....	....	2	..	....	....	....	....	..	....	1	1	....	..	....	....	....	....	....	....	....	....	...
....	..	....	1	....	..	....	....	..	....	....	....	....	....	....	....	....	....	....	....	....	....	...
51	29	18	14	8	26	24	22	31	20	20	21	16	9	6	2	13	5	12	8	10	1	1
6	1	2	..	....	2	....	2	4	5	1	2	....	....	2	....	....	3	....	....	....	....	...
6	1	....	..	....	..	..	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	...
....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	...

Annual Report of Deaths by Causes, Colors, Sexes,

Causes of Death.	Total.	Colors.			Sexes.		Deaths per Month.											
		White.	Black.	Mulatto	Male.	Female.	January	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
Venereal Diseases. (Continued.)																		
Syphilitic Paroplegia...	1	..	1	...	1	...	...	1	..	..	...	...	..	..	..	...	...	...
Summary of Deaths from Venereal Diseases ..	40	3	34	3	25	15	2	3	5	2	3	2	3	4	7	2	2	5
Septic Diseases.																		
Pyæmia	10	6	4	....	5	5	...	...	...	1	4	3	...	...	2	...	...	...
Septicæmia . .	54	29	24	1	25	29	6	5	4	2	3	8	3	5	5	5	4	4
Septicæmia, Puerperal .	97	62	35	..	...	97	10	8	11	7	14	9	6	8	6	4	8	6
Erysipelas..	19	15	4	....	11	8	1	2	1	1	...	2	2	2	2	1	2	3
Erysipelas Phlegmonous	1	1	..	...	1	..	...	...	...	...	...	...	1	..	...	...	...	...
Gangrene	1	..	....	1	1	..	...	.	..	..	...	...	.	..	...	...	1	...
Summary of Deaths from Septic Diseases.....	182	113	67	2	43	139	17	15	16	11	21	22	12	15	15	10	15	13
Class II—Parasitic Diseases.																		
Worms.....	20	5	15	...	11	9	...	...	...	...	1	3	1	4	4	2	2	3
Thrush	3	1	2	....	3	...	...	...	...	...	...	1	1	..	...	...	...	1
Summary of Deaths from Parasitic Diseases....	23	6	17	....	14	9	...	...	...	..	1	4	2	4	4	2	2	4
Class III—Dietetic Diseases.																		
Alcoholism	16	9	6	1	13	3	1	1	1	1	1	...	...	...	1	2	4	4
Delirium Tremens.....	2	2	..	...	2	....	...	...	...	...	...	..	...	1	...	...	...	1
Summary of Deaths from Dietetic Diseases....	18	11	6	1	15	3	1	1	1	1	1	...	...	1	1	2	4	5
Class IV—Constitutional Diseases.																		
Phthisis Pulmonalis.....	984	364	575	45	414	570	83	78	83	103	99	92	98	49	69	78	80	72
Phthis, Fibroid.....	2	1	1	....	...	2	...	...	...	...	1	...	..	...	1	...	...	...
Phthisis of Bowels.....	6	3	3	....	3	3	...	1	1	...	2	2	...	...	.	...	...	..
Meningitis, Tubercular..	5	1	4	....	3	2	1	...	1	...	1	2	...	..	...	...	...	...
Peritonitis, Tubercular..	3	....	3	....	1	2	1	...	...	...	..	...	1	...	1	...	...	...
Rheumatism	22	14	8	....	8	14	4	...	5	4	1	2	1	...	2	1	1	1
Rheumatism, Inflam...	4	4	...	....	3	1	1	1	2	...	...	...	...	...	...	...	...	...
Purpura Hemorrhage....	4	3	1	..	2	2	...	...	...	...	...	...	2	1	1	...	...	...
Tabes Mesenterica.....	7	1	4	2	5	2	1	...	...	...	...	...	2	2	1	1	...	...
Anæmia.....	10	6	4	....	8	2	2	3	..	...	1	1	1	...	1	1	...	...
Leucocythæmia	2	2	...	....	2	...	..	2	..	...	...	...	...	...	...	...	...	...
Scrofula	33	10	22	1	17	16	1	2	2	5	5	5	4	3	1	4	...	1

Months and Ages, for the State of Alabama, for 1890.

AGES OF DECEDENTS.

Under 1 year	1-2 years	2-3 years	3-4 years	4-5 years	5-10 years	10-15 years	15-20 years	20-25 years	25-30 years	30-35 years	35-40 years	40-45 years	45-50 years	50-55 years	55-60 years	60-65 years	65-70 years	70-75 years	75-80 years	80-90 years	90-100 years	Age not given
....	...	..	....	....	....	...	...	....	..	1	...	...		.	....	..	...	...	...	...	..	...
12	2	2	....	....	2	...	2	5	5	2	2	...	...	2	..	..	3	1	...	...	...	...
...	...	...	1	...	1	1	1	....	...	1	3	...	...	1	1	..	..	...	...	...	..	...
2	2	1	....	1	1	1	2	6	9	6	4	6	...	2	..	2	4	2	1	2	...	...
....	..	...	...	...	...	...	17	23	15	19	14	7	1	1	..	..	...	..	..	..	..	...
1	5	...	...	..	1	1	1	...	2	..	...	...	2	...	2	.	...	2	2	..	...	...
...	...	...	...	..	....	..	....	...	..	...	..	...	...	.	..	1	.	..	.	...	...	...
...	...	..	...	..	..	..	...	...	..	...	1	...	...		.	..	..	..	...	..	..	...
3	7	1	1	1	3	3	21	29	26	26	22	13	3	4	3	3	4	4	3	2	...	...
2	5	5	4	1	1	...	...	..	..	...	...	1	....	...	..	...	...	1	..	..	...	...
...	1	2	...	...	...	..	...	..	..	...	..	.	.	..	.		...	..	...	..		...
2	6	7	4	1	1	...	...	...	...	...	..	1	...	..	.	...	..	1	...	..	..	...
....	...	...	....	...	...	....	1	1	1	2	2	3	1	2	2	1	..	..	...	..	.	...
...	...	...	..	...	..	...	.	1		..	1	....	...	.	...	...	...	..	..	...	...	...
...	..	...	..	...	..	...	1	2	1	2	3	3	1	1	2	1	..	...	...	...	...	...
5	6	2	3	1	12	22	101	161	156	104	92	69	72	50	30	33	28	11	10	5	...	11
...	..	..	..	..	..	..	1	1	..	...	...	..	...	.	..	..	..	...	..	..	..	...
....	..	..	..	..	..	..	..	...	1	...	1	...	2	2	..	..	..	...	..	..	..	...
1	1	....	..	..	...	..	..	1	..	...	...	1	...	..	..	..	1	...	..	..	..	...
....	..	..	...	....	..	..	..	2	..	1	..	...	...	...	..	..	...	...	..	..	..	...
....	..	..	...	..	1	1	..	4	1	..	..	1	...	.	3	2	7	1	..	..	1	...
1	..	..	....	...	...	..	1	..	1	...	1	..	..	...	..	..	..	...	..	..	..	...
....	2	..	...	..	...	..	..	1	..	..	..	...	...	...	..	..	1	...	..	..	..	...
...	3	..	..	...	1	..	..	..	2	...	....	..	...	...	..	..	..	1	..	.	..	...
2	...	1	..	..	2	..	..	..	2	...	..	..	...	...	...	.	...	2	1	...	...	...
...	..	..	...	..	..	1	..	...	..	...	..	..	...	...	...	.	.	..	..	..	..	...
6	7	2	..	1	2	3	...	3	...	3	1	2	1	..	1	1	...	...	...	...	..	...

Annual Report of Deaths by Causes, Colors, Sexes,

Causes of Death.	Total.	Colors.			Sexes.		Deaths per Month.											
		White.	Black.	Mulatto	Male.	Female.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
Constitutional Diseases. (Continued.)																		
White Swelling	1	..	1	..	1	...	..	..	...	...	1	...	...	...	...	...	...	...
Lupus	1	1	..	...	1	...	1	.	...	..	...	..	...	...	..	...	..	...
Rachitis	2	..	1	1	....	2	..	..	...	1	1	...	...	..	..	...	.	...
Necrosis of Femur	1	..	1	..	1	...	1	..	...	..	...	.	...	...	.	.	.	...
Cancer (not located)	48	34	12	2	18	30	1	1	2	7	11	2	3	6	7	2	4	2
Cancer of Nose	1	1	..	..	....	1	.	..	...	1	..	...	...	..	.	..	..	..
Cancer of Mouth	3	1	1	1	1	2	..	.	...	..	...	..	..	1	1	..	1	...
Cancer of Face	6	5	..	1	4	2	..	..	1	2	...	...	...	..	1	..	1	1
Cancer of Mammary	2	2	..	...	....	2	..	..	1	..	...	.	...	...	1	.	.	...
Cancer of Breast	15	9	5	1	....	15	.	1	1	4	2	2	1	1	...	2	.	1
Cancer of Uterus	38	22	15	1	....	38	2	4	6	4	2	1	3	7	1	2	3	3
Cancer of Rectum.	3	1	1	1	1	2	1	1	...	.	...	..	...	.	...	...	..	1
Cancer of Pancreas	2	2	..	....	1	1	..	...	1	1	...	..	...	.	...	...		..
Cancer of Stomach	12	8	4	....	7	5	.	2	2	1	1	1	...	1	2	1	..	1
Cancer of Bowels	7	4	3	....	2	5	.	..	2	1	.	1	.	1	2	..	.	...
Cancer of Liver	6	5	1	....	2	4	...	.	...	2	1	...	...		1	..	2	...
Cancer of Œsophagus	1	1	..	...	....	1	..	...	...	1	...	...	...	.	...	.	..	...
Cancer, Epithelioma	2	2	.	....	....	2	..	..	...	..	..	1	..	..	1		.	...
Cancer of Ascend. Colon.	1	.	1	....	1			..	...	1	...	..	...	.	...	..	...	...
Summary of Deaths from Const. Diseases	1234	507	671	56	506	728	100	96	110	138	129	112	116	72	94	92	92	83
Class V—Developmental Diseases.																		
Premature Birth	179	103	70	6	114	65	14	15	12	13	15	16	14	24	14	15	13	14
Cyanosis Neanatorum	15	15	....	...	8	7	1	2	...	..	2	3	1	1	1	3	...	1
Spina Bifida	5	4	1	....	3	2	..	1	...	1	...	...	...	1	..	.	.	2
Malformation. Congen.	5	2	3	....	2	3	..	...	...	...	...	...	3	...	...	2	..	...
Hemorrhage, Umbilical.	4	1	3	...	4	...	1	1	...	1	...	...	1	...	..	.	..	...
Icterus Neanatorum	2	2	....	...	....	2	...	1	..	...	...	...	...	1	...	.	.	...
Marasmus	70	35	31	4	29	41	2	4	4	7	9	6	11	7	6	6	6	2
Inanition	93	40	53	....	50	43	5	2	2	7	6	20	9	12	10	4	8	8
Dentition	74	13	61	....	31	43	4	4	3	8	8	6	10	10	7	5	5	4
*Debility (General)	19	11	7	1	9	10	3	...	..	1	4	2	2	3	1	..	2	1
†Old Age	221	104	107	10	87	134	19	17	14	23	20	23	18	20	20	17	14	16
Gangrene, Senile	5	3	2	..	5	..	1	.	...	...	2	...	.	1	1	...	...	...
Summary of Deaths from Develop. Diseases	692	333	338	21	342	350	50	47	35	61	66	76	69	80	60	52	48	48
Class VI—Local Diseases Nervous System.																		
Meningitis	110	65	41	4	65	45	8	13	8	7	8	12	13	9	7	7	12	6

* 100-110 years—1. † 100-110 years—12.

Months and Ages, for the State of Alabama, for 1890.

AGES OF DECEDENTS.

Under 1 year	1-2 years	2-3 years	3-4 years	4-5 years	5-10 years	10-15 years	15-20 years	20-25 years	25-30 years	30-35 years	35-40 years	40-45 years	45-50 years	50-55 years	55-60 years	60-65 years	65-70 years	70-75 years	75-80 years	80-90 years	90-100 years	Age not given
....	..	....	..	..	..	..	1	....	....	....	....	..	..	..	..	..	..	..	..	..	..	..
....	..	..	..	..	..	..	..	..	..	....	....	..	..	..	..	..	..	..	..	1	..	...
....	1	..	..	..	1	..	..	....	..	....	..	....	..	..	..	..	..	..	..	..	..	...
....	....	..	....	..	..	..	..	..	....	....	..	..	..	1	..	..	..	..	..	..	..	...
....		..		..	1	..	1	..	1	....	3	6	4	3	2	8	6	3	6	4	1	...
....	...	..	..	..	....	....	..	..	....	....	..	..	..	..	..	..	..	..	..	1	..	...
...	1	..	..	..	..	....	..	1	..	....	....	....	1	..	..	..	..	..	..	..	..	...
....	..	..	..	..	..	..	1	..	..	..	..	....	1	..	..	..	1	1	1	1	..	...
....	..	..	..	..	..	..	..	....	....	..	..	....	..	.	1	..	1	..	..	..	..	...
....	..	..	..	.	..	..	..	....	....	1	..	2	5	2	..	2	..	1	1	..	1	...
....	.	..	....	.	..	..	..	..	1	3	2	8	7	4	1	5	4	1	..	2	..	...
....	..	..	..	..	....	....	....	..	....	....	1	..	..	1	..	1	..	..	..	..	..	...
...	..	..	..	.	..	....	..	..	....	....	....	....	....	..	1	1	..	..	..	..	..	...
....	..	..	..	..	..	..	..	..	....	....	2	2	2	2	..	..	2	2	..	..	..	...
1	..	..	..	..	..	1	..	....	....	1	..	....	....	1	..	..	2	1		..	..	...
....	..	....	..	..	..	..	..	..	....	....	....	..	2	....	3	..	..	1	..	..	..	...
....	..	..	..	..	..	..	..	....	..	....	..	..	....	....	1	..	....	.	..	..	..	...
....	..	..	..	..	..	..	....	....	..	....	..	..	....	.	....	2	..	.	..	..	.	...
....	..	..	..	.	..	..	....	....	..	..	....	....	..	....	....	..	..	..	..	..	..	...
16	21	5	3	2	20	28	106	174	165	113	103	91	97	66	43	55	53	25	19	15	3	12
179	....	....	..	....	....	....	....	..	....	....	....	..	....	..	..	....	....	....	....	....	....	...
15	....	....	....	..	..	..	..	..	....	....	....	..	..	..	..	....	....	....	.	....	....	...
4	....	..	1	....	..	..	..	..	....	....	..	..	....	..	..	..	..	..	..	..	..	...
4	1	..	....	....	..	..	..	..	..	....	..	..	....	..	..	..	..	..	..	....	....	...
4	..	..	....	..	..	..	..	..	....	..	..	..	....	..	..	..	..	..	..	..	..	...
2	....	..	..	....	..	..	..	..	..	....	..	..	....	..	..	..	..	..	..	..	..	...
54	6	3	1	3	..	..	..	....	....	..	1	1	...	..	..	..	..	..	1	..	..	...
71	11	6	....	....	..	....	..	1	..	....	1	..	....	1	....	..	..	..	1	..	....	1
28	29	17	..	....	..	....	..	..	....	....	....	..	....	..	..	..	..	..	..	..	..	...
3	...	....	....	....	..	....	..	..	....	1	....	....	....	1	..	1	1	4	1	4	2	...
...	...	..	..	....	..	..	..	....	....	....	....	..	....	....	1	3	8	28	47	82	40	...
....	....	....	..	..	..	....	....	..	....	....	....	..	....	..	....	2	..	1	1	1	.	...
364	47	26	2	3	..	..	..	1	...	1	2	1	...	2	1	6	9	33	51	87	42	1
28	18	7	1	3	12	3	6	6	4	2	5	1	1	5	2	1	2	...	2	...	...	1

Annual Report of Deaths by Causes, Colors Sexes,

Causes of Death.	Total.	Colors.			Sexes.		Deaths per Month.											
		White	Black	Mulatto	Male	Female	January	February	March	April	May	June	July	August	September	October	November	December
Local Diseases—Nervous System (Continued.)																		
Meningitis, Cerebral	16	12	4		6	10	3		1	1	1	3	1	1	1	2	1	1
Meningitis, C'bro-Spinal	39	30	9		20	19	7	3	4	4	1	5	4	4	2	2	1	2
Hydrocephalus	9	4	3	2	6	3	1	2	1	1		1			1	1	1	
Apoplexy	122	74	43	5	64	58	13	11	11	10	15	12	6	7	10	9	8	10
Neurasthenia	6	4	2		4	2				1	1	1	1			1		1
Convulsions	160	48	108	4	92	68	20	3	15	19	16	16	18	13	15	12	9	4
Epilepsy	30	16	10	4	20	10	2	2	4	2	6	2	2	2	1	4	1	2
Paralysis	133	86	44	3	70	63	15	10	15	9	12	10	14	9	8	15	7	9
Hemiplegia	2	2			2				1				1					
Neuritis	2	2			2						1	1						
Trismus Nascentium	65	22	39	4	44	21	4	3	4	2	2	6	8	10	7	5	7	7
Tetanus	18	5	13		10	8		2	1	2		1	2	2	1	3	2	2
Tetanus, Traumatic	5	3	2		2	3	2		1			1		1				
Locomotor Ataxia	3	2		1	2	1								2				1
Progressive Loco. Ataxia	1	1			1							1						
Spinal Sclerosis	2	2				2	1				1							
Myelitis	2	2			1	1						1	1					
Osteo Myelitis	1	1			1								1					
Congestion of Spine	1	1			1				1									
Concussion of Spine	1		1		1					1								
Spinal Irritation	2	2			1	1						1						1
Nervous Prostration	10	9	1		4	6		1			2		2	1	1	2	1	
Abscess, Sub Maxillary	1		1			1						1						
Gangrene of Mouth	1		1			1				1								
Melancholia	6	4	2		3	3		2		1	1		1			1		
Insanity	21	13	8		15	6	4	2	4		1	2	2	2		1	1	2
Hystero-Catalepsy	1	1			1													1
Embolism, Cerebral	1	1			1			1										
Cerebral Thrombus	1	1				1						1						
Cerebral Hyperæmia	2	2			1	1					1							
Congestion of Brain	141	88	50	3	75	66	10	10	5	10	11	16	21	17	19	7	6	9
Softening of Brain	19	17	2		15	4	1	3	1		2	3	2	2	2		2	1
Concussion of Brain	1	1			1				1									
Compression of Brain	2	1	1		1	1									1	1		
Abscess of Brain	4	4			2	2					2			1		1		
Inflammation of Brain	18	10	7	1	13	5	1	1	3		1	3	3		2		2	2
Organic Disease of Brain	2	1	1		4	1			1					1				
Hemorrhage of Brain	11	9	2		4	7	1		1	1	1	3	1		1		2	
Effusion of Brain	4	4			2	2		1	1					1	1			
Phthisis of Brain	2	2			1	1		1					1					
Paralysis of Brain	1		1			1					1							
Pelvic Abscess	5	2	3		2	3				1		1	2					1
Chronic Abscess	1		1		1							1						

Months and Ages, for the State of Alabama, for 1890.

AGES OF DECEDENTS.

Under 1 year	1-2 years	2-3 years	3-4 years	4-5 years	5-10 years	10-15 years	15-20 years	20-25 years	25-30 years	30-35 years	35-40 years	40-45 years	45-50 years	50-55 years	55-60 years	60-65 years	65-70 years	70-75 years	75-80 years	80-90 years	90-100 years	Age not given
2	3	1	1	..	2		1	3	2	..	..	...	.	1	...	..	..	...		..	..	...
6	5	6	1	3	3	4	3	3	1	.	..	2	1	.	1		..	...	...	...	...	...
7	1	1	..	..		.	.	...		.	..	.	..	.		...	...			.	.	..
...	..	..	...	...	...	..	1	1	2	6	8	7	7	14	10	16	20	12	7	8	3	...
1		..	...		...		..	.		..	...	..	1		.	.	.		1	3	.	...
97	16	13	13	3	7	1	2	.	..	1	1	2	1	.	..	.	.	.	2	.	1	...
1	...	2	..	1	.	2	4	1	1	4	2	3	2	.	2	2	..	2	1	.		..
2	1	.	...	3	4	2	2	1	3	4	4	6	4	8	10	13	16	18	20	10	2	...
...	..	.	..			.	..	.	.	1	.		.	1	...			.	...			...
..	...	..	..	..	.	..	..	.	..		..	1	..	1		...	.	..		...	.	...
65	.	..	..			.	.	.	..	...	.	...	..	.	..	.	.	..	..	..	..	..
6	1	1		.	2	4	1	1	..	..	1		..	.	..	...	.	.	.		..	1
...	..	..	..	...	1	1	...	1	.	..	2	.	..	...		...	.	.	.			...
...	...	.	..	..	...	...	..	..	..		1	1	..	.	1	..	..	.	.		...	...
...	..	..				..	.		.	1		..	.		..							..
...	.	..	..	.			.	..	.	..		1	..	.		..	1			.		..
...	...	..	.	...	1	..	..	.			.		...	1	.	.	.		.		...	...
...	.	.	.		.		.	.	1	.				...	...			...				...
...	..	..	.	..	.	...	..		..		.		.			.	1				...	
...	..	..	...	..	..	.	.	.	.	.			.		..		.	...		.	.	1
...	..	1		..	..		..	..	.				.		1	...						...
1	...		...			.	..			1		1	.		1	1	..			3	..	..
...	..	1	..	...	.	..	.	.	..	.	..	...	.	..	...						..	...
...	..	..	..	.	.	.	.	.	.	..	1	.									..	...
...	..	..	.	..	..	...	1		.	1	1	.		.			2	1				...
...	..	..	..	..	..	...	1	...	1	.	3	5	2	3	1	3				2		...
...	...	..	..	..	...	.	...	.	.	1	.	.	.	..								...
..	..	..	..	..	...	..	..	..	..	.	.	..	..	.	1							...
...		...	..	.	...	..	..	.	..	..	..	.	.	.	..	1	...					...
2		.	.	.																		
29	11	8	2	5	11	8	16	8	9	3	2	4	6	6	3	2	1	2	5			..
...	1	..	...	..	...	..	.	...	..	.	..	1	1	3	.	3	2	3	5			..
...	..	...	..	.	..	..	..	..	.	.	..	..	..	..		1	.	.				...
1	..	..	..	.	.	..	..	..	..	...	.	..	.	1		.	.	.				...
..	..	..	..	.	2		..	.	...	..	.	2	...	.	...		..					...
5	3	..	1	..	1	3	..	1	..	..	1	..	2	1			.					...
...	..	..	..	...	...		1	...	...	..	..	.	..	..	1							...
1	..	..	..	.	...	...	..	..	...	..	..	1	1	1	..	1	1	1	1	2	1	...
...	..	..	..	..	..	..	..	...		..	...	1	.	..	2				1			...
...	..	..	..	..	1	..	...		...	1	..	..	..	.	..	..	..					...
...	..	..	..		...	.	..	...			..	..	.	.	..	..	1				.	...
...	..	...	.		...	..	..	...	1	1	1	..	1	..	..	..	.	1	..			...
...	..	..	..	...	..	..	...	..	..	..	1	..	..	..	..	..	..	..	..	..	..	...

Annual Report of Deaths by Causes, Colors, Sexes,

Causes of Death.	Total.	Colors.			Sexes.		Deaths per Month.											
		White.	Black.	Mulatto.	Male.	Female.	January	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
Local Diseases—Nervous System (Continued.)																		
Paroted Abscess	1	..	1	..	....	1	..	.	..	1	.	.	..	.	..	..	....	...
Summary of Deaths from Diseases of Nervous System	986	554	401	3	558	428	93	71	84	74	87	105	107	85	80	74	63	63
Organs Special Sense.																		
Otitis	2	1	1	....	2	..	..	.	.	2		...	..	...	...	..	..	...
Otitis Media	1	..	1	...	1	..	...	.	1	..	.	..	.	...	..	..	..	...
Epistaxis	1	.	1	.	.	1			.	...	.	.	...	.	.		...	1
Abscess of Ear	1	..	1	..	..	1	...	..	1	.	...	..	.	.	..	..	..	...
Summary of Deaths from Diseases Organs Special Sense	5	1	4		3	2	.	.	2	2	...	..	..	.	.	...		1
Circulatory System.																		
*Dropsy	143	56	84	3	64	79	13	5	7	17	17	19	17	12	10	12	8	6
Dropsy, Renal	2	1	.	1	1	1	1	.	.	.	.	1	.	.	...	...	.	...
Dropsy, Hepatic	7	5	2	....	3	4		2		1	.	..	.	...	2	1	1	...
Dropsy, Ovarian	1	..	1	.	.	1		...	.	.	.	...	.	.	.		1	..
Ascites	4	2	1	1	2	2	1	..	1	.	...	..	.	2	.	.	...	...
Anasarca	26	10	16	...	13	13	.	...	1	2	6	2	3	2	3	2	3	2
Hydropericardium	36	19	16	1	21	15	1	5	3	6	3	4	1	2	5	2	2	2
Angina Pectoris	15	12	3	..	7	8	...	1	4	1	1	1	1	2	..	2		2
Pericarditis	18	8	10	....	8	10	1	1	1	2	1	1		4	2	2	1	2
Endocarditis	10	5	5	....	7	3	.	1	.	1	...	.	2	1		2	2	1
Mitral Insufficiency	3	2	1	..	1	2	.	.	2	.	.	1	.	.	.	.	...	...
Mitral Regurgitation	1	1	.	..	1	..		...	.		.	.	..	...	..	1	...	...
Mitral Stneosis	1	1	..	...	1	..	..	..	1	.	.	..	..	.	.	...	...	...
Cardiac Asthenia	5	3	2	..	1	4	1	.	.	.	.	.	2	.	.	...	..	2
Aneurism of Aorta	13	8	4	1	11	2	1	1	3	..	1	2	3	1	..	...	1	...
Heart Disease	219	101	108	10	11	106	15	21	24	17	20	28	20	22	13	15	12	12
†Hypertrophy of Heart	22	7	14	1	12	10	2	1	2	3	2	3	2	2	2	1	2	...
‡Valv. Dis. of Heart	46	27	19	..	29	17	4	3	7	2	6	3	3	2	5	2	6	3
Paralysis of Heart	5	2	2	1	.	5	...	...	...	.	2	..	1	1	..	1	...	...
Fatty Degen. of Heart	12	10	2	...	6	6	2	.	..	..	2	2	2	1	1	1	1	...
Heart Failure	43	32	10	1	16	27	1	4	6	4	5	4	2	5	1	4	6	1
Phlebetis	1	.	1	..		1	.		.	.	1	.	.	.	..	..	.	..
Anthrepsia	1	1	..	..	.	1	.	..	.	.		.		1	.	.	..	..
Summary of Deaths from Diseases of Circulatory System	634	313	301	20	317	317	43	45	62	56	67	71	59	60	44	48	46	33

* 110–120 years—1. † 100-110 years—1. ‡ 100-110 years—1.

Months and Ages, for the State of Alabama, for 1890.

AGES OF DECEDENTS.

Under 1 year	1-2 years	2-3 years	3-4 years	4-5 years	5-10 years	10-15 years	15-20 years	20-25 years	25-30 years	30-35 years	35-40 years	40-45 years	45-50 years	50-55 years	55-60 years	60-65 years	65-70 years	70-75 years	75-80 years	80-90 years	90-100 years	Age not given
...	....	.	..	..	...	..	...	....	.	.	.	...	1	.	...	.	.	..	...	...	...	...
254	60	41	18	18	47	28	39	26	25	27	34	39	31	46	36	44	47	40	45	28	7	3
1	....			..	..	.	...	..	..	..	....	.	1	...	..	.	.	...	.	...	...	..
...		1	..	...	...	...	..	..	..	.	..	...	..	...	..	.	...	.	...	...	..	...
...	....	..	..	....	.	1	.	..	...	....	..	..	.	.	.	.	...	.	...	...	..	...
...	..	...	..	.	..	.	..	..	...	1	..	..	.	.	..	.	...	.	...	...	..	..
1	..	1	..	..	..	1	.	..	...	1	...	...	1	.	.	.	...	..	...	...	. .	..
3	3	3	2	3	4	7	3	8	9	6	9	9	4	11	6	11	13	12	7	7	2	...
...		.	.	.	..	.	...	..	.	.	...	.	....	1	..	1	..	..	...	..	.	.
...	....	...	..	....	..	.	...	....	..	...	.	2	...	...	2	..	..	1	1	.	...	1
...	.	....		..	..	....	...	..	.	.	....	.	1	.	..	.	.	.	...	...	...	...
...	..	...	..	..	.	2	1	..	..	.	.	...	.	.	.	.	.	1	...	...	..	..
...	..	1	.	.	1	2	3	2	1	..	..	2	2	1	1	3	1	2	3	1	..	...
2	..	..	..	..	1	1	2	3	4	2	.	1	1		1	5	3	2	4	4	..	.
...	..	..	..	..	.	..	2	.	.	1	2	1	3	1	..	2		1	1	1	..	...
...	..	..	..	..	2	.	1	2	1	1	1	..	4	1	1	1	2	1	...	...	..	...
...	..	..	..		.	.	1	.	..	3	1	1	.	.	.	3	1	.	..	...	..	...
...	..	..	..	..		1	.	....	..	....	2	...	..	...	..	.	.	.	...	...	..	...
...	....	..	..	....	....		..		..	.	..	....	..	1	.	..	.	..	...	...	..	...
...	..	..	..	..	..	.	..	....	..	.	.	..	..	...	.	..	.	..	...	1	..	...
...	..	.	...	.		..	.	..	....	.	..	3	...	.	.	.	2		...	..	..	...
...	.	.		...	.	...	.	1	.	1	1	1	2	2	.	2	2	1	.	.	.	.
4	1	....	1	..	4	1	4	7	9	12	8	7	14	23	18	25	24	28	13	12	1	3
...	..	..	....	..	1	.	..	1	1	1	1	....	2	2	1	.	1	1	4	3	..	2
...	..	..	..	..	..	..	1	2	1	3	2	3	2	3	3	5	5	2	9	3	..	1
....	..	.	....	..	.	.	.		.	..	.	1	1	.	.	2	.	..	1	.	.	...
...		.	..	.		....	.	.	....	1	1	.	..	.	1	1	4	4	..	.		..
...	....		..	.	.	..	4	5	1	3	1	8	4	.	4	1	2	3	1	3	2	1
...			..			....	...	..	1	..	...	..	..		.	..		.		.	..	...
1	..	..		..	.		..	...	...	..	..	..	..	...		...	.		...		..	...
10	4	4	3	3	13	14	22	31	28	34	29	39	40	46	38	62	60	59	44	35	5	8

Annual Report of Deaths by Causes, Colors Sexes,

Causes of Death.	Total.	Colors.			Sexes.		Deaths per Month.											
		White	Black	Mulatto	Male	Female	January	February	March	April	May	June	July	August	September	October	November	December
Respiratory System.																		
Pneumonia	772	365	378	29	421	351	110	130	135	83	54	26	17	21	28	44	62	62
Pneumonia Lobular	12	10	2	...	4	8	1	6	2	...	..	..	1	...	...	...	1	1
Pneumonia, Pleuro	2	2	...	...	1	1	1	..	...	...	..	..	...	.	...	..	1	..
Pneumonia, Typhoid	17	10	7	...	11	6	2	1	3	1	..	1	1	2	5	...	...	1
Pneumonia, Croupous	1	1	...	...	..	1	...	.		.	.	.	.	..	...	...	1	...
Pneumonia, Catarrhal	10	8	1	1	8	2	1	1	3	1	1		..	.	2	1	..	...
Pneumonia, Broncho	7	7	...	..	6	1	.	..	2	1	.	1	...	1	1	1	...	..
Congestion of Lungs	54	35	18	1	26	28	9	5	10	3	2	2	1	4	4	3	4	7
Hemorrhage of Lungs	16	7	8	1	10	6	1	6	.	6	.		1	2	..	...	.	...
Odema of Lungs	6	5	1	..	2	4	1	1	1	.	1	.	.	1	.	..	1	..
Abscess of Lungs	6	4	2	..	5	1	.	1	.	1	1	2	.	...	1	...	.	...
Apoplexy of Lungs	1	1	...	...	...	1	...	.	.	.	.	.	.	1	.	.	..	...
Gangrene of Lungs	1	1	..	...	1	...	...	..	.	.	...	.	.	1	.	.	.	...
Hæmoptisis	6	3	2	1	3	3	1	.	2	1	1	.	...	1	.	.	.	...
Embolism, Pulmonary	1	1	..	...	1	...	.		.	1	.	...	...	...	.	..	...	...
Pleurisy	9	1	8	...	8	1	...	2	.	2	1	1	1	1	.	.	...	1
Hydrothorax	9	6	3	...	3	6	3	1	2	...	1	1	.	.	.	1	...	..
Empyæma	4	2	2	..	3	1	...	.	.	.	1	1	.	...	.	...	1	1
Asthma	8	3	5	...	3	5	1	1	..	.	.		..	.	2	.	3	1
Croup	47	28	17	2	32	15	7	1	2	2	1	4	4	2	2	5	10	7
Croup, Membraneous	44	37	7	...	26	18	4	1	1	1	2	2	1	2	8	11	7	4
Bronchitis	101	63	38	...	51	50	10	15	7	13	5	8	4	4	5	10	9	11
Bronchitis, Capillary	56	36	18	2	34	22	6	5	7	5	7	6	1	7	2	4	4	2
Laryngitis	10	4	5	1	4	6	2	...	...	.	.	.	.	...	3	3	2	...
Laryngeal Abscess	1	...	1	.	1	...	..	1	.	...	.	.	...	.	.	..	.	...
Odema of Glottis	2	1	1	...	1	1	.	.	...	1	1	.	.	.	.	.	.	...
Malignant Tumor Throat	1	1	..	.	...	1	.	.	.	...	.	.	.	.	1	.	.	...
Catarrh, Acute	2	2	...	..	1	1	.	.	.	.	.	.	1	.	.	1	...	..
Summary of Deaths from Diseases of Respiratory System	1206	644	524	38	666	540	160	178	177	122	79	55	33	50	64	84	106	98
Digestive System.																		
Tonsilitis	13	9	4	..	9	4	1	1	1	.	1	2	1	.	1	2	1	2
Pharyngitis	1	1		..	1	...	...	.	...	...	.	.	.	.	.	1	.	...
Gastritis	27	21	6	...	13	14	2	3	1	4	3	2	5	2	2	...	3	2
Gastritis, Acute	4	3	1	...	3	1	...	1	...	1	.	.	1	...	.	.	1	...
Gastritis, Chronic	2	1	1		1	1	.	...	..	.	...	1	...	1	...	.	.	...
Enteritis	63	45	18	..	37	26	3	1	3	8	12	8	6	5	5	3	6	3
Gastro-Enteritis	45	35	10		20	25	4	3	.	.	10	6	9	3	3	2	3	2
Perityphlitis	8	7	1	.	3	5	.	...	.	.	1	...	1	1	.	3	1	1
Jaundice	12	6	5	1	5	7	..	.	1	1	.	2	4	1	1	...	1	1
Stomatitis	9	3	6	..	4	5	1	1	...	3	1	1	.	2	..	.	.	...
Congestion of Stomach	14	10	4	...	9	5	1	2	.	.	2	2	2	1	1	1	1	1

Months and Ages, for the State of Alabama, for 1890.

AGES OF DECEDENTS.

Under 1 year	1-2 years	2-3 years	3-4 years	4-5 years	5-10 years	10-15 years	15-20 years	20-25 years	25-30 years	30-35 years	35-40 years	40-45 years	45-50 years	50-55 years	55-60 years	60-65 years	65-70 years	70-75 years	75-80 years	80-90 years	90-100 years	Age not given
99	70	28	18	12	35	31	53	72	46	39	3	31	33	24	17	35	21	24	22	13	2	15
2	..	..	....		..	..	..	1	1	2	..	1	..	1	1	1		2	..			..
....	.	..	..	..	..			1		..	..	..	1	.	..	..	.	.	.	..	..	..
2	..	.	1	....	..		2		2	2	.	3	1	.	..	1	.	..	.	..	..	3
....	..	..	.	.	.	..		..	..	..	..	1	.	..	..	..	..	..	..	..	..	..
3	3	1		1	..		....	.	1	..	..	..	..	1	..	.	..	..	.	..	..	..
1		..	..			.			1	..	.	..	1	1	1	..	.	1	1	..	..	..
15	6	....	..	1	1	3	4	1	4	2	5	..	4	3	1	1	1	1	1	..	..	..
...	....	..		..	1	1		3	1	2	1	..	1	.	..	1	1	2	1	.	.	1
...	.	..	..	....	1	1	1	1			1	....		1	..	..	..	..	..	.	.	..
1	..	..	..	..	..				2	1		..	1	1	..	..	..	..	..	.	.	..
....	....	....	..		....	.	....	....	..	.		..	..	..	..	.	.	..	..	1	..	..
...	..	..	....			....			1	..	.	..	....	..	..	.	.	..	..	..	..	..
1	..	..	....	....			..	2	....	2	....	1	....	..	.		.	..	..	..	.	..
...	..	....	..	..	....	..	.		..	..	.	..	..	..	..	..	.	..	..	..	..	1
...	..		..		..		2	2	2	.	....	1	1		..	..		1	..	..	..	..
...	....	....	..				..	.	1	.	1	1	1	1	1	.	3		..	..	..	..
...	..	....	..	..	1	1			..	..	.	..		..	.	..	..		1		..	1
..	.	....	.		.	.		....		.	.	..	2	1	1	2	.	1		1	..	..
19	7	7	4	5	5					..	..	..	..	.	..	..	..	..	..	..	..	..
8	15	7	6	6	1			....				....	.		1	..	..	..				..
28	18	10	5	1	4		2	2	1	2	..	3	2	2	1	4	2	2	8	2	1	1
24	15	4	3	2	3		..		....		1		1	.	..	.	1	.	.			2
3	1	1		....	2			2		1	.	..	..	.	..	..	..		.	..		..
...	..	..	..	.	..	1	.	..		....			..	..	.	.	.	.	.		..	..
...	..	..	1			1		..		.	..	..	....		.	.	.	.	.		..	..
...		..	..	....		..	.		..	..	..	..	..		.	.		..	1		.	
1	....	..					....		...	...	...	..	..	1		.	..	..		.	..	..
207	135	58	38	28	54	39	64	87	63	53	41	43	48	37	24	45	29	35	35	17	3	24
7	1	1	..	1	1		1	..	.	..	..	..	....	.	.	....	1	.		.	..	.
...	1	..	..	..	..			..	.	.	..	..	..	.								
5	2	1	1	..	1	1	..	1	1	2	..	2	....	2		1	3	2	1	.	.	1
2	1	..		..	.	..	.	..	..	..	.	..	..	.		..	.	1			.	..
....	.	..	..	..	.		....		..	.	....	..	....			....	.	1	1	..	.	
16	10	4	1		4	2	3	..	1	2	1	2	1	5	1	5	2	1		.	.	2
14	6	4	..	..	1	2	1	1	1	2	4	2	.	.		2	3	.	1	1		..
1	....	..	..	....	..	1	1	..		.	....	1	2	..		.	2	.		..	..	..
2	..		.	..		....	1	..	1	1	....	2	1		2	....	.	.	1	..	..	1
6	..	1		....			..	2	.	.	....	..	..	.		.		.				..
3		2	2	...	3	1	....	..	2	.	.	..	..	1		....	.	.		.	..	..

Annual Report of Deaths by Causes, Colors, Sexes,

Causes of Death.	Total.	Colors.			Sexes.		Deaths per Month.											
		White.	Black.	Mulatto	Male.	Female.	January	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
Digestive System. (Continued.)																		
Inflammation of Stomach	4	3	1		1	3			2	1					1			
Ulcer of Stomach	17	12	5		12	5	1		1		3	5	2	2	2	1		
Hemorrhage of Stomach	2	1	1		1	1	1								1			
Cong. Stom. and Bowels	11	8	3		4	7		3				2		2		1	1	
Inflam. Stom and Bowels	2		2		1	1			1									1
Congestion of Bowels	61	44	16	1	33	28	3	7	4	4	6	7	8	7	6	3	3	3
Inflammation of Bowels	43	37	5	1	20	23	4	6	4	2	2	6	3	3	5	4	3	1
Intussuscept'n of Bowels	21	13	8		13	8	3	1		1	2		3	1	1	2	4	3
Ulceration of Bowels	1	1				1												1
Hemorrhage of Bowels	16	6	9	1	12	4		1	2		4	1	1	4	1	2		
Occlusion of Bowels	22	13	8	1	13	9	1	2	1	2		4	2	3	2	2	2	1
Paralysis of Bowels	1	1			1						1							
Catarrh of Bowels	8	4	4		5	3					1		2	4		1		
Dropsy of Bowels	1	1			1				1									
Tumor, Abdominal	6	4	2		2	4				2	2						2	
Abscess, Abdominal	2	1	1		2				1			1						
Abscess, Paryngeal	3	3			2	1		1	1			1						
Appendicitis	2	2			2			1										1
Peritonitis, not Puerperal	46	26	19	1	20	26	2	4	2	7	10	6	7	2	3	1	2	
Hepatitis	19	10	9		11	8		2	2	1	1	2	1	2	1	1	3	3
Hepatitis, Chronic	5	4	1		3	2		1	1	1			1		1			
Cirrhosis of Liver	11	7	4		8	3				1	1	1				3	2	3
Abscess of Liver	12	8	4		7	5	1	2	1	2	2		3		1			
Congestion of Liver	3	3			2	1					1	1				1		
Atrophy of Liver	4	2	2		1	3	1	2				1						
Sclerosis of Liver	1	1			1								1					
Disease of Liver	8	3	3	2	8				1		4	1	1	1				
Dyspepsia	10	6	4		6	4			1	1	2	1	2	1				2
Stricture of Œsophagus	1	1				1								1				
Obstruct. Bile Duct	1	1				1			1									
Catarrh, Gastro-Intest	9	8	1		4	5		1		1		1			1	4	1	
Fistula of Anus	2		2		2									1			1	
Summary of Deaths from Diseases of Digestive System	553	375	170	8	303	250	29	45	33	43	74	65	64	50	39	37	43	31
Lymphatic System and Ductless Glands.																		
Splenitis	1		1		1					1								
Lumbar Abscess	3	2	1		3				1	1		1						
Psoas Abscess	4	1	3		2	2			1					1	1		1	
Summary of Deaths from Diseases of Lymphatic System, etc	8	3	5		6	2			2	2		1		1	1		1	

Months and Ages, for the State of Alabama, for 1890.

AGES OF DECEDENTS.

Under 1 year	1-2 years	2-3 years	3-4 years	4-5 years	5-10 years	10-15 years	15-20 years	20-25 years	25-30 years	30-35 years	35-40 years	40-45 years	45-50 years	50-55 years	55-60 years	60-65 years	65-70 years	70-75 years	75-80 years	80-90 years	90-100 years	Age not given
....	1	1	.	...		.			.		1	....	.	.	.		1	...		.	...	...
....	..		...		1	.		.	1	..	2	1	3	1	1	3	3	...	1	.	.	..
....	.		.		.	...	1	1		.		..	.	..	.	.	.	...	...	...	...	...
4	2	..	1			1	.			1	.		.	.	1	..	.	...	.			1
....	..	1			..	.	....	.	..	.			1	..		.	.	...	...	.	...	...
10	4	7	1	2	3	5	4	2	4	2	1	5	2	1	1	2	3	1	..	..	1	...
13	3	3	1	..		3	1	1	3	1	2	1	1	3	3	1		1	.	1	..	1
2	.	1	.	.	1	2	....	2	1	4	1	2	.	1	1	..	1	...	...	2	.	...
....	..	..	..	.	....	....	....	.	.	.		...		1	.	..	.	...	.	...	..	...
1		...	...	...	2	..	2	3	1	1	1		.	3	..		1	...	.	1	..	...
2	....	1	...	1	1	2	2	1	2	1	....	.	2		2	3	1	...	1	...	.	...
....	..	..	.	...	..	..	.							...	.		...	...	1	.	...	...
2	1	2	1	...	.	...	...	.			.	..	.	1	...	.	1	...	.		.	...
....	..	..	..	....	.	..		.		..		.	1	..	.	.	.	...	...	...	...	...
....	1	....	...	...		....	1	1	1			.	1	1	.	.	.	...	..	.	.	...
....	1	...	...	...	....	..	..	..			..		.	1	...	.	.	...			..	..
1	...	...	.	.		..	....		...	. .	1	.	.	.	.	1	.	.	.	.		...
....	..	....	....			1	.	..				..		.	1	.	...	.	...	.	.	..
2	..	2	...	1	2	2	4	3	9	8	5	..	1	1	1	1	1	1	1	1	.	...
....	...	...	.	1	1	1	.	2	2	1	2	.	5	2	.	.	...	1	.	.	.	1
....	...	..		..	.	...	..	..		..	.	..	..	2	.	3	.	...	.	.	...	..
....	...	...		.		..	...	.	1	1	1	..		1	1	2		2	2	.		...
....	..	1		..	..	...	...	1	1	2	.	2	1	1	1		..	.	1	1	.	...
....	..	1	...	..	.	....	..	1	....	.	...	..	1		...	.	.	...	.		...	..
....	...	1	..	.	..	....	...	....	1	..		..	..	...	.	2	.	...		..	.	..
..	..	....	.	..	.	...	..	...	.	.	.	..	.	.	.	.	1	.	.	.	.	...
....	...	..	....	.		....	..			1	....	..		1	3	2	..	1	..	.	.	...
1	...	....	...	.		...	...	..	.	...	...	..	1	1	1	2	1	2	1	.	.	...
....	..	....	..	..	.	....	...	..		1		..	..	.	.		..	...	.	..	.	...
...	..	....	..	..	.	....	..	..	.	.		..	.	.	1	.	.	...	.	.	.	...
4	..	1	...	..	..	...	..	..		.	....	..	2	1	1	...	.	...	.	.	..	...
...	..	....	..	..	...	....	....	.	1	.		..	..	.		.	1	.	..	..	....	...
98	34	35	8	6	21	24	22	22	34	31	22	20	26	31	22	30	26	14	12	7	1	7
...		...	..	..	...	..	...	.	1	....	.	.		...	.		.	...	..	..	..	...
...	..	..	.	..	...		..	..	.	..	1	1	..	...	1	..	...	...	...	...	.	...
1	..	..	...	.	..	..	.	..	..		1	.	1	.	1	...		.	...	...	...	...
1	....	....	....	..	....	.	....	....	1	..	2	1	1	...	2	...	...	...	...	...	...	...

Annual Report of Deaths by Causes, Colors Sexes,

Causes of Death.	Total.	Colors.			Sexes.		Deaths per Month.											
		White	Black	Mulatto	Male	Female	January	February	March	April	May	June	July	August	September	October	November	December
Urinary System.																		
Brights Disease	111	58	47	6	70	41	6	10	9	7	10	11	10	5	7	9	17	10
Nephritis	23	14	9		14	9	2	1	4	2	2	3	2	.	2	.	.	5
Uræmia	34	22	11	1	16	18	3	2	5	1	2	5	2	4	3	4	2	1
Diabetes	8	3	5		5	3	.	2	.	.	.		1	.	.	1	1	3
Calculus	6	6	..	..	4	2	1	.	.		3	...	.	..	2	.	.	...
Cystitis	14	9	4	1	14		..	1	1	2	1	1	1	1	.	4		2
Haematuria	3	2		1	3	..	.	.		1	.	.	1	.	1	.	.	...
Retention of Urine	1	..	1		1		.			.	..	...	1		.		.	...
Malasma Supra Renalis	1		..	1		1	.		...	...	..	..			.	1	.	...
Hodgkins Disease	1			1		1	.	.	.	..	...	...	.		.	1	...	...
Summary of Deaths from Diseases of Urinary System	202	114	77	11	127	75	12	16	19	13	18	20	18	10	15	20	20	21
Generative System (Male)																		
Stricture of Urethra	3	1	2		3	.	.	.	..	.	.	.	1	.		2	..	..
Prostatitis	3	2	1		3	.	1	...	..	...	.	.	...		.	1	.	1
Gangrene of Penis	1	1	....	....	1				.		...		.	.			.	1
Scrotal Ulceration	1		1	..	1		...		.	.	1	.	.	..	...		.	...
Summary of Deaths from Diseases of Generative System (Male)	8	4	4		8		1	.	...	.	1	.	1	.		3	.	2
Generative System (Female.)																		
Ovarian Tumor	3	....	3	..		3	.	.	1	.		1	.	1		.	..	...
Fibroid Tumor of Uterus	2	1	1	.	..	2	..			.	1	.	.	..	..	.	1	...
Pelvic Cellulitis	2	1	....	1		2	1	..	.	.	1			.	.		..	...
Suppressed Catamenia	1	1	.	.		1	.			1	.		...	..	.	.	...	...
Metritis	4	1	3			4			1	.	.	1	1	1		...	...	...
Summary of Deaths from Diseases of Generative System (Female.)	12	4	7	1		12	1	.	2	1	2	2	1	2	..	..	1	...
Affections connect'd with Child Birth & Pregnancy.																		
Child Birth	27	11	13	3	..	27	4	3	3	1	5	1	2	.	2	1	2	3
Parturition	8	2	6	..		8	.	.	...	3	1	2	...	1	1	...		...
Placenta Previa	3	3	..		.	3	..	1	.	1	.	1	..	.			.	...
Metro-Peritonitis, Puerp.	5	1	4	..	..	5	.	..	.	1	1	...	1	1	..	1		...

Months and Ages, for the State of Alabama, for 1890.

AGES OF DECEDENTS.

Under 1 year	1-2 years	2-3 years	3-4 years	4-5 years	5-10 years	10-15 years	15-20 years	20-25 years	25-30 years	30-35 years	35-40 years	40-45 years	45-50 years	50-55 years	55-60 years	60-65 years	65-70 years	70-75 years	75-80 years	80-90 years	90-100 years	Age not given
....	....	....	....	..	...	1	..	4	4	7	13	7	8	13	11	15	10	8	5	3	...	2
....	2	....	....	...	1	1	2	1	...	...	4	4	2	2	1	..	3	.	.	.	.	...
2	...	..	1	....	..	1	1	2	1	3	4	1		...	1	1	5	4	6	1	...	...
....	1	..	...	..	2	..	...	1	1	....	...	..	1	1	.	1		1	.		...	...
...	..	....	....	..	1	..	1	..	..	..	...	..	1	...	1	..		.	1	1	...	...
1	....	..	...	..	..	...	.	...	..	....	...	...	..	..	.	1	4	2	3	2	.	1
...	..	..	..	...	..	..	.	1	...	....	..	1	.	.	...	1	..	..	...	.	...	...
....	..	..		.		....	.		..	...	..	...	.	...	..	...	1	...	.	.		...
....		..	.	..	.		....	.		..	1	...	.	...		...	...	..		...	...	..
....	..	..		.		..	...	1	..	..	.	.	.	...	.	.	...	.	.		..	..
3	3	..	1		4	3	4	10	6	10	22	13	12	15	14	19	23	15	15	7	...	3
....	..	....	....	...	..	...	...	....	....	...	....	...	..	1	2	...	...	.	.	..	.	...
....	..	...	..	..	..	....	....	...	....	....	...	..	..	..		...	1	2	..	.	...	...
....	..	..	..	....	....	..	..	....	...	...	...	..	..	...	1	.	...	.	...	.	..	...
....	...	..	...	....	.	..	..	...	..	...	..	...	...	.	.	1	...	..	..	..	..	...
....	....	..	....	...	....	....	....	...	....	....	..	...	...	1	3	1	1	2	.	....	...	...
...	...	...	....	...	..	....	....	2	...	...	...	...	...	...	..	...	.	1	..	...	...	...
....	..	....	..		..	....	....	...	....	...	...	....	..	...	..	2	.	.	...	...	...	..
....	...	..	....	....	..	..	..	1	...	1	...	...	...	.	.	...	.	...	...	...	...	...
....	..	....	...	..	..		...	.	1	...	...	...	..	...	...	...	...	...	...	...	..	...
....	..	..	....	....	..	....	1	2	...	...	...	....	1	...	...	...	...	...	...	...	...	...
....	....	....	...	...	...	...	1	5	1	1	...	...	1	...	...	2	...	1	...	...	...	...
....	....	..	....	...	...	1	4	6	2	4	6	4	...	...	...	...	...	...	...	...	..	...
....	...	....	..	..	...	....	1	3	...	...	2	2	...	.	...	...	...	...	...	...	...	...
....	....	..	...	....	....	....	...	1	..	1	1	....	...	...	...	...	...	...	...	...	.	...
...	....	....	....	....	....	....	....	1	2	1	...	1	...	...	...	...	...	...	...	...	...	...

Annual Report of Deaths by Causes, Colors Sexes,

Causes of Death.	Total.	Colors.			Sexes.		Deaths per Month.											
		White	Black	Mulatto	Male	Female	January	February	March	April	May	June	July	August	September	October	November	December
Affections connect'd with Child Birth & Pregnancy. (Continued.)																		
Peritonitis, Puerperal.	20	10	9	1	..	20	4	1	1	3	4	.	1	2	2	...	1	1
Convulsions, Puerperal	29	18	10	1		29	3	3	4	3	3	2	2	2	2	2	2	1
Puerperal Cellulitis....	1	1	....	....	....	1	.	.	.		...	..	1	...	...	..	...	...
Nausea Gravidarium .	3	3		..	....	3	1	.	..	1	.	.	.	.	.	1	...	...
Hemorrhage, PostPartem	19	11	8		..	19	1	2	..	3	...	2	3	1	4	1	1	1
Hemorrhage of Uterus..	9	6	3	....	..	9	..	..	1	3	1	2	.	...	...	..	1	1
Rupture of Uterus	2	2	..			2	.	..	...	...	.	1	.	.	.	...	...	1
Endo-Metritis	2	.	2		.	2	..	..	.	.	.	2	.	.	...	.	...	...
Chorea, Puerperal.....	2	2		...	..	2		..	.	.	1	.	.	.	1	.	..	...
Summary of Deaths from Affections connected with Child Birth and Pregnancy.....	130	70	55	5	..	130	13	10	9	19	16	13	10	7	12	6	7	8
Organs of Locomotion.																		
Gangrene of Leg	1	..	1		..	1	.	.	..	..	1	..	..	.	.	.	...	...
Gangrene of Foot.....	2	..	2	..	.	2	.	.	...	..	..	...	...	..	...	.	1	1
Hip Joint Disease.....	2	1	1	..	1	1	..	...	..	...	.	..	...	...	1	...	1	...
Summary of Deaths from Diseases of Organs of Locomotion.....	5	1	4	..	1	4	...	.	..		1		..		1	.	2	1
Integumentary System																		
Carbuncle.....	2	1	1	..	1	1	1	.	1		..	..	...	...	.	...	..	...
Class VII.—Poisons. Metallic Poisons.																		
Arsenic	4	1	3	..	2	2	..	...	1	.	..	...	...	3	.	.	..	...
Lead.....	1	1	..	..	1	.	..	.	..	.	1	..	.	...	...	.	...	..
Sol. Atrophene.....	1	....	..	1	..	1	...	..	.	1	.	..	..	.	..	.	..	...
Summary of Deaths from Metallic Poisons	6	2	3	1	3	3	..	.	1	1	1	...	.	3	...	...	...	...
Vegetable Poisons.																		
Laudanum	1	..	1	..	.	1	..	...	.	..	1	...	..	.	..	.	..	...
Morphine	6	4	2	..	4	2	2	1	..	.	.	...	..	.	2	..	1	...
Opium.....	15	4	10	1	7	8	1	1	.	2	..	2	3	1	5	.	..	...
Camphorated Oil	1	1	....	....	1	...	...	...	..	1	..	...	.	...	...	.	.	...
Wild Parsnip.....	1	1	....	....	1	...	...	...	..	...	1	..	.	..	...	...	...	...

Months and Ages, for the State of Alabama, for 1890.

AGES OF DECEDENTS.

Under 1 year	1-2 years	2-3 years	3-4 years	4-5 years	5-10 years	10-15 years	15-20 years	20-25 years	25-30 years	30-35 years	35-40 years	40-45 years	45-50 years	50-55 years	55-60 years	60-65 years	65-70 years	70-75 years	75-80 years	80-90 years	90-100 years	Age not given
....	..	..	..	....	..		6	1	5	3	3	2	....	....	....		.		.	.	..	...
...	..	....	...	..	..	..	10	8	3	6	1	1		.	..	.	.	.		..	..	..
...		..		..	..		1		.			..	....	.	.	.	.	.	....	..	..	..
...	..	..	...	....	..			2	.	.	1			..	.			..	.	..	..	..
....	..	..	..		..	.		..	8	5	3	3	...	....	.	....	....	....	....	.	.	...
...	...	..	..		.	....		2	2	1	1	2	1	.	....	....	....	....	....	....	.	..
...	..	..	..	....	..	.		..	..		1	1		..	....	....	....	....		....	..	...
....	....	.	..			..	..	..	1		..	1		....	....	....		....	.	....	..	...
....	..	..	..	....	.	....	..	1	1		..	...	.	....	....	....	....	.	.	..	.	...
...	..	..	....	..	.	1	22	25	24	21	19	17	1	...	....	....	.	..	..	....	....	...
...	..	..				..	..	..	.	..	..	....	....	.		....	.	.	..	..	1	...
....	..	..	.	.	.	..	..	.	....		..	....		1	1	..	.		.		....	..
....	...	.	..	..	..	..	.	1		.	...	..		..	.	..	.	.	1	...	.	..
....	....	....		..			..	1			....	..	.	1	1	.	...		1	...	1	...
....	....	..	..	....	....	.			..	..	..		..		.	1	...	...	1	..		...
....	..	..	.	..		..	1	1	..	.	.	..	1	..			..	.	..	.	1	..
....	..	..	..				....	.	.	.	1	..	.	...	.	.	.	.	.	..	..	...
1	...	....					..		....	.			....		.	.	...	.	.	..	.	..
1	...	..	..	....	.		1	1	..	...	1	..	1	.	.		..	...	.	..	1	...
...	1	....	..			..	..	....	.	.	.	..	...	..	..	....	....	....	.	.	....	...
...	1	.	.		1	..	1	1	.	..	..	2	..	.	....	....	.	....	.	.	.	...
5	3	....	....		1	....	1	2	1	1	...	..	..	...	..	.	.	...	1	.	.	...
1	...	..	....	..	..	....	.	...	....	..	..	.	...	..	.	....	.	....	.		.	...
...	..	..	....	....	..	....	....	1	..	....	..	...	..	....	....	....	.	....	....	....	..	..

Annual Report of Deaths by Causes, Colors, Sexes,

Causes of Death.	Total.	Colors.			Sexes.		Deaths per Month.											
		White.	Black.	Mulatto.	Male.	Female.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
Vegetable Poisons. (Continued.)																		
Buck Eye	1	..	....	1	..	1	....	....	1	....	....	....	....	....	....	....	....	....
Concentrated Lye	1	..	1	...	1	....	..	....	....	....	....	....	....	....	....	1	....	....
Summary of Deaths from Vegetable Poisons	26	10	14	2	14	12	3	2	1	3	2	2	3	1	7	1	1	...
Poisoned Wounds.																		
Hydrophobia	2	....	2	....	1	1	....	....	....	....	....	....	....	....	1	....	....	1
Snake Bite	2	1	1	..	2	..	....	....	....	....	....	....	1	1	....	....	....	....
Summary of Deaths from Poisoned Wounds	4	1	3	..	3	1	....	....	....	....	....	....	1	1	1	....	....	1
Class VIII.—Violence. Accidents & Negligence.																		
Accidents	30	21	9	....	22	8	3	1	2	3	1	1	10	1	1	1	2	4
Railroad Accidents	70	38	32		66	4	5	1	3	4	6	3	7	5	10	9	10	7
Gun Shot Wound	17	7	10	.	14	3	1	1	..	2	1	..	2	2	1	4	...	3
Strangulated	3	1	2	..	.	3	1	..	1	....	.		....	1	..	.	.	...
Asphyxia	38	21	16	1	25	13	3	3	3	3	3	2	4	2	4	2	2	7
Drowning	33	11	21	1	28	5	4	2	3	2	5	3	3	3	3	1	1	3
Burns and Scalds	72	22	50	....	29	43	5	4	14	5	2	3	2	2	2	8	11	14
Falling	26	17	9	..	19	7	2	4	1	3	2	2	2	2	2	2	2	2
Lightning Stroke	11	3	8	..	7	4	..	1	1	...	1	3	4	1	....	....	....	....
Fracture of Skull	7	4	2	1	7	..	....	..	1	....	..	....	1	.	3	1	...	1
Foreign Body in Trachea	4	1	3	..	1	3	.	....	.	1		....	....	1	...	1	1	...
Lock Jaw	2	..	2	..	2	..	1	....	..	..	..	1	..	..	....	....	..	...
Electric Shock	3	2	1	..	3	..	.	..	1	....	....	....	..	1	....	.	1	...
Accident in Mines	4	1	1	2	4	....	....	....	.	1	....	....	..	....	2	1	....	...
Accident at Iron Furnace	1	1	..	..	1	....	....	.	1	..	....	....	....	....	....	..	....	...
Powder Explosion, Mines	11	2	7	2	11	..	..	..	5	6	..	....	....	..	....	.	....	...
Injury at Pipe Works	1	1	..	..	1	....	..	..		..	....	....	....	....	..	1	....	...
Crushed by Log	1	....	1	..	1	....	.	....	....	1	....	....	..	.	..		....	...
Falling Tree	6	6	..	...	6	..	3	...	2	...	1	...	..	....	....	....	....	...
Falling House	1	....	1	....	....	1	..	....	....	....	....	....	..	.	....	....	1	...
Killed by Wagon	4	1	2	1	3	1	...	1	....	....	1	....	.	.	....	..	....	...
Killed by Mule	1	1	..	....	1	....	1	..	....	.	..	....	....	.	....	....	....	...
Killed by Machinery	1	...	1	.	1	....	1	....	....	.	..	....	....	..	....	....	....	...
Killed by Circular Saw	1	...	1	....	1	...	1	....	....	....	....	....	....	.	....	....	....	...
Falling Dirt (Mines)	3	....	3	..	3	..	...	1	..	...	1	1	..	....	....	....	....	...
Falling Chimney	1	1	..	....	1	....	1	..	....	.	....	.	....	....	....	....	....	...
Wound on Head	2	1	1	..	2	...	....	....	....	....	....	1	....	....	....	....	....	...
Rupture of Artery	2	2	...	....	2	....	1	....	....	.	..	....	....	....	1	....	.	...
Injury to Spine	1	1	....	....	....	1	...	1	....	....	....	....	....	....	....	....	....	...

Months and Ages, for the State of Alabama, for 1890.

AGES OF DECEDENTS.

Under 1 year	1-2 years	2-3 years	3-4 years	4-5 years	5-10 years	10-15 years	15-20 years	20-25 years	25-30 years	30-35 years	35-40 years	40-45 years	45-50 years	50-55 years	55-60 years	60-65 years	65-70 years	70-75 years	75-80 years	80-90 years	90-100 years	Age not given
....	..	...	..	..	....	...	..	...	....	..	..	1	..	...	..	...	...	...	...	...	...	...
....	..	...	...	1		.		..	.	..	..		...	...	...	...	...	...	.	.	.	...
6	5	....	..	1	2	...	2	4	1	1	..	3	..	.	..	.	..	...	1	.	...	...
....	...	...	..	...	....	...	1	..	..	.	.		...	1	...	..	.	...	.	.	...	...
....	..		...	1	..	...		.	.	...	.	1		...	...	..	.	...	.	..	.	...
....	...	..	..	1	...	...	1	..	...	..	..	1	..	1	.		.	.		.	...	...
3	....	...	....	...	2	1	4	3	1	2	4	2	2	2	2	1	1	...		.	.	1
....	...	...	..	.	2	4	8	8	9	7	5	9	4	3	1	5	1	1	.	..	..	2
....	..	....	1	..	2	3	3	3	1	1	..	1	2	...	...	.	.	...	..	...	.	...
3	..	..	..	..	...	...		..		...	..	...	...	..					.	..		...
24	..	..	.	...	..	3		...	..		..	1	..	1	1	2	2	1	2	1	.	...
....	1	2	1		2	8	3	3	4	1	1	1	4	1	.	1	..	...	.	.	.	...
6	2	14	8	6	11	9	2	2	..	1	2	1	3	1	..	1	.	1	..	2	.	...
4	2	1	1		....	1	1	2	2	1	1	...	1	1	..	.	1	1	2	1	3	...
....	..	...	....	..	2	....	1	1	3	...	....	1	2	1	...	...	..	...	...	.	...	...
....	.	..	..	..	1	.	1	.	2	...	1	...	..	2	..	...	...		.	.	...	...
1	2	..	1	...	....	.	...	..	...	..	...	...	....	.	...	...	.	.	.		...	...
....	...	..	..	..	....	1	..	..	1	..	...	..	..	..	...	...	..	.		.	..	...
...	1	..	....	....	.	...	....	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...
....	...	...	..	...	...	..	1	1	1	..	..	...	...	1		...	...	...	.	...	...	...
...	...	...	.	...	..	..		1		..	....	...	...		.	...	...	...	...	...	...	...
....	...	..	...	..	..		3	5	2	...	....	.	1	.	.	.	.		.	.	...	...
....	..	..	...	..		.	..	....	...	.	....	1	...	...	.	.	.	.	.	.	...	...
....	...	..	...	...	...	....	..	...	.			...	1	.	...	.	.	...	.		...	...
....	...	...	...	..	...	1	..	.	2	1	1	...	.	...	.	...	..	...	1	..	...	...
....	...	...	...	1	...	...	...	..	.	...	....	...	...	.	.	.	.	...	...	...	...	...
....	...	..	1	..	.	...	...	...	1	...	...	...	.	1	...	1	...	...	.	.	...	...
....	...	...	..	..	.	...	..	...	...	...	...	.	.	1	...	.	...	...	.	.	...	...
..	...	...	..	..	..	..	...	...	...	...	...	1	..	...	...	...	...	...	...	...	...	...
....	...	...	...	...	..	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...
....	...	...	...	...	...	...	.	1	....	1	...	...	1	...	...	...	...	...	...	...	...	...
...	...	...	...	...	...	...	...	...	...	...	...	...	...	..	...	1	...	...	...	...	...	...
....	...	...	..	...	..	...	...	...	1	...	...	1	..	.	...	...	...	...	...	...	...	...
....	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...
....	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...

Annual Report of Deaths by Causes, Colors, Sexes,

Causes of Death.	Total.	Colors.			Sexes.		Deaths per Month.											
		White.	Black.	Mulatto	Male.	Female.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
Class VIII.—Violence. Accidents & Negligence. (Continued.)																		
Injury--Buggy Pole	1		1		1													1
Wound—Poplitæl Artery	1	1			1					1								
Poisoned	4	2	2		2	2			2						1			1
Exposure to Cold	2		2		1	1			1						1			
Summary of Deaths from Accidents, Negligence, etc.	365	169	188	8	266	99	33	20	41	32	25	20	35	21	31	31	31	45
Homicide.																		
Murdered	6	1	4	1	4	2							1		2		1	2
Pistol Wound	34	14	16	4	30	4	3	2	2	2	2	6	2	2	2	2	5	4
Shot Gun Wound	60	18	40	2	57	3	7	4	4	3	3	8	7	2	4	5	5	8
Knife Wound	14	4	10		5	9			1	4		1	1	1		3	1	2
Wound on Head—Stone	1	1			1						1							
Summary of Deaths from Homicide	115	38	70	7	97	18	10	6	7	9	6	15	11	5	8	10	12	16
Suicide.																		
Suicide (mode not stated)	3	3			2	1	1						1			1		
Pistol	1	1			1		1											
Drowning	1	1				1					1							
Morphine	7	4	1	2	2	5					1	1	2	1	1	1		
Opium	1	1			1							1						
Summary of Deaths from Suicide	13	10	1	2	6	7	2				2	2	3	1	1	2		
Execution.																		
Hanging	6	1	4	1	6		1	2		1	1		1					
Surgical Operations.																		
Cæsarian Section	1		1			1											1	
Caniotomy	2	2			2			1							1			
Laparotomy	1	1				1					1							
Surgical Operation	3	1	2		1	2							1		1			1
Summary of Deaths from Surgical Operations	7	4	3		3	4		1			1		1		2		1	1

Months and Ages, for the State of Alabama, for 1890.

AGES OF DECEDENTS.

Under 1 year	1-2 years	2-3 years	3-4 years	4-5 years	5-10 years	10-15 years	15-20 years	20-25 years	25-30 years	30-35 years	35-40 years	40-45 years	45-50 years	50-55 years	55-60 years	60-65 years	65-70 years	70-75 years	75-80 years	80-90 years	90-100 years	Age not given
...	.	.	.		...		...	.	..	..	..	1		.	...	...	..	...	...	...	...	...
...	..	...	..	..	..	...	1			..	..	...	..	..	...	..	.	...	...	..	...	...
...	1		1	...	..	..	..	.	...	1	..	1	..	.		...	.	.		..	.	...
...	..		.	...	.		...			.		...	1	.	..	.		..	1	...	...	...
41	9	18	14	7	22	31	28	32	32	16	15	21	22	16	4	12	5	4	6	4	3	3
...	..						...	2		1		2		.	...			...	.	..	.	1
...		..	.	...	.	1	1	12	9	3	1	3	1	1		...		.	.	.	.	2
...			..	1	1		5	16	14	6	4	3	4	1		2	1		.	..	.	2
...	..	.	...			1		1	6	2	...	1	1	.	1		..	.	..	.	...	1
..		.			..	...		1		...				..		.	.	.	.	.	.	...
...		...	..	1	1	2	6	32	29	12	5	9	6	2	1	2	1	...	...	..	.	6
...	..		..					1					2	.	.	.	..		...	...	.	...
...	..						..	1		..			...			.	...	...		.	..	...
..					..			1						.		...			.	.	.	..
...		.						2	3	1			...		...	1		.	.	.	.	..
..	..				...				1					.	.	.			.	...	...	...
.		...	.					5	4	1			2		.	1	.	...		.	...	...
..	...							1	2	1	...	1		.	.	.	.	.	.	.		1
..		..			..				1					...		.		.		...		...
2					.					...			..		.	.	...	...				...
..			.						...			1	...	.	...	.	.	.	...		...	...
	..					1				1	1				.		.	.				...
2				...		1	.	...	1	1	1	1					.	.				..

Annual Report of Deaths by Causes, Colors Sexes,

Causes of Death.	Total.	Colors.			Sexes.		Deaths per Month.											
		White	Black	Mulatto	Male	Female	January	February	March	April	May	June	July	August	September	October	November	December
Class X.—Unclassified.																		
*Unknown	1037	255	751	31	436	601	102	74	88	82	44	80	148	81	93	82	75	88
Congestion	127	50	72	5	68	59	9	13	9	7	13	15	11	15	20	4	7	4
Hemorrhage	3	2	..	1	2	1	...	...	..	...	...	...	...	...	..	1	1	1
Eating Dirt	3	2	1	..	2	1	2	...	..	...	1	.	..	...	...	...	...	...
Summary of Deaths from Causes Unclassified.	1170	309	824	37	508	662	113	87	97	89	58	95	159	96	113	87	83	93
‡Gen'l Summary Deaths for the year 1890	9722	4716	4711	295	5013	4709	773	766	822	827	876	998	945	822	805	742	687	658

* 100–110 years—1. † 100-110 years—1. ‡ 100-110 years—21. 110-120 years—2.

Months and Ages, for the State of Alabama, for 1890.

AGES OF DECEDENTS.

Under 1 year	1-2 years	2-3 years	3-4 years	4-5 years	5-10 years	10-15 years	15-20 years	20-25 years	25-30 years	30-35 years	35-40 years	40-45 years	45-50 years	50-55 years	55-60 years	60-65 years	65-70 years	70-75 years	75-80 years	80-90 years	90-100 years	Age not given
369	139	30	32	20	39	20	30	54	37	40	33	25	22	21	13	22	21	25	8	16	3	17
14	9	10	4	4	10	9	10	15	8	5	7	5	5	2	4	3					1	1
1								1		1												
					1	2																
384	148	40	36	24	50	31	40	70	45	46	40	30	27	23	17	25	21	25	8	16	4	18
1747	728	382	193	144	369	326	489	735	610	487	445	402	371	347	242	372	320	310	275	275	75	96

CONTENTS.

PAGE

LETTER OF TRANSMITTAL 3
ORGANIZATION—OFFICERS FOR 1890 5
PART I. PROCEEDINGS AND RECOMMENDATIONS 7
Introductory Note 9
Financial Statement—Expenditures 10
Note by State Health Officer 12
Administration of the Color Blind Law 13
Work of the County Boards 14
The Roll of Honor 21
PART II. STATISTICAL REPORTS 27
Of Color Blindness and Defective Vision 29
Table No. 1—Consolidated Table 29
Table No. 2—Examinations by Dr. Chas. Whelan 32
Table No. 3—Examinations by Dr. R. D. Webb 34
Remarks by Dr. Webb 36
Table No. 4—Examinations by Dr. B. J. Baldwin 37
Table No. 5—Examinations by Dr. W. H. Sanders 40
Table No. 6—Examinations by Dr. G. King 42
Table No. 7—Examinations by Dr. R. P. Huger 44
Table No. 8—Examinations by Dr. S. C. Carson 46
Of Births by Months for 1890 48
Of Deaths by Months for 1890 49
Of Births and Deaths by Counties, Towns and Colors 50
Of Births and Deaths by Counties, Towns and Colors for Year 1890 102
Of Births and Deaths by Cities and Towns for 1890 112
Of Births and Deaths by Causes, Colors, Sexes and Ages 104
Class I. Zymotic—Miasmatic Diseases 104
Diarrhœal Diseases 106
Malarial Diseases 108
Venereal Diseases 110
Septic Diseases 111
II. Parasitic Diseases 113
III. Dietetic Diseases 113
IV. Constitutional Diseases 115
V. Developmental Diseases 121

Of Births and Deaths by Causes, Colors, Sexes and Ages—Continued.

VI. Local Diseases—Nervous System. 124
Organs Special Sense 133
Circulatory System 135
Respiratory System 140
Digestive System 146
Urinary System 155
Generative System (Male) 158
Generative System (Female) 159
Affections Connected with Child Birth and Pregnancy 160
Organs of Locomotion 163
Integumentary System 164
VII. Poisons—Metallic 165
Vegetable 166
Poisoned Wounds 167
VIII. Violence—Accidents, Etc 168
Homicide 175
Suicide 176
Execution 178
IX. Surgical Operations 179
X. Unclassified 180

Of Deaths by Causes, Colors, Sexes, Months, Ages 182

Class I. Zymotic—Miasmatic Diseases 182
Diarrhœal Diseases 182
Malarial Diseases 182
Venereal Diseases 182
Septic Diseases 184
II. Parasitic Diseases 184
III. Dietetic Diseases 184
IV. Constitutional Diseases 184
V. Developmental Diseases 186
VI. Local Diseases—Nervous System 186
Organs Special Sense 190
Circulatory System 190
Respiratory System 192
Digestive System 192
Lymphatic System 194
Urinary System 196
Generative System (Male) 196
Generative System (Female) 196
Affections Connected with Child Birth and Pregnancy 196
Organs of Locomotions 198
Integumentary System 198
VII. Poisons—Metallic 198
Vegetable 198
Poisoned Wounds 200
VIII. Violence—Accidents, Etc 200

Of Deaths by Causes, Colors, Sexes, Months, Ages—Continued.
Homicide 202
Suicide 202
Execution. 202
IX. Surgical Operations 202
X. Unclassified. 204

THE MEDICAL ASSOCIATION OF THE STATE OF ALABAMA.

THE REPORT

OF THE

BOARD OF HEALTH

OF THE

STATE OF ALABAMA,

FOR THE YEAR 1891.

MONTGOMERY, ALA.:
THE BROWN PRINTING CO., STATE PRINTERS AND BINDERS,
1893.

THE MEDICAL ASSOCIATION OF THE
STATE OF ALABAMA,
THE STATE BOARD OF HEALTH,
TUSCALOOSA, ALA., January 18, 1893.

To His Excellency, THOMAS G. JONES,
Governor of Alabama:

SIR—I have the honor herewith to submit the report of the State Board of Health for the year 1891.

It has been compiled as rapidly as possible, and was ready before the meeting of the General Assembly, except the calculations of the rates per thousand of population, which calculation could not be done properly until we got Census Bulletin, No. 21, which was issued October 11th, of this year.

I have the honor to remain,

J. T. SEARCY, M. D.,
President Medical Association of State of Alabama, and State Board of Health.

ORGANIZATION.

Under the laws of Alabama the Medical Association of the State of Alabama is the State Board of Health. The officers for 1891 are as follows:

PRESIDENT,

Benjamin James Baldwin, M. D., Montgomery.

VICE-PRESIDENTS,

William Camp Wheeler, M. D., Huntsville.
Jacob Huggins, M. D., New Berne.

SECRETARY,

Thomas Alexander Means, M. D., Montgomery.

TREASURER,

Walter Clark Jackson, M. D., Montgomery.

BOARD OF CENSORS AND COMMITTEE OF PUBLIC HEALTH,

Jerome Cochran, M. D., Montgomery, *Chairman.*
Peter Bryce, M. D., Tuskaloosa.
Thomas James Searcy, M. D., Tuskaloosa.
John Jefferson Dement, M. D., Huntsville.
George Augustus Ketchum, M. D., Mobile.
Edward Henry Sholl, M. D., Birmingham.
Wilds Scott DuBose, M. D., Columbiana.
John Brown Gaston, M. D., Montgomery.
Samuel Dibble Seelye, M. D., Montgomery.
Job Sobiesky Weatherly, M. D., Montgomery.

STATE HEALTH OFFICER,

Jerome Cochran, M. D., Official residence, Montgomery.

PART I.

PROCEEDINGS AND RECOMMENDATIONS OF THE STATE BOARD OF HEALTH.

Report of the State Board of Health, 1891.

THE WORK OF THE STATE BOARD.

We are very glad to be able to report satisfactory progress in the work of our board during the past year. In the great work of collecting the vital statistics of the State the improvement from year to year is marked and unmistakable. This is by far the most difficult work ever undertaken by any Board of Health or by any medical organization in the world, and for the measure of success which we have achieved we have good reason to congratulate ourselves. This enterprise in Alabama has ceased to be an experiment, and our ultimate success is simply a matter of time.

During the past year our State has been visited by only one great epidemic invasion—influenza or grippe. This entered first the northern part of the State, and slowly followed the lines of travel southward. Very few sections of the State escaped it, and its prevalence was widespread and general. As it traveled southward it seemed to become of milder type, but in all parts of the State it added something to the rates of mortality—chiefly from its complications with pneumonia. A remarkable fact in connection with it is that it attacked the negro population to a much less extent than the white population. Indeed, the negroes seem to have been comparatively exempt from it.

FINANCIAL STATEMENT.

THE STATE BOARD OF HEALTH,

In Account with the State of Alabama:

1891.		Dr.
April 30.	To cash from Auditor	$ 250 00
May 30.	" "	250 00
June 30.	" "	250 00
July 31.	" "	250 00
Aug. 31.	" "	250 00
Sept. 30.	" "	250 00
Oct. 12.	" "	100 00
Oct. 31.	" "	150 00
Nov. 30.	" "	250 00
Dec. 31.	" "	250 00
1892		
Jan. 31.	" "	250 00
Feb. 29.	" "	250 00
Mch. 31.	" "	250 00
	Total	$3,000 00

CREDITS.

1891		
M'ch. 2.	By postage (accidentally omitted from last year's account)	$ 11 00
April 12.	postage, Book of Rules	50
" 21.	P. O. box rent	1 50
" 21.	expressage	45
" 30.	Health Officer's salary, April	150 00
" 30.	clerk's salary, April	50 00
May 21.	expressage	50
" 21.	postage	12 00
" 30.	Health Officer's salary, May	150 00
" 30.	clerk's salary, May	50 00
June 20.	postage, Book of Rules	50
" 22.	postage " "	50
" 23.	postage	4 00
" 30.	Health Officer's salary, June	150 00
" 30.	clerk's salary, June	50 00
July 2.	post-office box rent	1 50
" 9.	1000 1c. envelopes	11 20
" 10.	1000 2c. envelopes	22 00
" 10.	cash to Joel White	3 10
" 31.	postage	5 00
" 31.	Health Officer's salary, July	150 00
" 31.	clerk's salary, July	50 00
Aug. 27.	expressage	25
" 31.	Health Officer's salary, August	150 00

EXPENDITURES—Continued.

Aug.	31.	By clerk's salary, August	$ 50 00
Sept.	2.	cash to Brown Printing Co	150 00
"	7.	cash to Joel White	15
"	9.	postage	5 00
"	21.	100 copies Proceedings Con. S. B. of H	6 00
"	21.	expressage on same	1 75
"	30.	Health Officer's salary, September	150 00
"	30.	clerk's salary, September	50 00
Oct.	9.	postage	5 00
"	15.	post-office box rent	1 50
"	16.	drayage on books	25
"	24.	1000 2c. envelopes	22 00
"	31.	1000 1c. envelopes	11 20
"	31.	Health Officer's salary, October	150 00
"	31.	clerk's salary, October	50 00
Nov.	11.	expressage	55
"	15.	Health Officer's expenses (Demopolis)	7 00
"	30.	Health Officer's salary, November	150 00
"	30.	clerk's salary, November	50 00
Dec.	2.	postage	5 00
"	7.	expressage	60
"	12.	postage	5 00
"	12.	postage, Book of Rules	50
"	31.	Health Officer's salary, December	150 00
"	31.	clerk's salary, December	50 00
1892.			
Jan.	5.	1000 1c. envelopes	11 20
"	9.	postage, Book of Rules	50
"	9.	cash to Brown Printing Co	150 00
"	16.	postage	5 00
"	30.	Health Officer's salary, January	150 00
"	30.	clerk's salary, January	50 00
Feb.	8.	postage	5 00
"	9.	1000 2c. envelopes	22 00
"	9.	cash to Joel White	5 00
"	10.	postage, Book of Rules	50
"	12.	post-office box rent	1 50
"	16.	postage, Book of Rules	50
"	29.	Health Officer's salary, February	150 00
"	29.	clerk's salary, February	50 00
Mch.	11.	postage, Book of Rules	50
"	12.	postage, Book of Rules	50
"	15.	envelopes	5 60
"	26.	postage	5 00
"	31.	Health Officer's salary, March	150 00

EXPENDITURES—Continued.

Mch .31.	By clerk's salary, March	$ 50 00
" 31.	cash to Brown Printing Co	91 70
	Total	$3,000 00

	Cr.	Dr.
To total receipts from April, 1891, to April 1, 1892		$3,000 00
By total expenditures from April 1, 1891, to April 1, 1892	$3,000 00	

RECAPITULATION OF EXPENDITURES.

By Health Officer's salary from April 1, 1891 to April 1, 1892	$1,800 00
Clerk's salary for same time	600 00
Cash, postage for same time	165 70
Cash to Prown Printing Co.	391 70
Miscellaneous	42 60
Total	$3,000 00

NOTE BY THE STATE HEALTH OFFICER.

In the foregoing account the sum of four dollars and fifty cents ($4.50) was advanced by the State Board of Health to pay postage on the Book of Rules. This sum has been refunded to the State Board out of money derived from the sale of said books; and the amount thus refunded has been paid over to our printers, the Brown Printing Company, which leaves the balance as before, with a corresponding reduction of our outstanding indebtedness—which now amounts to ninety-three dollars and eighty cents ($93.80), the smallest balance against us that has occurred for several years.

THE CONFERENCE OF STATE BOARDS OF HEALTH.

The conference of State Boards of Health meets this year in June at Lansing, Michigan. It has been the custom for several years for the State Health Officer to attend the meeting of this conference, and to have his expenses paid out of the quarantine fund, under the first section of the act to regulate the practice of quarantine in Alabama, approved February 28, 1887. We therefore recommend the passage of the following resolution:

Resolved, That it is the sense of the Board of Health of the State of Alabama, that the State Health Officer should attend the conference of State Boards of Health which meets in Lansing, Michigan, on the 6th of June next; and that the Governor is hereby requested, as

has been the custom heretofore, to authorize the payment out of the quarantine fund of the necessary traveling expenses of the State Health Officer in making said trip.

THE COLOR-BLIND LAW.

The examiners under the color-blind law are, at present, as follows:

Appointed by Governor Seay—

R. D. Webb, Birmingham.
Charles Whelan, Birmingham.
S. C. Carson, Bessemer.
W. H. Sanders, Mobile.
B. J. Baldwin, Montgomery.
J. J. Dement, Huntsville.
R. P. Huger, Anniston.
Goldsby King, Selma.

Appointed by Governor Jones—

L. G. Woodson, Birmingham.
B. L. Wyman, Birmingham.
Ruffin Coleman, Birmingham.
S. J. Cooper, Tuscumbia.
E. L. Jones, Florence.
J. M. Pinkston, Sheffield.
B. F. Cross, Decatur.
S. H. Lowry, Huntsville.
C. B. WcCoy, Opelika.
Rhett Goode, Mobile.
R. M. Cunningham, Birmingham.
Theodore Westmoreland, Athens.
W. C. Jackson, Montgomery.
A. A. Greene, Montgomery.

Of these Dr. J. J. Dement died during the past year; and his cases have been reported by Dr. Lowry.

Drs. R. D. Webb, Charles Whelan, W. H. Sanders, B. J. Baldwin, A. A. Greene, Goldsby King, S. H. Lowry, J. J. Dement (by S. H. Lowry), L. G. Woodson, J. M. Pinkston, G. C. Carson and W. C. Jackson have sent in their reports for 1891.

No reports have been received from Drs. C. B. McCoy, B. L. Wyman, B. F. Cross, R. M. Cunningham, Theodore Westmoreland, Rhett Goode, Ruffin Coleman.

Of those not reporting Drs. B. F. Cross and R. M. Cunningham, made no examinations in 1891, and consequently had nothing to report.

Drs. B. L. Wyman, Ruffin Coleman, Theodore Westmoreland and Rhett Goode, have persistently neglected to answer our repeated communications. We do not know what examinations have been made by them.

A very cursory consideration of these facts will show that we were not able during the past year to administer this law in anything like a satisfactory fashion. It is evident, indeed, that it is utterly impossible for us to administer the law efficiently and intelligently when examiners ignore our authority, violate the provisions of the law, and make no response to our official communications.

The duty of superintending the administration of the color-blind law is, by the terms of the law itself, imposed upon the State Board of Health; but, as the law stands, the appointment of examiners rests exclusively with the governor. The governor not only has the power to appoint, but it is his privilege to determine also how many examiners shall be appointed. In the meantime, as we have said, we are responsible to the State for the right administration of the law. But the right administration of the law depends very much on the competency of those who make the examinations—a matter about which, if we are consulted at all, it is only through the courtesy of the governor. As a matter of fact we have not usually been consulted in regard to these appointments, and the appointments themselves have not usually been officially notified to us. In a word, we have been left to find out by accident when appointments have been made and who have received appointments. It is certain that examiners have been appointed who are not competent to make all of the examinations required; and it is certain that applicants rejected by one examiner have been passed by another, as has been stated by the President

of the State Board of Health in his annual message. Any of the examiners may be at any time removed by the governor on the recommendation of the State Board of Health.

In view of these facts, and of others that we need not specially mention here, we respectfully recommend as follows:

(1.) That the State Board of Health respectfully requests the governor, under the act for the protection of the traveling public against accidents caused by color-blindness and defective vision, which was approved on the 28th of February, 1887, and under the provisions of section 4 of said act, to revoke the appointment as examiners under said law of Dr. Rhett Goode, Dr. Theodore Westmoreland, Dr. B. L. Wyman and Dr. Ruffin Coleman, for the reason that the examiners mentioned have utterly ignored the State Board of Health in connection with this work, thus making it impossible for us to supervise the administration of the law so far as they are concerned.

(2.) That the General Assembly of the State be requested, at its next session, to amend the color-blind law so that it may read as follows:

A Bill to be entitled An Act to amend, confirm and extend the Act for the protection of the travelling public against accidents caused by color-blindness and defective vision, approved February 28th, 1887.

SECTION 1. *Be it enacted by the General Assembly of Alabama*, That all persons affected with color-blindness and loss of visual power, one or both, to the extent to be defined in accordance with the requirements of this act, shall be and they are hereby disqualified from serving on railroad lines within this State in the capacity of locomotive engineer, fireman, train conductor, brakeman, station agent, switchman, flagman, gate tender or signal man, or in any other position which requires the use or discrimination of form or color signals.

SEC. 2. *Be it further enacted*, That any person who shall serve in any of the capacities mentioned in section 1 of this act without first having obtained a certificate of fitness for his position in accordance with the provisions of this act shall be guilty of a misdemeanor, and on conviction thereof before any court of competent jurisdiction, shall be fined not less than ten dollars nor more than fifty dollars for each and every offense.

SEC. 3. *Be it further enacted*, That any railroad company, officer or agent of the same, employing a person in any of the capacities speci-

fied in section one of this act, who does not possess a certificate of fitness therefor, in so far as color-blindness and visual power are concerned, duly issued in accordance with the requirements of this act, shall be guilty of a misdemeanor, and for each and every offense shall be punished by a fine of not less than fifty nor more than five hundred dollars.

SEC. 4. *Be it further enacted*, That any person obtaining or attempting to obtain a certificate fraudulently, either by collusion with another in his examination, or by getting some one to personate him in the examination; or any one thus personating another person, or aiding him fraudulently to procure a certificate of fitness under this act by collusion or otherwise; or any one attempting to use a certificate issued to another person for the purpose of procuring employment on a railroad in this State, shall be guilty of a misdemeanor, and on conviction thereof shall be fined not less than fifty dollars nor more than five hundred dollars.

SEC. 5. *Be it further enacted*, That it shall be the duty of the State Board of Health to supervise the administration of this law, to prescribe the methods by which such examination shall be made, the forms of certificates to be issued, of records to be kept, and reports to be made by the examiners, and such other rules and regulations as shall, from time to time, by said board be deemed necessary; and it shall be the further duty of the said Board of Health, from time to time, to nominate or select a suitable number of well qualified medical men who are experts in ophthalmology to act as examiners under this act, who shall be duly commissioned by the governor; and any one of the examiners so commissioned shall be immediately removed from office by the governor at the request of the said State Board of Health; and any one of said examiners, as provided for in this act, is hereby authorized to make the examinations and issue the certificates required by this act; and for each and every such examination the examiner shall be entitled to a fee of three dollars.

SEC. 6. *Be it further enacted*, That the examinations under this act shall be made and certificates issued in conformity with the following rules: Rule 1. There shall be two classes of certificates, to be designated, respectively, as first class certificates and second class certificates. Rule 2. For first class certificates, the requirements shall be healthy eyes and eyelids, without habitual congestion or inflammation; ample field of vision; normal visual acuteness, and refraction; freedom from color-blindness, and absence of cataract. Rule 3. For second class certificates the requirements shall be healthy eyes and eyelids, without habitual congestion or inflammation; ample field of vision; visual acuteness, at least equal to three-fifths without glasses and normal with glasses, and color perception at least equal to three-fourths using both eyes. Rule 4. Those obtaining first class certificates shall be eligible for employment in any of the positions specified in section 1 of this act. Those obtaining second class certificates shall be eligible for employment in any position except engineer, fireman, brakeman or flagman. Rule 5. Re-examination shall be required

after any serious disease of the eyes, after all severe injuries affecting the head or eyes, after any disease of the brain, after every long continued illness as typhoid fever, and after mistakes or acts which would seem to imply impairment of visual power or of color perception.

SEC. 7. *Be it further enacted*, That if a certificate of fitness is refused by any examiner, the person so refused shall be entitled to examination by any other examiner by simply making application and paying the fee therefor.

SEC. 8. *Be it further enacted*, That so much of the act for the protection of the travelling public against accidents caused by color-blindness and defective vision, which was approved February 28th, 1887, as is in conflict with the provisions of this act, be and the same is hereby repealed, and that all commissions or appointments issued to examiners in accordance with the provisions of said act of 1887, be and the same are hereby revoked and vacated; provided, however, that the provisions of this repealing section shall take effect on and after the first day of May, 1893; this time being allowed in order to give time and opportunity for the appointment and qualification of new examiners under this new law.

THE SUPERVISION OF THE HEALTH OF TOWNS AND CITIES.

In our plan of organization for the supervision of the public health, we have a Board of Health in every county, all of which are under the superintendence and control of the State Board. The object of this plan is to secure uniform and systematic work all over the State, with a uniform system of reports, and with the utmost efficiency and economy of administration. In order that this plan may be thoroughly understood, we desire to call the attention of the county boards to sections 1284, 1285 and 1286 of the Code:

SECTION 1284. *County, city or town may invest county board of health with powers.*—The court of county commissioners, or the proper corporate authorities of any city or town, may jointly or separately invest the county board of health with such executive powers and duties as may be deemed necessary for the preservation and promotion of the public health, and for the prevention of the introduction or spread of contagious or infectious diseases; such powers to be exercised, and such duties to be performed under such rules and regulations as may be determined upon between such board and such court or corporate authorities.

SEC. 1285. *Sanitary regulations; expenses.*—In the exercise of such

powers and performance of such duties, in the administration of all sanitary regulations, the appointment of officers or servants is reserved exclusively to the board of health; but the matter of expenditures is reserved exclusively to the court of county commissioners, or to the proper authorities of the town or city.

SEC. 1286. *No other local boards than county boards of health to be established.*—No local board of health, or executive medical body, of any name or kind, for the exercise of public health functions, other than the county board of health, must be established in any county, town or city.

An ordinance drawn up in accordance with the provisions of these sections was adopted several years ago by the city of Mobile. It is printed in the Book of Rules, beginning at page 300, to serve as a sort of general model for drawing up similar ordinances for other places.

It will be seen that under the terms of this ordinance a city health officer is created. There are several other cities in the State of sufficient importance to have a city health officer, and to provide by special ordinance in agreement with the County Board of Health for systematic sanitary supervision. Where there are several large towns in the same county a health officer could be provided for each, and if it was considered to be desirable a special committee of public health, composed of resident physicians, could also be provided for each. All these health officers and special committees of public health would of course be subordinate to the County Board of Health.

We call special attention to these matters because it would seem that the time was approaching when a good many of our cities and larger towns would find it to their interest to arrange for some plan of systematic health administration. All movements looking to this end should be fostered and encouraged by our Board of Health.

THE WORK OF THE COUNTY BOARDS OF HEALTH.

The work of the County Boards of Health is steadily improving when we consider all the counties together. That is to say, a large number of counties than ever before are engaged in the collection of vital statistics, and a larger

number than ever before are approximating satisfactory results. This persistent progress, even while it is slow, is very gratifying. In it we have the assurance that complete success will ultimately crown our efforts in the most difficult enterprise ever undertaken by the medical profession of any country in the world. It is a work, therefore, of which the medical profession of Alabama may well be proud.

In the meantime there are some other official functions to which our county boards stand pledged, which, by many of them, are very imperfectly performed, and which, by some of them, are not performed at all. We allude to the sanitary inspection and supervision of jails, poor-houses, hospitals and public schools. In this connection we urge upon all the members of the county boards, and especially on the official members, the careful study of the instructions on page 196 of the Book of Rules.

There is one of the county boards which, in the discharge of these and of similar duties, has specially distinguished itself, and which, therefore, deserves honorable mention, and that is the Board of Health of Jefferson county.

With these few introductory sentences, we now proceed to notice each one of the county boards of health, and its work for the past year, separately:

Autauga county board.—No report has been received from this board during the past year. Dr. W. J. Bell has been recently elected county health officer, and promises to make a faithful effort to discharge the duties of the office.

Baldwin county board.—Dr. W. M. Lovelady continues to act as health officer for this county. He is earnest and energetic, and while the great extent and sparce population of the country make his work difficult, it shows improvement over that of last year. His salary is three hundred dollars.

Barbour county board.—The work in this county is about the same as last, and not as good as it ought to be. Dr. W. H. Robertson is still the county health officer. His salary is three hundred dollars.

Bibb county board.—During the past year no reports have been received from this county. Dr. Fred Black is the county health officer.

Blount county board.—The work in this county shows perhaps some improvement over last year, but it is not up to a high standard of efficiency. Dr. W M. Cole is still the county health officer.

Bullock county board.—Our work in this county had begun to decline, although it has always been well done. The present county health officer is Dr. S. C. Cowan. Under his administration there has been some improvement, and we hope it will soon be up to the front again.

Butler county board.—Since our last report the work of this county shows decided improvement, and we hope by another year to be able to report it as equal to the best. Dr. J. C. Kendrick is the county health officer.

Calhoun county board.—The work of this board still continues to improve. As was the case last year the returns from Oxford, Jacksonville and Piedmont are about complete. The returns from Anniston are still not quite complete, but are nearly so. Some of the beats in the county are not fully reported. Dr. T. W. Ayres is the efficient county health officer.

Chambers county board.—Again last year no reports were received from this board. The outlook is a little better this year, inasmuch as the county society is better organized than heretofore, and there seems to be a better feeling amongst the doctors. Dr. J. B. Rutland is county health officer and promises to do his best.

Cherokee county board.—The work of this board is about the same as last year. In the meantime the medical organization of the county has considerably improved, and we may be allowed to hope that our work also will improve. Dr. G. D. W. Lawrence is still county health officer.

Chilton county board.—The hopes we expressed in our last report in regard to this county have not been fulfilled. Dr. W. E. Stewart is still the county health officer, but he makes no reports.

Choctaw county board.—In this county there has been very little change in our work—perhaps it has slightly improved. Dr. R. B. Car is still the county health officer.

Clarke county board.—The work of this board has been kept up to an encouraging degree of efficiency—just a little more effort would make it all that could be desired. Dr. J. W. Armistead is the county health officer.

Clay county board.—Our work in this county shows decided improvement. This improvement is due to the efforts of Dr. Thomas Northen, who is the county health officer.

Cleburne county board.—During the last year, as for several previous years, this board has made no reports. Dr. O. W. Sheppard is still on the roll as county health officer.

Coffee county board.—From this county no reports were made during the past year. Recently Dr. W. W Grubbs has been elected county health officer, and he promises to do his best to succeed.

Colbert county board.—Again, during the past year, no reports were received from this board. Dr. H. W. Blair was elected county health officer in January, but as yet has given no evidence to this office that he is doing anything.

Conecuh county board.—The work of this board goes on about as for the last several years. The death rates and birth rates continue to be notably below the average, but Dr. A. A. McKittrick is still the county health officer, and he insists that his returns are complete.

Coosa county board.—During the past year our work in this county has improved very much, and the outlook for further improvement is good. Dr. A J. Peterson is the efficient county health officer.

Covington county board.—We have had only a few very imperfect reports from this board during the past year. Dr. W. E. Sentell still stands as county health officer, but he seems not to be making any effort to discharge the duties of the office.

Crenshaw county board.—We have received no reports from this board during the past year.

Cullman county board.—During the past year this board has done excellent work, but its returns are still not quite complete. Dr. M. L. Johnson is still the county health officer.

Dale county board.—Our work in Dale county has improved considerably, but is still far from complete. Dr. R. H. Harper is the county health office, and is entitled to credit for the advance that has been made.

Dallas county board.—There has been some improvement in the work of this board during the past year, but not such improvement as ought to have been accomplished. The Selma reports are doubtless complete as to the deaths, and nearly so as to the births. But the returns from a good many of the county beats are quite defective. On account of its very large black population, this is a very difficult county to manage. Dr. E. B. Ward is the county health officer.

DeKalb county board.—In this county our work has slowly improved. There is, however, room for considerable additional improvement. Dr. H. P. McWhorter is still the county health officer.

Elmore county board.—This board has acquitted itself well during the past year, and the monthly reports now approximate completeness. For this, great credit is due to Dr. O. S. Justice, the county health officer.

Escambia county board.—This board is doing most excellent work, and sending in reports that are about complete, for all the beats in the county. The county health officer is Dr. J. L. Bass.

Etowah county board.—During the past year this board did fairly good work, but not perfect work. The outlook for the future is fairly

good. Dr. M. R. Wright, who has been county health officer for several years, has been succeeded by Dr. D. H. Baker.

Fayette county board.—We have to report again that our work in Fayette does not improve. Dr. J. H. Duncan was county health officer. He has been succeeded recently by Dr. Thomas M. Peters.

Franklin county board.—This board has never made any reports. Dr. S. W. Desprez is still the county health officer. He has no salary.

Geneva county board.—We do not get any report from this county.

Greene county board.—Our work in Greene county still moves forward very slowly. We get perfect reports from Eutaw, but the returns from several of the county beats are quite defective. The county is in a better state of organization than for several years, and this affords us some grounds to hope for better things. Dr. T. W. Pierce is the county health officer. His salary is $100 a year.

Hale county board.—Our work in Hale county goes steadily on, but not in a satisfactory fashion. The monthly returns are not complete. Dr. J. Huggins is the county health officer.

Henry county board.—The condition of our work in Henry county is still very unsatisfactory; but it has improved. The monthly reports were resumed with the beginning of this year. Dr. Phillips is the county health officer.

Jackson county board.—Our work in this county has always been fairly well done, and for the past year has gone on about as usual. The organization of the county is good, and it would seem that a little more effort would secure complete returns. Dr. G. L. Hayes is the county health officer.

Jefferson county board.—The work of this board deserves special commendation. The collection of vital statistics, while not complete, has improved decidedly during the past year. They are now making separate reports for Birmingham, Bessemer, Pratt Mines town, and Pratt Mines prison, Coalburg prison, Warrior, Woodlaw and Oxmoor, and for the county outside of these places. Most of these special reports are good; but in the county, several beats show very defective returns. Besides the collection of vital statistics, this board has been active in the discharge of other duties, such as the inspection of the jail, the poor house, the markets, the hospitals, the public schools, and in the abatement of nuisances. Other boards in the State might study with advantage what this board has accomplished.

Lamar county board.—The efficiency of the work of this board has declined since Dr. R. J. Redden gave up the position of county health officer. He was succeeded by Dr. D. D. Hollis, who has done fairly well, but not as well as we could wish.

Lauderdale county board.—This board has merely a nominal existence, and has made no reports during the past year.

Lawrence county board.—During the past year the work of this board was not well done. The county health officer, Dr. W. J. McMahon, was absent from the county for a considerable part of the time, and his work naturally fell to pieces. He is again at his post, and as the medical organization in the county has improved, it is hoped that this work will improve also.

Lee county board.—This board has made no reports during the past year. Dr. A. G. Emory was nominally health officer, but paid no attention to the duties of the office.

Limestone county board.—The work of this board has dragged very greatly during the past year, simply for the lack of energy and effort.

Lowndes county board.—In this county there has been no change. The work has been well done. Dr. Shirley Bragg is still the county health officer.

Macon county board.—The work of this board continues to be a failure. Dr. C. S. C. Atkeson is the county health officer. He gets no salary.

Madison county board.—The work in this county does not improve, and this state of affairs is a great disappointment to us. Dr. W. C. Wheeler is the county health officer.

Marengo county board.—This board made no reports during the past year. In the meantime the organization of the county has been greatly improved, and we hope better work will be done this year. Dr. I. G. Wilson is the county health officer.

Marion county board.—This board has never succeeded in accomplishing anything in the way of collecting vital statistics; the medical organization of the county has been greatly improved, however, and a county health officer—Dr. T. J. Springfield—has been appointed.

Marshall county board.—The work of this board has never been efficient; the health officer gets no salary; the monthly reports have been regularly made, but have been very defective; since January there has been a new county health officer, who is making considerable effort to improve the work; he is Dr. P. B. Lusk.

Mobile county board.—The work of this board outside of the city of Mobile continues to be a failure; in the meantime the salary of the county health officer has been increased to $420 a year. Since January the county health officer is Dr. E. L. Marechal.

Monroe county board.—Our work in this county continues to be fairly well done, but during the past year has dragged more than usual, the reports having been frequently way behind time; with just a little more effort this county could be placed in the first rank. Dr. W. W. McMillan is the county health officer.

Montgomery county board.—During the past year the work of this board has notably improved; it is not yet what it ought to be, but it is

hoped that this improvement will continue. Dr. P. H. Owen is still the county health officer.

Morgan county board.—The work of this board continues to be fairly done, but it ought to be pushed to still greater efficiency. Dr. Peter Binford is still the county health officer.

Perry county board.—During the past year this board has failed to make its reports. Dr. Charles A. Wilkerson is the county health officer.

Pickens county board.—This board has been very negligent of its duty, and has made during the past year only a few straggling reports. Dr. A. N. Steele is still the county health officer.

Pike county board.—This board continues to do fairly good, but by no means perfect work. Dr. C. W. Hilliard is now the county health officer.

Randolph county board.—No reports were received from this board during the past year. This year Dr. J. C. Swann has been elected county health officer. He gets no salary, but promises to work up the county.

Russell county board.—This board sent up monthly reports last year, but they were very defective. Since January, Dr. W. B. Prather has been elected county health officer.

Shelby county board.—Nothing was done in this county last year.

St. Clair county board —This board makes regular reports, and there has been, perhaps, some improvement over last year; but the reports are still quite defective. Dr. G. M. Jones is still the county health officer.

Sumter county board.—Our work in this county continues to be in an unsatisfactory condition; it ought to be better done. Dr. D. S. Brockway is the county health officer.

Talladega county board.—The work in this county has improved little, but is still in an unsatisfactory condition. Dr. W. F. Thetford is still the county health officer.

Tallapoosa county board.—During the past year the work of this board as compared with that of previous years shows decided retrogression. Dr. A. J. Coley continues to act as county health officer.

Tuscaloosa county board.—There has been some little improvement in our work in this county; the reports from Tuscaloosa and North Port towns are nearly complete; but a good many of the county beats make very defective returns. Dr. J. B. Read is still the county health officer.

Walker county board.—This board during the year endeavored to do some work, but without any great success. Dr. W. C. Rosamond is the county health officer.

Washington county board.—No attempt has been made to collect statistics in this county.

Wilcox county board —The work in this county continues to drag on without improvement. Dr. J. C. Benson is the county health officer.

Winston county board —The work in this county continues to be done in an imperfect way. Dr. J. C. Taylor is still the county health officer.

THE ROLL OF HONOR.

Beat Health Officers who deserve favorable mention:

BALDWIN.

Dr. W. M. Lovelady.

BARBOUR.

Dr. H. L. Brannon,
" W. H. Robertson,
" W. N. McNair,
Dr. R. F. Harper,
" Thos. Patterson,
" J. A. Newberry.

BLOUNT.

Dr. W. K. Clapp,
" P. G. Allridge,
" W. B. Allgood,
" A. S. Davidson,
" J. H. Berrier,
Dr. William Cole,
" Geo. Self,
" L. L. Wikle,
" W. M. Fendley,
" J. F. Hendricks,
Dr. J. W. Boyd.

BULLOCK.

Dr. W. A. Mayes,
" H. M. Hunter,
" W. B. Thomasson,
" B. F. Darnell,
Dr. C. B. Lightner,
" N. M. Bledsoe,
" W. A. Walker,
" W. A. Reynolds,
Dr. J. H. Reynolds.

BUTLER.

Mr R. S. Riley,
Dr. H. E. Scott,
" J. L. Perdue,
Dr. W. C. Simmons,
" C. Wall,
" J. E. Allman,
Dr. H. G. Perry.

CALHOUN.

Dr. T. W. Ayres,
" T. J. Williamson,
" W. H. Kinnebrew,
" J. F. M. Davis,
Dr. T. C. Harvey,
" W. R. Kendall,
" B. S. Evans,
" F. M. McRae,
Dr. J. M. Whiteside.

CHEROKEE.

Dr. E. A. Cook,
" T. N. White,
" R. L. McWhorter,
Dr. J. L. Barge,
" G. D. W. Lawrence,
" J. P. Farrill,

CHOCTAW.

Dr. R. B. Carr,
" J. B. Phillips,
Dr. D. McCall,
" L. Shumaker,
Dr. R. H. Coleman.

CLARKE.

Dr. J. W. Armistead,
" G. S. Chapman,
" G. W. Files,
" B. Burroughs,
" T. B. Harwood,
Dr. H. G. Davis,
" C. J. Dahlberry,
" J. W. Fleming,
" G. E. Jones,
" J. D. Lindsey,
Dr. J. M. Davis.

CONECUH.

Dr. A. A. McKittrick,
" Dr. W. C. Shaw,
" W. B. Shaver,
Dr. R. T. Holland,
" A. P. Feagin,
" Andrew Jay.

COOSA.

Dr. William Bailey,
" W. H. Moon,
" W. J. Peddy,
" W. T. White,
Dr. C. K. Maxwell,
" A. J. Peterson,
" P. P. Goggans,
" H. C. Dollar.

CULLMAN.

Dr. J. E. Purdon,
" W. J. Reid,
" W. H. Martin,
Dr. F. B. Burnum,
" J. H. Walling,
" L. M. Kellar.

DALLAS.

Dr. William Mixon,
" L. L. Alston,
" W. C. Stewart,
" J. M. Donald,
" J. A. Weissinger,
" W. R. Hardy,
Dr. R. M. Cochran,
" W. Q. Kendall,
" B. C. Adams,
" R. D. Jackson,
" J. A. Groves,
" J. O. Boykin.

DEKALB.

Dr. H. P. McWhorter,
" W. E. Moore,
" E. P. Nicholson,
" S. P. Smith,
" H. E. Killion,
Dr. J. T. Miller,
" W. E. Quinn,
" F. H. Machem,
" W. W. Hill,
" W. I. Wright,
Dr. W. A. Elrod.

ELMORE.

Dr. O. S. Justice,
" J. T. Rushin,
" N. B. Sewell,
" J. I. Lamar,
" W. F. Beckett,
" M. L. Fellder,
Dr. J. R. Powell,
" S. F. Jowers,
" Phil. Fitzpatrick,
" E. H. Robinson,
" H. T. Lett,
" T. D. Hall.

ESCAMBIA.

Dr. J. D. Trammell,
" J. A. Wilkinson,
Dr. S. W. Douglass,
" G. P. Henry,

ETOWAH.

Dr. M. R. Wright,
" T. B. Teague,
" J. P. Stewart,
Dr. J. B. Liddell,
" G. W. Morgan,
" F. P. Landers,
Mrs. L. V. Morgan,

FAYETTE.

Dr. J. H. Duncan,
" W. W. Jones,
Dr. T. B. Woods,
" J. S. Hollis,
Dr. J. G. Smith.

GREENE.

Dr. T. W. Pierce.

HALE.

Dr. W. M. Wedgeworth,
" A. R. Davis,
Dr. G. M. Spencer,
" J. C. Wilborn.

JACKSON.

Dr. S. L. Zurmehly
" J. R. Tarrant,
" W. D. Hadden,
" C. W. Adkins,
" A. N. Blakemore,
" J. M. Brewer,
" J. M. Lowe,
" J. F. Clarke,
Dr. P. H. Helton,
" J. H. McCord,
" J. H. Boyd,
" G. T. Hayes,
" W. C. Maples,
" E. R. Smith,
" C. H. Owen,
" G. P. McAfee,

JEFFERSON.

Dr. H. N. Rosser,
" J. C. Jones,
" J. H. Finch,
" M. L. Posey,
" C. L. Hill,
Dr. M. C. Ragsdale,
" J. T. Miller,
" D. D. Oates,
" R. S. Greene,
" J. C. Curry,

LAMAR.

Dr. D. D. Hollis,
" D. W. Box,
Dr. J. S. Stanley,
" J. T. Seay.

LAWRENCE.

Dr. W. J. McMahon, Dr. L. W. Houston,
Dr. J. R. Martin.

LIMESTONE.

Dr. G. A. Williams, Dr. F. G. Wilson,

LOWNDES.

Dr. Shirley Bragg, Dr. S. E. Winnemore,
" C. T. Weatherly, " William Peake,
" S. G. Dilburn, " O. G. Bruner,
" J. H. Russell, " D. S. Hopping.
Dr. W. L. Buford.

MADISON.

Dr. J. L. Darwin, Dr. J. B. Farley,
Dr. J. P. Burke.

MARSHALL.

Dr. T. S. May, Dr. G. B. May,
" J. J. McGahey, " Wm. May,
Dr. F. M. Nixon.

MONROE.

Dr. W. W. McMillan, Dr. S. S. Gaillard,
" H. C. Bradley, " F. S. Dailey,
" W. R. Chapman, " W. M. Hestle,

MONTGOMERY.

Dr. I. L. Watkins, Dr. J. V. Phillips,
" C. W. Powell, " W. H. Howell.
" N. H. McCrummen, " J. M. Brown,
Dr. James McDade,

MORGAN.

Dr. B. F. Cross, Dr. P. Binford,
" J. M. Kitchens, " W. B. Thomasson,
" F. B. Hunter, " J. H. Oden,
" S. C. Smith, " J. L. Gill,

PIKE.

Dr. E. G. Ford, Dr. L. R. Boyd,
" G. Hendricks, " W. A. Eiland,
" I. W. Hamil, " C. M. Carlisle,
Dr. F. M. Broach.

ST. CLAIR.

Dr. J. W. Ash, Dr. O. M. Steadham.

SUMTER.

Dr. J. N. Gilmer,
" D. T. Brockway,
Dr. J. C. Houston,
" D. Henegan,
Dr. M. B. Cameron.

TALLADEGA.

Dr. J. T. Donaldson,
" A. G. Sims,
" John Dixon,
Dr. J. T. Harrison,
" J. W. Heacock,
" J. E. Pearson,
Dr. J. T. Mays.

TALLAPOOSA.

Dr. R. W. Lightfoot,
" J. J. Harlan,
Dr. J. A. Goggans,
" A. J. Coley.

TUSCALOOSA.

Dr. A. S. Allen,
" W. J. Smothers,
" M. A. Toomey,
" G. W. Wilson,
" D. E. Monroe,
Dr. Ezra Foster,
" W. J. Caldwell,
" J. M. Thompson.
" R. Neilson,
" J. B. Read,
Dr. T. W. Shockley.

WINSTON.

Dr. J. C. Taylor,
Dr. C. H. Johnson.
Dr. W. I. Grovlee.

PART II.

STATISTICAL REPORTS.

Statistics on Color Blindness and Defective Vision—1891.

TABLE NO. 1.

CONSOLIDATED TABLE OF ALL EXAMINATIONS MADE—1891.

CLASSIFICATION OF DISABILITIES.

Marginal Nos. 3-91		Total.	COLORS			AGES			NATIVITIES.			
			White.	Black.	Mulatto.	Below 35 years.	Between 35 and 45 years.	Above 45 years.	United States.	Canada.	Europe.	Other Countries.
1	Whole number examined	1555	1265	241	49	1393	131	41	1517	13	23	2
2	Number without disqualifying defects	1523	1235	239	49	1371	124	38	1485	13	23	2
3	" with disqualifying defects	32	30	2	.	22	7	3	32	..	..	
4	" of examinations in Class I	1163	893	225	45	1038	98	27	1135	8	19	1
5	" of certificates granted, Class I	1151	882	224	45	1028	96	27	1123	8	19	1
6	" of examinations in Class II	392	372	16	4	357	23	12	382	5	4	1
7	" of certificates granted, Class II	381	362	15	4	349	20	12	371	5	4	1
8	" with normal visual power, Class I	1144	876	223	45	1024	95	25	1116	8	19	1
9	" with defective visual power, Class I	19	17	2	...	14	3	2	19	...	..	
10	" rejected for defective visual power in Class I	2	1	1	.	1	.	1	2	...	..	..
11	" with normal visual power in Class II	366	347	15	4	336	21	9	357	5	3	1
12	" with defective visual power in Class II	26	25	1	..	21	2	3	26	..	..	..
13	" rejected for defective visual power in Class II	4	3	1	..	3	1	....	4	..	...	.
14	" with defective refraction in right eye only, Class I	2	2	...	...	2	...	..	2	..	..	.
15	" with defective refraction in left eye only, Class I	4	3	1	..	3	1	.	4	..	...	.
16	" with defective refraction in both eyes, Class I	8	8	...	...	4	1	3	8	..	..	.
17	" myopic in Class I	8	7	1	..	4	2	2	8	..	..	
18	" rejected for myopia in Class I	....	...	...	...	..	..	..	..	..	..	
19	" hypermetropic in Class I	3	3	...	...	3	..	...	3	..	...	
20	" rejected for hypermetropia in Class I	..	..	...	...	..	..	.	..	..	..	.
21	" astygmatic in Class I	2	2	...	...	2	...	...	2	...	...	.

Statistics on Color Blindness and Defective Vision—1891. (Continued.)

TABLE NO. 1.—Continued.

CONSOLIDATED TABLE OF ALL EXAMINATIONS MADE—1891.

Marginal Nos.	Classification of Disabilities.	Total.	Colors. White.	Colors. Black.	Colors. Mulatto.	Ages. Below 35 Years.	Ages. Between 35 and 45 Years.	Ages. Above 45 Years.	Nativities. United States.	Nativities. Canada.	Nativities. Europe.	Nativities. Other Countries.
22	Number rejected for astygmatism, Class I	..	..	...	..	..	..	..	..	..	...	..
23	" with defective refraction in right eye only, Class II	5	5	...	..	4	1	..	5	..	...	..
24	" with defective refraction in left eye only, Class II	..	.	...	..	....	...	..	..	..	...	..
25	" with defective refraction in both eyes, Class II	16	15	1	..	12	2	2	16	..	...	
26	" myopic in Class II	4	4	..	..	4	..	..	4	..	...	..
27	" rejected for myopia Class II	1	1	...	..	1	..	..	1	..	..	
28	" hypermetropic in Class II	6	6	...	..	5	1	..	6	...	...	
29	" rejected for hypermetropia, Class II	..	..	..	.	..	..	..	..	...	..	
30	" astygmatic in Class II	6	5	1	...	5	1	..	6	.	.	
31	" rejected for astygmatism, Class II	1	1	..	..	1	..	...	1	..	...	
32	" with cataract of right eye only	2	2	...	..	1	..	1	2	...	...	
33	" with cataract of left eye only	..	..	..	..	..	..	..	..	..	..	
34	" rejected for cataract	2	2	...	..	1	..	1	2	..	...	.
35	" with defective field of vision	3	3	..	..	2	..	1	3	.	...	
36	" rejected for defective field of vision	2	2	..	..	1	..	1	2	..	...	.
37	" rejected for defective color perception	18	17	1	...	15	2	1	18	..	...	.
38	" red blind only	3	3	..	...	3	..	..	3	..	...	.
39	" green blind only	7	7	..	..	6	1	..	7	..	...	
40	" both green and red blind	11	10	1	..	8	2	1	11	..	..	
41	" engineers with defective color perception	2	2	..	..	2	..	..	2	..	..	
42	" firemen with defective color perception	2	2	...	....	1	1	..	2	...	..	

43	" conductors with defective color perception	1	1	..	..	1	...	..	1	..	....	
44	" brakemen, flagmen, etc , with defective color perception	13	12	1	..	12	1		13		..	
45	" with chronic congestion or inflammation of eye-lids	32	26	6		24	7	1	32	.	...	.
46	" rejected for chronic congestion or inflammation of eye-lids	.	..	..	..	.	..	.	.	..	..	
47	Whole number with defective eyes	40	35	5	..	29	8	3	40	..	..	..
48	" number with defective eye-lids	32	26	6	...	24	7	1	32	..	..	..
49	Number with only one eye	2	2	..	...	2	..	..	2	..	..	
50	" with defective eyes passed under Rule 6.	16	15	1	..	12	3	1	16	..	..	.
51	" granted temporary certificates.	3	3			2		1	3		..	..

Statistics on Color Blindness and Defective Vision—1891.

TABLE No. 2.

EXAMINATIONS MADE BY DR. CHARLES WHELAN—Birmingham.

Marginal Nos.	CLASSIFICATION OF DISABILITIES.	Total.	COLORS. White.	Black.	Mulatto.	Ages. Below 35 years.	Between 35 and 45 years.	Above 45 years.	NATIVITIES. United States.	Canada.	Europe.	Other Countries.
1	Whole number examined	653	546	92	15	581	54	18	632	6	13	2
2	Number without disqualifying defects	645	538	92	15	577	52	16	624	6	13	2
3	" with disqualifying defects	8	8	....	.	4	2	2	8	..	..	
4	" examinations in Class I.	473	377	84	12	414	45	14	458	4	10	1
5	" certificates granted in Class I.	471	375	84	12	412	45	14	456	4	10	1
6	" examinations in Class II.	180	169	8	3	167	9	4	174	2	3	1
7	" certificates granted in Class II.	179	168	8	3	167	8	4	173	2	3	1
8	" with normal visual power in Class I.	467	371	84	2	410	44	13	452	4	10	1
9	" with defective visual power in Class 1.	6	6	..	..	4	1	1	6	....	..	
10	" rejected for defective visual power in Class 1.	..	..	..	..	..	..	..	....	..	..	
11	" with normal visual power in Class II	178	167	8	3	167	9	4	172	2	3	1
12	" with defective visual power in Class II.	2	2	...	..	..	2	..	2	..	..	..
13	" rejected for defective visual power in Class II.	...	..	...	..	..	.	..	..	..	..	..
14	" with defective refraction in right eye only, Class I.	..	..	..	..	..	..	..	..	..	..	
15	" with defective refraction in left eye only, Class 1.	..	...	..	..	..	..	..	..	..	..	
16	" with defective refraction in both eyes, Class I.	6	6	...	..	2	1	3	6	..	..	..
17	" myopic in Class I	4	4	..	..	1	1	2	4	..	..	
18	" rejected for myopia in Class I	...	....	..	..	..	..	..	..	.	..	
19	" hypermetropic in Class I	.	..	..	..	..	..	..	..	..	..	
20	" rejected for hypermethopia, Class I	..	..	..	..	...	..	..	..	..	..	
21	" astigmatic, Class I	....	...	..	..	...	..	..	..	..	....	

22	" rejected for astygmatism in Class I											
23	" with defective refraction in right eye only, Class II											
24	" with defective refraction in left eye only, Class II											
25	" with defective refraction in both eyes, Class II	4	4			1	1	2	4			
26	" myopic in Class II	1	1				1		1			
27	" rejected for myopia in Class II											
28	" hypermetropic in Class II											
29	" rejected for hypermetropia in Class II											
30	" astygmatic in Class II											
31	" rejected for astygmatism in Class II											
32	" with cataract of right eye only											
33	" with cataract of left eye only											
34	" rejected for cataract											
35	" with defective field of vision											
36	" rejected for defective field of vision											
37	" rejected for defective color perception	3	3			1	1	1	3			
38	" red blind only											
39	" green blind only											
40	" both red and green blind	3	3			1	1	1	3			
41	" engineers with defective color perception											
42	" firemen with defective color perception											
43	" conductors with defective color perception											
44	" brakemen, flagmen, etc., with defective color perception											
45	" with chronic congestion or inflammation of eye lids											
46	" rejected for chronic congestion or inflammation of eye lids											
47	Whole number with defective eyes	8	8			4	2	2	8			
48	Whole number with defective eye lids											
49	Number with only one eye											
50	" with defective eyes passed under Rule VI	5	5			2	2	1	5			
51	" granted temporary certificates											

Statistics on Color Blindness and Defective Vision—1891.

TABLE NO. 3.

EXAMINATIONS MADE BY DR. B. J. BALDWIN—Montgomery.

CLASSIFICATION OF DISABILITIES.

Marginal Nos.		Total.	Colors. White.	Black.	Mulatto.	Ages. Below 35 Years.	Between 35 and 45 Years.	Above 45 Years.	Nativities. United States.	Canada.	Europe.	Other Countries.
1	Whole number examined	229	189	30	10	207	18	4	222	1	6	..
2	Number without disqualifying defects	224	184	30	10	204	18	4	217	1	6	
3	" with disqualifying defects	5	5	..	..	3	2	...	5	..	..	
4	" of examinations in Class 1	218	178	30	10	197	18	3	212	1	5	
5	" of certificates granted in Class I	213	173	30	10	194	16	3	207	1	5	..
6	" of examinations in Class II	11	11	..	..	10	..	1	10	....	1	
7	" of certificates granted in Class II	11	11	..	..	10	...	1	10	..	1	
8	" with normal visual power in Class I	212	172	30	10	191	18	3	206	1	5	
9	" with defective visual power in Class I	6	6	..	..	6	..	..	6	..	....	
10	" rejected for defective visual power in Class I	...	..	...	....	....	....	..	..	..	..	
11	" with normal visual power in Class II	6	6	..	....	6	...	..	6	..	....	
12	" with defective visual power in Class II	5	5	..	..	5	...	....	5	..	..	
13	" rejected for defective visual power in Class II	..	..	..	..	..	..	..	..	...	..	
14	" with defective refraction in right eye only, Class I	1	1	..	..	1	..	..	1	..	..	
15	" with defective refraction in left eye only, Class I	4	3	1	..	3	1	..	4	..	..	
16	" with defective refraction in both eyes, Class I	1	1	..	..	1	..	..	1	...	..	
17	" myopic in Class I	4	3	1	..	3	1	...	4	..	..	
18	" rejected for myopia in Class I	..	...	..	..	..	..	..	..	..	..	
19	" hypermetropic in Class I.	2	2	..	..	2	...	..	2	..	...	
20	" rejected for hypermetrophia in Class I	..	..	..	...	..	...	....	..	..	..	..
21	" astygmatic in Class I	1	1	...	....	1	...	....	1	..	....	

22	" rejected for astygmatism in Class I											
23	" with defective refraction in right eye only, Class II	5	5			4	1			5		
24	" with defective refraction in left eye only, Class I											
25	" with defective refraction in both eyes, Class II											
26	" myopic in Class II											
27	" rejected for myopia in Class II											
28	" hypermetropic in Class II											
29	" rejected for hypermetropia in Class II											
30	" astygmatic in Class II											
31	" rejected for astygmatism in Class II											
32	" with cataract of right eye only											
33	" with cataract of left eye only											
34	" rejected for cataract											
35	" with defective field of vision	1	1			1				1		
36	" rejected for defective field of vision											
37	" rejected for defective color perception	5	5			4	1			5		
38	" *red* blind, *only*											
39	" *green* blind, *only*	2	2			2				2		
40	" *both* red and green blind	3	3			2	1			3		
41	" engineers with defective color perception	1	1			1				1		
42	" firemen with defective color perception											
43	" conductors with defective color perception	1	1			1				1		
44	" brakemen, flagmen, etc., with defective color perception	3	3			2	1			3		
45	" with chronic congestion or inflammation of eyelids	24	21	3		20	4			24		
46	" rejected for chronic congestion or inflammation of eyelids											
47	Whole number with defective eyes	11	10	1		9	2			11		
48	" number with defective eye-lids	24	21	3		20	4			24		
49	Number with only one eye											
50	" with defective eyes passed under Rule VI											
51	" granted temporary certificates	2	2			2				2		
52												

Statistics on Color Blindness and Defective Vision—1891.

TABLE NO. 4.

EXAMINATIONS MADE BY DR. GOLDSBY KING—Selma.

CLASSIFICATION OF DISABILITIES.

Marginal Nos.		Total.	COLORS. White.	Black.	Mulatto.	AGES. Below 35 years.	Between 35 and 45 years.	Above 45 years.	NATIVITIES. United States.	Canada.	Europe.	Other Countries.
1	Whole number examined	155	109	33	13	139	15	1	151	3	1	..
2	Number without disqualifying defects	151	105	33	13	135	15	1	147	3	1	.
3	" with disqualifying defects	4	4	..	..	4	..	...	4	..	...	..
4	" of examinations in Class I	88	42	33	13	80	8	...	86	1	1	
5	" of certificates granted in Class I	87	41	33	13	79	8	..	85	1	1	
6	" of examinations in Class II	67	67	..	..	59	7	1	65	2	...	..
7	" of certificates granted in Class II	64	64	..	.	56	7	1	62	2	..	
8	" with normal visual power in Class I	87	41	33	13	79	8	...	85	1	1	..
9	" with defective visual power in Class I	1	1	..	...	1	...	..	1	..	...	
10	" rejected for defective visual power in Class I	...	..	..	..	...	..	...	...	..	...	.
11	" with normal visual power in Class II	63	63	..	..	55	7	1	61	2	..	..
12	" with defective visual power in Class II	4	4	..	..	4	..	..	4	..	...	
13	" rejected for defective visual power in Class II	1	1	..	.	1	...	...	1	..	...	
14	" with defective refraction in right eye only, Class I	...	..	...	...	..	..	...	...	...	...	
15	" with defective refraction in left eye only, Class I	..	..	..	..	..	...	...	..	...	...	
16	" with defective refraction in both eyes, Class I	..	..	..	..	...	...	...	..	...	...	
17	" myopic in Class I	..	...	..	..	..	..	..	..	..	...	
18	" rejected for myopia in Class I	...	..	..	...	..	...	...	..	..	..	
19	" hypermetropic in Class I	..	...	..	...	..	..	..	..	..	..	
20	" rejected for hypermetropia in Class I	..	..	..	..	...	...	...	..	..	..	..
21	" astygmatic in Class I	..	..	..	...	...	...	...	...	...	...	

22	" rejected for astygmatism in Class I											
23	" with defective refraction in right eye only, Class II											
24	" with defective refraction in left eye only, Class II											
25	" with defective refraction in both eyes, Class II	4	4			4			4			
26	" myopic in Class II	1	1			1			1			
27	" rejected for myopia in Class II											
28	" hypermetropic in Class II											
29	" rejected for hypermetropic in Class II											
30	" astygmatic in Class II	3	3			3			3			
31	" rejected for astygmatism in Class II	1	1			1			1			
32	" with cataract of right eye only											
33	" with cataract of left eye only											
34	" rejected for cataract											
35	" with defective field of vision											
36	" rejected for defective field of vision											
37	" rejected for defective color perception	3	3			3			3			
38	" *red* blind, *only*											
39	" *green* blind, *only*	1	1			1			1			
40	" *both* red and green blind	2	2			2			2			
41	" engineers with defective color perception											
42	" firemen with defective color perception											
43	" conductors with defective color perception											
44	" brakemen, flagmen, etc., with defective color perception	3	3			3			3			
45	" with chronic congestion or inflamm ation of eye-lids											
46	" rejected for chronic congestion or inflammation of eye-lids											
47	Whole number with defective eyes											
48	Whole number with defective eye-lids											
49	Number with only one eye	2	2			2			2			
50	" with defective eyes passed under Rule VI	1	1			1			1			
51	" granted temporary certificates											
52												

Statistics on Color Blindness and Defective Vision—1891.

TABLE NO. 5.

EXAMINATIONS MADE BY DR. R. D. WEBB—Birmingham.

CLASSIFICATION OF DISABILITIES.

Marginal Nos.		Total.	COLORS. White.	Black.	Mulatto.	AGES. Below 35 years	Between 35 and 45 years.	Above 45 years.	NATIVITIES. United States.	Canada.	Europe.	Other Countries.
1	Whole number examined	139	104	30	5	121	13	5	138	..	1	
2	Number with disqualifying defects	134	99	30	5	118	12	4	133	..	1	
3	" without disqualifying defects	5	5	..	..	3	1	1	5	..	...	
4	" of examinations in Class I	114	80	29	5	101	10	3	113	...	1	
5	" of certificates granted in Class I	113	79	29	5	100	10	3	112	.	1	
6	" of examinations in Class II	25	24	1	..	21	2	2	25	...	....	
7	" of certificates granted in Class II	25	24	1	..	21	2	2	25	..	...	..
8	" with normal visual power in Class I	112	79	28	5	100	10	2	111	...	1	.
9	" with defective visual power in Class I	2	1	1	..	1	...	1	2	...	...	..
10	" rejected for defective visual power in Class I	2	1	1	..	1	...	1	2	...	....	
11	" with normal visual power in Class II	23	22	1	..	19	2	2	23	...	....	..
12	" with defective visual power in Class II	2	2	..	..	1	1	..	2	..	...	.
13	" rejected for defective visual power in Class II	..	..	..	....	..	....	..	..	...	...	
14	" with defective refraction in right eye only, Class I	..	..	..	....	....	..	....	....	...	...	.
15	" with defective refraction in left eye only, Class I	..	....	..	..	...	..	...	..	...	..	
16	" with defective refraction in both eyes, Class I	...	....	..	..	..	...	...	..	...	...	.
17	" myopic in Class I	..	..	...	....	..	...	....	....	..	...	.
18	" rejected for myopia in Class I	..	..	..	..	....	..	...	....	...	...	..
19	" hypermetropic in Class I	..	.	...	..	....	....	...	..	..	...	.
20	" rejected for hypermetropia in Class I	..	.	...	..	..	....	..	..	...	....	.
21	" astygmatic in Class I	..	...	....	....	..	...	....	....	...	....	..

22	"	rejected for astygmatism in Class I											
23	"	with defective refraction in right eye only, Class II											
24	"	with defective refraction in left eye only, Class II											
25	"	with defective refraction in both eyes, Class II	1	1			1			1			
26	"	myopic in Class II	1	1			1			1			
27	"	rejected for myopia in Class II	1	1			1			1			
28	"	hypermetropic in Class II											
29	"	rejected for hypermetropia in Class II											
30	"	astygmatic in Class II											
31	"	rejected for astygmatism in Class II											
32	"	with cataract of right eye only	2	2			1		1	2			
33	"	with cataract of left eye only											
34	"	rejected for cataract	2	2			1		1	2			
35	"	with defective field of vision	2	2			1		1	2			
36	"	rejected for defective field of vision	2	2			1		1	2			
37	"	rejected for defective color perception	3	3			3			3			
38	"	red blind only	2	2			2			2			
39	"	green blind only											
40	"	both red and green blind	1	1			1			1			
41	"	engineers with defective color perception	1	1			1			1			
42	"	firemen with defective color perception											
43	"	conductors with defective color perception											
44	"	brakemen, flagmen, etc., with defective color perception	2	2			2			2			
45	"	with chronic congestion, or inflammation of eye-lids											
46	"	rejected for chronic congestion or inflammation of eye-lids											
47	"	with defective eyes											
48	"	with defective eye-lids											
49	"	with only one eye											
50	"	with defective eyes passed under Rule VI	4	4			4			4			
51	"	granted temporary certificates	1	1					1	1			
52	"	defective visual power (Class II) passed under Rule V	2	2			1	1		2			

Statistics on Color Blindness and Defective Vision—1891.

TABLE NO. 6.

EXAMINATIONS MADE BY DR. L. G. WOODSON—Birmingham.

CLASSIFICATION OF DISABILITIES.

Marginal Nos.		Totals.	Colors. Whites.	Colors. Blacks.	Colors. Mulattoes.	Ages. Below 35 Years.	Ages. Between 35 and 45 Years.	Ages. Above 45 Years.	Nativities. United States.	Nativities. Canada.	Nativities. Europe.	Nativities. Other Countries.
1	Whole number examined	123	95	28	..	108	14	1	119	3	1	..
2	Number without disqualifying defects	117	90	27	...	104	12	1	113	3	1	.
3	" with disqualifying defects	6	5	1	..	4	2	..	6	..	...	.
4	" of examinations in Class I	70	46	24	..	64	5	1	67	2	1	..
5	" of certificates granted in Class I	70	46	24	...	64	5	1	67	2	1	.
6	" of examinations in Class II	53	49	4	..	49	4	..	52	1	...	..
7	" of certificates granted in Class II	47	44	3	....	45	2	..	46	1	..	..
8	" with normal visual power in Class I	68	44	24	...	64	3	1	65	2	1	..
9	" with defective visual power in Class I	2	2	...	....	..	2	....	2	..	..	.
10	" rejected for defective visual power in Class I	..	..	..	...	....	...	..	...	...	...	..
11	" with normal visual power in Class II	47	44	3	....	42	5	..	46	1	...	.
12	" with defective visual power in Class II	6	5	1	..	5	1	...	6	..	...	.
13	" rejected for defective visual power in Class II	3	2	1	...	2	1	....	3	...	....	..
14	" with defective refraction in right eye only, Class I	1	1	..	..	...	1	..	1	...	...	.
15	" with defective refraction in left eye only, Class I	..	..	....	....	..	...	...	..	...	.	..
16	" with defective refraction in both eyes, Class I	1	1	....	...	...	1	..	1	..	...	..
17	" myopic in Class I	....	..	....	..	....	....	.	...	..	....	..
18	" rejected for myopia in Class I	..	..	..	..	..	...	..	..	..	....	..
19	" hypermetropic in Class I	1	1	..	..	..	1	....	1	..	..	.
20	" rejected for hypermetropia in Class I	..	..	..	.	..	...	..	....	...	..	
21	" astygmatic in Class I	1	....	..	..	...	1	..	1	...	..	..

22	" rejected for astygmatism in Class I											
23	" with defective refraction in right eye only, Class II											
24	" with defective refraction in left eye only, Class II											
25	" with defective refraction in both eyes, Class II	6	5	1		5	1		6			
26	" myopic in Class II	1	1			1			1			
27	" rejected for myopia in Class II											
28	" hypermetropic in Class II	2	2			2			2			
29	" rejected for hypermetropia in Class II											
30	" astygmatic in Class II	3	2	1		2	1		3			
31	" rejected for astygmatism in Class II											
32	" with cataract of right eye only											
33	" with cataract of left eye only											
34	" rejected for cataract											
35	" with defective field of vision											
36	" rejected for defective field of vision											
37	" rejected for defective color perception	3	3			3			3			
38	" red blind only	1	1			1			1			
39	" green blind only	2	2			1	1		2			
40	" engineers with defective color perception											
41	" firemen with defective color perception	2	2			1	1		2			
42	" conductors with defective color perception											
43	" brakemen, flagmen, etc., with defective color perception	1	1			1			1			
44	" with chronic congestion or inflammation of eye lids											
45	" rejected for chronic congestion or inflammation of eye lids											
46	Whole number with defective eyes	11	10	1		10	1		11			
47	Whole number with defective eye lids											
48	Number with only one eye											
49	" with defective eyes passed under Rule VI	5	4	1		4	1		5			
50	" granted temporary certificates											

REMARKS—Total number rejected, 6; three color-blind and three atrophy of optic nerve.

Statistics on Color Blindness aad Defective Vision—1891.

TABLE NO. 7.

EXAMINATIONS MADE BY DRS. DEMENT AND LOWERY, Huntsville

CLASSIFICATION OF DISABILITIES.

Marginal Nos.		Total.	COLORS. White.	Black.	Mulatto.	AGES. Below 35 years.	From 35 to 45 years.	Above 45 years.	NATIVITIES. United States.	Canada.	Europe.	Other Countries.
1	Whole number examined	69	66	3	....	60	5	4	68	...	1	..
2	Number without disqualifying defects	67	65	2	..	58	5	4	66	...	1	
3	" with disqualifying defects	2	1	1	....	2	..	..	2	..	.	..
4	" of examinations in Class I	69	66	3	..	60	5	4	68	...	1	..
5	" of certificates granted in Class I	67	65	2	..	58	5	4	66	..	1	..
6	" of examinations in Class II	...	...	..	...	.	..	....	...	..	..	..
7	" of certificstes granted in Class II	...	.	...	....	...	....	..	...	..	.	
8	" with normal visual power in Class I	67	65	2	....	58	5	4	66	...	1	.
9	" with defective visual power in Class I	...	..	...	...	....	..	....	..	...	..	
10	" rejected for defective visual power in Class I	...	..	...	...	...	..	.	...	..	..	
11	" with normal visual power in Class II	..	...	...	...	..	..	...	..	..	..	
12	" with defective visual power in Class II	....	....	....	...	...	..	....	...	....	..	.
13	" rejected for defective visual power in Class II	..	...	..	..	..	..	..	....	..	..	.
14	" with defective refraction in right eye only, Class I	..	..	...	..	..	..	....	...	..	..	
15	" with defective refraction in left eye only, Class I	...	...	..	....	...	...	...	....	..	..	.
16	" with defective refraction in both eyes, Class I	...	...	..	..	..	....	..	..	..	....	
17	" myopic in Class I	..	...	..	...	..	..	....	...	..	..	
18	" rejected for myopia in Class I	..	..	..	..	..	...	..	..	..	..	.
19	" hypermetropic in Class I	..	....	...	..	..	...	..	..	....	....	
20	" rejected for hypermetropia in Class I	...	..	...	..	..	..	....	..	..	...	
21	" astygmatic in Class I	...	...	...	..	...	....	..	....	....	....	.

22	" rejected for astigmatism, Class I												
23	" with defective refraction in right eye only, Class II												
24	" with defective refraction in left eye only, Class II												
25	" with defective refraction in both eyes, Class II												
26	" with myopia, Class II												
27	" rejected for myopia, Class II												
28	" hypermetropic, Class II												
29	" rejected for hypermetropia, Class II												
30	" astygmatic, Class II												
31	" rejected for astygmatism, Class II												
32	" with cataract of right eye only												
33	" with cataract of left eye only												
34	" rejected for cataract												
35	" with defective field of vision												
36	" rejected for defective field of vision												
37	" rejected for defective color perception	2	1	1		2			2				
38	" red blind only												
39	" green blind only												
40	" both red and green blind	2	1	1		2			2				
41	" engineers with defective color perception												
42	" firemen with defective color perception												
43	" conductors with defective color perception												
44	" brakemen, flagmen, etc., with defective color perception	2	1	1		2			2				
45	" with chronic congestion or inflammation of eye lids												
46	" rejected for chronic congestion or inflammation of eye lids												
47	Whole number with defective eyes												
48	Whole number with defective eye lids												
49	Number with only one eye												
50	" with defective eyes passed under Rule 6												
51	" granted temporary certificates												

Statistics on Color Blindness and Defective Vision—1891.

TABLE NO. 8.

EXAMINATIONS MADE BY DR. S. C. CARSON—Bessemer.

CLASSIFICATION OF DISABILITIES.

Marginal Nos.		Total.	Colors. White.	Colors. Black.	Colors. Mulatto.	Ages. Below 35 Years.	Ages. Between 35 and 45 Years.	Ages. Above 45 Years	Nativities. United States.	Nativities. Canada.	Nativities. Europe.	Nativities. Other Countries.
1	Whole number examined	50	37	10	3	46	2	2	50	..	..	
2	Number without disqualifying defects	50	37	10	3	46	2	2	50	..	.	
3	" with disqualifying defects	..	..	..	..	..	..	..	..	..	..	
4	" of examinations in Class I	37	27	8	2	35	2	..	37	..	..	
5	" of certificates granted in Class I	37	27	8	2	35	2	..	37	..	..	
6	" of examinations in Class II	13	10	2	1	11	..	2	13	..	..	
7	" of certificates granted in Class II	13	10	2	1	11	..	2	13	..	..	
8	" with normal visual power in Class I	37	27	8	2	35	2	..	37	..	..	
9	" with defective visual power in Class I	...	..	..	...	..	..	..	..	..	....	
10	" rejected for defective visual power in Class I	...	...	.	...	..	..	..	..	..	..	
11	" with normal visual power in Class II	13	10	2	1	11	..	2	13	..	..	
12	" with defective visual power in Class II	..	..	..	..	..	..	..	..	..	..	
13	" rejected for defective visual power in Class II	..	..	..	...	..	..	..	..	..	..	
14	" with defective refraction in right eye only, Class I	..	...	..	...	..	...	..	...	...	..	
15	" with defective refraction in left eye only, Class I	...	...	..	...	..	...	...	...	...	...	
16	" with defective refraction in both eyes, Class I	...	...	..	...	..	...	...	...	...	...	
17	" myopic in Class I	...	...	...	..	..	..	...	..	...	...	
18	" rejected for myopia in Class I	...	...	..	...	...	..	..	...	...	...	..
19	" hypermetropic in Class I	...	..	...	..	...	...	..	...	...	...	
20	" rejected for hypermetropia in Class I	...	...	...	...	..	...	...	...	...	...	
21	" astygmatic in Class I	...	...	...	...	...	...	...	...	...	...	

22	" rejected for astygmatism in Class I											
23	" with defective refraction in right eye only, Class II											
24	" with defective refraction in left eye only, Class II											
25	" with defective refraction in both eyes, Class II											
26	" myopic in Class II											
27	" rejected for myopia in Class II											
28	" hypermetropic in Class II											
29	" rejected for hypermetropia in Class II											
30	" astygmatic in Class II											
31	" rejected for astygmatism in Class II											
32	" with cataract of right eye only											
33	" with cataract of left eye only											
34	" rejected for cataract											
35	" with defective field of vision											
36	" rejected for defective field of vision											
37	" rejected for defective color perception											
38	" red blind only											
39	" green blind only											
40	" both red and green blind											
41	" engineers with defective color perception											
42	" firemen with defective color perception											
43	" brakemen, flagmen, etc., with defective color perception											
44	" with chronic congestion or inflammation of eye lids											
45	" rejected for chronic congestion or inflammation of eye lids											
46	Whole number with defective eyes											
47	Whole number with defective eye lids											
48	Number with only one eye											
49	" with defective eyes passed under Rule VI											
50	" granted temporary certificates											
51	" conductors with defective color perception											

REMARKS—Examinations in the latter part of the year were more thorough than previously, though at no time did I find any disqualifying defect.

Statistics on Color Blindness and Defective Vision—1891.

TABLE NO. 9.

EXAMINATIONS MADE BY DR. R. P. HUGER—Anniston.

CLASSIFICATION OF DISABILITIES.

Marginal Nos.		Totals.	Colors.			Ages.			Nativities.			
			Whites.	Blacks.	Mulattoes.	Below 35 Years.	Between 35 and 45 Years.	Above 45 Years.	United States.	Canada.	Europe.	Other Countries.
1	Whole number examined	42	35	4	3	42	..	..	42	..	....	
2	Number without disqualifying defects	41	34	4	3	41	..	..	41	..	..	..
3	" with disqualifying defects	1	1	..	..	1	..	..	1	..	..	..
4	" of examinations in Class I	23	16	4	3	23	..	..	23	..	..	..
5	" of certificates granted in Class I	22	15	4	3	22	..	..	22	..	..	
6	" of examinations in Class II	19	19	..	.	19	.	..	19	..	..	..
7	" of certificates granted in Class II	19	19	..	...	19	.	..	19	..	..	
8	" with normal visual power in Class I	23	16	4	3	23	..	..	23	..	....	
9	" with defective visual power in Class I		..	..	...	..	..	..	..	....	..	
10	" rejected for defective visual power in Class I			..	...	..	..	..	..	..	....	
11	" with normal visual power in Class II	18	18	....	..	18	..		18	..	....	
12	" with defective visual power in Class II	1	1	..	..	1	..	..	1	..	....	
13	" rejected for defective visual power in Class II	..		..	..		.	..	..	..	....	
14	" with defective refraction in right eye only, Class I	..	.	..		..	.	..	..	..	..	
15	" with defective refraction in left eye only, Class I	..	..	...	....		..	...	..	..	..	
16	" with defective refraction in both eyes, Class I	..	..	...	..	..	..	..	..	..	....	
17	" myopic in Class I	..	..	....	.	....	..	.	.	..	....	
18	" rejected for myopia in Class I	..	..	..	..	..	..	..	.	..	....	
19	" hypermetropic in Class I	..	....	..	..	..	..	....	..	..	.	
20	" rejected for hypermetropia in Class I	..	..	..	.	..	..	..	..	....	..	
21	" astygmatic in Class I	..	....	....	...	....	....	....	...	....	...	..

22	"	rejected for astygmatism in Class I											
23	"	with defective refraction in right eye only, Class II											
24	"	with defective refraction in left eye only, Class II											
25	"	with defective refraction in both eyes, Class II											
26	"	myopic in Class II											
27	"	rejected for myopia in Class II											
28	"	hypermetropic in Class II											
29	"	rejected for hypermetropia in Class II											
30	"	astygmatic in Class II											
31	"	rejected for astygmatism in Class II											
32	"	with cataract of right eye only											
33	"	with cataract of left eye only											
34	"	rejected for cataract											
35	"	with defective field of vision											
36	"	rejected for defective field of vision											
37	"	rejected for defective color perception	1	1			1			1			
38	"	red blind only											
39	"	green blind only	1	1			1			1			
40	"	both red and green blind											
41	"	engineers with defective color perception											
42	"	firemen with defective color perception											
43	"	conductors with defective color perception											
44	"	brakemen, flagmen, etc., with defective color perception	1	1			1			1			
45	"	with chronic congestion or inflammation of eye lids											
46	"	rejected for chronic congestion or inflammation of eye lids											
47	Whole number with unhealthy eyes		2	2			2			2			
48	Whole number with unhealthy eye lids												
49	Number with only one eye												
50	"	with defective eyes passed under Rule VI	1	1			1			1			
51	"	granted temporary certificates											

Statistics on Color Blindness and Defective Vision—1891.

TABLE No. 10.

EXAMINATIONS MADE BY DR. J. M. PINKSTON—Sheffield.

Marginal Nos.	CLASSIFICATION OF DISABILITIES.	Total.	COLORS. White.	Black.	Mulatto.	Ages. Below 35 years.	Between 35 and 45 years	Above 45 years.	NATIVITIES. United States.	Canada.	Europe.	Other Countries.
1	Whole number examined	29	29	..	..	29	...	...	29	..	..	
2	Number without disqualifying defects	28	28	..	..	28	...	...	28	....	..	
3	" with disqualifying defects	1	1	..	..	1	..	..	8	..	...	
4	" examinations in Class I.	17	17	..	..	17	...	...	17	...	...	
5	" certificates granted in Class I.	17	17	.	..	17	...	..	17	..	...	
6	" examinations in Class II.	12	12	..	..	12	..	..	12	....	..	..
7	" certificates granted in Class II.	11	11	..	..	11	....	.	11	...	...	
8	" with normal visual power in Class I.	17	17	..	..	17	..	...	17	..	...	
9	" with defective visual power in Class 1.	...	....	..	.	....	.	...	..	....	....	.
10	" rejected for defective visual power in Class 1.	..	..	..	..	....	..	...	...	...	....	
11	" with normal visual power in Class II	11	11	..	....	11	..	...	11	....	....	.
12	" with defective visual power in Class II.	...	...	....	..	..	..	..	...	..	..	..
13	" rejected for defective visual power in Class II.	..	..	..	..	..	...	..	..	...	..	..
14	" with defective refraction in right eye only, Class I.	..	..		..	...	..	..	..	...	...	
15	" with defective refraction in left eye only, Class 1.	..	...	..	..	....	..	..	..	..	...	.
16	" with defective refraction in both eyes, Class I.	...	....	..	..	....	..	..	....	..	...	..
17	" myopic in Class I	....	....	..	..	....	....	....	....	...	..	..
18	" rejected for myopia in Class I	...	..	..	..	..	....	...	...	..	...	..
19	" hypermetropic in Class I.	..	..	...	..	..	....	..	...	...	....	..
20	" rejected for hypermethopia, Class I.	..	..	..	....	....	...	....	...	....	....	..
21	" astigmatic, Class I.	....	....	....	....	....	....	....	...	....	....	..

22	"	rejected for astigmatism, Class I											
23	"	with defective refraction in right eye only, Class II											
24	"	with defective refraction in left eye only, Class II											
25	"	with defective refraction in both eyes, Class II											
26	"	with myopia, Class II											
27	"	rejected for myopia, Class II											
28	"	hypermetropic, Class II											
29	"	rejected for hypermetropia, Class II											
30	"	astygmatic, Class II											
31	"	rejected for astygmatism, Class II											
32	"	with cataract of right eye only											
33	"	with cataract of left eye only											
34	"	rejected for cataract											
35	"	with defective field of vision											
36	"	rejected for defective field of vision											
37	"	rejected for defective color perception	1	1			1			1			
38	"	red blind only											
39	"	green blind only	1	1			1			1			
40	"	both red and green blind											
41	"	engineers with defective color perception											
42	"	firemen with defective color perception											
43	"	conductors with defective color perception											
44	"	brakemen, flagmen, etc., with defective color perception	1	1			1			1			
45	"	with chronic congestion or inflammation of eye lids											
46	"	rejected for chronic congestion or inflammation of eye lids											
47	Whole number with defective eyes												
48	Whole number with defective eye lids												
49	Number with only one eye												
50	"	with defective eyes passed under Rule 6											
51	"	granted temporary certificates											

Statistics on Color Blindness and Defective Vision—1891.

TABLE NO. 11.

EXAMINATIONS MADE BY DR. A. A. GREENE—Montgomery.

CLASSIFICATION OF DISABILITIES.

Marginal Nos.		Total.	Colors. White.	Black.	Mulatto.	Ages. Below 35 Years.	Between 35 and 45 Years.	Above 45 Years	Nativities. United States.	Canada.	Europe.	Other Countries.
1	Whole number examined	29	23	6	..	22	3	4	29	...	...	
2	Number without disqualifying defects	29	23	6	....	22	3	4	29	..	.	
3	" with disqualifying defects	.	..	..	..	...	..	...	..	...	...	.
4	" of examinations in Class I	23	17	6	....	19	2	2	23	...	..	
5	" of certificates granted in Class I	23	17	6	....	19	2	2	23	..	..	
6	" of examinations in Class II	6	6	..	...	3	1	2	6	..	...	
7	" of certificates granted in Class II	6	6	..	...	3	1	2	6	...	..	
8	" with normal visual power in Class I	23	17	6	...	19	2	2	23	..	..	.
9	" with defective visual power in Class I	..	..	...	....	...	...	...	..	..	....	.
10	" rejected for defective visual power in Class I	..	...	.	....	...	...	...	..	...	...	
11	" with normal visual power in Class II	1	1	...	..	1	...	...	1	...	...	
12	" with defective visual power in Class II	5	5	..	..	4	1	..	5	...	...	
13	" rejected for defective visual power in Class II	..	..	..	..	..	..	..	..	...	..	
14	" with defective refraction in right eye only, Class I	..	...	..	..	...	...	...	...	...	...	.
15	" with defective refraction in left eye only, Class I	...	...	..	..	..	...	...	...	...	...	.
16	" with defective refraction in both eyes, Class I	...	...	..	..	...	...	...	...	...	...	
17	" myopic in Class I	...	...	...	...	...	...	...	...	...	...	
18	" rejected for myopia in Class I	...	...	...	...	...	...	...	...	..	...	..
19	" hypermetropic in Class I	...	...	...	..	...	...	...	...	...	...	
20	" rejected for hypermetropia in Class I	...	...	...	...	...	...	...	...	...	...	..
21	" astygmatic in Class I	...	...	...	...	...	...	...	...	...	...	..

22	" rejected for astygmatism in Class I											
23	" with defective refraction in right eye only, Class II											
24	" with defective refraction in left eye only, Class II											
25	" with defective refraction in both eyes, Class II	1	1			1			1			
26	" myopic in Class II											
27	" rejected for myopia in Class II											
28	" hypermetropic in Class II	4	4			3	1		4			
29	" rejected for hypermetropia in Class II											
30	" astygmatic in Class II											
31	" rejected for astygmatism in Class II											
32	" with cataract of right eye only											
33	" with cataract of left eye only											
34	" rejected for cataract											
35	" with defective field of vision											
36	" rejected for defective field of vision											
37	" rejected for defective color perception											
38	" red blind only											
39	" green blind only											
40	" engineers with defective color perception											
41	" firemen with defective color perception											
42	" conductors with defective color perception											
43	" brakemen, flagmen, etc., with defective color perception											
44	" with chronic congestion or inflammation of eye lids	8	5	3		4	3	1	8			
45	" rejected for chronic congestion or inflammation of eye lids											
46	Whole number with defective eyes	8	5	3		4	3	1	8			
47	Whole number with defective eye lids	8	5	3		4	3	1	8			
48	Number with only one eye											
49	" with defective eyes passed under Rule VI											
50	" granted temporary certificates											

REMARKS—A telegraph operator was examined whose perception of green was sub-normal.

Statistics on Color Blindness and Defective Vision—1891.

TABLE NO. 12.

EXAMINATIONS MADE BY DR. W. C. JACKSON—Montgomery.

CLASSIFICATION OF DISABILITIES.

Marginal Nos.		Total.	COLORS. White.	Black.	Mulatto.	AGES. Below 35 years.	Between 35 and 45 years.	Above 45 years.	NATIVITIES. United States.	Canada.	Europe.	Other Countries.
1	Whole number examined	20	16	4	....	18	2	..	20	....	..	..
2	Number without disqualifying defects	20	16	4	....	18	2	...	20	...	...	
3	" with disqualifying defects	..	..	..	..	....	..	...	..	...	...	
4	" of examinations in Class I	14	11	3	...	12	2	....	14	...	...	
5	" of certificates granted in Class I	14	11	3	....	12	2	..	14	....	...	
6	" of examinations in Class II	6	5	1	..	6	....	....	6	....	....	
7	" of certificates granted in Class II	6	5	1	..	6	...	....	6	...	..	
8	" with normal visual power in Class I	14	11	3	...	12	2	....	14	...	...	
9	" with defective visual power in Class I	....	..	..	..	..	...	..	....	..	..	
10	" rejected for defective visual power in Class I	..	..	..	..	...	...	...	...	..	...	
11	" with normal visual power in Class II	6	5	1	..	6	..	1	6	...	.	
12	" with defective visual power in Class II	..	..	..		....	..	..	....	...	...	
13	" rejected for defective visual power in Class II	...	...	..	.	..	...	...	...	..	...	
14	" with defective refraction in right eye only, Class I	..	..	..	..	..	....	..	..	...	..	
15	" with defective refraction in left eye only, Class I	...	....	....	..	....	..	....	..	..	....	
16	" with defective refraction in both eyes, Class I	..	....	..	..	..	....	....	..	...	...	
17	" myopic in Class I	...	....	...	..	..	..	..	....	...	...	
18	" rejected for myopia in Class I	...	..	....	..	....	...	....	..	...	..	
19	" hypermetropic in Class I	....	...	....	...	....	...	...	..	...	...	
20	" rejected for hypermetropia in Class I	..	..	..	....	....	....	....	..	...	...	..
21	" astygmatic in Class I	....	....	....	....	....	....	....	....	....	....	..

22	" rejected for astygmatism in Class I												
23	" with defective refraction in right eye only, Class II												
24	" with defective refraction in left eye only, Class I												
25	" with defective refraction in both eyes, Class II												
26	" myopic in Class II												
27	" rejected for myopia in Class II												
28	" hypermetropic in Class II												
29	" rejected for hypermetropia in Class II												
30	" astygmatic in Class II												
31	" rejected for astygmatism in Class II												
32	" with cataract of right eye only												
33	" with cataract of left eye only												
34	" rejected for cataract												
35	" with defective field of vision												
36	" rejected for defective field of vision												
37	" rejected for defective color perception												
38	" *red* blind, *only*												
39	" *green* blind, *only*												
40	" *both* red and green blind												
41	" engineers with defective color perception												
42	" firemen with defective color perception												
43	" conductors with defective color perception												
44	" brakemen, flagmen, etc., with defective color perception												
45	" with chronic congestion or inflammation of eyelids												
46	" rejected for chronic congestion or inflammation of eyelids												
47	Whole number with defective eyes												
48	" number with defective eye-lids												
49	Number with only one eye												
50	" with defective eyes passed under Rule VI												
51	" granted temporary certificates												
52													

Statistics on Color Blindness and Defective Vision—1891.

TABLE NO. 13.

EXAMINATIONS MADE BY DR. S. J. COOPER—Tuscumbia.

CLASSIFICATION OF DISABILITIES.

Marginal Nos.		Total.	COLORS. White.	Black.	Mulatto.	AGES. Below 35 years	Between 35 and 45 years.	Above 45 years.	NATIVITIES. United States.	Canada.	Europe.	Other Countries.
1	Whole number examined	17	16	1	..	16	1	..	17	..	...	
2	Number with disqualifying defects	17	16	1	..	16	1	..	17	...	....	
3	" without disqualifying defects	..	..	...	..	...	..	...	..	...	....	
4	" of examinations in Class I	17	16	1	....	16	1	...	17	....	...	
5	" of certificates granted in Class I	17	16	1	....	16	1	...	17	..	...	
6	" of examinations in Class II	....	..	..	..	...	..	....	...	...	...	
7	" of certificates granted in Class II	..	..	..	..	..	..	...	..	..	..	..
8	" with normal visual power in Class I	17	16	1	....	16	1	..	17	...	...	..
9	" with defective visual power in Class I	..	..	...	..	..	....	.	..	...	..	..
10	" rejected for defective visual power in Class I	...	..	..	..	....	..	..	...	...	...	
11	" with normal visual power in Class II	..	..	..	..	...	..	..	..	...	..	..
12	" with defective visual power in Class II	..	....	..	...	..	...	..	...	..	....	..
13	" rejected for defective visual power in Class II	..	..	..	..	..	...	..	....	..	..	
14	" with defective refraction in right eye only, Class I	...	..	..	..	....	..	..	....	..	...	..
15	" with defective refraction in left eye only, Class I	..	...	..	..	....	..	..	..	..	....	
16	" with defective refraction in both eyes, Class I	...	..	...	..	..	..	..	....	...	...	
17	" myopic in Class I	..	....	...	..	..	..		....	..	..	
18	" rejected for myopia in Class I	..	...	...	..	..	....	..	....	...	..	..
19	" hypermetropic in Class I	...	..	..	..	..	..	..	....	..	..	.
20	" rejected for hypermetropia in Class I	..	..	....	..	....	..	....	....	..	....	
21	" astygmatic in Class I	....	....	....	....	....	....	....	....	....	....	

22	"	rejected for astygmatism in Class I											
23	"	with defective refraction in right eye only, Class II											
24	"	with defective refraction in left eye only, Class II											
25	"	with defective refraction in both eyes, Class II											
26	"	myopic in Class II											
27	"	rejected for myopia in Class II											
28	"	hypermetropic in Class II											
29	"	rejected for hypermetropic in Class II											
30	"	astygmatic in Class II											
31	"	rejected for astygmatism in Class II											
32	"	with cataract of right eye only											
33	"	with cataract of left eye only											
34	"	rejected for cataract											
35	"	with defective field of vision											
36	"	rejected for defective field of vision											
37	"	rejected for defective color perception											
38	"	*red* blind, *only*											
39	"	*green* blind, *only*											
40	"	*both* red and green blind											
41	"	engineers with defective color perception											
42	"	firemen with defective color perception											
43	"	conductors with defective color perception											
44	"	brakemen, flagmen, etc., with defective color perception											
45	"	with chronic congestion or inflammation of eye-lids											
46	"	rejected for chronic congestion or inflammation of eye-lids											
47	Whole number with defective eyes												
48	Whole number with defective eye-lids												
49	Number with only one eye												
50	"	with defective eyes passed under Rule VI											
51	"	granted temporary certificates											
52													

Annual Report of Births in the State of Alabama—1891.

MONTHS.	BORN LIVING.							STILL BIRTHS.							PRESENTATION.			
	Total.	White.		Black.		Mulatto.		Total.	White.		Black.		Mulatto.		Head.	Breach.	Cross.	Not given.
		M.	F.	M.	F.	M.	F.		M.	F.	M.	F.	M.	F				
January	1760	524	444	400	369	10	13	62	21	9	17	13	1	1	1762	53	7	...
February	1602	487	428	345	318	10	14	53	15	8	17	13	..	..	1608	37	10	...
March	1850	543	453	406	409	18	21	38	10	5	14	8	..	1	1828	50	10	...
April	1539	442	363	366	335	16	17	55	13	7	20	13	.	2	1549	41	4	...
May	1594	458	418	362	331	14	11	42	10	6	9	11	4	2	1583	46	7	...
June	1623	486	424	368	318	11	16	49	11	6	13	15	1	3	1609	52	11	...
July	1902	584	490	415	382	17	14	60	13	12	23	12		..	1913	41	8	...
August	1940	574	503	425	397	21	20	48	18	12	6	10	2	..	1927	51	10	...
September	1922	591	527	376	382	25	21	47	13	9	13	11		1	1925	38	6	...
October	1760	521	489	394	331	12	13	34	8	4	8	10	1	3	1751	38	5	...
November	1536	460	407	328	313	13	15	40	10	8	16	5	..	1	1535	24	17	...
December	1594	476	392	372	335	6	13	34	12	7	8	6	.	1	1591	26	11	...
Total	20622	6146	5338	4557	4220	173	188	562	154	93	164	127	9	15	20581	497	106	

Births—total, 20,622; white, 11,484; black, 8,777; mulatto, 361; colored, 9,138. Population—total, 948,303; white, 479,441; colored, 468,862. Births per 1000—total, 21 74; white, 23 95; colored, 19 70 Still births—total, 562; white, 247; black, 291; mulatto, 24; colored, 315. Presentations—total, 21,184; head, 20,581; breach, 497; cross, 106. White, 11,731; head, 11,336; breach, 346; cross, 49. Black, 9,068; head, 8,870; breach, 144; cross, 54. Mulatto, 385; head, 375; breach, 7; cross, 3. Colored, 9,453 ; head, 9,245; breach, 151; cross, 57.

Annual Report of Deaths in the State of Alabama—1891.

MONTHS.	Total.	Colors and Sexes.						Ages of Decedents.																									
		White.		Black.		Mulatto		Under 1 Year	1-2 Years.	2-3 Years.	3-4 Years.	4-5 Years.	5-10 Years.	10-15 Years.	15-20 Years.	20-25 Years.	25-30 Years.	30-35 Years.	35-40 Years.	40-45 Years.	45-50 Years.	50-55 Years	55-60 Years.	60-65 Years.	65-70 Years.	70-75 Years	75-80 Years.	80-90 Years.	90-100 Years.	100-110 Years.	110-120 Years.	Unknown.
		M.	F.	M.	F.	M.	F.																										
January	787	210	168	194	196	7	12	113	32	19	9	14	28	19	48	62	49	24	45	31	41	29	35	58	40	38	22	30	6	5	2	8
February	664	166	132	171	183	8	4	113	27	19	10	7	23	16	56	50	44	36	37	26	32	19	31	23	23	24	20	24	5	.	.	2
March	627	163	137	168	142	9	8	93	20	14	10	12	12	20	43	46	53	33	36	24	32	25	12	27	21	32	29	21	4	1	.	7
April	532	120	117	152	126	7	10	78	26	7	10	10	23	10	49	44	43	27	24	20	31	14	18	15	25	22	14	12	3	.	.	5
May	648	134	156	185	157	7	9	136	47	21	12	6	25	19	45	37	42	34	23	20	28	23	17	29	19	11	15	22	4		.	15
June	772	198	180	194	169	16	15	170	78	22	17	11	25	19	31	47	52	31	39	31	22	25	28	32	23	28	15	25	6	3	.	2
July	760	189	166	200	184	7	14	138	63	32	15	9	32	23	46	65	39	33	33	20	31	27	20	23	25	29	18	23	5		.	11
August	785	198	165	194	210	8	10	121	76	43	12	10	30	32	36	65	42	45	38	38	37	28	20	23	18	18	16	16	7	2		12
September	651	161	152	150	170	8	10	107	52	28	11	15	41	28	42	54	37	35	27	32	21	17	21	10	14	15	15	21	1		1	6
October	630	173	149	160	137	6	5	111	48	29	14	15	21	23	33	47	29	35	35	23	25	21	13	22	17	19	17	18	6		1	8
November	611	147	133	160	158	7	6	85	31	33	14	15	20	13	32	41	37	36	33	34	16	20	23	33	18	25	22	17	6		1	6
December	643	169	144	166	142	12	10	88	30	18	13	12	22	17	34	52	34	38	29	42	29	25	29	31	23	20	20	18	6	2		11
Total	8110	2028	1799	2094	1974	102	113	1353	530	285	147	136	302	239	495	610	501	407	399	341	345	273	267	306	266	271	233	247	59	13	5	93

Deaths—total, 8,110; white, 3,827; black, 4,068; mulatto, 215; colored, 4,283. Population—total, 948,503; white, 479,441; colored, 468,862. Deaths per 1000—total, 8.55; white, 7.98; colored, 8.79. Nativities—Alabama, 6,292; other United States, 1,228; England, 35; Ireland, 25; Germany, 45; other countries, 63; unknown, 412. Race—American, 3,314; English, 42; Irish, 26; German, 50; African, 3,503; Mulatto, 176; unknown, 999.

Births and Deaths by Counties, Towns and Colors—January, 1891.

Counties and Towns.	Population.			Births.						Deaths.					
	Total.	White.	Colored.	Total.	Rate per M.	White.	Rate per M.	Colored.	Rate per M.	Total.	Rate per M	White.	Rate per M.	Colored.	Rate per M.
Baldwin	8,941	5,635	3,306	22	29 524	10	21 116	12	43 556	9	12 078	2	4 222	7	25 407
Barbour	34,898	13,321	21,577	58	19 940	30	27 024	28	15 570	20	6 876	11	9.908	9	5.00
Exclusive	29,874	10,121	19,753	42	16 860	21	24 895	21	12 65	16	6 426	8	9.484	8	4 819
Eufaula	4,027	2,600	1,427	11	32 505	5	23 27	6	50.454	1	2 95	1	4 654	..	..
Clayton	997	600	397	5	60.18	4	80 00	1	30.226	3	36 10	2	40 00	1	30.22
Blount	21,927	20,115	1,812	39	21 343	39	23 213	..	....	3	16 418	3	17 895	..	
Bullock	27,033	6,066	20,967	83	36 803	15	29.67	68	38.916	35	15 519	18	35 604	17	9 729
Exclusive	25,016	5,066	19,950	80	37 376	13	30 78	67	40 30	32	25 35	16	37.88	16	9.624
Union Springs	2,017	1,000	1,017	3	17.84	2	24 00	1	11 79	3	17 84	2	24 00	1	11 79
Butler	21,581	11,368	10,213	55	30 49	20	21 112	35	41.121	19	10 535	11	11 605	8	9.399
Exclusive	18,779	9,968	8,811	53	33.766	18	21 668	35	47 666	16	10.19	9	10 834	7	9 533
Greenville	2.802	1,400	1,402	2	8 565	2	17 142	..	....	3	12 847	2	17.142	1	8 558
Calhoun	33,835	23,891	9,944	94	32 338	82	41 186	12	15 084	30	10 639	14	7.02	16	20 112
Exclusive	20,301	15,092	5.209	49	28.97	44	34 984	5	11.518	12	7.093	7	5.565	5	11 51
Anniston	10,113	6,399	3,714	35	41 51	28	52 50	7	22.61	11	13 04	4	7 50	7	22 61
Jacksonville	1,237	900	337	2	19 401	2	26.66	..	....	3	29.102	1	13 33	2	71.21
Oxford	1,473	900	573	5	40 733	5	66 66	..	....	4	32.586	2	26.66	2	41.884
Piedmont	711	600	111	3	50 63	3	60 00	..	..	..	....	..	....	..	.
Choctaw	17,526	8,110	9,416	24	16 404	12	17 748	12	15.28	13	8 88	9	13 31	4	5 096
Clarke	22,622	9,627	12,995	74	39 249	32	39 87	42	38 78	19	10 077	9	11 21	10	9 23
Clay	15,765	14,086	1,679	31	25 488	26	39.52	5	9 038	8	6 578	7	10 645	1	1 807
Conecuh	14,594	7,956	6,638	31	27.43	13	21.24	18	34 54	13	11 50	8	13 072	5	9 65
Exclusive	13,557	7,341	6,216	28	24.78	12	19 60	16	30 88	11	9 73	7	11.43	4	7.72
Evergreen	1,037	615	422	3	35.71	1	19.51	2	56 87	2	23 14	1	19 51	1	28.43
Coosa	15,906	10,486	5,420	53	39.98	29	33.17	24	53.136	6	4 526	4	4 57	2	4.418
Cullman	13,439	13,439	.....	39	34.93	39	34.93	....	.....	20	17.91	20	17.91	....	.....

Exclusive	12,422	12,422	.....	38	36.70	38	36.70	....	.....	20	19 32	20	19.32	....	.....
Cullman	1,017	1,017	.....	1	11.799	1	11.799	....	.....	..	.....	....	....	..	.....
Dallas	49,350	7,906	41,444	49	12 014	8	12 136	41	11 87	51	12 401	12	18 204	39	11.21
Exclusive	41,728	4,406	37,322	34	9.777	5	13 617	29	9 321	25	7.189	2	5 44	23	7.39
Selma	7,622	3,500	4,122	15	23 61	3	10.28	12	34.93	26	40.92	10	34 28	16	25 18
DeKalb	21,010	19,881	1,129	56	32 04	52	31 38	4	42 51	18	10 29	17	10 25	1	10 62
Elmore	21,732	11,329	10,403	53	29.26	26	27 53	27	31.13	14	7 72	9	9 53	5	5 76
Exclusive	20,919	10,829	10,090	53	30 40	26	28 80	27	32.10	12	6 88	8	8 80	4	4 75
Wetumpka	813	500	313	...	...	..	....	...	....	2	29.52	1	24 00	1	38 33
Escambia	8,666	5,674	2,992	21	29 06	14	29 59	7	28 07	8	11 07	7	14 79	1	4 01
Exclusive	7,302	4,799	2,503	14	23 00	11	27 50	3	14 37	4	6 57	4	10 00	..	.....
Brewton	1,115	750	365	6	64.56	3	48 00	3	98 61	3	32 28	2	32 00	1	32.87
Alco	249	125	124	1	48.19	..	..	1	96 77	1	48 19	1	96 00	...	....
Greene	22.007	3,192	18,815	43	23 44	9	33 83	34	21 68	14	7 63	3	10 277	11	7.014
Hale	27,501	5,053	22,448	28	12.21	5	11 87	23	12 29	11	4.79	6	14 24	5	2 67
Exclusive	25,742	4,153	21,589	26	12.118	4	11 566	22	12 227	10	4 66	5	14.44	5	2.77
Greensboro	1,759	900	859	2	13 64	1	13.333	1	13.96	1	6 82	1	13.33	..	....
Jackson	28,026	24 132	3,894	81	34 67	64	31.82	17	52 37	14	5.99	9	4 474	5	15.40
Exclusive	27,067	23,382	3,685	81	35.907	64	32.844	17	56.35	12	5.31	8	4.10	4	13 02
Scottsboro	959	750	209	...	....	...	...	..	....	2	25 02	1	16 00	1	57.41
Jefferson	88,501	56,953	31,548	193	26.16	137	28 86	56	21 30	101	13.69	52	10.95	49	18.63
Exclusive	62,323	42,044	20,279	124	23 25	94	26.70	30	17.75	54	10 56	31	8.80	23	12.60
Birmingham	26,178	14,909	11,269	69	31.82	43	34 60	26	27.60	47	21 54	21	16 89	26	27.66
Lawrence	20,725	12,536	8,189	25	14 48	16	15.315	9	13 293	11	6 37	4	3 82	7	10.33
Limestone	21,195	12,075	9,120	51	28 87	28	27 82	23	30.24	15	8.49	7	6.95	8	10 52
Exclusive	20,195	11,375	8,820	49	29 11	28	29.51	21	28 56	13	7 71	6	6 32	7	9 52
Athens	1,000	700	300	2	24 00		.....	2	80 00	2	24 00	1	17.14	1	40 00
Lowndes	31,550	4,466	27,084	85	32 32	10	24 63	75	32 23	58	22 05	5	12 31	53	23 47
Macon	18,438	4,148	14,290	15	9.76	7	20 25	8	6 71	12	7 80	5	14 47	7	5 86
Exclusive	15,938	3,148	12,790	11	8.28	6	23.474	5	4.691	9	6.776	3	11.43	6	4 69
Tuskegee	2,500	1,000	1,500	4	19 20	1	12 00	3	24.00	3	14.40	2	24 00	1	8 00
Madison	38,119	19,228	18,891	38	11.96	17	10 60	21	13 33	28	8 81	6	3.744	22	13.974
Exclusive	30,124	15,230	14,894	31	12 34	16	12 60	15	12 08	15	5.97	1	787	14	11.27
Huntsville	7,995	3,998	3,997	7	10 506	1	3 00	6	18 00	13	18.51	5	15.00	8	24.00
Monroe	18,990	8,327	10,663	41	25 80	18	25 66	23	25.87	20	12.63	12	17.11	8	9 20
Montgomery	56,172	14,530	41,642	64	13 67	17	14 03	47	13.54	63	13.45	20	16.51	43	12.58
Exclusive	34,289	5,638	28,651	39	13.64	10	21.28	29	12.14	35	12.14	8	17.02	27	11.30

Births and Deaths by Counties, Towns and Colors—January, 1891. (Continued.)

Counties and Towns.	Population.			Births.						Deaths.					
	Total.	White.	Colored.	Total.	Rate per M.	White.	Rate per M.	Colored.	Rate per M.	Total.	Rate per M.	White.	Rate per M.	Colored.	Rate per M.
Montgomery	21,883	8,892	12,991	25	13.76	7	9.44	18	15.62	28	15.51	12	16.18	16	14.77
Morgan	24,089	17,903	6,186	47	23.41	27	18 09	20	38.78	17	8.46	8	5.36	9	17.42
Exclusive	16.953	13,903	3,050	37	26.12	26	21.74	11	43.27	11	7.76	6	5.017	5	19.67
Decatur	7,136	4,000	3,136	10	16.81	1	3.00	9	36.40	6	10.08	2	6.00	4	15.29
Pike	24,423	15,633	8,790	51	25.056	33	25.119	18	24.57	35	17.19	24	18.26	11	15.015
Exclusive	20,974	13,433	7,541	46	26.31	29	25.90	17	27.10	31	17.73	22	19.65	9	14.41
Troy	3,449	2,200	1,249	5	17.40	4	21.81	1	9.60	4	13.92	2	11.90	2	19.20
St. Clair	17,353	14.285	3,068	50	34.57	44	36 96	6	23.47	16	11.06	14	11.76	2	7.82
Sumter	29,574	5,919	23,655	32	12.98	5	10.13	27	13.69	17	6.88	6	12.16	11	5.57
Exclusive	27,708	5,214	22,584	31	13.42	5	11.50	26	13.87	15	6.49	5	11.50	10	5.33
Gainesville	1,071	400	671	...	....	...	.....	..	.....	2	.86	1	2.30	1	.53
Livingston	805	305	500	1	14.90	..	....	1	24.00	...	.....	...	....	..	....
Talladega	29,346	15,343	14,003	40	16.35	23	17.98	17	14.56	25	10.22	11	8.60	14	11.99
Exclusive	26,846	13,843	13,003	36	16.09	20	17.34	16	14.76	20	8.92	8	6 93	12	11.07
Talladega	2,500	1,500	1,000	4	19.20	3	24.00	1	12.00	5	24.00	3	24.00	2	24.00
Tallapoosa	25,460	16,854	8,606	60	28.27	41	29.19	19	26.50	16	7.54	12	8.54	4	5.58
Exclusive	23,660	15,354	8,306	54	27.38	38	29.69	16	23.12	13	6.59	9	7.03	4	5.78
Dadeville	1,000	800	200	2	24.00	1	15.00	1	60.00	2	24.00	2	30.00	....	.....
Alexander City	800	700	100	4	60.00	2	34 28	2	240.00	1	15.00	1	17.14	....	.....
Tuskaloosa	30,352	18,213	12,139	34	13.44	20	13.17	14	13.83	29	11.46	13	8.56	16	15.81
Exclusive	23,552	13,813	9,739	30	15.28	18	15.55	12	14.78	11	5.60	4	3.47	7	8.62
Tuskaloosa	5,000	3,000	2,000	3	7.20	1	4.00	2	12.00	9	21.60	3	12.00	6	36.00
North Port	700	500	200	1	17.14	1	24.00	..	.....	4	68.56	3	72.00	1	60.00
Insane Asylum	1,100	900	200	..	.....	....	.....	..	....	5	54.50	3	39.99	2	120.00
Total for January	948,303	479,441	468,862	1760	21.539	968	22.092	792	20.866	788	9.643	378	8.622	410	10.798
Exclusive of towns	787,816	390,902	396,914	1529	22.166	843	23.223	686	21.434	592	8.695	286	7.910	306	9.562
Total of towns	160,487	88,539	71,948	231	16.834	125	16.282	106	17.743	196	14.367	92	11.983	104	17.400

Births and Deaths by Counties, Towns and Colors—February, 1891.

Counties and Towns.	Population.			Births.						Deaths.					
	Total.	White.	Colored.	Total.	Rate per M.	White.	Rate per M.	Colored.	Rate per M.	Total.	Rate per M.	White.	Rate per M.	Colored.	Rate per M.
Baldwin	8,941	5,635	3,306	18	24.15	11	23.22	7	24.80	5	6.71	4	8.44	1	3.62
Barbour	34,898	13,321	21,577	42	14.44	15	13.51	27	15.01	15	5.15	3	2.70	12	6.67
Exclusive	29,874	10,021	19,753	37	14.86	14	17.59	23	13.85	10	4.01	1	1.18	9	5.41
Eufaula	4,927	2,600	1,427	1	2.95	.		1	8.41	4	7.82	2	9.30	2	16.81
Clayton	997	600	397	4	48.14	1	20.00	3	90.67	1	12.03	..		1	30.22
Blount	21,927	20,115	1,812	41	23.43	40	23.86	1	6.62	4	2.19	4	2.38	...	.....
Bullock	27,033	6,066	20,967	60	26.60	8	15.82	52	29.76	21	9.31	5	9.89	16	9.15
Exclusive	25,016	5,066	19,950	57	27.34	7	16.58	50	30.07	20	9.59	5	11.84	15	9.02
Union Springs	2,017	1,000	1,017	3	17.84	1	12.00	2	23.59	1	5.95	...	...	1	11.79
Butler	21,581	11,368	10,213	35	19.40	19	20.05	16	18.80	11	5.99	7	7.39	4	4.69
Exclusive	17,779	9,968	8,811	31	19.75	18	21.66	13	17.70	11	7.00	7	8.42	4	5.44
Greenville	2,802	1,400	1,402	4	17.13	1	8.57	3	25.67	.	.....	...	..	..	.....
Calhoun	33,835	23,891	9,944	81	28.72	57	28.63	24	30.18	27	9.57	20	15.04	7	8.80
Exclusive	20,301	15,092	5,209	39	23.05	31	23.64	8	18.42	10	5.91	7	5.56	3	6.90
Anniston	10,113	6,399	3,714	35	41.52	20	37.50	15	48.46	11	13.04	8	15.00	3	9.69
Jacksonville	1,237	900	337	3	29.10	2	26.66	1	35.60	2	19.40	2	26.66	...	....
Oxford	1,473	900	573	2	16.29	2	26.66	...	.....	2	16.29	1	13.33	1	20.94
Piedmont	711	600	111	2	33.75	2	40.90	..	.....	2	23.75	2	40.00	...	.....
Choctaw	17,526	8,110	7,416	21	14.35	13	19.23	8	10.19	16	10.93	9	13.31	7	8.92
Clarke	22,622	9,627	12,995	65	34.47	28	34.90	37	34.16	19	10.07	10	12.46	9	8.30
Clay	15,765	14,086	1,679	40	30.44	37	31.52	3	21.44	8	6.09	6	5.11	2	14.29
Conecuh	14,594	7,956	6,638	24	19.73	10	15.20	14	25.30	13	10.68	7	10.64	6	10.84
Exclusive	13,557	7,341	6,216	23	20.35	10	16.34	13	25.09	13	11.50	7	11.44	6	11.58
Evergreen	1,037	615	422	1	11.57	...	....	1	28.43	..	.....	...	.....	...	.....
Coosa	15,906	10,486	5,420	35	26.40	20	22.88	15	33.21	5	3.77	2	2.28	3	6.63
Cullman	13,439	13,439	.....	39	34.94	39	34.94	....	.....	8	7.18	8	7.18	....	.....

Births and Deaths by Counties, Towns and Colors—February, 1891. (Continued.)

Counties and Towns.	Population.			Births						Deaths.					
	Total.	White.	Colored.	Total.	Rate per M	White.	Rate per M	Colored.	Rate per M.	Total.	Rate per M.	White.	Rate per M	Colored.	Rate per M
Exclusive	12,422	12,422	.....	39	37.67	39	37.67	....	.....	8	7.72	8	7.72	....	.....
Cullman	1,017	1,017	.....	..	....	..	....	....	....	....	....	....	....	....	....
Dallas	49,350	7,906	41,444	82	19.94	16	24.28	66	19.11	71	17.16	20	30.35	51	14.56
Exclusive	41,728	4,406	37,322	68	19.55	9	24.50	59	18.97	37	10.64	6	16.33	31	9.96
Selma	7,622	3,500	4,122	14	22.03	7	23.99	7	20.37	34	53.51	14	48.00	20	58.22
DeKalb	21,010	19,881	1,129	60	40.33	58	35.00	2	21.35	15	8 58	13	7.84	2	21.25
Elmore	21,732	11,329	10,403	45	24.84	25	26.48	20	23.07	10	5.73	4	4.23	6	6.93
Exclusive	20,919	10,829	10,090	43	24.66	23	25.48	20	23.78	8	4.58	3	3.32	5	5.94
Wetumpka	813	500	313	2	29.52	2	48.00	.		2	29.52	1	24 00	1	38 33
Escambia	8,666	5,674	2,992	22	30.46	17	35.95	5	20.05	5	6 92	3	6.34	2	8.02
Exclusive	7,302	4,799	2,503	22	36.15	17	42.50	5	23.95	4	6.57	3	7.50	1	4.79
Brewton	1,115	750	365	..	....	..	....	..	....	...	...	..	.....	..	...
Alco	249	125	124	..	....	..	....	.	.....	1	48 19	...	....	1	96 77
Greene	22,007	3,192	18,815	26	25.08	9	33 83	17	10 84	12	6.54	3	11.27	9	5.73
Hale	27,501	5,053	22,448	36	15.70	7	16.62	29	15.60	16	9.97	5	11.88	11	5 88
Exclusive	25,742	4,153	21,589	34	16 65	5	14.44	29	22.11	16	7.46	5	14.44	11	6.11
Greensboro	1,759	900	859	2	13.64	2	26.66	...	...	...	...	...	.....	..	...
Jackson	28,026	24 132	3,894	56	23.97	49	24.44	7	21.57	21	8.99	14	6.96	7	21.57
Exclusive	27,067	23,382	3,685	53	23.49	48	24.63	5	16 28	20	8.86	13	6.67	7	22.79
Scottsboro	959	750	209	3	37.53	1	16.00	2	114 83	1	12.51	1	16.00		....
Jefferson	88,501	56,953	31,548	156	21.15	114	24.02	42	15.97	80	10.84	37	7.79	43	16.35
Exclusive	62,323	42,044	20,279	103	20.15	80	22.83	23	13.60	42	8.21	18	5.13	24	14.20
Birmingham	26,178	14,909	11,269	53	24.28	34	27.36	19	20.13	38	17.41	19	15.29	19	20.23
Lawrence	20,725	12,536	8,189	32	18.52	19	18.18	13	19.20	4	2.31	2	1.91	2	3.95
Limestone	21,195	12,075	9,120	45	25.47	30	29.81	15	19.72	16	9.05	7	6.95	9	11.83
Exclusive	20,195	11,375	8,820	43	25.55	29	26.36	14	19.04	16	9.50	7	7.38	9	12.24

Athens	1,000	700	300	2	24.00	1	17.14	1	40.00	..	....	....	....	..	....	
Lowndes	31,550	4,466	27,084	74	28.14	5	12.31	69	30.57	56	21.30	7	17.24	49	30.57	
Macon	18,438	4,148	14,290	16	10 41	7	20 26	9	7.55	11	7.16	4	11.59	7	5.88	
Exclusive	15,938	3,148	12,790	16	12 04	7	26.68	9	8.41	11	8.28	4	15.24	7	3 76	
Tuskegee	2,500	1,000	1,500	..	....	..		..	....	..	....	..	....	..		
Madison	38,119	19,228	18,891	61	19.20	32	20.09	29	18.42	27	8 50	8	4.99	19	12.07	
Exclusive	30,124	15,230	14,894	52	20.71	27	21.27	25	20.14	18	7.17	4	3.15	14	11.28	
Huntsville	7,995	3,998	3,997	9	13.50	5	15.00	4	12.00	9	13.50	4	12.00	5	15.00	
Monroe	18,990	8.327	10,663	33	20.85	13	18.55	20	22 50	14	8.84	7	9.98	7	7.87	
Montgomery	56,172	14,530	41,642	59	12.60	24	19.81	35	10 37	44	9 40	12	9.91	32	9.22	
Exclusive	34,289	5,638	28,651	36	12.60	10	21.28	26	10.89	25	8.74	4	8.51	21	8.79	

Births and Deaths by Counties, Towns and Colors—February, 1891. (Continued.)

Counties and Towns.	Population.			Births.						Deaths.					
	Total.	White.	Colored.	Total.	Rate per M.	White.	Rate per M	Colored.	Rate per M.	Total.	Rate per M.	White.	Rate per M.	Colored.	Rate per M.
Montgomery	21,883	8,892	12,991	23	12.76	14	18.88	9	8.31	19	10.46	8	10.79	11	10.16
Morgan	24,089	17,903	6,186	40	19.92	24	16.09	16	31.03	20	9 96	11	7.37	9	17.45
Exclusive	16,953	13,903	3,050	34	24 00	22	18.98	12	47 20	12	8.47	8	6.90	4	15.73
Decatur	7,136	4,000	3,136	6	10.09	2	6.00	4	13.29	8	14.45	3	9.00	5	19.11
Pike	24,423	15,633	8,790	67	32.92	37	28.16	30	40.95	17	8.35	12	9.13	5	6.82
Exclusive	20,974	13,433	7,541	55	31.46	32	28.58	23	37.59	14	8.01	10	8.93	4	6.36
Troy	3,449	2,200	1,249	12	41.76	5	27.27	7	67 40	3	10.44	2	10.91	1	9.60
St. Clair	17,353	14,285	3,068	56	38.72	47	39.48	9	35.20	10	6.91	8	6.72	2	7.82
Sumter	29,574	5,919	23,655	20	8.11	4	8.11	16	8.11	12	4.87	2	4.05	10	5.07
Exclusive	27,708	5,214	22,584	19	8.23	4	9.20	15	9 00	12	5.19	2	4.60	10	5.33
Gainesville	1,071	400	671	..	....		....	..	....	...	....	..	.....	...	.....
Livingston	805	305	500	1	14.90	...	...	1	24 00	.	.....	..	.....	..	...
Talladega	29,346	15,343	14,003	34	13.90	17	13.29	17	14 56	20	8.17	12	9.38	8	6.85
Exclusive	26,846	13,843	13,003	29	12.96	15	13 01	14	12.92	16	7.05	9	7.80	7	6.45
Talladega	2,500	1,500	1,000	5	24.00	2	16.00	3	36.00	4	19 20	3	24.00	1	12.00
Tallapoosa	22,460	16,854	8,606	38	17.91	30	21.45	8	11.16	5	2.35	4	2.81	1	1.39
Exclusive	23,660	15,354	8,306	37	18 76	30	23.44	7	10.11	3	1.52	2	1.56	1	1.44
Dadeville	1,000	800	200	1	12.00	..	.....	1	60.00	1	12.00	1	15.00	...	.....
Alexander City	800	700	100	..	..	..	.	..		1	15.00	1	17.14	..	.....
Tuscaloosa	30,352	18,213	12,139	43	17.00	34	22.50	9	8.89	25	9.89	18	11.85	7	6.91
Exclusive	23,552	13,813	9,739	29	14.77	23	19.88	6	7.39	9	4.58	7	6.05	2	2 46
Tuscaloosa	5,000	3,000	2,000	8	19.20	6	24.00	2	12.00	6	14.40	4	16.00	2	12.00
North Port	700	500	200	6	112.85	5	120.00	1	60.00	3	51.42	1	24.00	2	120.00
Insane Asylum	1,100	900	200	..	...	..	.....	..	.....	7	76.36	6	80.00	1	60.00
Total for February	981,261	525,664	455,597	1602	19.60	915	20.88	687	16.49	663	8.11	298	6.79	365	9.61
Exclusive of towns	817,574	433,625	383,949	1400	20.56	800	22.14	600	18.75	503	7.39	215	5.94	288	9.00
Total of towns	163,687	92,039	71,648	202	14.88	115	14 99	87	14.57	160	11.73	83	10 88	77	12.89

Births and Deaths by Counties, Towns and Colors—March, 1891.

Counties and Towns.	Population.			Births						Deaths.					
	Total.	White.	Colored.	Total.	Rate per M	White.	Rate per M	Colored.	Rate per M	Total.	Rate per M	White.	Rate per M	Colored.	Rate per M
Baldwin	8,941	5,635	3,306	24	32 20	13	27 44	11	39 92	5	6 71	3	6.33	2	7.25
Barbour	34,898	13,321	21,577	56	19 25	25	22 52	31	17.23	12	4.12	6	5 40	6	3 33
Exclusive	29,874	10,121	19,753	48	19.27	21	24 90	27	16 25	11	4 41	5	5.92	6	3 61
Eufaula	4,027	2,600	1,427	7	20 68	3	13 96	4	33 63	1	2.95	1	4 65	...	.....
Clayton	997	600	397	1	12 03	1	20 00	...	.....	...	.....	...	.....	...	.....
Blount	21,927	20,115	1,812	56	32 88	53	5 96	3	33 11	9	4 92	9	5 46	...	.....
Bullock	27,033	6,066	20,967	64	28 37	11	21.75	53	30 33	17	7 53	4	7 91	13	7.43
Exclusive	25,016	5,066	19,950	60	28.78	10	23.68	50	30 07	14	6 71	3	7.10	11	6.61
Union Springs	2,017	1,000	1,017	4	23 79	1	12 00	3	35 39	3	17 84	1	12 00	2	23 59
Butler	21,581	11,368	10,213	42	23 28	17	17 93	25	29 35	8	4 43	3	3 16	5	5.87
Exclusive	18,779	9,968	8,811	42	26.75	17	20.45	25	34.02	8	5 09	3	3.60	5	6.80
Greenville	2,802	1,400	1,402	...	...	...	.....	...	...	...	...	...	.....	...	...
Calhoun	33,835	23,891	9,944	79	28 01	56	28.12	23	28 91	27	9 57	17	8 53	10	12.57
Exclusive	20,301	15,092	5,209	38	22 46	29	23 05	9	20 72	14	8 27	9	7 15	5	11.51
Anniston	10,113	6,399	3,714	31	36.76	22	41.25	9	29.07	10	11.86	6	11 25	4	12.92
Jacksonville	1,237	900	337	1	9.70	1	13 33	...	.....	2	19 40	1	13 33	1	35.60
Oxford	1,473	900	573	5	40 73	2	26 66	3	62.72	1	8.14	1	13.33	...	.....
Piedmont	711	600	111	4	67.40	2	40.00	2	216.21	...	...	...	.....	...	.....
Choctaw	17,526	8,110	9,416	16	10.93	7	10.35	9	11.46	3	2.05	...	.....	3	3.72
Clarke	22,622	9,627	12,995	70	37 12	33	41.11	37	34.16	21	11.13	9	11.21	12	11.08
Clay	15,765	14,086	1,679	36	27 39	34	28 96	2	14.29	12	9.13	9	7.66	3	21.44
Conecuh	14,594	7,956	6,638	50	41.11	25	38.00	25	45.17	13	10 68	8	12.16	5	9.03
Exclusive	13,557	7,341	6,216	46	37.82	22	33.44	24	43.36	12	9.86	8	12.16	4	7.22
Evergreen	1,037	615	422	4	46.28	3	58.53	1	28.43	1	11 57	...	....	1	28 43
Coosa	15,906	10,486	5,420	37	26.28	20	22.88	17	37.63	8	6 03	6	6 86	2	4.42
Cullman	13,439	13,439	.....	42	37.62	42	37.62	..	.....	9	8.06	9	8 06	...	.....
Exclusive	12,422	12,422	.....	37	35.74	37	35.74	..	.....	5	4 83	5	4.83	....	.....

Births and Deaths by Counties, Towns and Colors—March, 1891. (Continued.)

Counties and Towns.	Population			Births.						Deaths.					
	Total.	White.	Colored.	Total.	Rate per M	White.	Rate per M	Colored.	Rate per M	Total.	Rate per M	White.	Rate per M	Colored.	Rate per M
Cullman	1,017	1,017	.....	6	70 79	6	70 79			4	47 19	4	47 19		
Dallas	49,350	7,906	41,444	91	22.12	10	15 17	81	22.44	43	10.45	7	10 61	36	10 42
Exclusive	41,728	4,406	37,322	76	21.85	4	10 89	72	23 14	26	7 47	1	2 72	25	8 03
Selma	7,622	3,500	4,122	15	23 61	6	20 56	9	26.19	17	26 75	6	20 56	11	32.02
DeKalb	21,010	19,881	1,129	59	33.75	58	34 99	1	10.62	23	13.16	23	13 88	..	....
Elmore	21.732	11,329	10,403	52	28.15	30	30.71	22	25.47	15	8 28	10	10 59	5	5 16
Exclusive	20,919	10,829	10,090	51	29 25	29	32.13	22	26.15	15	8 60	10	11.08	5	5.94
Wetumpka	813	500	313	1	14 76	1	24 00	..			....	..	....	..	....
Escambia	8,666	5,674	2,992	22	30 44	14	29 59	8	32 0	6	8 20	4	8.45	2	8 02
Exclusive	7,302	4,799	2,503	13	20 35	11	27 50	2	9.58	3	4 92	2	5 00	1	4.79
Brewton	1,115	750	365	7	75 33	3	48.00	4	131 5	1	10.76	1	16.00	..	
Alco	249	125	124	2	96 38	..		2	193 55	2	96 38	1	96 00	1	96.77
Greene	22.007	3,192	18,815	37	20 17	9	33 83	28	17 85	9	4.90	2	7.57	7	4.46
Hale	27,501	5,053	22,448	52	22 68	6	14 24	46	24 59	11	4 79	2	4 74	9	5 81
Exclusive	25,742	4,153	21,589	50	23 30	5	14 44	45	25.01	7	3 26	..	...	7	3 84
Greensboro	1,759	900	859	2	13 64	1	13 33	1	13 96	4	27 28	2	26 66	2	27 93
Jackson.	28,026	24,132	3,894	70	29 96	56	27 84	12	36 96	27	11.55	23	11.43	4	12 32
Exclusive	27,067	23,382	3,685	66	29 25	54	27 71	12	39 07	26	11 90	22	11.80	4	13 02
Scottsboro	959	750	209	4	50 05	2	32 00	2	114 82	1	12 51	1	16 00	..	..
Jefferson	88,501	56,953	31,548	213	44 74	153	32 23	60	48 81	99	13.42	46	9 69	53	25.15
Exclusive	62,323	42,044	20,279	136	26 51	104	29 45	32	18 93	49	9 50	26	7.38	23	13.60
Birmingham	26,178	14,909	11,269	77	35.29	49	39 43	28	29 79	50	22 92	20	16 09	30	31.92
Lawrence	20,725	12,536	8,189	28	16 21	23	22 01	5	7 38	16	9.26	8	4 63	8	11 81
Limestone	21,195	12,075	9,120	47	26 60	24	23 84	23	30 27	16	9 05	7	6 95	9	11.84
Exclusive	20,195	11,375	8,820	45	26 73	23	24 24	22	29 92	14	7 81	6	6.32	8	10 88
Athens	1,000	700	300	2	24 00	1	17 14	1	40 00	2	24 00	1	17.14	1	40 00
Lowndes	31,556	4,446	27,084	105	39 93	8	19 70	97	42 97	51	19.39	2	4.92	49	21 70

Macon	18,438	4,148	14,290	14	9.11	5	14.47	9	7 55	8	5.20	2	5.78	6	5.02
Exclusive	15,938	3,148	12,790	13	7.62	4	4.21	9	12.26	6	3.56	1	10 54	5	6 80
Tuskegee	2,500	1,000	1,500	1	4.18	1	12.00	..		2	8.36	1	12 00	1	8.00
Madison	38,119	19,228	18,891	40	12 59	23	14.35	17	10.79	16	5.05	5	3.12	11	6.98
Exclusive	30,124	15,230	14,894	31	12 34	19	14.91	12	9.60	9	3.58	2	1.57	7	5 6
Huntsville	7,995	3,998	3,997	9	13.50	4	12.00	5	15.00	7	10 50	3	9 00	4	12.00
Monroe	18,990	8,327	10,663	42	26.53	20	28.52	22	24.75	7	4.42	6	8.55	1	1.25
Montgomery	56,172	14,530	41,642	75	16.02	24	19.81	51	14.69	31	6.62	6	4 95	25	7 20
Exclusive	34,289	5,638	28,651	54	18.89	11	23 40	43	18.00	12	4.19	..	....	12	5.02
Montgomery	21,883	8,892	12,991	21	11.56	13	17.53	8	7.38	19	10.46	6	8.09	13	12 00
Morgan	24,089	17,903	6,186	50	24.90	39	26.13	11	21.33	19	9.46	15	10.05	4	77.59
Exclusive	16,953	13,903	3,050	36	25.41	32	26.76	4	15.73	14	9.88	12	10.03	2	7.86
Decatur	7,136	4,000	3,136	14	23.5	7	21.00	7	26.76	5	8.40	:	9.00	2	7.64
Pike	24,423	15,633	8,790	67	32.93	46	35.01	21	28.60	12	5.88	9	6.85	3	4.09
Exclusive	20,974	13,433	7,541	49	28 03	38	33.94	11	17.50	8	4.57	5	4.46	3	4.77
Troy	3,449	2,200	1,249	18	62.64	8	43.63	10	96 00	4	13.92	4	21.81	..	.....
St. Clair	17,353	14,285	3,068	33	22.81	27	22 6	6	23.46	10	6.91	6	5.04	4	15.00
Sumter	29,574	5,919	23,655	28	11 35	4	8.18	24	12 17	.	....	....	....	..	....
Exclusive	27,708	5,214	22,584	28	12.12	4	9.20	24	12.80	12	5.19	2	4 60	10	5.33
Gainesville	1,071	400	671	..	....	.	....	..	..	4	44.81	..		4	96.12
Livingston	805	305	500	.	..	.	....	..	....	2	29 81	1	39.34	1	24.00
Talladega	29,346	15,343	14,003	60	24.53	29	22 67	31	26.56	16	6.54	10	7 82	6	5.14
Exclusive	26,846	13,843	13,003	57	25.47	27	23.40	30	27.68	15	6.70	10	8 67	5	4 61
Talladega	2,500	1,500	1,000	3	14 40	2	16.00	1	12.00	1	4.80	..	...	1	12 00
Tallapoosa	22,460	16,854	8,606	55	25.92	33	23 44	22	30 69	16	7.54	10	7.11	6	8 3
Exclusive	23,660	15,354	8,306	50	25.35	31	24.22	19	27.45	16	8.11	10	7.81	6	8.67
Dadeville	1,000	800	200	3	36.00	....	....	3	180.00	...	....	.	....	..	....
Alexander City	800	700	100	2	30.00	2	34.28	..	...	...	....	..	..	..	....
Tuscaloosa	30,352	18,213	12,139	37	14 61	18	11 85	19	18.78	13	5.13	9	5 92	4	3.95
Exclusive	23,552	13,813	9,739	31	15.79	17	14.69	14	17.24	5	2.54	3	2.59	2	2.46
Tuscaloosa	5,000	3,000	2,000	5	12.00	....		5	30.00	1	2 40	1	4.00	..	....
North Port	700	500	200	1	17.14	1	24.00	..	....	2	34 28	1	24.00	1	60.00
Insane Asylum	1,100	900	200	..	....	.	....	..	....	5	55.50	4	53.32	1	60 00
Total for March	981,261	525,664	455,597	1850	23.33	996	24.92	854	21.85	526	5.65	298	7.45	228	5.83
Exclusive of towns	817,574	433,625	383,949	1600	24.37	854	26.21	746	22.55	375	6.08	228	6.99	147	4.44
Total of towns	163,687	92,039	71,648	250	18.69	14	19.24	108	18 01	151	11.29	70	9.48	8	13.50

Births and Deaths by Counties, Towns and Colors—April, 1891.

Counties and Towns.	Population.			Births.						Deaths.					
	Total.	White.	Colored.	Total.	Rate per M.	White.	Rate per M.	Colored.	Rate per M	Total.	Rate per M.	White.	Rate per M.	Colored.	Rate per M
Baldwin	8,941	5,635	3,306	29	38.92	12	25.34	17	61.70	1	1.34	1	2.11	....	.....
Barbour	34,898	13,321	21,577	61	20.97	20	18.01	41	22.80	11	3.78	5	4.50	6	3.33
Exclusive	29,874	10,121	19,753	56	22.49	17	20.15	39	23.49	4	1.60	1	1.18	3	1.80
Eufaula	4,027	2,600	1,427	4	11.82	3	13.96	1	8 41	5	14.77	4	18.61	1	8.41
Clayton	997	600	397	1	12.03	...	.....	1	30.22	2	24.07	...	.....	2	60.45
Blount	21,927	20,115	18,012	32	17.61	32	19.09	...	.....	5	2.73	5	2.98	....	.....
Bullock	27,033	6,066	20,967	71	31.48	7	13.84	64	36.62	21	9 31	4	7.91	17	9.73
Exclusive	25,016	5,066	19,550	63	30.12	5	11.84	58	34.88	18	8.63	3	7.10	15	9.02
Union Springs	2,017	1,000	1,017	8	47.63	2	24.00	6	70.78	3	17.84	1	12.00	2	23.59
Butler	21,581	11,368	10,213	48	26.61	22	23.22	26	30.54	15	8.21	7	7.40	8	9.40
Exclusive	18,779	9,968	8,811	43	27.49	19	22.92	24	32.78	15	9.55	7	8.42	8	10.89
Greenville	2,802	1,400	1,402	5	21.41	3	25.71	2	17.11	...	.....	...	.....	...	.....
Calhoun	33,835	23,891	9,944	79	28.01	58	25.13	21	26.40	17	6.02	13	6.52	4	9.21
Exclusive	20,301	15,092	5,209	40	23.64	34	27.03	6	13.81	3	1.77	2	1.59	1	2.30
Anniston	10,113	6,399	3,714	32	37.96	20	37.50	12	38.77	9	10.68	6	11 25	3	9.69
Jacksonville	1,237	900	337	2	19.40	2	26 66	...	.....	2	19.40	2	26.66	...	.....
Oxford	1,473	900	573	3	24.43	1	13 33	2	41.88	1	8.14	1	13 33	...	.....
Piedmont	711	600	111	2	23.74	1	20 00	1	108.10	2	23.74	2	40.00	...	.....
Choctaw	17,526	8,110	9,416	33	22.55	15	22.19	18	22 94	3	2.05	...	.....	3	3.82
Clarke	22,622	9,627	12,995	62	32.88	27	33.25	35	32.32	17	9.01	7	8.72	10	9.23
Clay	15,765	14,086	1,679	20	15.22	19	16.18	1	7.14	10	7.61	8	6.81	2	14.29
Conecuh	14,594	7,956	6,638	43	35.36	21	31 93	22	39.76	10	8.22	7	10.64	3	5.79
Exclusive	13,557	7,341	6,216	42	37.17	20	32.35	22	42.47	10	8.85	7	11.43	3	5.79
Evergreen	1,037	615	422	1	11.57	1	19.51	...	.....	...	.....	...	.....	...	.....
Coosa	15,906	10,486	5,420	37	27.91	21	30.31	16	35.42	10	7.54	5	5.72	5	12.07
Cullman	13,439	13,439	.....	25	14.39	25	14.39	...	.....	7	6.26	7	6.26	....	.....

Exclusive	12,422	12,422	.....	21	20.28	21	20.28	....	.....	7	6.76	7	6.76	....	.....
Cullman	1,017	1,017	.....	4	47.19	4	47.19	....	.....	....	.....	....	.....	....	.....
Dale	17,225	13,855	3,370	22	15.32	17	14.73	5	17.80	8	5 57	6	5.19	2	7.12
Exclusive	15,725	12,855	2,870	20	15 26	15	14 00	5	20.90	6	4 57	4	3.73	2	8 36
Ozark	1,500	1,000	500	2	16.00	2	24 00	...	....	2	16 00	2	24 00	...	.....
Dallas	49,350	7,906	41,444	98	23.83	11	16 69	87	25 19	30	7.29	6	9.10	24	5 90
Exclusive	41,728	4,406	37,322	82	23 58	1	2 72	81	26 04	22	6 36	3	8.17	19	6 10
Selma	7,622	3,500	4,122	16	25 18	10	34.28	6	17.46	8	12 59	3	10.28	5	14.55
DeKalb	21,010	19,881	1,129	46	26 32	45	27.16	1	10.68	14	8.01	14	8.45	...	.....
Elmore	21,732	11,329	10,403	48	26.50	31	32.83	17	19 61	4	2 20	2	2.11	2	2.30
Exclusive	20,919	10,829	10,090	47	26 96	31	34.35	16	19.02	4	2 29	2	2.21	2	2 37
Wetumpka	813	500	313	1	14.76	...	....	1	38 33	....	.....	..	...	....	.....
Escambia	8,666	5,674	2,992	30	41 54	16	33 83	14	56.15	6	8.31	3	6.34	3	12 03
Exclusive	7,302	4,799	2,503	24	39 44	13	32 50	11	52.70	3	4 93	1	2.50	2	9.58
Brewton	1,115	750	365	3	32.28	1	16 00	2	65.75	2	21.52	2	32.00	....	.....
Alco	249	125	124	3	144 58	2	192.00	1	96 77	1	48 19	....	.....	1	96.77
Greene	22,007	3,192	18,815	31	16.90	3	11.27	28	17 85	1	5.45	..	....	1	6.37
Hale	27,501	5,053	22,448	29	12.65	3	7.12	26	13.90	14	6 11	5	11 87	9	4.81
Exclusive	25,742	4,153	21,589	29	12 51	3	8.66	26	14.45	13	5.76	4	11.55	9	5.00
Greensboro	1,759	900	859	...	..	..	..	...	.....	1	6.82	1	13.33	....	.....
Jackson	28,026	24 132	3,894	57	24.40	49	24.36	8	24.65	19	8 13	15	7.45	4	12.32
Exclusive	27,067	23,382	3,685	57	25.26	49	25.14	8	26 04	18	7 98	14	7 18	4	13 02
Scottsboro	959	750	209	....	..	....	...	....	....	1	12 51	1	16.00	....	.....
Jefferson	88,501	56,953	31,548	126	17.08	95	20 01	31	11.79	89	12 06	37	7.79	52	18.78
Exclusive	62,323	42,044	20,279	88	17 22	75	21 40	13	7 69	46	9 00	22	6 27	24	14.20
Birmingham	26,178	14,909	11,269	38	17 42	20	16 09	18	19 16	43	19.71	15	12 07	28	29.81
Lawrence	20,725	12,536	8,189	6	3.47	4	3 82	2	2 94	5	2 89	2	1 91	3	4.43
Limestone	21,195	12,075	9,120	41	23 23	23	22 86	18	23 67	15	8 49	6	5 96	9	11.84
Exclusive	20,195	11,375	8,820	40	23 76	22	23.20	18	24 48	14	8 31	6	6.32	8	10.88
Athens	1,000	700	300	1	12.00	1	17 14	....	...	1	12 00	....	...	1	17 14
Lowndes	31,550	4,466	27,084	71	27.00	3	7 39	68	30 12	37	14 07	3	7 39	34	15.26
Macon	18,438	4,148	14,290	22	14 31	11	31.84	11	9 23	6	3 90	3	8 68	3	2.51
Exclusive	15,938	3,148	12,790	17	12.79	8	30 48	9	8 44	5	3 86	2	7 62	3	2 81
Tuskegee	2,500	1,000	1,500	5	24 00	3	36 00	2	16.00	1	4 80	1	12.00	....	.....
Madison	38,119	19,228	18,891	49	15 42	20	12.48	29	18 39	16	5 03	6	3.74	10	6.35

Births and Deaths by Counties, Towns and Colors—April, 1891. (Continued.)

Counties and Towns.	Population.			Births.						Deaths.					
	Total.	White.	Colored.	Total.	Rate per M.	White.	Rate per M.	Colored.	Rate per M.	Total.	Rate per M.	White.	Rate per M.	Colored.	Rate per M.
Exclusive	30,124	15,230	14,874	38	15.13	16	12.60	22	17.72	7	2.78	1	.78	6	4.83
Huntsville	7,995	3,998	3,997	11	16.50	4	12.00	7	21.00	9	13.50	5	15.00	4	12.00
Monroe	18,990	8,327	10,663	34	21.48	11	15 65	23	25.88	18	10.37	7	9.99	11	12.37
Montgomery	56,172	14,530	41,642	47	10.04	18	14.86	29	8 35	25	5.34	5	4.13	20	5 76
Exclusive	34,289	5,638	28,651	25	8.74	8	17.02	17	7.12	15	5.25	2	4.25	13	5.44
Montgomery	21,883	8,892	12,991	22	12.11	10	13.49	12	11.08	10	5.50	3	3.44	7	6.46
Morgan	24,089	17,903	6,186	35	17.43	23	15.51	12	23.27	18	8 97	10	6.70	8	15.51
Exclusive	16,953	13,903	3,050	26	18.35	21	18.13	5	19.67	9	6.35	7	6 05	2	7.86
Decatur	7,136	4,000	3,136	9	16 13	2	6.00	7	26.76	9	16.13	3	9.00	6	22.93
Pike	24,423	15,633	8,790	48	23.58	30	22.83	18	14.57	19	9.33	5	3.80	14	19.11
Exclusive	20,974	13,433	7,541	42	24.02	26	23.22	16	25.45	15	5.58	2	1.78	13	20.58
Troy	3,449	2,200	1,249	6	20.88	4	21.81	2	19 20	4	13.92	3	16 36	1	9.60
St. Clair	17,353	14,285	3,068	42	29.04	38	31.92	4	15.64	10	6.91	8	6.72	2	7.82
Sumter	29,574	5,919	23,655	34	13.79	20	40.54	14	7.10	14	5.68	5	10.13	9	5.46
Exclusive	27,708	5,214	22,584	31	13.43	17	39 12	14	7.47	11	4 76	4	9 20	7	3 73
Gainesville	1,071	400	671	2	22 40	2	60 00	...	.....	1	11.20	...	....	1	18.03
Livingston	805	305	500	1	14.90	1	39 33	...	....	2	29.81	1	39.34	1	24.00
Talladega	29,346	15,343	14,003	37	15.13	21	16.42	16	13.71	23	9.40	11	8.60	12	10.28
Exclusive	26,846	13,843	13,003	35	15.73	19	16.47	16	14.76	17	7.59	8	6 93	9	8.30
Talladega	2,500	1,500	1,000	2	9 60	2	16.00	...	....	6	28.80	3	24.00	3	36.00
Tallapoosa	25,460	16,854	8,606	46	21.68	34	24.20	12	16.74	9	4.24	4	2.84	5	6.97
Exclusive	23,660	15,354	8,306	42	21.30	33	25.79	9	13 00	8	4.05	4	3.12	4	5.78
Dadeville	1,000	800	200	2	24.00	..	.....	2	120.00	...		..	....	....	..
Alexander City	800	700	100	2	30.00	1	17.14	1	120 00	1	15.00	..	.....	1	120.00
Tuskaloosa	30,352	18,213	12,139	25	9.88	19	12.51	6	5.93	14	5 53	3	8.68	1	9.88
Exclusive	23,552	13,813	9,739	20	10.19	15	13.16	5	6 16	6	3.05	6	5.18	...	.....

Tuskaloosa	5,000	3,000	2,000	5	12 00	4	16 00	1	6 00	6	7 20	3	12.00	...	.....
North Port	700	500	200	....	....	..	....	..	....	1	17.14	1	24.00	..	.....
Insane Asylum	1,100	900	200		....	..	....	..	..	4	32 72	3	40.00	1	60 00
Total for April	948,303	479,441	468,862	564	19 78	824	20 62	740	18 94	541	6 82	245	6.14	296	7 59
Exclusive of towns	787,816	390.902	396,91	1371	21.88	718	22 03	653	19.68	407	6 20	179	5 49	228	6 89
Total of towns	160.487	88.539	71.948	193	14 40	106	14 36	87	14 51	134	10 02	66	8 94	68	11.33

Births and Deaths by Counties, Towns and Colors—May, 1891.

Counties and Towns.	Population.			Births.						Deaths.					
	Total.	White.	Colored.	Total.	Rate per M.	White.	Rate per M	Colored.	Rate per M.	Total.	Rate per M.	White.	Rate per M.	Colored.	Rate per M.
Baldwin	8,941	5,635	3,306	18	24.15	8	16.89	10	36.29	6	8.05	1	2.11	5	18.14
Barbour	34,898	13,321	21,577	43	14.78	17	14.61	26	14 46	9	3.10	7	5.60	2	1.11
Exclusive	29,874	10,121	19,753	33	13 25	11	13.04	22	13.25	4	1.60	3	3.54	1	.62
Eufaula	4,027	2,600	1,527	9	26.59	6	27.92	3	25 22	2	5.90	1	4.65	1	8.40
Clayton	997	600	397	1	12.03	..	..	1	30.22	3	36.10	3	60.00	....	.....
Blount	21,927	20,115	1,812	28	15.32	25	14.91	3	19.86	5	2.73	5	2.98	....	.....
Bullock	27,033	6,066	20,967	46	20.39	5	9.89	41	23.46	20	8.86	6	11.86	14	8.01
Exclusive	25,016	5,066	19,950	42	20.14	3	7.10	39	23.45	17	8.14	4	9.47	13	7.81
Union Syrings	2,017	1,000	1,017	4	23.79	2	24.00	2	23.59	3	17.84	2	24.00	1	11.79
Butler	21,581	11,368	10,213	58	32.16	26	27.44	32	37.59	23	12.75	9	9.50	14	16.44
Exclusive	18,779	9,968	8,811	53	33.76	23	27.68	30	40 85	14	8.91	5	6 01	9	12.25
Greenville	2,802	1,400	1,402	5	21.41	3	25.71	2	17.11	9	38.54	4	34.28	5	52.79
Calhoun	33,835	23,891	9,944	84	29.79	67	33.65	17	21.37	30	10.63	16	8.03	14	17.59
Exclusive	20,301	15,092	5,209	27	15.89	22	17.49	5	11.51	11	6.50	7	5.49	4	9.21
Anniston	10,113	6,399	3,714	40	47.46	31	58.14	9	29.07	16	18.98	7	13.12	9	29.07
Jacksonville	1,237	900	337	5	48.50	4	53.33	1	35.60	2	19.40	1	13.33	1	35.60
Oxford	1,473	900	573	5	40.73	4	53.33	1	20.94	...	...	....	.....	....	.....
Piedmont	711	600	111	7	118.13	6	120.00	1	108.00	1	16.87	1	20.00	....	.....
Choctaw	17,526	8,110	9,416	26	17 77	17	25.15	9	11.46	6	4.10	5	3 41	1	1.27
Clarke	22,622	9,627	12,995	73	38.71	27	33.65	46	42.47	17	9.01	8	9.97	9	8.31
Clay	15,765	14,086	1,679	..	..	..	.....	..	.....	..	..	..	.....	....	.....
Conecuh	14,594	7,956	6,638	25	20.55	7	10.64	18	32.53	14	11.51	5	6.60	9	16.26
Exclusive	13,557	7,341	6,216	24	21.24	6	9.80	18	34.74	14	12.39	5	8.17	7	17.37
Evergreen	1,037	615	422	1	11.57	1	19.51	..	....	...	....	..	.....	....	.....
Coosa	15,906	10,486	5,420	44	33.19	29	33.18	15	33.21	9	6.78	4	4.57	5	11.07
Cullman	12,439	13439	.....	42	37.62	42	37.62	....	.....	9	8.06	9	8.06	..	....

Exclusive	12,422	12,422	.....	41	39.60	41	39.60	...	.....	8	7.72	8	7.72	...	.....
Cullman	1,017	1,017	.....	1	11.79	1	11.79	....	.....	1	11.79	1	11.79	..	.....
Dale	17,225	13,855	3,370	38	26.47	27	23.38	11	39.16	5	3.48	3	2.59	2	7.12
Exclusive	15,725	12,855	2,870	31	23.65	24	22.39	7	29.26	4	3.05	2	1.86	2	8.36
Ozark	1,500	1,000	500	7	56.00	3	36 00	4	96.00	1	8 00	1	12.00	..	.....
Dallas	49,350	7,906	41,444	97	23.58	13	19.73	84	24 32	47	11.42	5	7.58	42	12.16
Exclusive	41,728	4,406	37,322	82	23.58	9	24 51	73	23 47	34	9.77	2	5.44	32	10 28
Selma	7,622	3,500	4,122	15	23.54	4	13.71	11	32.02	13	20.46	3	10.28	10	29.11
DeKalb	21,010	19,881	1,129	46	26.32	44	26 55	2	21.25	12	6.86	11	6.63	1	10.62
Elmore	21.732	11,329	10,403	52	28.71	24	25.42	28	32.29	16	8.83	9	9.53	7	8.07
Exclusive	20,919	10.829	10,090	48	27.53	24	26.59	24	28.54	13	7.45	6	6.64	7	8.32
Wetumpka	813	500	313	4	59 04	..	....	4	153.35	3	44.28	3	72 00	..	.....
Escambia	8,666	5,674	2,992	27	37.38	17	35.95	10	40.10	9	12.46	7	14.80	2	8.02
Exclusive	7,302	4,799	2,503	26	42.72	17	4.24	9	43.11	7	11.50	6	15.00	1	4.79
Brewton	1,115	750	365	1	10.96	..	.....	1	32.87	2	21.52	1	16 00	1	32 87
Alco	249	125	124	..	...	...	...	..	...	..	...	..	...	..	...
Greene	22.007	3,192	18,815	21	11.44	3	11.27	18	11.48	10	5.45	4	15.03	6	3.82
Hale	27,501	5,053	22,448	38	16 58	6	14.24	32	17.11	12	5.23	1	2.37	11	5.88
Exclusive	25,742	4,153	21,589	37	17 24	5	14.44	32	17.77	12	5.59	1	2.88	11	6.10
Greensboro	1,759	900	859	1	6 82	1	13 33	..	....	...		..	..	..	...
Jackson	28.026	24,132	3,894	68	28 25	53	26.35	13	40 06	16	6 85	10	4 97	6	18.48
Exclusive	27,067	23,382	3,685	64	28 37	51	26 17	13	42.33	13	5 76	8	4 10	5	16.28
Scottsboro	959	750	209	2	25.02	2	32.00	..	....	3	37.53	2	32 00	1	57.41
Jefferson	88,501	56,953	31,548	170	23 05	137	28.86	33	12.55	114	15.45	65	13 69	49	18.63
Exclusive	62,323	42,044	20,279	124	24.26	107	30.53	17	10.05	78	15.26	43	12.27	35	20.71
Birmingham	26,178	14,909	11,269	46	21.08	30	24.14	16	17.03	36	16.50	22	17 70	14	14.90
Lawrence	20,725	12,536	8,189	22	12.73	15	13 35	7	10 34	6	3.47	2	1.91	4	5.91
Limestone	21,195	12,075	9,120	62	35.10	38	37.76	24	31.57	15	8.49	9	8.94	6	7.89
Exclusive	20,195	11,375	8,820	60	35.65	38	40.07	22	29 93	14	8.31	9	9.49	5	6.80
Athens	1,000	700	300	2	24.00	.	...	2	80 00	1	12.00	..		1	40.00
Lowndes	31,550	4,446	27,084	67	25.48	9	22.16	5	25.69	46	17.49	2	4.92	44	19.49
Macon	18,438	4,148	14,290	14	9.11	9	26 05	5	4 19	4	2 60	2	5.78	2	1.67
Exclusive	15,938	3,148	12,790	12	9 03	7	26.68	5	4.69	2	1.50	..	.....	2	1.87
Tuskegee	2,500	1,000	1,500	2	9.60	2	24.00	.	....	2	9.60	2	24 00	...	
Madison	38,119	9,228	18,891	27	8.49	9	5.61	18	11.43	27	8.49	6	3.74	21	13.55

Births and Deaths by Counties, Towns and Colors—May, 1891. (Continued.)

Counties and Towns.	Population.			Births.						Deaths.					
	Total.	White.	Colored.	Total.	Rate per M.	White.	Rate per M	Colored.	Rate per M.	Total.	Rate per M.	White.	Rate per M.	Colored.	Rate per M.
Exclusive.	30,124	15,230	14,894	19	7 56	5	3.93	14	11.27	14	5.57	2	1 57	12	9 66
Huntsville	7,955	3,998	3,997	8	12 00	4	12 00	4	12.00	13	19 51	4	12.00	9	21.00
Monroe	18,990	8,327	10,663	25	15.79	6	8.56	19	21 38	7	4.42	3	4 28	4	4 50
Montgomery	56,172	14,530	41,642	54	11 53	8	6 60	46	13 25	50	10 68	9	7 43	41	11.81
Exclusive.	34,289	5,638	28,651	42	14 69	3	6.38	39	16 33	21	7.34	3	6.38	18	7.52
Montgomery	21,883	8,892	12,991	12	6 60	5	6 74	7	6 46	29	15.97	6	8 09	23	21 24
Morgan	24,089	17,903	6,186	48	23.91	37	24 80	11	21 33	22	10.95	11	7 37	11	21.33
Exclusive	16,953	13,903	3,050	39	27.53	33	28.48	6	23 60	12	8.47	7	6 04	5	19 67
Decatur	7,136	4,000	3,136	9	15 13	4	12 00	5	19 11	10	16 81	4	12 00	6	22 93
Pike	23,423	15,633	8,790	44	21 61	26	19 79	18	24.57	18	8.84	12	9.13	6	8.19
Exclusive	20.974	13,433	7,541	38	21.74	22	19 65	16	25 46	16	9.15	10	8 93	6	9.54
Troy	3,449	2,200	1,249	6	20 88	4	21.81	2	19 20	2	6 96	2	10.90	..	..
St. Clair	17,353	14,285	3,068	47	32 50	41	34 44	6	23 46	7	4.84	5	4.20	2	7.82
Sumter	29,274	5,919	23,655	34	13.79	5	10.13	29	14 71	7	2.84	1	2.02	6	3 04
Exclusive	27,708	5,214	22,584	28	12.13	4	9.20	24	12 80	7	3.03	1	2 30	6	3.20
Gainesville	1,071	400	671	3	33 60	1	30 00	2	36 06	..	....	..	....	..	....
Livingston	805	305	500	3	44 72	....	.....	3	72 00	..	....	..	....	..	....
Talladega	29,346	15,343	14,003	35	14 31	20	15 64	15	12 85	16	6 54	12	9 38	4	3 42
Exclusive.	26,846	13,843	13,003	32	14 30	17	14.74	15	13 84	16	7.15	12	10.40	4	3 69
Talladega	2,500	1,500	1,000	3	14 40	3	24 00	..	....	..	....	..	....	..	....
Tallapoosa	25,460	16,854	8,606	53	24 97	42	29.90	11	15 34	16	7 54	7	4.98	9	12 55
Exclusive	23,060	15,354	8,306	48	24.34	38	29.69	10	14 45	14	7.10	6	4 68	8	11 56
Dadeville	1,000	800	200	1	12 00	1	15 00	..	....	2	24 00	1	15.00	1	60 00
Alexander City	800	700	100	4	60 00	3	51.42	1	120 00	..	..	..	...	..	..
Tuskaloosa	30,352	18,213	12,139	20	7.90	9	5 92	11	10 87	18	7.11	13	8 56	5	4 94
Exclusive	23,552	13,813	9,739	13	6 62	6	5 18	7	8 62	10	5.09	8	6 91	2	2.46

Tuskaloosa	5,000	3,000	2,000	4	9.60	...	....	4	24.00	1	2.40	1	4.00	..	.....
North Port	700	500	200	3	51.42	3	72.00	...	....	....	...	....	....	...	.....
Insane Asylum	1,100	900	200	..	....	..	....	....	....	7	76.36	4	53 33	3	180 00
Total for May	981,261	525,664	455,597	1594	20.16	868	21.72	726	15 58	648	8.19	284	7.10	364	16 36
Exclusive of Towns	817,574	433,625	383,949	1380	21.02	740	22.71	640	19.35	486	7 40	208	6 38	278	8.40
Total of Towns	163.687	92,039	71,648	214	16 00	128	17.34	86	14 34	162	11 91	76	10.30	86	14.34

Births and Deaths by Counties, Towns and Colors—June, 1891.

Counties and Towns.	Population.			Births.						Deaths.					
	Total.	White.	Colored.	Total.	Rate per M	White.	Rate per M	Colored.	Rate per M	Total.	Rate per M	White.	Rate per M.	Colored.	Rate per M
Baldwin	8,941	5,635	3,306	23	30 86	13	27 44	10	36 29	4	5 35	...	.....	4	14.51
Barbour	34,898	13,321	21,577	63	21 65	27	24 32	36	20 01	33	11 34	12	10 80	21	11.67
Exclusive	29,874	10,121	19,753	54	21.68	23	27 25	31	18 67	26	10.44	10	11.85	16	9.63
Eufaula	4,026	2,600	1,429	7	20 68	3	13 96	4	33 63	6	17.73	1	4 65	5	42 04
Clayton	997	600	397	2	24 07	1	20.00	1	30.00	1	12 03	1	20 00	...	.....
Blount	21,927	20,115	1,812	45	24 62	45	26 84	...	.....	12	6 56	12	7.15	...	.....
Bullock	27,033	6,066	20,967	61	27 04	13	25 71	48	28 87	22	9 75	4	7.91	18	10.82
Exclusive	25,016	5,066	19,950	52	24.94	11	26 04	41	24 26	21	10 07	4	9.47	17	10 22
Union Springs	2,017	1,000	1,017	9	53 54	2	24 00	7	82 57	1	5 94	..	.	1	11.79
Butler	21,581	11,368	10,213	46	25 50	18	18 94	28	32 89	26	14.41	10	10 55	16	18.70
Exclusive	18,779	9,968	8,811	45	28 66	18	21.65	27	36 74	22	14 01	8	9.62	14	19 05
Greenville	2,802	1,400	1.402	1	4 28	..	...	1	8 55	4	17.13	2	17.14	2	17 11
Calhoun	33,835	23,891	9,944	71	25 17	55	27 62	16	20 11	22	7 80	15	7 53	7	8 79
Exclusive	20,301	15,092	5,209	36	21.27	31	24 64	5	11 51	10	5 91	7	5 56	3	6.90
Anniston	19,113	6,399	3,714	26	30 83	18	33 75	8	25.84	9	10 67	6	13.12	2	6.46
Jacksonville	1,237	900	337	2	19 40	2	26 66	...	....	2	19 40	1	13.33	1	35 60
Oxford	1,473	900	573	4	32.58	2	26 66	2	41.88	1	8.14	..	.....	1	20 94
Piedmont	711	600	111	3	50 63	2	40 00	1	108.10	...	.....	...	.....	...	
Choctaw	17,526	8,110	9,416	19	12 98	8	11 83	11	14 01	8	5 46	4	5.91	4	5 09
Clarke	22,622	9,627	12,995	53	28 11	25	31 15	28	25 85	19	10 07	8	9 96	11	10.15
Clay	15,765	14,086	1,679	31	23 59	29	24 70	2	14 29	9	6 74	7	5.96	2	14.29
Conecuh	14,594	7,956	6,638	27	32 09	11	16 72	16	28 91	10	8 22	3	4 36	7	12.64
Exclusive	13,557	7,341	6,216	26	23 01	11	17.97	15	28 95	10	8 85	3	4 90	7	13.51
Evergreen	1,037	615	422	1	11.57	...	...	1	28 43	..	.....	...	.....	...	.....
Coosa	15,906	10,486	5,420	34	25 64	25	28.60	9	19 92	7	5 28	4	4 57	3	6.64
Cullman	13,439	13,439	.....	36	32.24	36	32 24	...	.....	8	7 12	8	7 12	...	....

Exclusive	12,422	12,422	.....	32	30.91	32	30.91	..	.....	6	5.79	6	5.79	..	.....
Cullman	1,017	1,017	.....	4	47.19	4	47.19	..	.....	2	23.59	2	23.59	..	.....
Dale	17,225	13,855	3,370	45	31.34	40	34.65	5	17.80	17	11.84	11	9.52	6	21.36
Exclusive	15,725	12,855	2,870	44	33.58	39	36.39	5	20.90	16	12.20	10	9.33	6	24.08
Ozark	1,500	1,000	500	1	8.00	1	12.00	..	.....	1	8.00	1	12.00	..	..
Dallas	49,350	7,906	41,444	88	21.39	15	22.75	73	21.13	47	11.42	5	7.58	42	12.15
Exclusive	41,728	4,406	37,322	69	19.83	6	16.23	63	22.25	35	10.06	3	8.16	32	10.28
Selma	7,622	3,500	4,122	19	29.90	9	30.85	10	29.11	12	18.88	2	6.85	10	29.11
DeKalb	21,010	19,881	1,129	58	29.90	57	33.18	1	10.62	23	13.16	23	13.88	..	....
Elmore	21,732	11,329	10,403	55	30.36	29	30.71	26	29.97	12	6.62	9	9.53	3	3.45
Exclusive	20,919	10,829	10,090	52	29.82	27	29.91	25	29.72	12	6.88	9	9.97	3	3.56
Wetumpka	813	500	313	3	44.28	2	48.00	1	38.33	..		..	....	..	...
Escambia	8,660	5,674	2,992	35	48.44	20	42.28	15	60.15	15	20.76	12	25.36	3	12.03
Exclusive	7,302	4,799	2,503	27	44.36	17	42.50	10	47.90	12	19.71	9	22.50	3	14.37
Brewton	1,115	750	365	8	86.09	3	48.00	5	164.45	1	10.76	1	16.00	..	....
Alco	249	125	124	..	..	..		..	....	2	96.38	2	192.00	..	....
Greene	22,007	3,192	18,815	18	9.73	9	33.93	9	5.73	11	5.99	3	11.27	8	5.20
Hale	27,501	5,053	22,448	43	18.76	9	21.36	34	18.17	13	5.67	2	4.74	11	5.88
Exclusive	25,742	4,153	21,589	43	20.04	9	26.90	34	19.99	12	5.59	1	2.88	11	6.11
Greensboro	1,759	900	859	..	29.53	..	...	..	....	1	6.82	1	13.33	..	....
Jackson	28,026	24,132	3,894	69	29.53	60	38.31	3	9.24	25	10.70	22	10.93	3	9.24
Exclusive	27,067	23,382	3,685	64	28.37	61	31.30	3	9.70	22	9.75	19	9.75	3	9.76
Scottsboro	959	750	209	5	62.56	5	80.00	..	....	3	37.53	3	48.00	..	....
Jefferson	88,501	56,953	31,548	154	20.88	104	21.91	50	19.01	149	20.20	80	16.85	69	26.27
Exclusive	62,323	42,044	20,279	105	20.53	75	21.30	30	17.75	84	16.43	55	15.05	31	18.34
Birmingham	26,178	14,909	11,269	49	22.46	29	23.33	20	21.28	65	25.29	27	21.72	38	40.43
Lawrence	20,725	12,536	8,189	11	6.37	6	5.74	5	7.38	5	2.89	3	2.97	2	2.85
Limestone	21,195	12,075	9,120	45	25.47	24	23.84	21	27.61	13	7.35	6	5.96	7	9.20
Exclusive	20,195	11,375	8,820	43	25.55	24	25.29	19	25.84	9	5.35	4	4.21	5	6.80
Athens	1,000	700	300	2	24.00	...	....	2	80.00	4	48.00	2	34.28	2	80.00
Lowndes	31,550	4,466	27,084	84	31.94	9	22.56	75	33.22	38	14.45	5	12.31	33	14.61
Macon	18,438	4,148	14,290	9	5.85	2	5.78	7	5.87	9	5.85	5	14.47	4	3.35
Exclusive	15,938	3,148	12,790	9	6.77	2	7.62	7	6.56	5	3.76	2	5.78	3	2.51
Tuskegee	2,500	1,000	1,500	.	....	..	....	..	.....	4	19.20	3	36.00	1	8.00
Madison	38,119	19,228	18,891	23	7.24	7	4.36	16	10.16	22	6.92	4	2.49	18	11.43

Births and Deaths by Counties, Towns and Colors—June, 1891. (Continued.)

Counties and Towns.	Population.			Births.						Deaths.					
	Total.	White.	Colored.	Total.	Rate per M.	White.	Rate per M	Colored.	Rate per M.	Total.	Rate per M.	White.	Rate per M.	Colored.	Rate per M.
Exclusive	30,124	15,230	14,894	14	5 57	4	3.14	10	8.05	11	4.38	3	2 36	8	6 44
Huntsville	7,955	3,998	3,997	9	13.50	3	9.00	6	18 00	11	16 50	1	3 00	10	30.00
Monroe	18,990	8,3 :7	10,663	32	20 22	11	15 68	21	23.62	8	5.05	3	4 27	5	5 62
Montgomery	56,172	14,530	41,642	39	8 33	16	13 21	23	6 62	57	12 17	17	14.03	40	11 52
Exclusive	34,289	5,638	28,651	25	8 74	7	14.89	18	7.53	27	9.44	3	6 38	24	10 05
Montgomery	21,883	8,892	12,991	14	7.70	9	12 14	5	4 61	30	16 52	14	18.88	16	14 77
Morgan	24,089	17,903	6,186	44	21 91	30	20 10	14	27.15	18	8.96	7	4.69	11	21 33
Exclusive	16,953	13,903	3,050	39	27.53	27	22 58	12	47 20	13	9.17	5	4 18	8	31.47
Decatur	7,136	4,000	3,136	5	8 40	3	9 00	2	7 64	5	8.40	2	6.00	3	11 46
Pike	23,423	15,633	8,790	54	26 53	3	23.59	23	33 39	13	6 38	9	6.85	4	5 46
Exclusive	20,974	13,433	7,541	47	26 88	27	24 11	20	31.82	9	5 07	5	4 46	4	6.36
Troy	3,449	2,200	1,249	7	24.36	4	21.81	3	28 80	4	13.92	4	21 81	..	....
St. Clair	17,353	14,285	3,068	33	22 81	29	24 36	4	15 65	18	12.44	17	14.28	1	3 91
Sumter	29,274	5,919	23,655	36	14 60	5	10.13	31	15.71	17	6 89	5	10.13	12	6 08
Exclusive	27,708	5,214	22,584	35	15 16	5	11.50	30	16 01	17	7.36	5	11.50	12	6 40
Gainesville	1,071	400	671	..	..	...	....	...	.	...	....	...	....	...	....
Livingston	805	305	500	1	14 90	..	.....	1	24 00	...	....	..	....	..	....
Talladega	29,346	15,343	14,003	53	21 67	27	21.11	26	22 27	14	5 72	7	5 47	7	5 99
Exclusive	26,846	13,843	13,003	46	20 95	22	19 07	24	22 14	10	4 46	5	4 33	5	4.61
Talladega	2,500	1,500	1,000	7	33.60	5	40.00	2	24.00	4	19 20	2	16 00	2	24 00
Tallapoosa	25,460	16,854	8,606	54	25 45	40	28 47	16	22 32	26	12.25	23	16 37	3	4 18
Exclusive	23,060	15,354	8,306	52	26 36	38	29 89	14	20.23	24	12 17	21	16.41	3	4 33
Dadeville	1,000	800	200	2	24.00	1	15 00	1	60 00	..	...	..	....	..	....
Alexander City	800	700	100	2	30 00	1	17 14	1	120 00	2	30.00	2	34 28	..	....
Tuskaloosa	30,352	18,213	12,139	30	11 85	19	12 51	11	10 87	28	11 06	29	12.51	9	8 89
Exclusive	23,552	13,813	9,739	22	11.20	17	14 59	5	6 16	15	7.64	11	9.50	4	4.92

North Port	700	500	200	...	.....	...	.....	...	...	3	51.42	2	48 00	1	60 00
Tuskaloosa	5,000	3,000	2,000	8	19 20	2	8 00	6	36 00	5	12 00	3	12.00	2	12.00
Insane Asylum	1,100	900	200	...	....	.	.....	...	.....	5	54.54	3	39 99	2	120 00
Total for June	981,261	525,664	455,597	1623	20 52	910	22.77	713	18.24	778	9 84	384	9.61	394	10 18
Exclusive of Towns	817,574	433,625	383,949	1422	21.66	799	24 42	623	18 83	590	8 98	295	9 05	295	8.89
Total of Towns	163,687	92,039	71,648	201	15 02	111	15 04	90	15 01	188	14 05	89	12.00	99	17 61

Births and Deaths by Counties, Towns and Colors—July, 1891.

Counties and Towns.	Population.			Births.						Deaths.					
	Total.	White.	Colored.	Total.	Rate per M.	White.	Rate per M.	Colored.	Rate per M.	Total.	Rate per M.	White.	Rate per M.	Colored.	Rate per M
Baldwin	8,941	5,635	3,306	20	26.84	9	19.00	11	39.92	5	6.71	..	.....	5	18.14
Barbour	34,898	13,321	21,577	50	17.19	22	19.81	28	15.57	14	4.81	7	6.30	7	3.89
Exclusive	29,874	10,121	19,753	43	17.27	19	22.52	24	14.45	7	2.81	3	3.56	4	2.40
Eufaula	4,027	2,600	1,427	4	11.82	2	9.30	2	16.81	4	11.82	2	9.30	2	16.81
Clayton	997	600	397	3	36.10	1	20.00	2	60.45	3	36.10	2	40.00	1	30.22
Blount	21,927	20,115	1,812	16	8 75	15	8.94	1	6.62	6	3.28	6	3.58	..	....
Bullock	27,033	6,066	20,967	78	34.58	16	31.64	62	35.48	20	8.86	2	3.95	18	10.30
Exclusive	25,016	5,066	19,950	75	35.98	15	35.52	60	36.09	18	8.63	2	4.73	16	9.62
Union Springs	2,017	1,000	1,017	3	17.84	1	12.00	2	23.59	2	11.89	..	....	2	23.59
Butler	21,581	11,368	10,213	65	36.04	30	31.66	35	41.12	23	12.75	13	13 71	10	11.75
Exclusive	18,779	9,968	8,811	58	36.95	25	30 09	33	44.94	15	9.56	9	10.83	6	8.17
Greenville	2,802	1,400	1,402	7	29.97	5	42.05	2	17.11	8	34.25	4	34.28	4	34.23
Calhoun	33,835	23,891	9,944	83	29.43	63	31.64	20	15 15	22	7.80	8	4.01	14	17.60
Exclusive	20,301	15,092	5,209	52	30.73	44	34.98	8	18.42	6	3.55	5	3.97	1	2.30
Anniston	10,113	6,399	3,714	23	27.29	15	28.12	8	25.84	11	13.05	1	1.87	10	32.31
Jacksonville	1,237	900	337	2	19.40	..	...	2	71.21	2	19.44	1	13.33	1	35.60
Oxford	1,473	900	573	3	24.44	1	13.33	2	41.88	1	8.14	..	....	1	20.94
Piedmont	711	600	111	3	50.63	3	60.00	..	..	2	33.75	1	20.00	1	108.10
Choctaw	17,526	8,110	9,416	24	16.40	15	22.19	9	11.47	13	8.88	7	10 35	6	7.64
Clarke	22,622	9,627	12,995	73	38.72	29	36.14	44	40.62	17	9.01	6	7.48	11	10.15
Clay	15,765	14,086	1,679	38	28.92	37	31.51	1	7.14	17	12.94	16	13.66	1	7.14
Conecuh	14,594	7,956	6,638	24	19.73	11	16.72	13	23.49	14	11.51	8	12.16	6	10.84
Exclusive	13,557	7,341	6,216	20	17.70	10	16.34	10	19.30	14	12.39	8	13.07	6	11.58
Evergreen	1,037	615	422	4	46.28	1	19.51	3	28.43	..	...	....	.....	...	.....
Coosa	15,906	10,486	5,420	37	27.91	21	25.02	16	25.42	8	6.03	7	8.01	1	2·21
Cullman	13,439	13,439	.....	25	22.39	25	22.39	....	.....	10	8.95	10	8.95	....	.....

Exclusive	12,422	12,422	.....	23	22.21	23	22.21	....	.....	8	7.72	8	7.72	....	.....
Cullman	1,017	1,017	.....	2	23.59	2	23.59	....	.....	2	23.59	2	23.59	....	.....
Dale	17,225	13,855	3,370	41	28.56	37	32 04	4	14.24	8	5.57	8	6.92	....	.....
Exclusive	15,725	12,855	2,870	36	27.47	33	30.80	3	12.54	7	5.34	7	6.53	....	.....
Ozark	1,500	1,000	500	5	40.00	4	48.00	1	24.00	1	8.00	1	12.00	....	.....
Dallas	49,350	7,906	41,444	97	23.58	18	27.31	79	23.57	47	11.43	11	16.69	36	10.41
Exclusive	41,728	4,406	37,322	73	20.99	6	16.33	67	21.54	29	8.34	6	16.33	23	7.39
Selma	7,622	3,500	4,122	24	37.77	12	41.13	12	34.93	18	28.33	5	17.14	13	11.64
DeKalb	21,010	19,881	1,129	61	34.90	55	33.19	6	63.76	16	9.15	13	7.84	3	31.88
Elmore	21.732	11,329	10,403	64	35.33	39	41.30	25	28.83	12	6.62	3	3.17	9	12.38
Exclusive	20,919	10,829	10,090	62	35.55	37	41.00	25	29.72	12	6 91	3	3.32	9	10.70
Wetumpka	813	500	313	2	29.52	2	48.00	....	...	....	.....	....	....	....	.....
Escambia	8,666	5,674	2,992	39	54.00	25	52.86	14	56.15	7	9 69	4	8.45	3	12.03
Exclusive	7,302	4,799	2,503	30	49.30	21	52.50	9	43.11	6	9.86	4	10.00	2	9 58
Brewton	1,115	750	365	7	75.33	3	48.00	4	131.50	1	10.76	....	.....	1	32.87
Alco	249	125	124	2	96.38	1	96.00	1	96.77	....	.....	....	.....	....	.....
Greene	22,007	3,192	18,815	15	18.18	....	.....	15	9.56	7	3.81	....	....	7	4.46
Hale	27,501	5,053	22,448	32	13.96	1	2.37	31	16.57	27	11.78	6	14.24	21	11.22
Exclusive	25,742	4,153	21,589	29	13.51	....	.....	29	16.11	24	11.18	5	14.44	19	10.56
Greensboro	1,759	900	859	3	20.46	1	13.33	2	27.93	3	20.46	1	13 33	2	27.93
Jackson	28,026	24,132	3,894	73	31.26	64	31.82	9	27.73	25	10.70	20	9.94	5	15.41
Exclusive	27,067	23,382	3,685	69	30.58	61	31.30	8	28.05	24	10.64	20	10.26	4	13.02
Scottsboro	959	750	209	4	50.05	3	48.00	1	57.4[illegible]	1	12.51	....	.....	1	57.41
Jefferson	88,501	56,953	31,548	185	25.08	128	26.97	57	21.68	136	18.43	59	12.43	77	29.28
Exclusive	62,323	42,044	20,279	133	26.02	96	27.40	37	21.89	79	15.45	41	11.70	38	22.48
Birmingham	26,178	14,909	11,269	52	23.83	32	25.75	20	21.29	57	26.12	18	14.48	39	41.52
Lawrence	20,725	12,536	8,189	18	10.42	12	11.48	6	8.86	6	3.47	1	.95	5	7.38
Limestone	21,195	12,075	9,120	50	28.30	37	36.77	13	17.10	18	10.19	10	9.93	8	10.52
Exclusive	20,195	11,375	8,820	48	28.52	36	37.96	12	16.32	16	9.50	8	8.43	8	10.88
Athens	1,000	700	300	2	24.00	1	17.14	1	40.00	2	24 00	2	34.28	....	.....
Lowndes	31,550	4,446	27,084	81	30 80	7	17.24	74	32.78	45	17.11	7	17.24	38	16 83
Macon	18,438	4,148	14,290	10	6.50	3	8.68	7	5.87	7	4.55	2	5.79	5	4.19
Exclusive	15,938	3,148	12,790	7	5.26	1	3.81	6	5 62	5	3.76	1	3.81	4	3.75
Tuskegee	2,500	1,000	1,500	3	14.40	2	24 00	1	8.00	2	9.60	1	12.00	1	8.00
Madison	38,119	19,228	18,891	52	16.34	32	19.97	20	12.70	15	4.72	5	3.12	10	6.35

Births and Deaths by Counties, Towns and Colors—July, 1891. (Continued.)

Counties and Towns.	Population.			Births.						Deaths.					
	Total.	White.	Colored.	Total.	Rate per M.	White.	Rate per M.	Colored.	Rate per M.	Total.	Rate per M.	White.	Rate per M.	Colored.	Rate per M.
Exclusive	30,124	15,230	14,894	39	15.53	21	16.44	18	14 50	9	3.58	3	2.36	6	4.83
Huntsville	7,995	3,998	3,997	13	19.50	13	33.00	2	6.00	6	9.00	2	6.00	4	12.00
Monroe	18,990	8,327	10,663	39	24.64	12	17 11	27	30.37	16	10.11	7	9.98	9	10.12
Montgomery	56,172	14,530	41,642	76	16.23	27	22.29	49	14.11	45	9.61	18	14.86	27	7.77
Exclusive	34,289	5,638	28,651	42	14.69	7	14 89	35	14.65	19	6.64	7	14.89	12	5 02
Montgomery	21,883	8,892	12,991	34	19.72	20	26.99	14	12.92	26	14 31	11	14.84	15	13 84
Morgan	24,089	17,903	6,186	38	18.92	28	18.76	10	19.39	22	10.96	17	11.39	5	9.69
Exclusive	16,953	13,903	3,050	30	21.18	24	20.71	6	23.60	17	12.00	15	12.94	2	7.86
Decatur	7,136	4,000	3,136	8	13.45	4	12.00	4	15.29	5	8.40	2	6 00	3	11.47
Pike	24,423	15,633	8,790	66	32.42	39	29.68	27	36.85	23	11.29	14	10.55	9	12.28
Exclusive	20,974	13,433	7,541	55	31.46	31	27.69	24	38.18	19	10.87	10	8.93	9	14.32
Troy	3,449	2,200	1,249	11	38 28	8	43.63	3	28.80	4	13.92	4	21.82	...	.....
St. Clair	17,353	14,285	3,068	46	31.81	42	35.28	4	15.64	12	8.29	9	7.56	3	11.73
Sumter	29,574	5,919	23,655	60	24.34	17	34.46	43	21.81	15	6.09	2	4.05	13	6.59
Exclusive	27,708	5,214	22,584	52	22.52	14	32.24	38	20.28	14	6.06	2	4.60	12	6.40
Gainesville	1,071	400	671	5	56.02	1	30.00	4	72.12	1	11.20	...	.....	1	18.03
Livingston	805	305	500	3	44.72	2	78.68	1	24.00	..	....	..	.....	...	.....
Talladega	29,346	15,343	14,003	42	16.86	26	20 34	16	13.71	25	10.21	13	10.16	12	10.28
Exclusive	26,846	13,843	13,003	34	15.20	20	17.34	14	13.02	21	9.39	10	8.67	11	10.15
Talladega	2,500	1,500	1,000	8	38.40	6	48.00	2	24 00	4	19.20	3	24.00	1	12.00
Tallapoosa	22,460	16,854	8,606	66	31.10	49	34.88	17	23.67	15	7.06	10	7.12	5	6.97
Exclusive	23,660	15,354	8,306	59	29.92	44	34.38	15	21.63	14	7.10	9	7.03	5	7.22
Dadeville	1,000	800	200	2	24 00	1	15.00	1	60.00	1	12.00	1	15.00	..	.....
Alexander City	800	700	100	5	75.00	4	68.57	1	120.00	.	....	..	...	...	....
Tuscaloosa	30,352	18,213	12,139	54	21.35	44	28.98	10	9.88	41	16.20	27	17.78	14	13.84
Exclusive	23,552	13,813	9,739	47	23.94	40	34.57	7	8 62	18	9.17	12	10.37	6	7.39

Tuskaloosa	5,000	3,000	2,000	5	12 00	2	8 00	3	18.00	9	21.60	4	16 00	5	30.00
North Port	700	500	200	2	34 28	2	48.00	...	....	...	...	...	....	..	...
Insane Asylum	1,100	900	200	..	....	..	....	..	....	14	152 72	11	146.66	3	180.00
Total for July	948,303	479,441	468,862	902	22 67	1074	26 88	828	21.19	759	9 60	356	8 91	403	10 31
Exclusive of towns	787,816	390,902	396,914	1648	25.10	921	28 26	727	21.98	569	8 56	277	8 50	292	8 84
Total of towns	160,487	88,539	71,948	254	18 99	153	20 73	101	16 84	190	14 20	79	11 70	111	18.51

Births and Deaths by Counties, Towns and Colors—August, 1891.

Counties and Towns.	Population.			Births.						Deaths.					
	Total.	White.	Colored.	Total.	Rate per M.	White.	Rate per M	Colored.	Rate per M.	Total.	Rate per M.	White.	Rate per M.	Colored.	Rate per M.
Baldwin	8,941	5,635	3,306	22	29 52	13	27 44	9	32.66	5	6.71	2	4 22	3	10.89
Barbour	34,898	13,321	21,577	86	29.57	41	36.93	45	24 47	25	8.59	10	9 00	15	8.16
Exclusive	29,874	10,121	19,753	77	30 93	35	41.48	42	25 30	19	7 63	5	5.92	14	8.43
Eufaula	4,026	2,600	1,429	6	17.73	5	23 27	1	8.41	4	11.82	4	18 62	..	....
Clayton	997	600	397	3	36 10	1	20.00	2	60.45	2	24 07	1	20.00	1	30.22
Blount	21,927	20,115	1,812	25	13.78	24	14 31	1	6 62	5	2.75	5	2 98	..	
Bullock	27,033	6,066	20,967	63	28.03	13	25.71	50	28 61	25	11.08	4	7 91	21	12 09
Exclusive	25,016	5,066	19,950	55	26 38	11	26 05	44	26.46	24	11 51	4	9.47	20	12 03
Union Springs	2,017	1,000	1,017	8	47.59	2	24.00	6	70.78	1	5 95	...	....	1	11.79
Butler	21,581	11,368	10,213	67	37 15	24	25.33	43	50 51	23	12.75	12	12.67	11	12.92
Exclusive	18,779	9,968	8,811	55	35 04	19	22.87	36	49 02	15	9.55	9	10.85	6	8.17
Greenville	2,802	1,400	1,402	12	51 38	5	42.85	7	59 91	8	34.26	3	25.71	5	42.79
Calhoun	33,835	23,891	9,944	73	25 89	54	27.12	19	23 88	13	4.61	8	4 01	5	6.28
Exclusive	20,301	15,092	5,209	41	24.23	33	26.24	8	16.42	6	3 55	4	3.18	2	4.60
Anniston	19,113	6,399	3,714	17	20.17	10	18.75	7	22.61	3	3 55	2	3 75	1	3.23
Jacksonville	1,237	900	337	5	48.50	3	40 00	2	71.21	1	9 70	1	13 33	...	....
Oxford	1,473	900	573	6	48.88	4	53.33	2	41.88	3	24.43	1	13.33	2	41.88
Piedmont	711	600	111	4	67.50	4	80.00	....	....	..	.....	..	.....	..	.....
Choctaw	17,526	8,110	9,416	26	17.77	13	19 23	13	16.56	15	10.25	5	7 39	10	12 74
Clarke	22,622	9,627	12,995	65	34.47	30	37 39	35	32.31	16	8.48	6	7.48	10	9.23
Clay	15,765	14,086	1,679	48	36.53	45	38.33	3	21 44	11	8.37	11	9 37	...	....
Conecuh	14,594	7,956	6,638	33	27.13	18	27.37	15	27.11	14	11.51	8	12.16	7	10.84
Exclusive	13,557	7,341	6,216	30	26 55	16	26.15	14	27.02	13	11.50	8	13.08	5	9 65
Evergreen	1,037	615	422	3	34.71	2	39.02	1	28.43	1	11.57	..	.....	1	28.43
Coosa	15,906	10,486	5,420	44	33.19	32	36.62	12	26.57	10	7.54	7	8 01	3	6 64
Cullman	13,439	13,439	.....	35	31.15	35	31.15	....	.....	9	8.06	9	8.06	..	.....

Exclusive	12,422	12,422	.....	30	28.98	30	28.98	....	....	9	8.69	9	8 69	..	.....
Cullman	1,017	1,017	.....	5	59.00	5	59.00	....	....	..	....	..	.....	..	.....
Dale	17,225	13,855	3,370	34	23.67	31	26 85	3	10.68	13	9.05	11	9 52	2	7.12
Exclusive	15,725	12,855	2,870	31	23.65	28	26 12	3	12.54	10	7 63	8	7 46	2	8.36
Ozark	1,500	1,000	500	3	24.00	3	36.00	....	....	3	24 00	3	36 00	..	.....
Dallas	49,350	7,906	41,444	104	25.28	25	37.93	79	22.87	62	15 07	11	16.69	51	14.76
Exclusive	41,728	4,406	37,322	86	24.73	16	43 57	70	22 50	44	12.65	7	19 06	37	11 89
Selma	7,622	3,500	4,122	18	28.33	9	30 85	9	26 20	18	28.33	4	13 71	14	40.75
DeKalb	21,010	19,881	1,129	49	28.03	49	29 57	..		14	8 01	13	7.84	1	10 62
Elmore	21,732	11,329	10,403	56	30 92	30	31 77	26	29 99	15	8 28	9	9 53	6	6.92
Exclusive	20,919	10,829	10,090	56	32.12	30	33 24	26	30 91	13	7 46	8	8 86	5	5 94
Wetumpka	813	500	313		..	..				2	29 52	1	24 00	1	38 33
Escambia	8,666	5,674	2,992	36	49.82	21	43.29	15	60 15	5	9 92	2	4 22	3	12 03
Exclusive	7,302	4,799	2,503	31	50.95	17	42.50	14	66 36	3	4 92	2	5 00	1	4 79
Brewton	1,115	750	365	3	32 28	3	48 00	..		2	21 52	...	...	2	65.75
Alco	249	125	124	2	96 38	1	96 00	1	96 79	..	..	...	..	..	....
Greene	22,007	3,192	18,815	28	15 26	6	22 55	22	14 01	8	4.36	..	....	8	5.19
Hale	27,501	5,053	22,448	51	22 25	6	14.24	45	24 05	19	7 28	3	7 12	16	8.54
Exclusive	25,742	4,153	21,589	49	22 83	5	14.44	44	24 45	19	8.86	3	8.66	16	8.89
Greensboro	1,759	900	859	2	13 64	1	13.33	1	13 96	...		...	....	.	....
Jackson	28,026	24 132	3,894	80	34 24	75	37 29	5	15 40	16	6 85	15	7 45	1	3 08
Exclusive	27,067	23,382	3,685	79	35 02	74	37.97	5	16 28	13	5 76	12	6 35	1	3 25
Scottsboro	959	750	209	1	12 51	1	16 00	..	....	3	37 53	3	48 00	....	.. .
Jefferson	88,501	56,953	31,548	193	26 26	133	28 02	60	22.81	150	20 33	82	17 27	68	25 86
Exclusive	62,323	42,044	20,279	129	25 24	92	26 13	37	21.89	90	17 61	53	27.20	37	21 89
Birmingham	26,178	14,909	11,269	64	29 33	41	33 00	23	24 49	60	27 50	29	23 34	31	32.96
Lawrence	20,725	12,536	8,189	16	9 26	12	11.48	4	5.31	4	2 31	3	2 87	1	1 47
Limestone	21,195	12,075	9,120	48	27.17	24	23 84	24	31.57	20	11.32	11	10 93	9	11 83
Exclusive	20,195	11,375	8,820	47	27.92	24	25.29	23	31 28	18	10 69	10	10 54	8	10.88
Athens	1,000	700	300	1	12.00	..	.	1	40 00	2	24 00	1	17.14	1	40 00
Lowndes	31,550	4,466	27,084	82	31.18	8	19.70	74	32.78	52	19.77	3	7 38	49	21 70
Macon	18,438	4,148	14,290	14	9 11	2	5.78	12	10.07	9	5 85	2	5 78	7	5 87
Exclusive	15,938	3,148	12,790	14	10.54	2	7.62	12	11 25	8	6 01	1	3 81	7	9 66
Tuskegee	2,500	1,000	1,500	..	.....	...	....	...	....	1	4 89	1	12.00	..	....
Madison	38,119	19,228	18,891	45	14.16	26	16.22	19	12.06	36	11.33	12	7 48	24	15.24

Births and Deaths by Counties, Towns and Colors—August, 1891. (Continued.)

Counties and Towns.	Population.			Births.						Deaths.					
	Total.	White.	Colored.	Total.	Rate per M	White.	Rate per M	Colored.	Rate per M.	Total.	Rate per M.	White.	Rate per M.	Colored.	Rate per M
Exclusive	30,124	15,230	14,894	34	13.54	18	14.18	16	12.88	26	10 35	12	9.40	14	11 27
Huntsville	7,955	3,998	3,997	11	16.50	8	24.00	3	9 00	10	15 00	...		10	30.00
Monroe	18,990	8,327	10,663	51	32.32	21	29 94	30	33.75	15	9.47	5	7 13	10	11 25
Montgomery	56,172	14,530	41,642	85	18.15	25	20.64	60	17.28	52	11.10	18	14 36	24	4.03
Exclusive	34,289	5,638	28,651	54	18 89	9	19.15	45	28.84	21	7 34	3	6 38	18	7 53
Montgomery	21,883	8,892	12,991	31	17 05	16	21.59	15	13 85	31	17 05	15	20 24	16	14.77
Morgan	24,089	17,903	6,186	61	30.58	47	31.49	14	27.15	21	14 82	16	13 38	5	19 67
Exclusive	16,953	13,903	3,050	39	27 53	35	29 27	4	15 73	10	7.06	9	7 53	1	3.93
Decatur	7,136	4,000	3,136	22	36 98	12	36 00	10	38.23	11	18 49	7	21 00	4	14 28
Pike	23,423	15,633	8,790	45	22 10	20	15 22	25	34 12	16	7.85	11	8.37	5	6 82
Exclusive	20,974	13,433	7,541	38	21 73	18	16 07	20	31 80	12	6 86	9	8 03	3	4 77
Troy	3,449	2,200	1,249	7	24 36	2	10 90	5	48 00	4	13.92	2	10 90	2	19 20
St. Clair	17,353	14,285	3,068	48	33 19	43	36 12	5	19.56	12	8 49	11	9 24	1	3.91
Sumter	29,274	5,919	23,655	59	23 93	11	22 29	48	24.24	16	6 49	5	10.13	11	5 57
Exclusive	27,708	5,214	22,584	55	23 82	10	23.01	45	23 98	11	4.76	2	4 60	9	4 80
Gainesville	1,071	400	671	.	...	..	.....	...	.	2	22 40	1	30 00	1	18 03
Livingston	805	305	500	4	59.62	1	39 34	3	72.00	3	44.71	2	78 68	1	24 00
Talladega	29,346	15,343	14,003	66	26 98	43	33 62	23	19 68	28	11.44	16	12 51	12	10.28
Exclusive	26,846	13,843	13,003	64	28 66	41	35 74	23	21 22	25	11.17	14	12.13	11	10 15
Talladega	2,500	1,500	1,000	2	9 60	2	16 00	..	..	3	14 40	2	16.00	1	12.00
Tallapoosa	25,460	16,854	8,606	54	25.45	45	22 03	9	12.54	12	5 65	7	4 98	5	5 67
Exclusive	23,060	15,354	8,306	52	26.36	43	33.58	9	13 00	12	6 08	7	5.47	5	7.22
Dadeville	1,000	800	200	...	....	..	...	..	...	..	....	..	....	..	....
Alexander City	800	700	100	2	30 00	2	34 28	..	...	.	....	..	..	..	...
Tuskaloosa	30,352	18,213	12,139	48	18 96	32	21 08	16	15.81	19	7.50	10	6 58	9	8 89
Exclusive	23,552	13,813	9,739	32	16 30	27	23 31	5	6 16	2	1 01	2	1.72	.	....

Tuskaloosa	5,000	3,000	2,000	11	26.40	1	40.00	10	60 00	3	7.20	1	4.00	2	12.00
North Port	700	500	200	5	85.61	4	96 00	1	60.00	3	51 42	3	72 00	....	
Insane Asylum	1,100	900	200		.....	..	....	..	....	11	119.99	4	53.33	7	420 00
Total for August	948,303	479,441	468,862	1940	24 53	1077	26.95	863	22 08	785	9 92	363	9.08	422	10 80
Exclusive of towns	787,816	390,902	396,914	1682	25.64	929	28 51	753	22.76	590	8 98	272	8 34	318	9 61
Total of towns	160,487	88,539	71,948	258	19 29	148	20 05	110	18 34	195	14 58	91	12 33	104	17 34

Births and Deaths by Counties, Towns and Colors—September, 1891.

Counties and Towns.	Population.			Births.						Deaths.					
	Total.	White.	Colored.	Total.	Rate per M.	White.	Rate per M	Colored.	Rate per M.	Total.	Rate per M	White.	Rate per M.	Colored.	Rate per M.
Baldwin	8,941	5,635	3,306	21	28.18	13	27.44	8	29.03	7	9.39	3	6 33	4	14.51
Barbour	34,898	13,321	21,577	35	12.03	28	25.22	7	3.89	10	3 43	5	4.50	5	2.78
Exclusive	29,874	10,121	19,753	28	11.24	22	26.07	6	3.61	6	2.40	5	5.92	1	.60
Eufaula	4,026	2,600	1,429	2	5.91	2	9.30	..	...	2	5 91	...	.....	2	16 81
Clayton	997	600	397	5	60.18	4	.80	1	30 22	2	24.07	....	.....	2	60.44
Blount	21,927	20,115	1,812	74	40.49	74	44.14	..	.....	4	2.18	4	2 38	....	....
Bullock	27,033	6,066	20,967	65	28.82	14	27.69	51	29 18	21	9 31	4	7 91	17	9 72
Exclusive	25,016	5,066	19,950	61	29.26	12	28.41	49	29 47	16	7 67	2	4 73	14	8.42
Union Springs	2,017	1,000	1,017	4	23 79	2	24.00	2	22 58	5	29.74	2	24 00	3	33 37
Butler	21,581	11,368	10,213	74	41 03	34	35 87	40	46 96	14	7 76	10	10 55	4	4.69
Exclusive	18,779	9,968	8,811	69	43.95	30	36 09	39	53 07	12	7.64	8	9 62	4	5 44
Greenville	2,802	1,400	1 402	5	21.41	4	34 28	1	8.55	2	8 56	2	16 14	...	...
Calhoun	33,835	23,891	9,944	81	27 72	64	32.14	17	21.36	25	8 86	18	9 03	7	8 79
Exclusive	20,301	15,092	5,209	35	20 68	30	23.85	5	11.51	9	5.31	7	5 56	2	4.60
Anniston	19,113	6,399	3,714	30	35.58	25	46 87	5	15 15	12	14 23	9	16 87	3	9.69
Jacksonville	1,237	900	337	3	29 10	2	26 66	1	35.60	1	9 70	1	13 33	..	....
Oxford	1,473	900	573	9	72 29	4	53 32	5	104.70	2	16 29	..		2	41.88
Piedmont	711	600	111	4	64 50	3	60 00	1	108 10	1	16 87	1	20 00	...	
Choctaw	17,526	8,110	9,416	22	15 03	13	19.22	9	11.46	5	3.41	2	2.95	3	3.82
Clarke	22,622	9,627	12,995	80	42.43	37	46 10	43	39 70	19	10 07	9	11.21	10	9 23
Clay	15,765	14,086	1,679	44	33.48	42	35 77	2	14 29	10	7 61	7	5.96	3	28 44
Conecuh	14,594	7,956	6,638	32	26 31	21	31 92	11	19 87	9	7.39	4	6.08	5	9 03
Exclusive	13,557	7,341	6,216	30	26 55	20	32 68	10	19 30	9	7 96	4	6 53	5	9 65
Evergreen	1,037	615	422	2	23.14	1	19 51	1	28 43	..	.....	..	...	..	....
Coosa	15,906	10,486	5,420	43	32 43	32	36 60	11	24 35	11	6 29	5	5.72	6	13 28
Cullman	13,439	13,439	.....	36	32.24	36	32.24	..	.....	..	....	..	.....	..	....

Exclusive	12,422	12,422	.....	33	31 68	33	31 68	...	.....	..	.....	..	.....	...	.....
Cullman	1,017	1,017	.....	3	35 39	3	35 39	...	.....	...	.....	.	.....	...	.....
Dale	17,225	13,855	3,370	41	28 56	31	26 84	10	35 60	9	6.46	7	6 06	2	7.12
Exclusive	15,725	12,855	2,870	37	28 25	29	27 06	8	33 44	7	5 34	5	4 66	2	8 36
Ozark	1,500	1,000	500	4	32 00	2	24 00	2	48 00	2	16 00	2	24 00	.	...
Dallas	49,350	7,906	41,444	106	25.28	21	31 71	85	23 60	46	11 18	9	13 65	37	10 71
Exclusive	41,728	4,406	37,322	84	24 15	11	29 95	73	23 46	28	8 15	4	10.89	24	7 71
Selma	7,622	3 500	4,122	22	34 62	10	34 28	12	34 83	18	28 25	5	17.14	13	37.84
DeKalb	21,010	19,881	1,129	60	34 32	56	33 79	4	42 51	16	9 15	12	7.24	4	42 51
Elmore	21.732	11,329	10,403	62	34 28	34	36 00	28	32 28	16	8 83	11	11 64	5	5 76
Exclusive	20,919	10,829	10,090	62	35 52	34	37 67	28	33 29	16	9 10	11	12 18	5	5 94
Wetumpka	813	500	313	..	...	..	...	..		..	..	...	....	..	
Escambia	8,666	5,674	2,992	27	37 36	19	40 16	8	32 0[illegible]	6	8 20	3	6 34	3	12 03
Exclusive	7,302	4,799	2,503	24	29 43	17	42 50	7	33 53	6	9 85	3	7 50	3	14.37
Brewton	1,115	750	365	5	32 28	2	32 00	1	32 87	.	..	..	...	..	....
Alco	249	125	124	1	48.19	1	96 00			3	144 57	3	288.00	..	..
Greene	22.007	3,192	18,815	22	11 99	5	18 79	17	10 82	7	3 81	3	11.27	4	2 55
Hale	27,501	5,053	22,448	54	23.56	9	24 36	45	23.05	14	6 10	4	9 49	10	5 34
Exclusive	25,742	4,153	21,589	49	22 83	8	25 10	41	22.78	13	6 05	3	8 66	10	5 55
Greensboro	1,759	900	859	5	34.10	1	13 33	4	55 87	1	6 82	1	13.33	.	...
Jackson	28,026	24,132	3,894	60	25 68	50	24 85	10	30 81	14	5 99	11	5 47	3	9.24
Exclusive	27,067	23,382	3,685	58	25 69	48	24.62	10	32 56	13	5 85	10	5.13	3	9 76
Scottsboro	959	750	209	2	24 00	2	32 00			1	12 51	1	16 00		.
Jefferson	88,501	56,953	31,548	203	27 52	150	31 50	53	20 14	117	15 85	59	12 39	58	22 04
Exclusive	62,323	42,044	20,279	141	27 57	108	31 13	33	19 53	63	12 32	35	9 94	28	16 54
Birmingham	26,178	14,909	11,269	62	28 42	42	33 78	20	20 28	54	24 75	24	19 37	30	31.92
Lawrence	20,725	12,530	8,189	20	11 59	6	5 42	14	20 67	13	5 85	4	2 88	9	6 54
Limestone	21,195	12,075	9,120	53	29 43	28	31 73	24	23 05	16	9 15	8	11 64	8	5 76
Exclusive	20,195	11,375	8,820	50	29 70	27	27 54	23	33 60	15	8 91	8	9 94	7	5.13
Athens	1,000	700	300	2	24 00	1	17 14	1	40 00	1	12.00	..	.....	1	40 00
Lowndes	31,550	4,446	27,084	70	26 60	7	17.22	63	27 95	37	14 06	3	7 38	34	15 16
Macon	18,438	4,148	14,290	25	15 25	5	14.47	20	16 78	5	3.25	2	5 78	3	1 32
Exclusive	15,938	3,148	12,790	25	18.80	5	19.05	20	13 60	4	1.89	1	2.89	3	2 51
Tuskegee	2,500	1,000	1,500		..	.	...	...	....	1	4 80	1	12.00	..	...
Madison	38,119	19,228	18,891	74	23 23	37	23 08	37	23 49	29	9.10	11	6 86	18	11.43

Births and Deaths by Counties, Towns and Colors—September, 1891. (Continued.)

Counties and Towns.	Population.			Births.						Deaths.					
	Total.	White.	Colored.	Total.	Rate per M.	White.	Rate per M.	Colored.	Rate per M.	Total.	Rate per M.	White.	Rate per M	Colored.	Rate per M
Exclusive	30,124	15,230	14,894	54	21.50	31	24.42	23	18.52	15	5.97	5	3.93	10	8.05
Huntsville	7,995	3,998	3,997	20	30.00	6	18 00	14	42.00	14	21.00	6	18 00	8	24.00
Monroe	18,990	8,327	10,663	55	40.70	21	29.82	34	48.25	20	12.60	11	15.62	9	10.12
Montgomery	56,172	14,530	41,642	58	12.35	20	17.51	38	10.94	44	9.37	7	6.58	37	10.65
Exclusive	34,289	5,638	28,651	26	10 07	6	15.32	20	8.65	23	8.02	3	2.47	20	5.76
Montgomery	21,883	8,892	12,991	32	17.62	14	18.88	18	16.62	21	11.56	4	5.39	17	15.70
Morgan	24,089	17,903	6,186	42	29.16	33	20.91	9	17.45	17	8.46	15	10.05	2	3 87
Exclusive	16,953	13,903	3,050	30	21 18	26	21.74	4	15.73	12	8.63	11	9.75	1	3.93
Decatur	7,136	4,000	3,136	12	18.00	7	21.00	5	14.65	5	7.50	4	12.00	1	3 82
Pike	24,423	15,633	8,790	52	29 43	33	31.71	19	23.35	14	5.99	8	4.99	6	8.19
Exclusive	20,974	13,433	7,541	46	22.83	29	29 32	17	10.82	14	12.50	8	13.81	6	9.54
Troy	3,449	2,200	1,249	6	20.88	4	22.21	2	19.20	..	....	..	....	..	.
St. Clair	17,353	14,285	3,068	52	29.15	49	30.21	3	11.70	12	8.29	10	8.40	2	7.82
Sumter	29,574	5,919	23,655	45	18.22	7	14.18	38	19.26	13	5.27	4	8.08	9	4.56
Exclusive	27,708	5,214	22,584	42	18.18	6	13.80	36	19 18	11	4.76	3	6.90	8	4.26
Gainesville	1,071	400	671	2	22.40	1	30.00	1	18.03	1	11.20	.	..	1	18.03
Livingston	805	305	500	1	14.90	.	....	1	24.00	1	14.90	1	39.34	...	..
Talladega	29,346	15,343	14,003	45	18.36	29	32.67	16	13 69	22	8.97	15	11.73	7	8.99
Exclusive	26,846	13,843	13,003	45	20.07	29	25.14	16	14.75	21	9.36	14	12.10	7	6.49
Talladega	2,500	1,500	1,000	..	.....	..	....	..	..	1	44 80	1	8.00	...	.....
Tallapoosa	22,460	16,854	8,606	46	21.66	36	25.59	10	13.95	5	2.35	4	2.86	1	1.39
Exclusive	23,660	15,354	8,306	43	21.80	35	27.33	8	11.56	5	2.53	4	3.12	1	1.44
Dadeville	1,000	800	200	1	12.00	...		1	60.00	...	....	..	....	..	.....
Alexander City	800	700	100	2	30.00	1	17 14	1	120.00	...	..	...	....	..	.....
Tuscaloosa	30,352	18,213	12,139	43	16.98	24	15.79	29	28.65	22	8.60	18	11.84	4	3.95
Exclusive	23,552	13,813	9,739	35	17.87	20	17.28	15	18.48	8	4.05	8	6.91	..	.....

Tuskaloosa	5,000	3,000	2,000	5	12.00	2	8.00	3	18 00	5	12.00	4	16 00	1	6.00
North Port	700	500	200	3	51 32	2	48 00	1	60.00	...	....	....	...	..	...
Insane Asylum	1,100	900	200	...	.....	..	.....	.	.....	9	98.10	6	79.99	3	180 00
Total for September	981,261	525,664	455,597	1922	24 20	1119	28 00	803	20 55	652	8 24	313	7.83	339	8 67
Exclusive of Towns	817,574	433,625	383,949	1670	25 43	971	29.80	699	21 13	487	7 41	235	7 21	252	6 25
Total of Towns	163.687	92,039	71,648	252	18 84	148	20.05	104	17.34	165	12 33	78	10.57	87	16 50

Births and Deaths by Counties, Towns and Colors—October, 1891.

Counties and Towns.	Population.			Births.						Deaths.					
	Total.	White.	Colored.	Total.	Rate per M.	White.	Rate per M.	Colored.	Rate per M	Total.	Rate per M	White.	Rate per M	Colored.	Rate per M
Baldwin	8,941	5,635	3,306	32	31.68	17	37.69	15	29.03	8	7.96	6	6 53	2	9.65
Barbour	34,898	13,321	21,577	56	33.48	26	14.29	30	35.77	18	7.67	8	8.42	10	3.62
Exclusive	29,874	10,121	19,753	56	22.45	26	26.18	30	16.68	14	5.32	5	5.92	9	5.41
Eufaula	4,027	2,600	1,427	..	.....	..	..	...	.....	1	2.95	1	4.65		....
Clayton	997	600	397	....	.....	....	..	...	...	3	36.09	2	40.00	1	30.22
Blount	21,927	20,115	1,812	42	22.98	42	25.03	...	...	5	2.73	5	2.98	..	....
Bullock	27,033	6,066	20,967	46	20.37	4	7.91	42	23.93	12	5 31	2	3.95	10	5 72
Exclusive	25,016	5,066	19,950	41	19 64	2	4.73	39	23.43	11	5.27	2	4.73	9	5.40
Union Springs	2,017	1,000	1,017	5	27.74	2	24.00	3	35.33	1	5.94	...	...	1	11.79
Butler	21,581	11,368	10,213	63	33.90	31	34.16	32	18.30	18	7.97	13	25.60	5	1.86
Exclusive	18,779	9,968	8,811	55	35.06	25	30.04	30	36.06	15	9.55	11	13.20	4	5.44
Greenville	2,802	1,400	1,402	8	34.25	6	51.42	2	17.10	3	12.84	2	17.14	1	8.55
Calhoun	33,835	23,891	9,944	84	29.78	67	33.64	17	21.25	21	9.43	15	7 53	6	9.54
Exclusive	20,301	15,092	5,209	56	33.09	50	39.75	6	13.80	10	5 91	8	6.36	2	4.60
Anniston	10,113	6,399	3,714	20	23.73	12	22.50	8	25.84	9	10.67	5	9.37	4	12.92
Jacksonville	1,237	900	337	2	19.40	1	13.33	1	35.60	1	9 70	1	13.33	...	.....
Oxford	1,473	900	573	2	16.29	2	26.66	....	....	1	8.15	1	13.33	...	.....
Piedmont	711	600	111	4	67.50	2	40.00	2	46.00	....	.	....	.....	...	.....
Choctaw	17,526	8,110	9,416	26	17.77	14	20 58	12	15.28	2	1.31	2	2.95	..	....
Clarke	22,622	9,627	12,995	66	34.98	30	37.38	36	23.22	16	8.48	7	8.72	9	8.30
Clay	15,765	14,086	1,679	30	22.83	28	23.84	2	14.29	3	2.28	2	1.70	1	7.14
Conecuh	14.594	7,956	6,638	29	23.84	20	32.68	9	17.37	9	7.96	6	9.80	3	5.73
Exclusive	13,557	7,341	6,216	27	23.89	20	32.68	7	13 51	8	7.08	6	9.80	2	3.86
Evergreen	1,037	615	422	2	23.14	..		2	56.86	1	11.57	....	....	1	28.43
Coosa	15,906	10,486	5,420	21	15.84	13	14.87	8	17.71	4	3 01	3	3.43	1	2.21
Cullman	13,439	13,439	.....	30	26 90	28	26.90	....	.....	7	6 46	7	6.46	...	.....

Exclusive	12,422	12,422	.....	28	27 04	28	27 04	..	.....	5	4.83	5	4 83	....	.....
Cullman	1,017	1,017	.....	2	23 59	2	23 59	..	.....	2	23 59	2	33 59	...	...
Dale	17,225	13,855	3,370	34	23 68	30	10.98	4	24.56	3	2 08	2	1.73	1	3 56
Exclusive	15,725	12,855	2,870	25	19 07	22	20 52	3	12 54	3	2 38	2	1.86	1	4 18
Ozark	1,500	1,000	500	9	72 00	8	96 00	1	24 00	....	.. ..	...	...	...	....
Dallas	49,350	7,906	41,444	96	23 33	16	24 27	80	15 16	54	13.12	15	22.75	39	8 88
Exclusive	41,728	4,406	37,322	70	20.12	7	10 06	63	20 25	34	8.26	7	19 05	27	8 20
Selma	7,622	3 500	4,122	26	40 92	9	31.85	17	49 50	20	31.48	8	27.42	12	34 83
DeKalb	21,010	19,881	1,129	54	30 88	52	31 38	2	21 24	10	5 72	9	5 42	1	10.62
Elmore	21.732	11,329	10,403	63	34 77	37	39 19	26	29 97	14	7 72	6	6.40	8	9 27
Exclusive	20,919	10.829	10,090	63	36 03	37	40 99	26	30.91	14	8.02	6	6.64	8	9 51
Wetampka	813	500	313		..	..	....	...	.....	....	.....	..	..	..	.
Escambia	8,666	5,674	2,992	28	38 75	23	48 62	12	48 12	10	5 84	6	6 64	4	4 75
Exclusive	7,302	4,799	2,503	28	46 00	20	50 00	8	38 32	9	14.78	5	12 50	4	17 16
Brewton	1,115	750	365	7	75 33	3	48 00	4	131 50	..	.....	..	....	...	....
Alco	249	125	124	1	48.19	1	96 00	....	.	1	48.19	1	96 00	..	.....
Greene	22.007	3,192	18,815	29	15 81	6	22 55	23	14.66	8	4 36	1	3 75	7	4 46
Hale	27,501	5,053	22,448	52	22 68	12	28.48	40	21 38	21	9 16	6	14.24	15	8 01
Exclusive	25,742	4,153	21,589	47	21 90	11	31 77	36	20 00	19	8 95	5	14 45	14	7.78
Greensboro	1,759	900	859	5	34 11	1	13 33	4	55 87	2	13 64	1	13 33	1	13 96
Jackson	28,026	24,132	3,894	53	26 68	44	21 87	9	27.72	28	11 98	20	9 95	8	24 64
Exclusive	27,067	23,382	3,685	51	22 60	43	22 06	8	26 03	28	12 41	20	10 26	8	26 04
Scottsboro	959	750	209	2	25 02	1	16 00	1	57 46	..	.....	..	...	..	....
Jefferson	88,501	56,953	31,548	161	21 82	120	25 28	41	15 59	97	13.15	56	11 79	41	15 59
Exclusive	62,323	42,044	20,279	100	19.56	74	21.02	26	15 39	62	12 12	38	10 79	24	14 20
Birmingham	26,178	14,909	11,269	61	27.96	46	37.02	15	15.96	35	16 04	18	14 48	17	18 08
Lawrence	20,725	12,536	8,189	13	7 52	7	6.70	6	8 86	7	4 05	2	1 91	5	7.38
Limestone	21,195	12,075	9,120	55	31.13	31	30.80	24	31.56	16	9 05	8	7.94	8	10.52
Exclusive	20,195	11,375	8,820	52	30.89	30	31 62	22	29.92	16	9 50	8	8 43	8	10 88
Athens	1,000	700	300	3	36 00	1	17 14	2	80 00	...	.....	...	.....	...	.....
Lowndes	31,550	4,446	27,084	72	27 38	9	22.16	63	27.86	41	15.59	6	14.99	35	15 80
Macon	18,438	4,148	14,290	10	6 50	5	14.47	5	4 99	5	3.20	3	8 68	2	1 67
Exclusive	15,938	3,148	12,790	10	7 52	5	19.05	5	4 69	4	3 01	2	5.78	2	1.67
Tuskegee	2,500	1,000	1,500	..	..	...	...	..	.....	1	4 80	1	12 00	..	....
Madison	38,119	19,228	18,891	58	18 25	33	20.59	25	15 88	31	9.65	12	7.48	19	12.06

Births and Deaths by Counties, Towns and Colors—October, 1891. (Continued.)

Counties and Towns.	Population			Births.						Deaths.					
	Total.	White.	Colored.	Total.	Rate per M	White.	Rate per M	Colored.	Rate per M	Total.	Rate per M.	White.	Rate per M	Colored.	Rate per M
Exclusive	30,124	15,230	14,894	44	17.52	30	23.67	14	11.27	19	7.56	8	6.30	11	8.86
Huntsville	7,995	3,998	3,997	14	21 00	3	9.00	11	33.00	12	18.80	4	12.00	8	24 00
Monroe	18,990	8,327	10,663	44	27.80	15	21.39	29	32.62	12	7.58	10	14.26	2	2 25
Montgomery	56,172	14,530	41,642	50	10.68	18	14.86	32	9 21	39	8 33	12	9.90	27	7.77
Exclusive	34,289	5,638	28,651	29	10.14	6	12.76	23	9.63	17	5 94	2	4 25	15	6.28
Montgomery	21,883	8,892	12,991	21	16.64	12	16 18	9	17 55	22	12.11	10	13 49	12	11.28
Morgan	24,089	17,903	6,186	37	18.33	31	20.77	6	11.63	22	10.95	12	8 04	10	19.39
Exclusive	16,953	13,903	3,050	24	16.94	22	18.39	2	7.86	12	8 47	8	6.69	4	15.73
Decatur	7,136	4,000	3,136	13	21 85	9	27.00	4	14.48	10	16.81	4	12.00	6	22.93
Pike	24,423	15,633	8,790	47	23.85	29	22.07	18	24.51	20	9.82	14	10.65	6	8.19
Exclusive	20,974	13,433	7,541	40	22.88	25	22.33	15	23 86	17	9.72	13	11.61	4	6.95
Troy	3,449	2,200	1,249	7	24.36	4	21.86	3	28 80	3	10.44	1	5.45	2	19.20
St. Clair	17,353	14,285	3,068	45	31 11	40	33.60	5	19 56	9	6.22	8	6.72	1	3 93
Sumter	29,574	5,919	23,655	34	13.85	11	22.29	23	11.66	12	4.87	4	8.10	8	4.05
Exclusive	27,708	5,214	22,584	31	13.42	10	23.01	21	11.20	11	4.76	3	6.90	8	4 26
Gainesville	1,071	400	671	2	22.40	1	30.00	1	18 03	...	..	..	.....	...	.....
Livingston	805	305	500	1	14.90	..		1	24.00	1	14.90	1	39 34	..	....
Talladega	29,346	15,343	14,003	35	14.31	18	14.07	17	14.56	17	6.95	8	6.25	9	7.71
Exclusive	26,846	13,843	13,003	29	12.96	16	13.83	13	11.99	17	7.59	8	6.93	9	8.30
Talladega	2,500	1,500	1,000	6	28.80	2	16.00	4	48.00	.	.....	..	.	..	....
Tallapoosa	22,460	16,854	8,606	44	20 80	29	20.64	15	20.92	13	6.12	10	7.11	3	4.18
Exclusive	23.660	15,354	8,306	38	22.82	26	23.86	12	22 33	13	6,59	10	7.81	3	4.33
Dadeville	1,000	800	200	6	72.00	3	48.00	3	18.00	...	....	...	....	..	.....
Alexander City	800	700	100	.		..	...	..	...	...	.....	..	...	..	....
Tuscaloosa	30,352	18,213	12,139	40	17.52	32	19.05	8	15.88	20	3.82	15	32.94	5	4.92
Exclusive	23,552	13,813	9,739	34	18.68	29	21.86	5	14.48	4	1.58	4	2.64	...	.....

Tuskaloosa	5,000	3,000	2,000	5	12.00	2	8.00	3	18.00	5	12.00	3	12.00	2	12.00
North Port	700	500	200	1	17.14	1	24.00	....	.....	...	.....	...		..	....
Insane Asylum	1,100	900	200	...		...	.....	...	.....	11	119.90	8	106 66	3	180.00
Total for October	948,303	479,441	468,862	1750	22.12	1000	25.02	750	19.19	632	7.99	321	8 03	311	7.95
Exclusive of towns	787,816	390.902	396,914	1515	23.07	868	26.64	647	19.56	487	7.41	247	7 57	240	7.25
Total of towns	160,487	88,539	71,948	235	17.57	132	19 88	103	17.17	145	10 84	74	10 02	71	11 84

Births and Deaths by Counties, Towns and Colors—November, 1891.

Counties and Towns.	Population.			Births.						Deaths.					
	Total.	White.	Colored.	Total.	Rate per M	White.	Rate per M	Colored.	Rate per M	Total.	Rate per M	White.	Rate per M	Colored.	Rate per M
Baldwin	8,941	5,635	3,306	16	21.47	5	10 55	11	39 92	7	9.39	3	6.33	4	14.51
Barbour	34,898	13,321	21,577	49	16.84	24	21.62	25	13.90	12	4 12	6	5.40	6	3.33
Exclusive	29,874	10,121	19,753	34	13 65	14	16 59	20	12 04	8	3.21	4	4.74	4	2.40
Eufaula	4,026	2,600	1,429	8	23 64	5	23 27	3	25 22	3	8 86	1	4.65	2	16.81
Clayton	997	600	397	7	84.28	5	100 00	2	60.45	1	12.03	1	20.00	...	.....
Blount	21,927	20,115	1,812	40	21.89	39	23 26	1	6 62	...	...	...	.....	...	.....
Bullock	27,033	6,066	20,967	56	24.83	12	23.73	44	25.18	24	10 64	7	13.84	17	9 73
Exclusive	25,016	5,066	19,950	52	24.94	11	26.05	41	24 66	21	10.07	6	14.21	15	9 22
Union Springs	2,017	1,000	1,017	4	23 79	1	12 00	3	35.39	3	17.84	1	12 00	2	23.59
Butler	21,581	11,368	10,213	56	31.05	17	17.94	39	45.82	18	9.98	9	9 50	9	10.57
Exclusive	18,779	9,968	8,811	50	31 85	15	18 05	35	47 66	9	5.73	3	3.61	6	8 17
Greenville	2,802	1,400	1,402	6	25.69	2	17.14	4	34.23	9	38 54	6	51.42	3	25 67
Calhoun	33,835	23,891	9,944	67	23 66	44	22 10	23	28 91	25	8 86	19	9 54	6	7 54
Exclusive	20,301	15,092	5,209	35	20.19	25	19 87	10	23 03	10	5.91	9	7.15	1	2.30
Anniston	10,113	6,399	3,714	23	27 49	14	26 25	9	29.08	10	11 86	6	11.25	4	12.92
Jacksonville	1,237	900	337	3	29.10	2	26.66	1	35 60	...	...	...	.....	...	...
Oxford	1,473	900	573	1	8.14	...	.....	1	20 94	2	16 39	1	13.33	1	20 94
Piedmont	711	600	111	5	84.38	3	60.00	2	216 21	3	50.63	3	60 00	...	...
Choctaw	17,526	8,110	9,416	22	15.03	15	22 19	7	8 92	4	2.73	1	1.48	3	3 82
Clarke	22,622	9,627	12,995	78	41 37	33	41 13	45	41.55	35	19.56	13	16 20	22	20.31
Clay	15,765	14,086	1,679	34	35.88	27	23 00	7	50.03	8	6.09	7	5 96	1	7.14
Conecuh	14,594	7,956	6,638	29	23 84	21	31.93	8	14.46	8	6 57	2	3.04	6	10.84
Exclusive	13,557	7,341	6,216	26	23.01	18	29.41	8	15 44	8	7.08	2	3 27	6	11.58
Evergreen	1,037	615	422	3	34 71	3	58.55	...	.....	...	.....	...	.....	...	.....
Coosa	15,906	10,486	5,420	38	28 66	22	25.17	16	35.42	7	5.28	4	4 57	3	6 64
Cullman	13,439	13,439	.....	13	11.64	13	11.64	...	.....	9	8.06	9	8.06	...	.....

Exclusive	12,422	12,422	.....	12	11 59	12	11 59	..	...	7	6 76	7	6 76	..	.....
Cullman	1,017	1,017	.....	1	11 80	1	11 80	...	...	2	23 59	2	23 59		....
Dale	17,225	13,855	3,370	17	11 83	16	13 85	1	3 56	3	2 09	2	1 73	1	3 56
Exclusive	15,725	12,855	2,870	17	12.97	16	13.73	1	4 18	3	2 29	2	1 8[illegible]	1	4.18
Ozark	1,500	1,000	500	..	....	..	.....	.	...	...	...	.	...	..	....
Dallas	49,350	7,906	41,444	76	18 48	9	13 65	67	19 39	38	9 24	11	16 69	27	7.81
Exclusive	41,728	4,406	37,322	58	16 67	4	10 89	54	17 36	2	7 08	3	8 17	22	7 07
Selma	7,622	3,500	4,122	18	28 3[illegible]	5	17.14	13	37 84	13	20 46	8	27 43	5	14.55
DeKalb	21,010	19,881	1,129	39	22 31	38	22 93	1	10 62	15	8 58	13	6 21	2	21 25
Elmore	21,732	11,329	10,403	51	28.15	30	31.77	21	24 22	11	6 07	5	5 29	6	6 92
Exclusive	20,919	10,829	10,090	50	28.68	29	32.13	21	24 97	10	5 73	4	4 43	6	7.13
Wetumpka	813	500	313	1	14 76	1	24 00	....	....	1	14 76	1	24 00	..	
Escambia	8,666	5,674	2,992	35	48 46	22	46.52	13	52 13	9	12 46	7	14 80	2	8 02
Exclusive	7,302	4,799	2,503	33	54 23	21	52 50	12	57 48	8	13 14	7	17 50	1	4 79
Brewton	1,115	750	365	2	21 52	1	16 00	1	32 87	1	10 76	....	.....	1	32.87
Alco	249	125	124	..	..	..	....	....		..	...	..	.....	..	.....
Greene	22,007	3,192	18,815	12	6 54	3	11 27	9	5 74	15	8 16	7	26 31	8	5.10
Hale	27,501	5,053	22,448	33	14 39	5	11.87	28	14.97	18	7 85	4	9 50	14	7.48
Exclusive	25,742	4,153	21,589	28	13 05	5	14 44	23	12 78	12	5 59	1	2 89	11	6.11
Greensboro	1,759	900	859	5	34 10	.	.....	5	69 84	6	40 93	3	40 00	3	41.90
Jackson	28,026	24 132	3,894	62	26 54	54	26 85	8	24 65	24	10 27	20	9 94	4	12 72
Exclusive	27,067	23,382	3,685	60	26 59	52	26 68	8	26 05	24	10.64	20	10 26	4	14 02
Scottsboro	959	750	209	2	23 02	2	32 00	..	....		...	.	....	..	
Jefferson	88,501	56,953	31,548	143	19 39	111	23 38	32	12 17	85	11 52	39	8 21	46	17.49
Exclusive	62,323	42.044	20,279	89	17 41	74	21 12	15	8 97	41	8 02	20	5 71	21	12 42
Birmingham	26,178	14,909	11,269	54	24 75	37	29 78	17	18 10	44	20 18	19	15 29	25	26 71
Lawrence	20,725	12,536	8,189	10	5 79	10	9 57	..		10	5 79	6	5 74	4	5 91
Limestone	21,195	12,075	9,120	53	30 00	32	31.80	21	27.63	15	8 49	4	3 97	11	14 47
Exclusive	20,195	11,375	8,820	53	30.91	32	33 75	20	27.21	14	8.32	4	4.21	10	13 60
Athens	1,000	700	300	1	12 00	..	...	1	40 00	1	12 00	..	...	1	40 00
Lowndes	31,550	4,466	27,084	66	24 51	5	12.31	61	27 02	38	14 45	4	9 85	34	15.16
Macon	18,438	4,148	14,290	14	9 11	6	17 37	8	6 72	1	.65	1	2 89	..	....
Exclusive	15,938	3,148	12,790	13	9 78	6	22 87	7	6 56	1	.75	1	3.81	.	....
Tuskegee	2,500	1,000	1,500	1	4 80	.	.	1	8 00	.	...	...	...	...	.....
Madison	38,119	19,228	18,891	41	12.90	19	11 85	22	13.97	19	5 98	7	4 36	12	7 62

Births and Deaths by Counties, Towns and Colors—November, 1891. (Continued.)

Counties and Towns.	Population.			Births.						Deaths.					
	Total.	White.	Colored.	Total.	Rate per M	White.	Rate per M	Colored.	Rate per M.	Total.	Rate per M	White.	Rate per M.	Colored.	Rate per M
Exclusive	30,124	15,230	14,894	30	11.95	15	11.81	15	12.08	8	3.18	4	3 15	4	3 22
Huntsville	7,955	3,998	3,997	11	16.50	4	12 00	7	21 00	11	16 50	3	9.00	8	24.00
Monroe	18,990	8,327	10,663	32	20.22	16	22.82	16	18 00	9	5.68	4	5.70	5	5 62
Montgomery	56,172	14,530	41,642	61	13.03	35	28.90	26	7.49	48	9 65	12	9 91	26	7 49
Exclusive	34,289	5,638	28,651	30	10 59	10	21 28	20	8 37	19	...	...	...	19	7 95
Montgomery	21,883	8,892	12,991	31	18 07	25	33 73	6	5.54	29	15 97	12	16.19	17	15 70
Morgan	24,089	17,903	6,186	31	15.44	26	17.42	5	9.69	14	6.97	8	5.26	6	11 63
Exclusive	16,953	13,903	3,050	24	16 94	21	18.12	3	11 80	7	4 94	5	4 31	2	7.86
Decatur	7,136	4,000	3,136	7	11 77	5	15.00	2	7 64	7	11.77	3	9.00	4	15 29
Pike	23,423	15,633	8,790	47	23 09	26	19 79	21	28 66	17	8 35	9	8 65	8	10 92
Exclusive	20,974	13,433	7,541	38	21.74	22	19 65	16	25.45	9	5.14	7	6 25	2	3 18
Troy	3,449	2,200	1,249	9	31 32	4	21.81	5	48 00	8	27.84	2	10 91	6	57 60
St. Clair	17,353	14,285	3,068	38	26 27	33	27.72	5	19 55	12	8.29	9	7.56	3	11 73
Sumter	29,274	5,919	23,655	26	10 55	4	8 10	22	11.16	9	3.65	2	4 05	7	3 55
Exclusive	27,708	5,214	22,584	25	10 83	4	9 20	21	11.20	8	3.46	1	2 30	7	3 73
Gainesville	1,071	400	671	1	11.20	..	.....	1	18.03	..	.....	..	.....	..	.....
Livingston	805	305	500	...	.....	..	...	..	....	1	14 90	1	39 34	..	.....
Talladega	29,346	15,343	14,003	38	15 53	19	14.86	19	16.28	18	8 36	7	5.37	11	9 42
Exclusive	26,846	13,843	13,003	35	15 64	16	13 87	19	17.53	14	6 25	6	5 20	8	7.37
Talladega	2,500	1,500	1,000	3	14.40	3	24.00	..	...	4	19 20	1	8 00	3	36 00
Tallapoosa	25,460	16,854	8,606	44	20.73	33	23.49	11	15.34	10	4.71	5	3 56	5	6 98
Exclusive	23,060	15,354	8,306	41	20 79	32	25.01	9	13.00	10	5 07	5	3.91	5	7.22
Dadeville	1,000	800	200	1	12.00	...	.	1	60 00	....	.....	...	....	..	....
Alexander City	800	700	100	2	30 00	1	17.14	1	120.00	....	....	...	...	..	....
Tuskaloosa	30,352	18,213	12,139	31	12.25	24	15 91	7	6.90	16	6 32	9	5 93	7	6.91
Exclusive	23,552	13,813	9,739	23	11.71	21	18.15	2	2.46	8	4 07	7	6.05	1	1 23

Tuskaloosa	5,000	3,000	2,000	7	16.80	3	12.00	4	24 00	4	9 60	....	.....	4	24.00
North Port	700	500	200	1	17 14	...	.....	1	60 00	2	34.28	2	48 00	.	
Insane Asylum	1,100	900	200	...	.....	..	.....	...	.....	2	21 81	..	....	2	120 00
Total for November	981,261	525,664	455,597	1536	19 42	867	21 70	669	17.12	611	7 72	275	6 88	336	8.13
Exclusive of Towns	817,574	433,625	383,949	1318	20 07	740	22 71	578	23 58	444	6 76	199	6 10	245	7.40
Total of Towns	163 687	92,039	71,648	218	16 30	127	17 21	91	15 17	167	12 48	76	10 30	91	15.17

Births and Deaths by Counties, Towns and Colors—December, 1891.

Counties and Towns.	Population.			Births.						Deaths.					
	Total.	White.	Colored.	Total.	Rate per M.	White.	Rate per M.	Colored.	Rate per M.	Total.	Rate per M	White.	Rate per M.	Colored.	Rate per M
Baldwin	8,941	5,635	3,306	23	30.86	14	29.56	9	32.66	4	5.36	2	4.22	2	7.24
Barbour	34,898	13,321	21,577	46	15.81	21	18.91	25	15.06	21	7.22	11	9.90	10	5.56
Exclusive	29,874	10,121	19,753	38	15.26	14	16.59	24	14.45	12	4.82	6	7.11	6	3 60
Eufaula	4,027	2,600	1,427	6	17 73	6	27.60	..		7	20.68	4	18.61	3	25.22
Clayton	997	600	397	2	24.06	1	20.00	1	30.22	2	24 06	1	20.00	13	30.22
Blount	21,927	20,115	1,812	25	13.68	24	14.31	1	6.62	2	1 09	2	1 19	...	.....
Bullock	27,033	6,066	20,967	62	27.49	7	13.84	55	31.47	21	9.31	5	9.89	16	9.16
Exclusive	25,016	5,066	19,950	58	27 82	6	14.21	52	31.26	17	8.15	5	11.84	12	7.21
Union Springs	2,017	1,000	1,017	4	23.79	1	12.00	3	35.39	4	23.79	..	....	4	47.18
Butler	21,581	11,368	10,213	64	35 48	32	33.77	32	37.59	16	8.87	8	8.44	8	9.39
Exclusive	18,779	9,968	8,81	56	35.67	32	38 51	24	32.68	14	8.91	7	8.42	7	9.53
Greenville	2,802	1,400	1,402	8	34.26	...	..	8	68.46	2	8.56	1	8.57	1	8.55
Calhoun	33,835	23,891	9,944	71	25.16	36	18.08	35	44.09	14	4.96	9	4.52	5	6.38
Exclusive	20,301	15,092	5,209	27	15.96	3	2.38	24	55 28	2	1.18	2	1 59	...	
Anniston	10,113	6,399	3,714	31	36.78	24	45.00	7	22.61	10	11.86	5	9 37	5	16.15
Jacksonville	1,237	900	337	2	19.40	2	26.66	..	....	1	9.70	1	13.33	...	.....
Oxford	1,473	900	573	6	48.87	2	26.66	4	83.76	..	....	..	....	...	....
Piedmont	711	600	111	5	84 38	5	100.00	.	....	1	16.87	1	20.00	...	.....
Choctaw	17,526	8,110	9,416	29	19.82	13	19.23	16	20 39	20	13.67	13	19.23	7	8.92
Clarke	22,622	9,627	12,995	66	35.00	30	37.39	36	33.24	21	11.13	9	11.21	12	11.08
Clay	15,765	14,086	1,679	18	13.70	18	15.33	.	...	12	9.13	9	7.66	3	21.44
Conecuh	14,594	7,956	6,638	30	24.68	19	28.89	11	19.88	7	5.75	3	4.56	4	7.23
Exclusive	13,557	7,341	6,216	25	22.12	17	27.78	8	15.44	7	6.19	3	4.90	4	7.72
Evergreen	1,037	615	422	5	57.85	2	39.02	3	85.31	..	.....	..	....	...	.. .
Coosa	15,906	10,486	5,420	35	26.40	16	18.31	19	42.06	9	6.78	6	6.86	3	6.63
Cullman	13,439	13,439	.....	21	18 81	21	18.81	..	.....	9	8.06	9	8.06	....	.....

Exclusive	12,422	12,422	.....	17	16.42	17	16.42	..	.....	7	6.76	7	6.76	....	.....
Cullman	1,017	1,017	..	4	47.19	4	47.19	..	.....	2	23.59	2	23.59	....	.....
Dale	17,225	13,855	3,370	22	15.32	18	15 58	4	14.24	7	4.87	7	6.06	....	.....
Exclusive	15,725	12,855	2,870	17	12 97	15	13.99	2	8 36	5	3 61	5	4.66	...	....
Ozark	1,500	1,000	500	5	40.00	3	36 00	2	48.00	2	16 00	2	24.00	.	.....
Dallas	49,350	7,906	41,444	73	17.75	21	31 87	52	15.05	44	10.69	11	16.69	33	9.55
Exclusive	41,728	4,606	37,322	50	14.37	8	21.78	42	13.50	24	6.90	3	8.17	21	6.75
Selma	7,622	3,500	4,122	23	36.20	13	44.57	10	29.11	20	31.48	8	27.42	12	34 93
DeKalb	21,010	19,881	1,129	29	16.58	28	16.90	1	10 62	13	7.43	13	7.84	..	..
Elmore	21,732	11,329	10,403	64	35 33	38	40.25	26	29 99	19	10.49	14	14.82	5	5 76
Exclusive	20,919	10,829	10,090	62	35.56	36	39.89	26	30.91	18	10.32	13	14.40	5	5.94
Wetumpka	813	500	313	2	29.52	2	48.00	..	.....	1	14.76	1	24.00	...	....
Escambia	8,666	5,674	2.992	35	48.46	26	54.99	9	36 09	4	5.54	3	6.34	1	4.01
Exclusive	7,302	4,799	2 503	32	52 58	26	65 00	6	28.74	2	3.28	2	5.00	...	.
Brewton	1,115	750	365	3	32.28	...	.....	3	98.61	2	21.52	1	16 00	1	32.87
Atco	249	125	124	...	.....	..	....	..	...	...	..	..	..	...	.....
Greene	22,007	3,192	18,815	22	11.99	10	37.59	12	8.65	18	9.79	7	26.31	11	7.01
Hale	27,501	5,053	22,448	42	18.32	11	26 12	31	16.57	12	5 23	3	7.12	9	4.81
Exclusive	25,742	4,153	21,589	40	18.64	11	31.78	29	16.11	11	5.13	2	5.77	9	5.00
Greensboro	1,759	900	859	2	13.64	...	....	2	27.93	1	6 82	1	13.33	..	.....
Jackson	28,026	24,132	3,894	56	23.97	51	25.35	5	15 41	23	9.84	21	10.44	2	6.16
Exclusive	27,067	23,382	3,685	55	23.28	50	25.66	5	16 18	22	9.74	20	10.26	2	6.51
Scottsboro	959	750	209	1	12 51	1	16.00	..	...	1	12 51	1	16.00	..	.....
Jefferson	88,501	56,953	31,548	200	27.11	138	29.07	62	23 58	80	10.84	34	7.16	46	17.49
Exclusive	62,323	42,044	20,279	139	27.20	104	29.68	35	20.71	47	9.19	16	3.56	31	18.34
Birmingham	26,178	14,969	11,269	61	27.96	34	27.36	27	28 75	33	15.12	18	14.48	15	15.97
Lawrence	20,725	12,536	8,189	9	5.21	6	5.74	3	4.43	6	3.47	4	3.82	2	2.95
Limestone	21,195	12,075	9,120	35	19.81	19	18.88	16	21.05	14	7.92	4	3.97	10	13.15
Exclusive	20,195	11,375	8,820	32	19 01	17	17.91	15	20.40	13	7.72	3	3.16	10	13.60
Athens	1,000	700	300	3	36.00	2	34.28	1	40.00	1	12.00	1	17.14	...	...
Lowndes	31,559	4,446	27,084	86	32.70	4	9.85	82	36.33	40	15.21	1	2.46	39	17.27
Macon	18,438	4,148	14,290	16	10.41	2	5.78	14	11.75	6	3.90	4	11.57	2	1.67
Exclusive	15,938	3,148	12,790	15	11.29	2	7.62	13	12.19	5	3 76	3	11.43	2	1.87
Tuskegee	2,500	1,000	1,500	1	4.80	...	.....	1	8.00	1	4.80	1	12.00	...	.....
Madison	38,119	19,228	18,891	66	20.77	40	24.96	26	16.51	36	11.33	7	4.36	29	18.42

Births and Deaths by Counties, Towns and Colors—December, 1891. (Continued.)

Counties and Towns.	Population.			Births.						Deaths.					
	Total.	White.	Colored.	Total.	Rate per M.	White.	Rate per M.	Colored.	Rate per M.	Total.	Rate per M.	White.	Rate per M.	Colored.	Rate per M.
Exclusive	30,124	15,230	14,894	48	19.12	30	23 63	18	14.50	21	8.36	3	2.36	18	14.50
Huntsville	7,955	3,998	3,997	18	27.01	10	30.00	8	24.00	15	22.51	4	12.00	11	33.00
Monroe	18,990	8,327	10,663	44	27.80	26	37.09	18	20.25	8	5.05	4	5.70	4	4.50
Montgomery	56,172	14,530	41,642	53	11.32	17	14.03	36	10.37	56	11.96	12	9.91	44	12.68
Exclusive	34,289	5,638	28,651	36	12.59	9	19 15	27	11.30	29	10.14	5	10.64	24	10.05
Montgomery	21,883	8,892	12,991	17	9.36	8	10.79	9	17.42	27	14.86	7	9.43	20	18 46
Morgan	24,089	17,903	6,186	40	19.92	29	19.53	11	21.32	22	9.85	19	12.73	3	5.81
Exclusive	16,953	13,903	3,050	29	20.47	23	19.23	6	23.60	8	4.94	7	5.85	1	3.93
Decatur	7,136	4,000	3,136	11	18 49	6	18.00	5	19.11	14	23.52	12	36 00	2	7.64
Pike	23,423	15,633	8,790	48	23.58	30	22.83	18	24 57	14	6 87	11	8.37	3	4.09
Exclusive	20,974	13,433	7,541	41	23.45	28	25.01	13	20.67	12	6.86	9	8.03	3	4.77
Troy	3,449	2,200	1,249	7	24 36	2	10 90	5	48.00	2	6.96	2	10.90	...	.....
St. Clair	17,353	14,285	3,068	32	22.12	30	25.20	2	7.82	9	6.22	8	6 72	1	3.91
Sumter	29,274	5,919	23,655	29	11.74	5	10.13	24	12 16	6	2.43	3	6.08	3	1.52
Exclusive	27,708	5,214	21,584	29	12.55	5	11.50	24	12.79	6	2.59	3	6.90	3	1.59
Gainesville	1,071	400	671	...	.....	...	.....	...	.....	...	.....	...	.....	...	.....
Livingston	805	305	500	...	.....	...	.....	...	.....	...	.....	...	.....	...	.....
Talladega	29,346	15,343	14,003	27	11.04	16	13.87	11	10.15	18	8.04	12	10.40	6	5.53
Exclusive	26,846	13,843	13,003	24	10.07	13	11 27	11	10.15	16	7.13	10	8.67	6	5.46
Talladega	2,500	1,500	1,000	3	14.40	3	24.00	...	.....	2	9.60	2	16.00	...	.....
Tallapoosa	25,460	16,854	8,606	45	21.20	28	12.90	17	22.90	1	3.29	5	3.55	2	2.79
Exclusive	23,060	15,354	8,306	44	22 30	28	21.85	16	23.12	7	3.54	5	3 90	2	2.88
Dadeville	1,000	800	200	1	12.00	...	.....	1	60.00	...	.....	...	.....	...	.....
Alexander City	800	700	100	...	.....	...	...	...	.....	...	.....	...	.....	...	.....
Tuskaloosa	30,352	18,213	12,139	31	12.25	24	15.81	7	6.91	20	7.90	16	10.54	4	3.95
Exclusive	23,552	13,813	9,739	27	13.75	21	18.14	6	7.39	6	3.04	6	5.18	...	.....

Tuscaloosa	5,000	3,000	2,000	3	7.20	3	12.00	...	.....	7	16.80	5	20.00	2	12.00
North Port	700	500	200	1	17.14	...	.....	1	60.00	2	34.28	1	24.00	1	60.00
Insane Asylum	1,100	900	200	...	.....	...	.....	...	.....	5	54.50	4	53.33	1	60.00
Total for December	948,303	479,441	468,862	1594	20.16	868	21.72	726	18.56	638	8.06	309	7.73	329	8.42
Exclusive of Towns	787,816	390,902	396,914	1359	20.70	734	22.52	625	18.89	473	7.20	223	6.84	250	7.55
Total for Towns	160,487	88,539	71,948	235	17.57	134	18.16	101	16.84	165	12.33	86	11.65	79	16.01

Births and Deaths by Counties, Towns and Colors—For the Year 1891.

Counties and Towns.	Population.			Births.						Deaths.					
	Total.	White.	Colored.	Total.	Rate per M	White.	Rate per M	Colored.	Rate per M.	Total.	Rate per M	White.	Rate per M.	Colored.	Rate per M.
Baldwin	8,941	5,635	3,306	268	29.97	138	24.47	130	39 32	66	7.38	27	4 79	39	11.79
Barbour	34,898	13,321	21,577	645	18 48	296	22 22	349	16 17	200	5.73	91	6.83	109	5.05
Exclusive	29,874	10,121	19,753	546	18 29	237	23 41	309	15 64	137	4 58	56	5.53	81	6.08
Eufaula	4,027	2,600	1,427	65	16.14	40	15 37	25	17.31	40	9 93	22	8 46	18	12.61
Clayton	997	600	397	34	34.10	19	31 66	15	37 78	23	23 06	13	21.66	10	25.19
Blount	21,927	20,115	1,812	463	21.11	452	22 46	11	6 06	60	2.73	60	2.98	...	....
Bullock	27,033	6,066	20,967	755	27 92	125	20 51	630	30.04	259	9.58	65	10.71	194	9 35
Exclusive	25,016	5,066	19,950	696	24.72	106	20.92	590	29.57	229	9.11	56	11.05	173	8 69
Union Springs	2,017	1,000	1,017	59	29.25	19	19 00	40	39 33	30	14 86	9	9.00	21	20 64
Butler	21,581	11,368	10,213	677	31 37	291	25 59	386	37 79	214	9 91	112	9 67	102	9 99
Exclusive	18,779	9,968	8,811	610	32 48	259	25 94	351	39.83	166	8.84	86	8.62	80	9 00
Greenville	2,802	1,400	1,402	67	23 91	32	22 85	35	24 96	48	17.13	26	18.57	22	15.67
Calhoun	33,835	23,891	9,944	947	27 90	723	30 26	224	22 52	273	8 06	172	7.19	101	10 15
Exclusive	20,301	15,092	5,209	475	23.39	396	26.23	79	15.16	103	5 07	74	4.90	29	5 56
Anniston	10,113	6,399	3,714	343	33.91	239	35 94	104	28.00	121	11.95	66	10.30	55	14 81
Jacksonville	1,237	900	337	32	25 88	23	25 55	9	26.70	19	15 36	13	13.33	6	17 80
Oxford	1,473	900	573	51	34 62	29	32 22	22	38 39	18	12 19	8	8 88	10	17 45
Piedmont	711	600	111	46	64 69	36	60 00	10	90.09	12	16 87	11	18.33	1	9.00
Choctaw	17,526	8,110	9,416	288	16 43	155	19 11	133	14 12	108	6 16	57	7.03	51	5 41
Clarke	22,622	9,627	12,995	825	36 46	361	37 49	464	35 70	236	10 43	101	10.49	135	10 39
Clay	15,765	14,086	1,679	370	23 75	341	24 20	29	17.27	108	6 85	89	6.31	19	11.31
Conecuh	14,594	7,956	6,638	377	25.83	197	24 76	180	27 11	135	9 25	73	9.17	62	9 49
Exclusive	13,557	7,341	6,216	347	25.59	182	24.79	165	26 54	129	9.51	72	9.80	57	9 17
Evergreen	1,037	615	422	30	28 90	15	24 38	15	35 54	6	5 78	1	1.62	5	11.84
Coosa	15,906	10,486	5,420	458	28 79	280	26 70	178	32.84	94	5.79	57	5 43	37	6.82
Cullman	13,439	13,439	.....	384	28.56	384	28.56	...	.....	105	7.80	105	7.80	..	.....

Exclusive	12,422	12,422	.....	351	26.11	351	26 11	..	....	90	6 69	90	6.69	...	.....
Cullman	1,017	1,017	.....	33	32 44	33	32 44	...	....	15	14 74	15	14.74	.	....
Dale	17,225	13,855	3,370	294	17.06	247	17.66	47	13 90	73	4 23	57	4 11	16	4 74
Exclusive	15,725	12,855	2,870	258	16.41	221	17 19	37	12 88	61	3 92	45	3 49	16	5 58
Ozark	1,500	1,000	500	36	24.00	26	26 00	10	20.00	12	8 00	12	12 00	...	.....
Dallas	49,350	7,906	41,444	1057	21.38	183	23 13	874	21 08	580	11 77	125	15.62	455	10 98
Exclusive	41,728	4,406	37,322	832	14.76	86	19 48	746	19.98	363	8.69	47	10 68	316	8 46
Selma	7,622	3 500	4,122	225	29.51	97	27 70	128	31 05	217	28 47	78	22 28	139	33 72
DeKalb	21,010	19,881	1,129	617	29 36	592	29 97	25	22.13	189	8 99	174	8.25	15	11 41
Elmore	21.732	11,329	10,403	665	30 00	373	32 92	292	28 07	158	7.27	91	8 03	67	6 44
Exclusive	20,919	10,829	10,090	649	31 02	363	33 52	286	28 34	147	7 03	83	7 66	64	6 34
Wetumpka	813	500	313	16	19 66	10	20 00	6	19 16	11	13 53	8	16.00	3	9 58
Escambia	8,666	5,674	2,992	366	42 23	236	41 59	130	43.45	93	10 73	64	11 28	29	9.67
Exclusive	7,302	4,799	2,503	304	41.63	208	43 34	96	38 35	67	9 1[illegible]	48	10.00	19	7 58
Brewton	1,115	750	365	50	44.84	22	29 33	28	76 70	15	13 45	8	10 66	7	19 17
Alco	249	125	124	12	48 19	6	48 00	6	48 38	11	44 17	8	64 00	3	24 19
Greene	22,007	3,192	18,815	304	13.80	72	22.55	232	12 33	120	5 45	33	10 33	87	4 62
Hale	27,501	5,053	22,448	490	17 81	80	15 83	410	18 26	188	6 83	46	9 10	142	6 32
Exclusive	25,742	4,153	21,589	461	18 02	71	17 09	390	13 43	168	6 52	34	8 18	134	6 20
Greensboro	1,759	900	859	29	16 48	9	10 00	20	23 28	20	11 38	12	13 33	8	9 31
Jackson	28,026	24,132	3,894	783	27 90	675	27.96	108	26.14	252	8.99	200	8 28	52	13 36
Exclusive	27,067	23,382	3,685	757	27.93	655	28.00	102	27 65	235	8 69	186	7 98	49	13 29
Scottsboro	959	750	209	26	27.10	20	26 66	6	28 70	17	17 74	14	18 66	3	14.35
Jefferson	88,501	56,953	31,548	2097	23 69	1520	26 67	577	18 29	1297	14 65	640	11 16	651	20 65
Exclusive	62,323	42,044	20,279	1411	23.00	1083	25 73	328	16 17	735	11 98	396	9 41	339	16 71
Birmingham	26,178	14,909	11,269	686	26 20	437	29 31	249	22 09	562	21 46	250	17 67	312	27.77
Lawrence	20,725	12,536	8,189	210	10 13	136	10 84	74	9 03	93	4 48	41	3 27	52	6 35
Limestone	21,195	12,075	9,120	584	27 55	338	28 07	246	26 97	189	9.11	86	7 12	103	11.29
Exclusive	20,195	11,375	8,820	561	27.77	330	20 22	231	26 18	172	8 51	78	6 85	94	10 65
Athens	1,000	700	300	23	39 72	8	32 00	15	45 59	17	29 36	8	32 00	9	27.35
Lowndes	31,550	4,466	27,084	943	29 88	84	18 80	859	31 71	539	17 08	48	10 29	491	18 12
Macon	18,438	4,148	14,290	179	9.70	64	15 47	115	8 04	83	4 50	35	8 43	48	3 35
Exclusive	15,938	3,148	12,790	162	10 16	55	17.47	107	8 31	65	4 78	21	6 67	44	3 44
Tuskegee	2,500	1,000	1,500	17	6.80	9	9.00	8	5 33	18	7.20	14	14 00	4	2 61
Madison	38,119	19,228	18,891	577	15.13	295	15 34	282	18.41	302	7.13	89	4 62	213	11.27

Births and Deaths by Counties, Towns and Colors—For the Year 1891.

Counties and Towns.	Population.			Births.						Deaths.					
	Total.	White.	Colored.	Total.	Rate per M.	White.	Rate per M.	Colored.	Rate per M.	Total.	Rate per M.	White.	Rate per M.	Colored.	Rate per M.
Exclusive	30,124	15,230	14,894	437	14.41	232	15.23	205	13 76	172	5.79	48	3.15	124	8.32
Huntsville	7,995	3,998	3,997	140	17.51	63	15 76	77	19.27	130	15.75	41	10 26	89	22 27
Monroe	18,990	8,327	10,663	472	24.85	190	22 81	282	26 44	154	8 10	79	9 48	75	7 03
Montgomery	56,172	14,530	41,642	721	12.83	249	17.13	472	10 94	554	9 86	148	10.25	406	9.74
Exclusive	34,289	5,638	28,651	438	12.77	96	17 02	342	11.93	263	7.67	40	7.09	223	7 78
Montgomery	21,883	8,892	12,991	283	13.02	153	17 20	130	10 00	291	13 29	108	12.14	183	14.08
Morgan	24,089	17,903	6,186	513	21.28	374	20.89	139	22 46	232	9 21	149	8.32	83	13 41
Exclusive	16,953	13,903	3,050	387	16.64	312	22.44	75	24.59	137	8 08	100	7.19	37	12 13
Decatur	7,136	4,000	3,136	126	17 65	62	15 50	64	20.41	95	13 31	49	12 25	46	14 66
Pike	24,423	15,633	8,790	636	26 04	380	24 30	256	29 24	218	8 92	138	8.82	80	9 09
Exclusive	20,974	13,433	7,541	535	25 50	327	24 34	208	27 58	176	8.39	110	7 36	66	8 75
Troy	3,449	2,200	1,249	101	29.28	53	24 09	48	38 43	42	12.17	28	12 72	14	11 20
St. Clair	17,353	14,285	3,068	522	30 08	463	78.22	59	19 23	137	7 89	113	17 09	24	6 35
Sumter	29,574	5,919	23,655	437	22.77	98	27.06	339	20 92	156	8 51	42	7 12	114	11 29
Exclusive	27,708	5,214	22,584	406	21.37	88	20.08	318	24.84	135	9 86	33	4 62	102	11 83
Gainesville	1,071	400	671	15	14.00	6	15 00	9	13.41	9	8 40	1	2.50	8	11.92
Livingston	805	305	500	16	19.87	4	13 11	12	24 00	12	14 90	8	26.22	4	8 00
Talladega	29,346	15,343	14,003	512	16 88	288	18.40	224	15 83	242	8.72	134	9.94	108	8 85
Exclusive	26,846	13,843	13,003	466	15.50	255	17.76	211	14.32	208	7.83	114	10.11	94	6.54
Talladega	2,500	1,500	1,000	46	18 40	33	22.00	13	13.00	34	13.60	20	13 33	14	14 00
Tallapoosa	25,460	16,854	8,606	607	29 36	440	29.97	167	22.06	150	7.27	101	8 25	49	6 63
Exclusive	23,660	15,354	8,306	560	27 77	416	28.11	144	24 12	139	8.09	92	8 03	47	13.29
Dadeville	1,000	800	200	22	22 00	7	8.75	15	75.00	6	6 06	5	6 33	1	5.00
Alexander City	800	700	100	25	31.25	17	24 28	8	80 00	5	5 21	4	5.71	1	10.00
Tuskaloosa	30,352	18,213	12,139	448	11.42	307	13 56	141	10.92	266	8 66	181	9.48	85	7.62
Exclusive	23,552	13,813	9,739	354	10.79	262	18.96	92	10.42	103	4.37	79	5.66	24	2.32

Tuskaloosa	5,000	3,000	2,000	70	14.00	26	8 66	44	22 00	58	11.60	32	10.66	26	13.00
North Port	700	500	200	24	34.28	19	38 00	5	25 00	20	28 57	14	28.00	6	30 00
Insane Asylum	1,100	900	200	...	...	....	....	...	.....	85	77 26	56	62 22	29	145.00
Total of Counties for 1891.	948,303	479,441	468,862	20,491	21.60	11,427	23 83	9064	18.92	8123	8.56	3829	7.98	4294	8.79
Exclusive of Towns	787,816	390,902	396,914	17,743	20 02	9,855	25.21	7888	19 84	6104	7 74	2867	7.30	3237	8.15
Total of Towns	160,487	88,539	71.948	2.748	17 61	1,572	17 77	1176	16 31	2019	12.43	962	10 82	1057	14 61

Births and Deaths by Cities and Towns—For the Year 1891.

Cities and Towns.	Population.			Births.						Deaths.					
	Total.	White.	Colored.	Total.	Rate per M.	White.	Rate per M.	Colored.	Rate per M.	Total.	Rate per M	White.	Rate per M.	Colored.	Rate per M.
Eufaula	4,027	2,600	1,427	65	16 14	40	15 37	25	17 31	40	9 93	22	8.46	18	12 61
Clayton	997	600	397	34	34 10	19	31 66	15	37.78	23	23.06	13	21 66	10	25.19
Union Springs	2,017	1,000	1,017	59	29 25	19	19 00	40	39 33	30	14.86	9	9.00	21	20 64
Greenville	2,802	1,400	1,402	67	23 91	32	22 85	35	24 96	48	17 13	26	18.57	22	15 67
Anniston	10,113	6,399	3,714	343	33 91	239	35 94	104	28 00	121	11.95	66	10 30	55	14 81
Jacksonville	1,237	900	337	32	25 88	23	25 55	9	26 70	19	15 36	13	13 33	6	17 80
Oxford	1,473	900	573	51	34.62	29	32.22	22	38.39	18	12 19	8	8 88	10	17 45
Piedmont	711	600	111	46	64 69	36	60 00	10	90 09	12	16.87	11	18 33	1	9 00
Evergreen	1,037	615	422	30	28 90	15	24 38	15	35.54	6	5 78	1	1 62	5	11 84
Cullman	1,017	1,017	.....	33	32 44	33	32 44		...	15	14 74	15	14.74	.	....
Ozark	1,500	1,000	500	36	24 00	26	26 00	10	20 00	12	8.00	12	12 00		
Selma	7,622	3,500	4,122	225	29 51	97	27 70	128	31.05	217	28.47	78	22 28	139	33 72
Wetumpka	813	500	313	16	19 66	10	20 00	6	19.16	11	13 53	8	16 00	3	9 58
Brewton	1,115	750	365	50	44 84	22	29 33	28	76.70	15	13 45	8	10 66	7	19 17
Alco	249	125	124	12	48 19	6	48 00	6	48 38	11	44.17	8	64.00	3	24 19
Greensboro	1,759	900	859	29	16 48	9	10 00	20	23 28	20	11 38	12	13.33	8	9 31
Scottsboro.	959	750	209	26	27 10	20	26.66	6	28 70	17	17.74	14	18 68	3	14 35
Birmingham	26,178	14,909	11,269	686	26 20	437	29 31	249	22 09	562	21.46	250	17.67	312	27 77
Athens	1,000	700	300	23	39 72	8	32 00	15	45 59	17	29.36	8	32 00	9	27 35
Tuskegee	2,500	1,000	1,500	17	6 80	9	9 00	8	5 33	18	7.20	14	14 00	4	2 61
Huntsville	7,995	3,998	3,997	140	17 51	63	15.76	77	19 27	130	15 75	41	10 26	89	22.27
Montgomery	21,883	8,892	12,991	283	13 02	153	17 20	130	10 00	291	13 29	108	12 14	183	14 08
Decatur	7,136	4,000	3,136	126	17.67	62	15 50	64	20 41	95	13.31	49	12 25	46	14 66
Troy	3,449	2,200	1,249	101	29 28	53	24 09	48	38 43	42	12.17	28	12 72	14	11 20
Gainesville	1,071	400	671	15	14.00	6	15 00	9	13 41	9	8 40	1	2 50	8	11 92
Livingston	805	305	500	16	19 87	4	13 11	12	24.00	12	14 90	8	26 22	4	8.99

Talladega	2,500	1,500	1,000	46	18.40	33	22.00	13	13.00	34	13.60	20	13.33	14	14.00
Dadeville	1,000	800	200	22	22.00	7	8.75	15	75.00	6	6.06	5	6.33	1	5.00
Alexander City	800	700	100	25	31.25	17	24.28	8	80.00	5	5.21	4	5.71	1	10.00
Tuskaloosa	5,000	3,000	2,000	70	14.00	26	8.66	44	22.00	58	11.60	32	10.66	26	13.00
North Port	700	500	200	24	34.28	19	38.00	5	25.00	20	28.57	14	28.00	6	30.00
Insane Asylum	1,100	900	200	...	...	...		..	....	85	77.26	56	62.22	29	145.00
Total of Cities, Towns, 1891	160,487	88,539	71,948	2,748	17.61	1,572	17.77	1176	16.31	2019	12.43	962	10.82	1057	14.61

Annual Report of Deaths by Causes, Sexes, and Ages, for the State of Alabama for 1891.

CLASS I—ZYMOTIC—MIASMATIC DISEASES.

CAUSES OF DEATH.	Color	Sex	Total	Under 1 year	1-2 years	2-3 years	3-4 years	4-5 years	5-10 years	10-15 years	15-20 years	20-25 years	25-30 years	30-35 years	35-40 years	40-45 years	45-50 years	50-55 years	55-60 years	60-65 years	65-70 years	70-75 years	75-80 years	80-90 years	90-100 years	Age not given
			AGES OF DECEDENTS.																							
Measles.	W	M	15	4	2	1	...	...	2	1	1	2	...	...	1	...	1	...	...	...	...	...	...	...	...	...
		F	12	...	...	1	...	...	...	2	...	...	2	2	...	...	...	2	1	1	1	...	...	...	...	...
	B	M	11	1	1	...	...	2	1	1	1	...	1	...	1	1	...	...	...	1	...	...	...	...	...	...
		F	11	1	1	1	...	...	...	2	1	3	...	...	...	...	1	1	...	...	...	...	...	...	...	...
	M	M	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
		F	1	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Diphtheria.	W	M	13	1	1	1	3	2	4	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
		F	14	1	1	5	...	5	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	B	M	2	...	1	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
		F	2	...	...	...	...	1	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	M	M	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
		F	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Whooping Cough.	W	M	6	2	2	...	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
		F	3	1	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	B	M	17	8	6	3	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
		F	11	2	6	2	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	M	M	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
		F	2	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
*LaGrippe.	W	M	69	8	3	...	...	1	2	4	3	2	1	4	2	3	2	3	2	2	4	7	4	10	2	...
		F	58	9	4	1	...	3	3	...	...	1	2	1	...	2	5	4	3	2	7	3	3	5	...	...
	B	M	69	8	...	1	3	2	4	3	4	5	6	3	2	1	7	...	4	1	1	6	4	3	1	...
		F	47	3	...	...	3	2	...	2	3	2	3	3	1	4	3	2	2	5	4	1	1	1	...	...
	M	M	3	...	...	...	...	...	...	...	1	...	...	...	...	1	1	...	...	...	...	...	...	...	...	...
		F	1	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...

*100 to 110 years—1 Black Female.

Typhoid Fever.	W	M	112	2	3	2	....	1	8	3	17	22	8	14	9	7	4	3	2	3	2	1	....	1	....	....
		F	105	2	1	....	1	....	6	8	15	16	16	7	9	3	6	3	2	5	3	1	....	1	....	....
	B	M	92	....	3	5	....	1	8	7	15	17	6	6	4	3	5	3	3	1	3	1	....	1	....	....
		F	60	....	1	1	....	1	4	7	14	5	3	5	4	6	2	2	..	4	....	1	....	....	....	....
	M	M	3	....	....	1	....	....	....	....	1	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....
		F	4	1	....	....	....	....	....	1	....	....	....	2	....	....	....	....	....	....	....	....	....	....	....	....
Continued Fever.	W	M	5	1	....	....	....	....	....	1	....	2	....	1	....	....	....	....	....	....	....	....	....	....	....	....
		F	4	....	....	2	....	....	....	....	....	....	....	....	....	1	....	....	1	....	....	....	....	....	....	....
	B	M	1	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....
		F	2	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....
	M	M	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
		F	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Typho-Mal. Fever.	W	M	14	1	1	1	1	1	....	....	1	2	....	1	1	1	....	1	....	....	....	1	1	....	....	....
		F	14	....	....	....	....	....	....	1	2	3	1	3	....	....	2	....	1	....	....	1	....	....	....	....
	B	M	9	2	1	....	....	....	....	2	1	....	1	....	....	....	2	....	....	....	....	....	....	....	....	....
		F	11	1	....	....	....	....	....	....	2	1	2	1	....	1	....	1	1	1	....	....	....	....	....	....
	M	M	1	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....
		F	1	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....
Cerebro-Spinal Fever.	W	M	1	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
		F	3	....	....	....	....	....	2	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....
	B	M	1	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
		F	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	M	M	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
		F	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Scarlet Fever.	W	M	5	....	1	....	1	1	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
		F	5	....	1	....	1	2	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	B	M	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
		F	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	M	M	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
		F	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Summary of Deaths from Miasmatic Diseases.	W	M	240	19	13	5	7	6	19	10	22	30	9	20	13	11	7	7	4	5	6	9	5	11	2	....
		F	218	13	9	9	2	10	13	12	17	20	22	13	9	6	13	9	8	8	11	5	3	6	....	....
	B	M	202	19	12	9	3	5	14	13	22	22	14	9	7	5	15	3	7	3	4	7	4	4	1	....
		F	144	7	8	4	4	4	4	13	20	11	8	9	5	11	6	6	3	10	4	3	2	1	....	....
	M	M	7	....	....	1	....	....	....	....	2	....	....	2	....	1	1	....	....	....	....	....	....	....	....	....
		F	9	3	....	....	....	....	1	1	....	....	1	3	....	....	....	....	....	....	....	....	....	....	....	....
Gen'l Summary			820	61	42	28	16	25	51	49	83	83	54	56	34	34	42	25	22	26	25	24	14	22	3	....

Annual Report of Deaths by Causes, Sexes, and Ages, for the State of Alabama for 1891.

DIARRHŒAL DISEASES.

CAUSES OF DEATH.	Color	Sex	Total	Under 1 year	1-2 years	2-3 years	3-4 years	4-5 years	5-10 years	10-15 years	15-20 years	20-25 years	25-30 years	30-35 years	35-40 years	40-45 years	45-50 years	50-55 years	55-60 years	60-65 years	65-70 years	70-75 years	75-80 years	80-90 years	90-100 years	Age not given
			AGES OF DECEDENTS.																							
Dysentery.	M | B | W	M	61	10	15	4	1	2	3	1	1	1	3	1	3	1	2	1	3	3	4	..		2	..	..
		F	71	7	13	9	3	1	3	..	2	..	1	....	2	3	3	2	6	5	2	2	3	2	1	1
		M	59	2	7	5	3	..	4	3	4	1	3	7	2	3	4	2	1	3	1	1	1	1	..	1
		F	51	7	11	1	...	5	4	....	1	1	2	....	...	4	1	4	1	4	1	1	..	3	...	..
	M | B | C	M	2	...	1	....	...	..	...	....	..	..	..	..	....	...	1	..	..	...	..	..	...	..	..	...
		F	4		...	...		..	.	..	1	..	1			.		....	..	2	.					
Dysentery, Typhoid.	M | B | W	M	...	...	.	..	...	...	...	...	...	...	...	...	...	..	...	..	...	..	..	...	..	.	..	...
		F	...	..	...	...	...	...	...	..	...	...	...	..	..	..	...	..	..	...	.	...	..	..	..	...
		M	3	...	...	...	.	..	....	...	...	1	...	....	1	..	..	....	1	..	...	..	..	..	..	..
		F	1	...	...	...	..	..	...	...	...	..	...	...	...	1	..	....	..	..	..	..	..	..	..	....
	M | B | C	M	..	...	...	...	...	..	...	...	...	..	...	..	..	..	..	..	...	..	..	..	..	..	..	...
		F			...		..	.	...	...	..	..	....													.
Diarrhœa.	M | B | W	M	11	3	2	.	..	..	..	1	..	...	..	1	1	..	...	1	1	...	..	1	...	..	..	..
		F	20	3	6	2	1	1	1	..	....	...	...	..	...	1	...	...	..	....	...	2	..	2	....	1
		M	12	3	3	1	..	..	..	...	..	..	...	1	....	..	2	1	..	...	1	..	...	...	..	..
		F	12	5	3	...	1	...	..	...	1	..	1	....	....	...	...	..	1	..	...	...	..	...	...	...
	M | B | C	M	..	...	...	...	...	...	..	...	...	..	....	..	..	..		....	..	...	..	..	...	...	...	...
		F	4	2	1	1																	..	.	..	...
Diarrhœa, Chronic.	M | B | W	M	17	3	2	2	1	....	....	....	....	..	....	1	....	1	....	2	..	....	1	2	...	2	..	...
		F	19	1	..	2	....	....	....	1	1	...	1	5	1	2	1	2	...	...	..	1	1	..	..	...
		M	8	...	...	...	...	..	...	...	....	1	1	1	1	..	1	3	....	..	...	..	...	...	..	...
		F	4	...	1	....	....	..	...	..	....	....	....	....	1	...	....	...	..	1	...	...	...	1	...	...
	M | B | C	M	...	...	...	...	...	....	..	...	....	..	....	....	....	..	....	..	....	..	..	...	....	..	..	...
		F	...	...	...	...	...	....	...	...	....	...	....	....	....	...	....	....	...	...	...	...	...	...	...	...

Cholera Infantum.	W	M	55	37	15	3																					
		F	51	31	17	3																					
	B	M	31	14	12	3			1																		1
		F	23	13	10																						
	M	M	3	1	2																						
		F	2		1		1																				
Entero-Colitis.	W	M	25	14	7		1		1	1									1								
		F	26	10	9	3							1						1		1						1
	B	M	17	4	7	5																					1
		F	9	4	3		1				1																
	M	M																									
		F																									
Cholera Morbus.	W	M	3	1																	1		1				
		F	6										1					1			1				1	1	1
	B	M	3	1									1			1											
		F	2								1				1												
	M	M																									
		F																									
Colic, Billious.	W	M	5	2	1		1												1								
		F	6	1	2		1											1					1				
	B	M	5	2												1				1	1						
		F	5	2			1								1		1										
	M	M	1														1										
		F																									
Summary of Deaths from Diarrhœal Diseases.	W	M	177	70	42	9	4	2	4	3	1	1	3	3	4	2	2	5	5	4	5	4		4			
		F	199	53	47	19	5	2	4	1	3		4	5	3	6	4	7	6	7	2	6	4	5	2		4
	B	M	138	26	29	14	3		5	3	4	3	5	9	4	5	7	6	3	4	2	1	1	1			3
		F	107	31	28	1	3	5	4		4	1	3		3	5	2	4	2	5	1	1		4			
	M	M	6	1	3												2										
		F	10	2	2	1	1				1		1							2							
Gen'l Summary			637	184	151	44	16	9	17	7	13	5	16	17	14	18	17	22	16	22	10	12	5	14	2		7

Annual Report of Deaths by Causes, Sexes, and Ages, for the State of Alabama for 1891.

MALARIAL DISEASES.

CAUSES OF DEATH.	Color	Sex	Total	Under 1 year	1-2 years	2-3 years	3-4 years	4-5 years	5-10 years	10-15 years	15-20 years	20-25 years	25-30 years	30-35 years	35-40 years	40-45 years	45-50 years	50-55 years	55-60 years	60-65 years	65-70 years	70-75 years	75-80 years	80-90 years	90-100 years	Age not given
			AGES OF DECEDENTS.																							
Malarial Hæmaturia.	M | B	M	2	..	....	...	....	....	....	....	..	...	..	.	...	1	..	....	...	...	...	1	...	...	....	....
		F	..	.	....	...	....	....	....	....	....	..	...	...	...	..	...	...	...	....	...	...	...	...	....	....
		M	..	..	....	...	..	..	...	..	...	....		....	...	..	...	....	..	...	...	...	...	...	..	....
		F	..	..	....	...	..	..	...	....	....	....	...	..	...	...	...	..	...	...	...	...	...	....	....	....
	M | W	M	..	..	....	....	....	....	..	.	...	....	..	..	...	...	....	..	...	...	.	..	...	...	....	....
		F	.			...	....	....						...	..	..		...								
Malarial Fever.	M | B	M	38	5	1	1	.	...	2	3	2	4	1	1	3	3	1	2	2	1	3	....	2	1	..	....
		F	11	2	1	...	1	....	...	...	2	1	...	...	...	...	1	...	2	...	1	...	...	..	...	....
		M	40	4	3	1	4	2	5	3	1	1	1	3	1	1	1	3	...	2	1	2	1	...	...	....
		F	62	6	5	4	1	1	6	3	6	8	6	6	...	2	....	5	...	2	....	...	...	1	...	....
	M | W	M	...	....	....	...	..	....	...	..	..	..	...	...	...	....	....	....	....	..	....	...	...	....	...	....
		F		.		.	....	....					...			....	....	....		...						
Congest.-Mal. Fever.	M | B	M	7	....	....	...	...	1	1	...	....	1	1	2	1	...	..	...	...	....	...	...	....	....	...	...
		F	8	....	2	....	1	1	1	2	1	...	...	...	...	...	..	...	...	...	...	...	...	...	...	....
		M	22	...	....	2	....	1	7	1	2	3	2	1	...	2	1	...	...	...	...	...	...	...	...	....
		F	8	...	....	1	....	....	3	...	3	....	...	1	...	....	...	....	...	....	...	...	...	...	...	....
	M | W	M	1	....	....	...	....	....	...	1	....	...	...	...	...	....	...	....	...	....	...	...	...	...	...	....
		F	..	..	.	...	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Hemorrhagic Mal. Fever.	M | W	M	1	....	..	...	...	...	...	....	....	....	....	....	...	...	....	...	...	....	1	....	....	...	....	....
		F	...	....	....	...	....	....	...	....	...	....	....	....	....	....	....	..	...	....	....	....	....	....	....	....
		M	1	....	....	...	.	...	...	....	...	1	....	....	....	....	....	....	...	....	....	....	....	....	....	....
		F	..	....	....	...	....	....	...	....	..	...	...	....	....	....	....	....	...	....	....	....	....	....	....	..
	M | B	M	...	.	....	....	....	....	...	....	...	....	....	....	....	....	....	....	...	....	....	....	....	....	....	....
		F	...	...	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....

Intermittent Fever.	W	M	2																1					1		
		F																								
	B	M	14			1		2		1	1	5	1		1	1	1									
		F	7		1	1		2	1	1			1													
	M	M																								
		F																								
Remittent Fever.	W	M	16	2	3	1		1				2	2	2	1								2			
		F	13	1			1		1		1	1	1			1			3		1	1	1			
	B	M	16		1	1	1		1	1	1	2	3		1	4										
		F	15		1		3	2	1		2	4					1				1					
	M	M																								
		F	1																			1				
Billious Remitt. Fever.	W	M	2		1						1															
		F	1		1																					
	B	M	3		1				1			1														
		F																								
	M	M																								
		F																								
Gastric Fever.	W	M	1		1																					
		F	1		1																					
	B	M																								
		F	1								1															
	M	M																								
		F																								
Catarrhal Fever.	W	M	3	1						1		1														
		F	7	1			1													1	1	1	2			
	B	M	9		1				1		1	1	1				1			3						
		F	6			1		1						1	1									1		1
	M	M																								
		F																								
Pernicious Fever.	W	M	1									1														
		F	1												1											
	B	M																								
		F	1			1																				
	M	M																								
		F																								

Annual Report of Deaths by Causes, Sexes, and Ages, for the State of Alabama for 1891.

MALARIAL DISEASES—Continued.

CAUSES OF DEATH.	Color	Sex	Total	Under 1 year	1-2 years	2-3 years	3-4 years	4-5 years	5-10 years	10-15 years	15-20 years	20-25 years	25-30 years	30-35 years	35-40 years	40-45 years	45-50 years	50-55 years	55-60 years	60-65 years	65-70 years	70-75 years	75-80 years	80-90 years	90-100 years	Age not given
			AGES OF DECEDENTS.																							
Spinal Fever.	W	M																								
		F																								
	B	M	2														1			1						
		F	1								1															
	M	M																								
		F																								
Summary of Deaths from Malarial Diseases.	W	M	73	8	6	2		2	3	4	3	9	4	5	5	4	1	2	3	1	4	3	2	2		
		F	42	4	5		4	1	2	2	4	2	1		1	1	1		5	1	3	2	3			
	B	M	107	4	6	5	5	5	15	6	6	14	8	4	3	8	5	3		6	1	2	1			
		F	101	6	7	8	4	6	11	4	13	12	7	8	1	2	1	5		2	1			2		1
	M	M	1							1																
		F	1																			1				
Gen'l Summary			325	22	24	15	13	14	31	17	26	37	20	17	10	15	8	10	8	10	9	8	6	4		1

VENEREAL DISEASES.

CAUSES OF DEATH.	Color	Sex	Total	Under 1 year	1-2 years	2-3 years	3-4 years	4-5 years	5-10 years	10-15 years	15-20 years	20-25 years	25-30 years	30-35 years	35-40 years	40-45 years	45-50 years	50-55 years	55-60 years	60-65 years	65-70 years	70-75 years	75-80 years	80-90 years	90-100 years	Age not given
Syphilis.	W	M	1												1											
		F	1											1												
	B	M	8									2	2			1						1	1	1		
		F	6								1	3	2													
	M	M	1																		1					
		F																								

Syphilis, Congenital.	W	M																											
		F																											
	B	M	2	1	1																								
		F	1	1																									
	M	M																											
		F																											
Syphilis, Tertiary.	W	M																											
		F	1														1												
	B	M	1														1												
		F																											
	M	M																											
		F																											
Syphilis, Hereditary.	W	M																											
		F																											
	B	M	1		1																								
		F	1			1																							
	M	M																											
		F																											
Summary of Deaths from Venereal Diseases.	W	M	1													1													
		F	2												1		1												
	B	M	12	1	2							2	2				2							1	1	1			
		F	8	1		1					1	3	2																
	M	M	1																										
		F																											
Gen'l Summary			24	2	2	1					1	5	4	1	1	3						1	1	1	1				

Septic Diseases.

Pyæmia.	W	M	1																						1				
		F	3									2			1														
	B	M																											
		F																											
	M	M																											
		F																											

Annual Report of Deaths by Causes, Sexes, and Ages, for the State of Alabama for 1891.

SEPTIC DISEASES—Continued.

CAUSES OF DEATH.	Color	Sex	Total	Under 1 year	1-2 years	2-3 years	3-4 years	4-5 years	5-10 years	10-15 years	15-20 years	20-25 years	25-30 years	30-35 years	35-40 years	40-45 years	45-50 years	50-55 years	55-60 years	60-65 years	65-70 years	70-75 years	75-80 years	80-90 years	90-100 years	Age not given
			AGES OF DECEDENTS.																							
Septicæmia.	W	M	8	1						1		1		1		1	2		1							
		F	11	1								3	2	3		2										
	B	M	8						1			1			2	1		1		1	1					
		F	9									2	2	2		1		1		1						
	M	M	1								1															
		F																								
Puerperal Fever	W	M																								
		F	28								3	11	6	2	3	2	1									
	B	M																								
		F	26								4	10	3	3	3	2	1									
	M	M																								
		F	4								1	2		1												
Erysipelas.	W	M	6	3					1				1									1				
		F	9	3			1							1							1	2	1			
	B	M	1		1																					
		F	2			1				1																
	M	M																								
		F																								
Summary of Deaths from Septic Diseases.	W	M	15	4					1	1		1	1	1		1	2		1			1	1			
		F	53	4			1				3	17	8	6	4	4	2				1	2	1			
	B	M	9		1				1			1			2	1		1		1	1					
		F	37			1				1	4	12	5	5	3	3	1	1		1						
	M	M	1								1															
		F	4								1	2		1												
Gen'l Summary			119	8	1	1	1		2	2	9	33	14	13	9	9	5	2	1	2	2	3	2			

Class II—Parasitic Diseases.

Worms.	W	M																										
		F	3		2			1																				
	B	M	4			1		1	2																			
		F	13		1	3	3	5	1																			
	M	M																										
		F																										
Thrush.	W	M																										
		F																										
	B	M	2	2																								
		F	1	1																								
	M	M																										
		F																										
Summary of Deaths from Parasitic Diseases.	W	M																										
		F	3		2			1																				
	B	M	6	2		1		1	2																			
		F	14	1	1	3	3	5	1																			
	M	M																										
		F																										
Gen'l Summary			23	3	3	4	3	7	3																			

Class III—Dietetic Diseases.

Alcoholism.	W	M	10											1	2	1		1	1	3		1						
		F																										
	B	M	3												1		1		1									
		F	1												1													
	M	M																										
		F	1										1															
Gen'l Summary			15										1	1	4	1	1	1	2	3		1						

Annual Report of Deaths by Causes, Sexes, and Ages, for the State of Alabama for 1891.

CLASS IV—CONSTITUTIONAL DISEASES.

CAUSES OF DEATH.	Color	Sex	Total	AGES OF DECEDENTS. Under 1 year	1-2 years	2-3 years	3-4 years	4-5 years	5-10 years	10-15 years	15-20 years	20-25 years	25-30 years	30-35 years	35-40 years	40-45 years	45-50 years	50-55 years	55-60 years	60-65 years	65-70 years	70-75 years	75-80 years	80-90 years	90-100 years	Age not given
*Phthisis Pulmonalis. (Consumption.)	W	M	131	3	1	..	..	....	1	2	5	17	23	14	14	11	10	8	7	4	7	2	1	1	...	...
		F	187	4	3	..	..	...	...	3	16	31	22	15	22	17	14	14	7	9	6	1	2	...	...	1
	B	M	201	..	...	1	..	1	2	3	25	43	35	21	13	16	16	3	7	1	4	3	...	1	...	6
		F	304	..	4	2	1	1	9	14	46	50	36	39	29	18	25	7	4	6	5	4	...	...	...	3
	M	M	12	..	...	..	...	...	1	...	1	3	..	3	2	1	...	1	...	...	...	..	...	...	...	...
		F	26	..		....		..	..	1	3	10	4	1	3	2	1	...	1	...	...	...	...	...	...	...
Phthisis of Bowels.	W	M	...	..	...	...	..	...	...	...	..	..	...	...	...	...	...	...	...	...	...	...	...	..	...	...
		F	5	1	..	..	..	...	...	..	..	1	..	...	1	...	1	...	...	1	...	...	...	...	...	...
	B	M	2	...	...	...	..	.	...	...	...	...	...	1	...	...	...	...	1	...	...	...	...	...	...	...
		F	1	...	...	...	...	..	..	...	...	...	..	...	1	...	...	..	...	..	...	...	...	...	...	...
	M	M	...	..	...	..	...	...	..	...	...	...	..	...	..	...	...	..	...	...	..	...	...	...	..	...
		F		...		...		...	..	...	...	...		..	...	..	..	..	..	..	..	..	..	..		..
Meningitis, Tubercular.	W	M	1	1	..	..	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
		F	4	..	1	1	..	2	..	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	B	M	1	..	...	...	...	...	...	...	..	...	...	..	...	...	...	...	...	...	...	...	...	...	...	1
		F	1	..	...	1	...	...	...	...	...	.	..	...	...	...	...	...	...	...	...	...	...	...	...	...
	M	M	1	...	...	..	...	...	..	...	...	1	..	...	...	...	...	...	...	...	...	...	...	...	...	...
		F	..		...	...																				
Peritonitis, Tubercular.	W	M	..	...	...	...	...	...	..	..	...	..		..	...	...	...	...	...	...	..	..	..	...	...	...
		F	...	...	...	..	...	...	..	.	..	..	...	...	...	...	...	...	...	...	...	...	.	...	...	...
	B	M	..	...	..	...	...	..	...	...	...	...	...	...	...	...	..	...	...	...	...	...	...	...	...	...
		F	1	..	...	...	...	...	...	..	...	...	..	1	...	...	...	..	...	...	...	...	...	...	...	...
	M	M	..	...	...	...	...	..	...	.	..	...	...	..	...	...	...	...	...	...	...	...	...	...	..	...
		F	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...

*110 to 120 years—1 Black Female.

Enteritis, Tubercular.	W	M																									
		F																									
	B	M																									
		F	1																		1						
	M	M																									
		F																									
Rheumatism.	W	M	7							2		1					1			1	1	1					
		F	2																				2				
	B	M	5									1				1				1	1		1				
		F	5									2	1				1	1									
	M	M																									
		F	1														1										
Rheumatism, Inflammatory.	W	M																									
		F	2						1							1											
	B	M	1						1																		
		F																									
	M	M																									
		F																									
Purpura Hemorrhagica.	W	M	2			1								1													
		F	1						1																		
	B	M	1								1																
		F																									
	M	M																									
		F																									
Tabes Mesenterica.	W	M	1		1																						
		F	3	1							1						1										
	B	M	1								1																
		F	2	1									1														
	M	M																									
		F																									
Anæmia.	W	M	6		1				1	1		1					1								1		
		F	7	2								2											1	1	1		
	B	M	1	1																							
		F	2													1			1								
	M	M																									
		F																									

Annual Report of Deaths by Causes, Sexes, and Ages, for the State of Alabama for 1891.

CONSTITUTIONAL DISEASES—Continued.

CAUSES OF DEATH.	Color	Sex	Total	AGES OF DECEDENTS. Under 1 year	1-2 years	2-3 years	3-4 years	4-5 years	5-10 years	10-15 years	15-20 years	20-25 years	25-30 years	30-35 years	35-40 years	40-45 years	45-50 years	50-55 years	55-60 years	60-65 years	65-70 years	70-75 years	75-80 years	80-90 years	90-100 years	Age not given
Lucocythæmia.	W	M	1									1														
		F																								
	B	M																								
		F																								
	M	M																								
		F																								
Scrofula.	W	M	5	1	1				1												1	1				
		F	5	2					3																	
	B	M	7		2						3								2							
		F	10		2	1			1	2	1	1					1	1								
	M	M																								
		F																								
Cancer. (Not located.)	W	M	12											1		2	1	2	1	1		1		3		
		F	16											2	2	1	1	1	3	2	1		1	1	1	
	B	M	3										1				1			1						
		F	7										1		1		2			3						
	M	M																								
		F																								
Cancer of Mouth.	W	M																								
		F	1						1																	
	B	M																								
		F	1													1										
	M	M																								
		F																								

Cancer of Eye.	W	M	1						1																		
		F																									
	B	M																									
		F	1			1																					
	M	M																									
		F																									
Cancer of Throat.	W	M	2											1			1										
		F																									
	B	M																									
		F																									
	M	M																									
		F																									
Cancer of Face.	W	M	2																			1	1				
		F																									
	B	M																									
		F																									
	M	M																									
		F																									
Cancer of Mammary.	W	M																									
		F																									
	B	M																									
		F	2											1			1										
	M	M																									
		F																									
Cancer of Breast.	W	M																									
		F	7											3		2	1		1								
	B	M	1													1											
		F	1														1										
	M	M																									
		F																									
Cancer of Uterus.	W	M																									
		F	19										1		3	2	5	1	1	3	2			1			
	B	M																									
		F	16										1		2	3	2		2	1	3			2			
	M	M																									
		F	2									1					1										

Annual Report of Deaths by Causes, Sexes, and Ages, for the State of Alabama for 1891.

CONSTITUTIONAL DISEASES—Continued.

CAUSES OF DEATH.	Color	Sex	Total	AGES OF DECEDENTS. Under 1 year	1-2 years	2-3 years	3-4 years	4-5 years	5-10 years	10-15 years	15-20 years	20-25 years	25-30 years	30-35 years	35-40 years	40-45 years	45-50 years	50-55 years	55-60 years	60-65 years	65-70 years	70-75 years	75-80 years	80-90 years	90-100 years	Age not given
Cancer of Rectum.	W	M																								
		F	1														1									
	B	M																								
		F																								
	M	M																								
		F																								
Cancer of Stomach.	W	M	5									1					1		1			1	1			
		F	5										1					1		1	1	1				
	B	M	2												1	1										
		F	3														1	2								
	M	M																								
		F																								
Cancer of Bowels	W	M	1										1													
		F																								
	B	M																								
		F																								
	M	M																								
		F																								
Cancer of Liver.	W	M	1																				1			
		F	2																1		1					
	B	M	1														1									
		F																								
	M	M																								
		F																								

Cancer of Femur.	W	M																									
		F	1							1																	
	B	M	1																				1				
		F																									
	M	M																									
		F																									
Cancer of Bladder.	W	M	1															1									
		F																									
	B	M	1																		1						
		F																									
	M	M																									
		F																									
Cancer of Vulva.	W	M																									
		F																									
	B	M																									
		F	1																				1				
	M	M																									
		F																									
Cancer of Foot.	W	M	1																	1							
		F																									
	B	M																									
		F																									
	M	M																									
		F																									
Cancer Epithelioma.	W	M	1																1								
		F																									
	B	M																									
		F																									
	M	M																									
		F																									
Summary of Deaths from Constitutional Diseases.	W	M	183	5	4	1			4	5	5	21	25	17	14	15	14	11	11	6	10	6	2	5		
		F	268	10	4	1		2	6	4	17	35	23	17	29	24	22	19	14	15	12	5	5	3	1	1
	B	M	229	1	2	1		1	3	3	30	44	36	21	15	17	18	4	11	4	4	5		1		7
		F	357	1	6	5	1	1	10	16	47	53	40	41	33	23	33	11	7	11	8	4		2		3
	M	M	13						1		1	3		4	2	1		1								
		F	29							1	3	11	4	1	3	3	2			1						
Gen'l Summary.			1079	17	16	8	1	4	24	29	103	167	128	101	96	83	89	46	43	37	34	20	7	11	1	11

Annual Report of Deaths by Causes, Sexes, and Ages, for the State of Alabama for 1891.

CLASS V—DEVELOPMENTAL DISEASES.

CAUSES OF DEATH.	Color	Sex	Total	Under 1 year	1-2 years	2-3 years	3-4 years	4-5 years	5-10 years	10-15 years	15-20 years	20-25 years	25-30 years	30-35 years	35-40 years	40-45 years	45-50 years	50-55 years	55-60 years	60-65 years	65-70 years	70-75 years	75-80 years	80-90 years	90-100 years	Age not given
			AGES OF DECEDENTS.																							
Premature Birth.	W	M	35	35																						
		F	24	24																						
	B	M	18	18																						
		F	15	15																						
	M	M	2	2																						
		F	1	1																						
Cyanosis Neanatorum.	W	M	5	5																						
		F	3	3																						
	B	M	1	1																						
		F	3	3																						
	M	M	1	1																						
		F																								
Spina Bifida.	W	M	1	1																						
		F	3	3																						
	B	M																								
		F																								
	M	M																								
		F																								
Umbilical Hemorrhage.	W	M	1	1																						
		F	1	1																						
	B	M	1	1																						
		F	1	1																						
	M	M																								
		F																								

Imperforated Anus.	W	M	1	1																							
		F																									
	B	M																									
		F																									
	M	M																									
		F																									
Marasmus.	W	M	14	7	1		1							1							1		2				1
		F	9	4	2		1						1								1						
	B	M	11	4	3	3															1						
		F	8	6	1			1																			
	M	M																									
		F																									
Inanition.	W	M	16	13		1																2					
		F	16	11	1												1	2					1				
	B	M	26	17	5	1	1													1					1		
		F	37	26	6	2	1							1					1								
	M	M	2	2																							
		F																									
Dentition. (Teething.)	W	M	3	1	2																						
		F	5	3	2																						
	B	M	17	4	7	6																					
		F	28	6	15	6	1																				
	M	M																									
		F																									
Debility. (General.)	W	M	3								1										1		1				
		F	3																		1	1			1		
	B	M	5	1													1				1	1		1			
		F	5						1								1		1	1		1					
	M	M																									
		F																									
*Old Age.	W	M	38																		1	1	3	5	22	6	
		F	39																		2		4	5	23	5	
	B	M	57																		1	2	5	9	24	12	2
		F	49																				4	6	15	15	
	M	M	1																								
		F	1																						1		

*100 to 110 years—1 White Male, 1 Female; 1 Black Male, 5 Females; 1 Mulatto Male. 110 to 120 years—3 Black Females.

Annual Report of Deaths by Causes, Sexes, and Ages, for the State of Alabama for 1891.

DEVELOPMENTAL DISEASES—Continued.

CAUSES OF DEATH.	Color	Sex	Total	Under 1 year	1-2 years	2-3 years	3-4 years	4-5 years	5-10 years	10-15 years	15-20 years	20-25 years	25-30 years	30-35 years	35-40 years	40-45 years	45-50 years	50-55 years	55-60 years	60-65 years	65-70 years	70-75 years	75-80 years	80-90 years	90-100 years	Age not given
			AGES OF DECEDENTS.																							
Gangrene, Senile.	W	M	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...
		F	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...
	B	M	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...
		F	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...
	M	M	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
		F	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Neurosis, Senile.	W	M	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...
		F	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	B	M	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
		F	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	M	M	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
		F	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Summary of Deaths from Developmental Diseases.	W	M	119	64	3	1	1	...	...	...	1	...	...	1	...	...	...	...	...	3	3	6	5	23	6	1
		F	104	49	5	...	1	...	...	...	...	...	1	...	...	1	2	...	...	3	1	5	6	24	5	...
	B	M	137	46	15	10	1	...	...	...	...	...	...	...	...	1	...	...	1	4	3	5	11	25	12	2
		F	147	57	22	8	2	1	1	...	...	...	...	1	...	1	...	2	1	1	1	4	6	16	15	...
	M	M	6	5	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
		F	3	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...
Gen'l Summary			516	223	45	19	5	1	1		1		1	2		3	2	2	2	11	8	20	28	89	38	3

Class VI—Local Diseases, Nervous System.

Meningitis.	W	M	38	11	3	5	1	..	2	3	..	4	1	1	3	3	..	..	1	...	...	..	...	..	..	...
		F	21	7	6	1	1	..	2	..	..	...	1	1	...	..	..	1	..	.	..	..	...	...	...	1
	B	M	20	4	3	2	..	1	..	3	2	1	1	..	2	..	..	...	..	1	..	..	...	...	...	...
		F	12	2	..	1	2	..	3	1	..	..	2	1	..	..	..	..	..	..	..	..	..	...	...	...
	M	M	5	...	..	3	..	..	..	..	...	1	...	1	..	..	...	...	..	...	.	.	..	...	...	...
		F	1											..			..	1				..				...
Meningitis, Cerebro-Spinal.	W	M	7	.	2	...	1	1	...	...	...	...	...	...	...	1	...	2	...	...	...	...	...	...	...	...
		F	8	1	...	...	...	...	3	...	2	...	...	...	...	...	...	...	...	2	...	...	...	...	...	...
	B	M	7	1	...	1	...	...	1	...	4	...	...	...	...	...	..	...	...	...	...	...	...	...	...	...
		F	3	...	1	...	...	...	1	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	M	M	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
		F	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Meningitis, Cerebral.	W	M	1	1	...	..	..	...	...	...	...	...	...	...	...	..	...	...	...	...	...	...	...	...	...	...
		F	3	1	1	...	...	..	1	...	...	...	...	..	..	..	...	...	...	...	...	...	...	...	...	...
	B	M	1	1	...	..	...	...	...	...	..	...	...	..	...	...	..	...	...	..	..	...	...	...	...	...
		F	2	..	..	...	...	...	..	...	...	..	...	...	2	...	...	...	...	..	...	...	...	...	.	...
	M	M	...	..	...	...	...	...	...	...	...	...	.	...	..	...	..	...	...	..	..	...	...	...	..	...
		F	..	..	..	..	...	...	..	...	...	..	...	...	..	...	.	..	...	..	...	...	...	...	...	.
Hydrocephalus.	W	M	4	..	1	...	1	...	1	1	..	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
		F	6	5	1	...	...	...	..	...	...	...	.	...	...	...	...	...	...	...	...	...	...	...	...	...
	B	M	3	3	...	..	...	...	...	...	...	...	...	...	...	...	...	...	...	..	...	...	...	...	...	...
		F	1	...	..	1	...	...	..	...	...	...	...	...	...	...	...	...	..	...	...	...	...	...	...	...
	M	M	1	...	..	...	...	...	...	...	.	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...
		F	..	..	..	..	...	...	..	...	...	...	...	...	...	...	.	.	.	.	.	...	...	...	...	...
Apoplexy.	W	M	30	...	...	...	..	...	...	...	1	...	1	3	2	...	1	...	4	3	4	5	1	3	1	1
		F	22	...	...	...	...	...	..	..	1	...	...	...	..	1	2	3	3	1	1	3	3	4	...	...
	B	M	13	...	...	...	...	...	1	..	...	...	1	...	..	...	..	2	3	1	...	1	1	3	...	...
		F	11	...	...	...	...	...	..	...	...	...	...	...	1	1	1	1	1	2	1	2	1	..	...	..
	M	M	4	...	...	...	...	...	..	...	...	..	...	1	.	...	1	...	...	1	..	..	..	..	1	...
		F	...	...	...	...	...	...	..	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...

Annual Report of Deaths by Causes, Sexes, and Ages, for the State of Alabama for 1891.

LOCAL DISEASES, NERVOUS SYSTEM—Continued.

CAUSES OF DEATH.	Color	Sex	Total	AGES OF DECEDENTS. Under 1 year	1-2 years	2-3 years	3-4 years	4-5 years	5-10 years	10-15 years	15-20 years	20-25 years	25-30 years	30-35 years	35-40 years	40-45 years	45-50 years	50-55 years	55-60 years	60-65 years	65-70 years	70-75 years	75-80 years	80-90 years	90-100 years	Age not given
Neurasthenia.	W	M	2	1																					1	
		F	3	1																	1	1				
	B	M																								
		F																								
	M	M																								
		F																								
Convulsions.	W	M	35	24	1	2	2	1		1		2	1		1											
		F	20	15	1	1	1								1	1										
	B	M	34	14	5	7	3	2					1													2
		F	35	20	7	3	3	2																		
	M	M																								
		F	2	2																						
Epilepsy.	W	M	3									1		1	1											
		F	6										2	1	1	1	1									
	B	M	4						1			1	1	1												
		F	4	1												1	1	1								
	M	M	1								1															
		F																								
Paralysis.	W	M	43									1		2		2	3	2	2	3	3	11	7	6	1	
		F	27		1							1	1	1	2		2	3		1	6	3	4		1	1
	B	M	17											1		1	2	2	2		1	3	4	1		
		F	18						1							1	2	3	2	3	1		2	2	1	
	M	M	3																		3					
		F	3												1				1	1						

Hemiplegia.	W	M	2																			2					
		F	1																1								
	B	M																									
		F																									
	M	M	1																1								
		F																									
Paraplegia.	W	M																									
		F																									
	B	M	1																	1							
		F																									
	M	M																									
		F																									
Neuritis.	W	M																									
		F	1														1										
	B	M																									
		F																									
	M	M																									
		F																									
Trismus Nascentium.	W	M	7	7																							
		F	4	4																							
	B	M	6	6																							
		F	5	5																							
	M	M																									
		F																									
Tetanus.	W	M	4	1					1					1											1		
		F	4	2						1						1											
	B	M	3				1					1			1												
		F	3						1			1	1														
	M	M																									
		F																									
Locomotor Ataxia.	W	M	1																1								
		F																									
	B	M																									
		F																									
	M	M	1														1										
		F																									

Annual Report of Deaths by Causes, Sexes, and Ages, for the State of Alabama for 1891.

LOCAL DISEASES, NERVOUS SYSTEM—Continued.

CAUSES OF DEATH.	Color	Sex	Total	AGES OF DECEDENTS. Under 1 year	1-2 years	2-3 years	3-4 years	4-5 years	5-10 years	10-15 years	15-20 years	20-25 years	25-30 years	30-35 years	35-40 years	40-45 years	45-50 years	50-55 years	55-60 years	60-65 years	65-70 years	70-75 years	75-80 years	80-90 years	90-100 years	Age not given
Spinal Sclerosis.	W	M	2																				2			
		F	1																				1			
	B	M	1															1								
		F																								
	M	M																								
		F																								
Cerebro Spinal Paralysis.	W	M	1											1												
		F																								
	B	M																								
		F																								
	M	M																								
		F																								
Spinal Concussion.	W	M	1									1														
		F																								
	B	M																								
		F																								
	M	M																								
		F																								
Nervous Prostration.	W	M	8										1	1				1		2		2		1		
		F	2														1							1		
	B	M	1									1														
		F	1											1												
	M	M																								
		F																								

Melancholia.	M | B | W	M	2									1		1															
		F																											
		M	3										1					1		1									
		F																											
		M																											
		F																											
Insanity.	M | B | W	M	6									1		1	1	1	1			1									
		F																											
		M	2							1	1																		
		F	3								1								1			1							
		M																											
		F	1							1																			
Maniacal Exhaustion.	M | B | W	M	1																	1									
		F	2													1				1									
		M	1																			1							
		F	2								1					1													
		M																											
		F																											
Thrombus, Cerebral.	M | B | W	M																											
		F	2														1		1										
		M																											
		F																											
		M																											
		F																											
Hyperæmia, Carebral.	M | B | W	M																											
		F																											
		M																											
		F	1																1										
		M																											
		F																											
Apoplexy, Cerebral.	M | B | W	M	2								1									1									
		F	1																		1								
		M																											
		F																											
		M																											
		F																											

Annual Report of Deaths by Causes, Sexes, and Ages, for the State of Alabama for 1891.

CLASS VI—LOCAL DISEASES—Continued.

CAUSES OF DEATH.	Color	Sex	Total	Under 1 year	1-2 years	2-3 years	3-4 years	4-5 years	5-10 years	10-15 years	15-20 years	20-25 years	25-30 years	30-35 years	35-40 years	40-45 years	45-50 years	50-55 years	55-60 years	60-65 years	65-70 years	70-75 years	75-80 years	80-90 years	90-100 years	Age not given
			AGES OF DECEDENTS.																							
Congestion of Brain.	W	M	39	12	2	3	1	...	...	...	2	1	2	...	1	4	3	4	...	1	...	2	...	...	...	1
		F	30	7	5	3	...	2	2	...	1	1	1	...	...	3	1	...	2	...	1	...	...	1	...	...
	B	M	18	1	4	...	1	...	4	...	...	1	...	1	2	...	...	...	1	1	...	2	...	...	...	...
		F	30	6	3	3	...	2	4	2	3	3	...	1	...	...	...	1	...	1	1	...	...	...	...	...
	M	M	1	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...
		F	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Softening of Brain.	W	M	8	...	...	...	...	...	...	...	...	...	...	...	1	...	2	...	...	...	1	4	...	...	...	...
		F	3	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	1	...	...	...	1	...	...
	B	M	1	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
		F	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	M	M	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
		F	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Concussion of Brain.	W	M	1	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...
		F	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	B	M	4	...	...	...	...	...	1	...	3	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
		F	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	M	M	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
		F	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Sclerosis of Brain.	W	M	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...
		F	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	B	M	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
		F	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	M	M	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
		F	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...

Compression of Brain.	W	M	1	1																								
		F	1																		1							
	B	M	1											1														
		F																										
	M	M																										
		F																										
Abscess of Brain.	W	M	7	1				1		1		1		1							1		1					
		F																										
	B	M																										
		F	1		1																							
	M	M																										
		F																										
nflammation of Brain.	W	M	8	3		1			2			1											1					
		F	4		1				1						1			1										
	B	M	2								1			1														
		F	4		1				1							1					1							
	M	M																										
		F																										
Organic Disease of Brain.	W	M	1		1																							
		F	1															1										
	B	M																										
		F																										
	M	M																										
		F																										
Hemorrhage of Brain.	W	M	8		1							1				1	1	2	1		1							
		F	8				1										2	1	2	1	1							
	B	M	1																						1			
		F	1													1												
	M	M																										
		F																										
Paralysis of Brain.	W	M																										
		F																										
	B	M	1																					1				
		F	2													1						1						
	M	M																										
		F																										

Annual Report of Deaths by Causes, Sexes, and Ages, for the State of Alabama for 1891.

LOCAL DISEASES, NERVOUS SYSTEM—Continued.

CAUSES OF DEATH.	Color	Sex	Total	Under 1 year	1-2 years	2-3 years	3-4 years	4-5 years	5-10 years	10-15 years	15-20 years	20-25 years	25-30 years	30-35 years	35-40 years	40-45 years	45-50 years	50-55 years	55-60 years	60-65 years	65-70 years	70-75 years	75-80 years	80-90 years	90-100 years	Age not given
			AGES OF DECEDENTS.																							
Status Epilepticus.	W	M																								
		F	1								1															
	B	M																								
		F																								
	M	M																								
		F																								
Psoas Abscess.	W	M																								
		F	1											1												
	B	M																								
		F																								
	M	M																								
		F																								
Gangrene Lower Jaw.	W	M																								
		F	1							1																
	B	M																								
		F																								
	M	M																								
		F																								
Inter-Cranial Tumor.	W	M																								
		F	1								1															
	B	M																								
		F																								
	M	M																								
		F																								

Gangrene.	W	M																								
		F																								
	B	M	2							1					1											
		F																								
	M	M																								
		F																								
Perineal Abscess.	W	M	1										1													
		F																				1				
	B	M	1																							
		F																								
	M	M																								
		F																								
Summary of Deaths from Local Diseases, and Diseases of the Nervous System	W	M	275	62	11	11	6	3	6	6	3	16	7	13	10	13	11	11	10	11	13	25	11	11	3	2
		F	185	43	16	5	3	2	9	2	6	4	5	4	5	9	12	8	9	8	10	7	9	6	1	2
	B	M	148	31	12	10	5	3	8	4	11	6	6	4	6	1	2	6	6	5	1	8	6	5		2
		F	139	34	13	8	5	4	11	4	3	6	3	3	3	7	4	6	5	7	3	4	3	2	1	
	M	M	17			3					1	1	1	2			2		1	1	4				1	
		F	7	2								1			1			1	1	1						
Gen'l Summary			771	172	52	37	19	12	34	16	24	34	22	26	25	30	31	32	32	33	31	44	29	24	6	6

Organs Special Sense.

Otitis Media.	W	M																								
		F	2	1																						
	B	M																								
		F																								
	M	M																								
		F																								

Circulatory System.

Dropsy. (General.)	W	M	16					1	1	2			1						2	1	3	4		1		
		F	31	1		1	1		4		1	1		1	1	1	4	2	4	2	6					1
	B	M	37			2		1	3	2	4	1	1	2	2		2	1	1	2	2	6	1	4	1	
		F	42	1	1	1			2	1	5	3		3	3	1	2	6	3	5	2	1		2		
	M	M																								
		F	1										1													

Annual Report of Deaths by Causes, Sexes, and Ages, for the State of Alabama for 1891.

CIRCULATORY SYSTEM—Continued.

CAUSES OF DEATH.	Color	Sex	Total	Under 1 year	1-2 years	2-3 years	3-4 years	4-5 years	5-10 years	10-15 years	15-20 years	20-25 years	25-30 years	30-35 years	35-40 years	40-45 years	45-50 years	50-55 years	55-60 years	60-65 years	65-70 years	70-75 years	75-80 years	80-90 years	90-100 years	Age not given
			AGES OF DECEDENTS.																							
Dropsy, Renal.	M B W	M																								
		F	2												1					1						
		M	1															1								
		F																								
	M B	M																								
		F																								
Dropsy, Hepatic.	M B W	M																								
		F	2													1		1								
		M	1						1																	
		F																								
	M B	M																								
		F																								
Ascites.	M B W	M	5					1															3		1	
		F	1																				1			
		M																								
		F	2									1							1							
	M B	M																								
		F																								
Anasarca.	M B W	M	4		1				1												1		1			
		F	4						1	1													2			
		M	16	1	1			1		1	2	2		1			1	2	2	1	1					
		F	6					1		1						1	1	1	1							
	M B	M	2			1													1							
		F	1																							

Hydro-pericardium.	W	M	9						1		1											1	2	3		1		
		F	10								1		3							1	2	1	1					
	B	M	7						2											1		2	1					
		F	7						1		1				1		1	1	1	1								
	M	M																										
		F	1								1																	
Endocarditis.	W	M	2												1		1											
		F	4								1		1	1					1									
	B	M	3											1														1
		F	5					1		1		1	1										1					
	M	M																										
		F																										
Pericarditis.	W	M	1												1													
		F	1						1																			
	B	M	2								2																	
		F	2												1						1							
	M	M																										
		F																										
Mitral Insufficiency.	W	M	1								1																	
		F	1																		1							
	B	M	1									1																
		F	1							1																		
	M	M																										
		F																										
Heart Disease.	W	M	39				1	1	1	1			1	3		1	3	1	2	3	8	5	4	2	1	1
		F	40						1	1	1		1	1	3	4	4	2	3	3	6	6	4			
	B	M	41							1	1	1	4		2		1	6	6	4	6	3	3	2	1	
		F	46							2	5		7	3	4	4	2	2	2	4	4	5		1	1	
	M	M																										
		F	2												1		1											
Valvular Disease of Heart.	W	M	11							1					1				4	1	1	1	2				
		F	5														1	1	1				2				
	B	M	8	1				1					1	1			1		2								
		F	9	1							1							1	1		1		2	1			
	M	M																										
		F																										

Annual Report of Deaths by Causes, Sexes, and Ages, for the State of Alabama for 1891.

CIRCULATORY SYSTEM—Continued.

CAUSES OF DEATH.	Color	Sex	Total	Under 1 year	1-2 years	2-3 years	3-4 years	4-5 years	5-10 years	10-15 years	15-20 years	20-25 years	25-30 years	30-35 years	35-40 years	40-45 years	45-50 years	50-55 years	55-60 years	60-65 years	65-70 years	70-75 years	75-80 years	80-90 years	90-100 years	Age not given
			AGES OF DECEDENTS.																							
Hypertrophy of Heart.	W	M	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
		F	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	..	..	..
	B	M	2	..	..	..	..	..	..	..	..	..	..	..	..	1	..	..	1	..	..	..	..	..	..	..
		F	2	..	..	..	..	..	..	..	..	..	..	..	2	..	..	..	..	..	..	..	..	..	..	..
	M	M	1	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
		F	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
Fatty Degen. of Heart.	W	M	2	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	1	..	..	..
		F	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
	B	M	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
		F	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
	M	M	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
		F	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
Rupture of Heart.	W	M	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
		F	1	..	..	..	..	..	..	..	..	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..
	B	M	..	..	..	..	..	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..
		F	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
	M	M	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
		F	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
Heart Failure.	W	M	35	1	..	..	..	..	..	1	..	..	..	1	1	..	2	4	9	4	3	3	2	3	..	..
		F	24	1	..	..	..	..	..	..	1	2	3	1	3	..	..	2	2	1	4	..	3	..	..	..
	B	M	13	..	..	..	..	..	..	..	..	..	..	..	1	2	3	2	1	1	1	1	..	1	..	..
		F	11	..	..	..	..	..	..	..	..	..	..	..	..	2	1	1	1	1	1	1	1	2	..	..
	M	M	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
		F	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..

*100 to 110 years—1 White Male; 1 White Female.

Aneurism of Aorta.	W	M	2												1					1						
		F																								
	B	M																								
		F	1														1									
	M	M																								
		F																								
Angina Pectoris	W	M	7														2		1		1	2	1			
		F	4												1			2			1					
	B	M																								
		F																								
	M	M																								
		F																								
Embolism.	W	M																								
		F																								
	B	M																								
		F	1																				1			
	M	M																								
		F																								
Summary of Deaths from Diseases of Circulatory System.	W	M	134	1	1		1	3	4	5	2		2	4	4	1	9	5	18	11	19	19	14	7	2	1
		F	131	2		1	1		6	3	5	3	8	4	9	7	9	10	12	9	19	8	11	2		1
	B	M	132	2	1	2		3	6	4	7	6	8	4	6	3	7	12	14	9	12	12	8	4	1	1
		F	135	2	1	1		2	3	6	12	5	8	6	10	9	8	12	9	13	8	9	6	4	1	
	M	M	3			2														1						
		F	5								1		1		1		2									
Gen'l Summary			540	7	3	6	2	8	19	18	27	14	27	18	30	20	35	39	53	43	58	48	39	17	4	3

Respiratory System.

Pneumonia.	W	M	165	20	10	4	3	2	5	4	10	20	8	9	9	6	6	7	8	6	8	7	6	5	1	1
		F	148	18	7	3	5	2	3	4	7	8	6	7	5	12	10	5	9	11	5	8	8	4	1	
	B	M	214	12	8	9	2	2	6	5	24	29	21	14	15	9	7	12	8	6	4	8	6	3		3
		F	164	12	6	6	6	3	5	4	18	16	13	8	12	6	7	7	5	9	7	6	5	1	1	1
	M	M	4									1				1	1		1							
		F	4			1			1												1			1		

*100 to 110 years—1 Black Male.

Annual Report of Deaths by Causes, Sexes, and Ages, for the State of Alabama for 1891.

RESPIRATORY SYSTEM—Continued.

CAUSES OF DEATH.	Color	Sex	Total	AGES OF DECEDENTS. Under 1 year	1-2 years	2-3 years	3-4 years	4-5 years	5-10 years	10-15 years	15-20 years	20-25 years	25-30 years	30-35 years	35-40 years	40-45 years	45-50 years	50-55 years	55-60 years	60-65 years	65-70 years	70-75 years	75-80 years	80-90 years	90-100 years	Age not given
Pneumonia, Broncho.	W	M	1			1																				
		F	1								1															
	B	M	1									1														
		F	1																				1			
	M	M																								
		F																								
Pneumonia, Pleuro.	W	M	2										1		1											
		F	1								1															
	B	M																								
		F																								
	M	M																								
		F																								
Pneumonia, Typhoid.	W	M	4							1				2		1										
		F	1								1															
	B	M	1									1														
		F	1											1												
	M	M																								
		F																								
Pneumonia, Croupous.	W	M	2		1															1						
		F																								
	B	M	2			1					1															
		F	1				1																			
	M	M																								
		F																								

Pneumonia, Catarrhal.	W	M	2		2																							
		F	1																				1					
	B	M	2	1									1															
		F	1		1																							
	M	M																										
		F	1				1																					
Congestion of Lungs.	W	M	6	2									1				1							1	1			
		F	4						1						1			1						1				
	B	M	1																					1				
		F	4	1	1								1									1						
	M	M	1			1																						
		F																										
Hemorrhage of Lungs.	W	M	1																						1			
		F	2																	1			1					
	B	M	1												1													
		F																										
	M	M	1								1																	
		F																										
Abscess of Lungs.	W	M	1								1																	
		F	2								1		1															
	B	M	3							1		1		1														
		F																										
	M	M																										
		F																										
Pleurisy.	W	M	2								1															1		
		F	4									2				1				1								
	B	M	4				1						1		1					1								
		F	5			1				1		2				1												
	M	M																										
		F																										
Traumatic Pleuritis.	W	M																										
		F																										
	B	M	1															1										
		F																										
	M	M																										
		F																										

Annual Report of Deaths by Causes, Sexes, and Ages, for the State of Alabama for 1891.

RESPIRATORY SYSTEM—Continued.

CAUSES OF DEATH.	Color	Sex	Total	Under 1 year	1-2 years	2-3 years	3-4 years	4-5 years	5-10 years	10-15 years	15-20 years	20-25 years	25-30 years	30-35 years	35-40 years	40-45 years	45-50 years	50-55 years	55-60 years	60-65 years	65-70 years	70-75 years	75-80 years	80-90 years	90-100 years	Age not given
			AGES OF DECEDENTS.																							
Hydrothorax.	W	M	6											1							1		1	3		
		F																								
	B	M	3													1		1						1		
		F	2				2																			
	M	M																								
		F																								
Empyæmia.	W	M	5										1						1	1			1	1		
		F	4									1									1	2				
	B	M	4										1	1			1								1	
		F	5													1	1				2				1	
	M	M																								
		F																								
Croup.	W	M	29	8	12	5	4																			
		F	17	6	2	3	2	3	1																	
	B	M	10	3	3			3	1																	
		F	6	2	3				1																	
	M	M																								
		F	1	1																						
Croup, Membraneous.	W	M	9	1	1	1	1	4	1																	
		F	11	1	2	5	1		2																	
	B	M	5			3	1	1																		
		F																								
	M	M																								
		F																								

Bronchitis.	M|B|W	M	24	5	3	....	....	..	1	1	....	1	....	1	....	1	1	1	....	3	3	1	1	1	....	....
		F	19	5	1	2	....	....	1	..	3	....	....	1	1	....	2	....	....	1	....	1	1	....	....	....
	M|B|	M	11	3	2	....	..	..	..	....	1	..	....	1	3	..	....	1	....	....	....	..	..	..	....	..
		F	10	3	....	..	1	....	..	..	1	....	....	1	1	..	..	....	..	....	..	2	1	....	..	....
	M||W	M	3	2	..	..	..	....	..	..	..	1	..	....	....	....	..	..	..	....	..	..	..	..	..	....
		F	..	..	....	..	..	..	..	..	..	..	..	..	..	..	..	..	..	....	....	....	..	..	..	..
Bronchitis, Capillary.	M|B|W	M	13	6	2	2	..	..	1	....	....	1	..	..	..	..	..	..	..	....	..	..	..	1	..	..
		F	8	2	4	....	....	....	..	....	....	....	....	..	..	..	1	1	..	..	..	..	..	....	..	..
	M|B|	M	9	5	..	..	..	..	1	1	....	....	..	1	....	..	..	..	..	..	1	..	..	..	....	..
		F	4	3	1	..	....	..	..	..	....	....	....	..	....	..	....	....	..	..	..	..	..	..	..	..
	M||	M	..	....	....	....	....	..	....	....	....	....	....	....	..	..	..	..	....	..	....	....	..	..	..	..
		F	..	..	..	....	....	..	..	....	....	....	....	....	..	..	..	..	..	..	..	..	..	..	..	..
Bronchial Dyspnœa.	M|B|W	M	..	..	..	....	....	..	..	..	..	..	..	..	..	..	..	..	..	..	....	....	..	....	....	..
		F	..	....	..	..	....	..	..	..	..	..	..	..	..	..	..	..	..	..	....	....	....	..	..	..
	M|B|	M	1	..	..	..	....	..	..	..	..	..	..	..	..	....	....	..	....	..	..	....	1	..	..	..
		F	..	..	..	..	..	....	..	....	..	....	..	..	....	..	..	..	....	..	....	....	..	..	..	..
	M||	M	....	..	..	....	..	....	..	....	..	....	..	....	....	..	..	....	..	..	....	....	..	....	..	..
		F	..	..	..	..	....	..	..	....	....	....	....	....	....	..	....	....	....	....	....	....	....	....	....	..
Laryngitis.	M|B|W	M	1	..	..	.	1	....	..	....	..	..	..	..	....	..	..	..	....	..	..	..	..	..	..	....
		F	2	1	..	....	1	....	....	....	....	....	..	..	..	..	..	..	....	..	....	....	....	....	..	.
	M|B|	M	1	....	..	..	..	..	..	1	..	....	..	..	.	..	..	....	....	..	..	..	..	..	..	....
		F	1	..	....	....	..	....	1	..	..	..	..	....	.	....	..	..	....	..	..	..	..	..	..	..
	M||	M	..	..	..	....	..	..	..	....	....	..	.	....	....	....	..	.	....	....	....	..	..	.	.	....
		F	..	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	..
Ulcer of Throat.	M|B|W	M	2	..	..	1	..	....	..	..	....	..	....	..	..	..	..	..	1	..	..	..	..	..	..	..
		F	....	..	..	....	....	....	....	..	..	....	....	....	....	..	.	..	..	.	..	..	..	..	..	..
	M|B|	M	1	....	..	..	..	..	..	1	....	..	....	....	..	..	..	....	..	..	..	..	..	..	..
		F	..	..	..	....	..	....	..	..	.	....	....	....	..	..	..	..	..	..	..	....	..	..	..	..
	M||	M	..	....	....	....	..	....	.	..	....	..	....	....	..	..	..	....	.	.	..	..	..	..	..	..
		F	..	..	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	..
Pneumo-Thorax.	M|B|W	M	..	..	....	..	..	..	..	..	....	..	..	..	....	..	..	..	....	..	..	..	..	..	..	....
		F	....	..	..	..	....	..	..	.	..	..	..	..	..	....	....	..	....	....	..	.	..	..	..	..
	M|B|	M	....	....	....	....	....	....	....	....	....	..	..	..	..	..	..	....	....	....	....	....	....	....	....	..
		F	....	..	..	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	..
	M||	M	....	..	..	..	..	..	....	..	....	..	..	..	..	..	....	....	....	....	....	....	....	..	.	..
		F	1	....	....	....	....	..	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	..	....

Annual Report of Deaths by Causes, Sexes, and Ages, for the State of Alabama for 1891.

RESPIRATORY SYSTEM—Continued.

CAUSES OF DEATH.	Color	Sex	Total	Under 1 year	1-2 years	2-3 years	3-4 years	4-5 years	5-10 years	10-15 years	15-20 years	20-25 years	25-30 years	30-35 years	35-40 years	40-45 years	45-50 years	50-55 years	55-60 years	60-65 years	65-70 years	70-75 years	75-80 years	80-90 years	90-100 years	Age not given
			AGES OF DECEDENTS.																							
Spasm of Glottis.	W	M																								
		F	1	1																						
	B	M																								
		F																								
	M	M																								
		F																								
Summary of Deaths from Diseases of Respiratory System	W	M	275	42	31	14	9	6	8	6	12	23	10	13	10	9	7	9	10	10	12	10	11	11	1	1
		F	226	34	16	13	9	5	8	4	15	10	7	8	7	13	14	6	10	14	9	10	9	4	1	
	B	M	275	23	14	14	4	6	8	10	26	32	24	17	20	11	9	14	8	6	5	9	6	5		3
		F	205	22	12	6	10	3	7	5	19	18	14	10	14	8	7	7	5	13	7	8	7	2	1	1
	M	M	9	2		1					1	2				1	1		1							
		F	7	1		1	1		1		1										1			1		
Gen'l Summary			997	124	73	49	33	20	32	25	74	85	55	48	51	42	38	36	34	43	34	37	33	23	3	5

DIGESTIVE SYSTEM.

Tonsilitis.	W	M	4		2				1												1					
		F	5	1				1	2														1			
	B	M	2				1				1															
		F	4		1	1	1		1			1														
	M	M																								
		F																								

Gastritis.	W	M	4	..	2	..	....	....	....	....	1	....	..	....	....	....	1	..	....	....	....	....	..	....	....	....	....	....
		F	14	1	1	....	....	....	....	1	....	....	1	..	3	2	1	..	1	....	1	..	1	1	....	....	....	....
	B	M	2	....	....	..	....	....	....	....	....	....	..	1	....	..	..	..	..	..	..	..	..	1	....	....	....	....
		F	..	....	....	....	....	....	....	....	....	....	..	..	....	..	....	....	....	....	....	..	..	..	....	....	....	....
	M	M	..	..	....	....	....	....	..	....	....	....	....	....	....	..	..	....	....	....	....	..	..	..	....	....	....	....
		F	..	..	..	..	....	....	....	..	....	....	..	....	....	....	....	..	..	..	..	..	..	....	....	....	....	....
Gastritis, Chronic.	W	M	3	....	....	..	..	....	..	..	..	1	....	..	..	..	1	..	....	1	....	..	..	..	..	....	....	....
		F	3	....	....	..	....	....	....	..	..	..	....	..	....	..	1	....	....	1	..	..	..	..	..	1	....	....
	B	M	..	..	....	..	....	..	..	..	..	1	....	..	....	..	..	..	....	..	..	..	..	..	..	..	....	....
		F	1	....	..	....	..	..	....	....	....	....	....	....	..	....	..	..	..	..	....	..	..	..	..	..	....	....
	M	M	..	....	..	....	....	....	....	..	....	..	..	....	..	..	..	..	..	..	....	..	..	..	..	..	....	....
		F	..	..	..	..	..	..	....	..	..	..	..	..	..	..	..	..	....	....	..	..	..	..	..	..	....	....
Typhlitis.	W	M	2	....	....	....	..	..	1	..	....	1	....	..	..	....	....	..	..	..	..	..	....	..	..	..	....	....
		F	1	..	....	....	....	..	..	..	1	..	..	..	..	..	..	..	..	....	..	....	....	..	..	..	....	....
	B	M	1	..	....	....	....	..	..	..	..	..	....	..	1	..	..	..	..	....	..	..	....	..	..	..	....	....
		F	....	..	....	....	....	....	....	..	....	....	..	....	..	....	..	..	..	..	..	....	..	..	..	..	....	....
	M	M	..	..	....	....	..	..	..	..	....	....	..	..	..	..	..	..	..	..	..	..	..	....	..	..	....	....
		F	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Enteritis.	W	M	25	9	4	3	..	..	1	....	..	3	1	.	1	..	1	1	1	..	..	....	.	..	....	....	....
		F	16	5	1	..	..	..	1	..	1	....	....	2	1	..	..	2	..	..	....	2	..	1	....	..	..	..
	B	M	12	1	....	4	1	..	1	2	..	..	..	..	..	..	.	..	1	1	..	1	....	..	..	..	..	..
		F	8	3	2	....	....	..	1	1	..	..	..	.	..	....	..	..	....	..	1	....	..	..	..	..	..	..
	M	M	....	..	....	....	....	..	..	..	....	..	....	..	..	..	..	....	..	....	..	..	..	..	..	....	....	....
		F	..			....		..																				
Gastro-Enteritis.	W	M	7	..	2	..	..	..	..	.	....	..	....	..	..	..	..	1	1	..	1	1	..	....	....	....	....	1
		F	10	1	1	..	..	.	..	1	..	1	....	1	1	1	..	..	1	..	..	..	1	1	..	..	..	..
	B	M	5	1	2	..	.	..	..	..	..	..	..	..	1	..	..	..	..	..	..	..	..	....	....	....	....	1
		F	5	1	1	..	....	..	..	..	..	..	1	1	..	..	..	..	..	1	..	..	..	..	..	..	..	..
	M	M	..	..	....	....	..	....	..	..	....	..	..	..	..	..	..	....	..	..	..	..	..	..	..	..	..	..
		F	1	..					1																			
Hæmatamesis.	W	M	1	....	....	....	....	....	..	..	..	..	..	....	..	....	..	....	1	..	....	....	..	..	..	..	....	....
		F	1	..	....	....	....	..	..	..	..	..	....	..	..	..	..	....	..	....	..	1	..	..	..	..	....	....
	B	M	....	..	..	....	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	....	..	..	..	..	....	....
		F	....	..	..	..	..	....	..	..	..	..	..	..	..	....	..	..	..	..	..	....	..	....	....	....	....	..
	M	M	....	..	..	....	..	....	..	..	..	..	..	..	..	..	....	..	..	..	..	..	....	..	..	..	....	....
		F	..	....	....	..	..	....	....	..	..	..	..	....	....	..	....	....	....	....	..	..	..	..	....	....	....	....

Annual Report of Deaths by Causes, Sexes, and Ages, for the State of Alabama for 1891.

DIGESTIVE SYSTEM—Continued.

CAUSES OF DEATH.	Color	Sex	Total	AGES OF DECEDENTS. Under 1 year	1-2 years	2-3 years	3-4 years	4-5 years	5-10 years	10-15 years	15-20 years	20-25 years	25-30 years	30-35 years	35-40 years	40-45 years	45-50 years	50-55 years	55-60 years	60-65 years	65-70 years	70-75 years	75-80 years	80-90 years	90-100 years	Age not given
Jaundice.	W	M	2																		1			1		
		F	5	1									2	1	1											
	B	M																								
		F																								
	M	M																								
		F	1			1																				
Appendicitis.	W	M																								
		F	1						1																	
	B	M																								
		F																								
	M	M																								
		F																								
Dyspepsia.	W	M	5	1												1		1		1			1			
		F																								
	B	M																								
		F	1																1							
	M	M																								
		F																								
Hepatitis.	W	M	4														1	1	1					1		
		F	1												1											
	B	M	4		1									1			2									
		F	3									1	1			1										
	M	M																								
		F																								

Hepatitis, Chronic.	M	M																										
		F	1																									
	B	M	3													2			1			1						
		F	2										1															
	W	M																					1					
		F																										
Congestion of Stomach.	M	M	4	2						1									1									
		F	3			1							1				1											
	B	M	3											1				1				1						
		F																										
	W	M																										
		F																										
Inflammation of Stomach.	M	M	1					1																				
		F	1				1																					
	B	M																										
		F																										
	W	M																										
		F																										
Ulcer of Stomach.	M	M	4																	1	1			1	1			
		F	1											1														
	B	M	1																							1		
		F																										
	W	M																										
		F																										
Congestion of Stomach and Bowels.	M	M	1											1														
		F																										
	B	M																										
		F																										
	W	M	1	1																								
		F																										
Inflammation of Stomach and Bowels.	M	M	1											1														
		F	1		1																							
	B	M																										
		F																										
	W	M																										
		F																										

Annual Report of Deaths by Causes, Sexes, and Ages, for the State of Alabama for 1891.

DIGESTIVE SYSTEM—Continued.

CAUSES OF DEATH.	Color	Sex	Total	Under 1 year	1-2 years	2-3 years	3-4 years	4-5 years	5-10 years	10-15 years	15-20 years	20-25 years	25-30 years	30-35 years	35-40 years	40-45 years	45-50 years	50-55 years	55-60 years	60-65 years	65-70 years	70-75 years	75-80 years	80-90 years	90-100 years	Age not given
			AGES OF DECEDENTS.																							
Congestion of Bowels.	W	M	21	3	1	4	1	2	1	1	1	2	...	...	...	1	...	...	3	1	...	...	...	...	...	...
		F	11	2	1	1		1	1	...	...	...	...	1	...	...	...	1	...	2	1	...	...	...	...	...
	B	M	9	1	1	1	...	...	1	1	...	...	...	...	...	2	1	...	1	...	...	...	...	...	...	...
		F	8	2	1	...	1	...	...	...	...	1	1	...	1	...	...	...	...	...	1	...	...	...	...	...
	M	M	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
		F	1	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Inflammation of Bowels.	W	M	2	...	...	...	...	...	1	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...
		F	6	1	1	1	...	...	...	...	...	1	...	...	2	...	...	...	...	...	...	...	...	...	...	...
	B	M	3	1	...	1	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...
		F	2	...	...	...	...	...	...	...	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	M	M	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
		F	1	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Intussusception of Bowels.	W	M	11	3	1	...	...	...	...	1	...	1	...	...	1	...	...	...	1	...	1	1	1	...	...	...
		F	5	1	...	...	...	...	...	...	...	1	...	1	1	...	...	...	...	1	...	...	...	...	...	...
	B	M	6	1	...	...	...	...	1	1	...	...	...	...	...	...	...	...	...	1	1	...	...	...	...	1
		F	2	...	...	1	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	M	M	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
		F	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Ulceration of Bowels.	W	M	5	...	...	...	...	...	...	...	...	1	...	...	1	1	1	...	1	...	...	...	...	...	...	...
		F	3	...	1	...	...	...	...	...	...	...	...	...	...	1	...	...	...	1	...	...	...	...	...	...
	B	M	1	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...
		F	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	M	M	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
		F	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...

Hemorrhage of Bowels.	W	M	5	2	1							1											1				
		F																									
	B	M	1												1												
		F	5								1	1	1						1						1		
	M	M																									
		F	1																	1							
Occlusion of Bowels.	W	M	3							1			1										1				
		F	4	1					1	1				1													
	B	M	3									1		1										1			
		F	2	1																		1					
	M	M																									
		F																									
Intestinal Perforation.	W	M	3					1						1	1												
		F																									
	B	M																									
		F																									
	M	M																									
		F																									
Gastro-Intestinal Catarrh.	W	M	8	2	3	1										1							1				
		F	7	2	1			1						1	1	1											
	B	M	1													1											
		F	1												1												
	M	M																									
		F																									
Tumor of Abdomen.	W	M																									
		F	1																				1				
	B	M																									
		F	1	1																							
	M	M																									
		F																									
Peritonitis (not Puerperal.)	W	M	11					1		2					2		1				1	1	2	1			
		F	13							2		2	2		3	1	2										1
	B	M	4									1	1		1			1									
		F	15								2	1	4	3	2	1	1							1			
	M	M	3									1	2														
		F	2						1			1															

Annual Report of Deaths by Causes, Sexes, and Ages, for the State of Alabama for 1891.

DIGESTIVE SYSTEM—Continued.

CAUSES OF DEATH.	Color	Sex	Total	AGES OF DECEDENTS. Under 1 year	1-2 years	2-3 years	3-4 years	4-5 years	5-10 years	10-15 years	15-20 years	20-25 years	25-30 years	30-35 years	35-40 years	40-45 years	45-50 years	50-55 years	55-60 years	60-65 years	65-70 years	70-75 years	75-80 years	80-90 years	90-100 years	Age not given
Hernia, Strangulated.	W	M	3														1	1					1			
		F	1															1								
	B	M	9							1		2			2				1		1	1	1			
		F	2	1														1								
	M	M																								
		F																								
Stricture of Œsophagus.	W	M	1																						1	
		F																								
	B	M																								
		F																								
	M	M																								
		F																								
Cirrhosis of Liver	W	M	12												3	3	1	1	2			1	1			
		F	1															1								
	B	M	1																	1						
		F	1												1											
	M	M																								
		F																								
Abscess of Liver.	W	M	6											4	2											
		F	2											1									1			
	B	M	3									1					2									
		F	2							1									1							
	M	M																								
		F																								

Congestion of Liver.	W	M	2	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...
		F	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...
	B	M	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
		F	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	M	M	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
		F	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Disease of Liver.	W	M	3	1	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	1	...	...	...	...
		F	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	B	M	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...
		F	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	M	M	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
		F	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Uticaria.	W	M	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
		F	1	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	B	M	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
		F	1	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	M	M	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
		F	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Abscess of Rectum.	W	M	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...
		F	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	B	M	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
		F	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	M	M	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
		F	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Summary of Deaths from Diseases of the Digestive System.	W	M	165	24	16	8	1	5	5	6	2	10	5	5	11	8	9	7	12	4	7	7	8	3	1	1
		F	120	17	8	3	1	3	6	5	2	6	6	9	15	6	4	5	2	6	3	3	5	3	...	2
	B	M	75	5	4	6	2	...	3	5	1	6	2	5	7	3	7	1	4	3	3	3	1	2	...	2
		F	66	10	5	2	2	...	2	2	5	7	8	4	5	2	1	2	2	2	3	...	1	1	...	...
	M	M	5	2	...	...	...	...	...	...	...	1	2	...	...	...	...	...	...	...	...	...	...	...	...	...
		F	6	...	1	1	...	...	2	...	...	1	...	...	...	...	...	...	1	...	...	...	...	...	...	...
Gen'l Summary			437	58	34	20	6	8	18	18	10	31	23	23	38	19	21	15	21	15	16	13	15	9	1	5

Annual Report of Deaths by Causes, Sexes, and Ages, for the State of Alabama for 1891.

URINARY SYSTEM.

CAUSES OF DEATH.	Color	Sex	Total	AGES OF DECEDENTS. Under 1 year	1-2 years	2-3 years	3-4 years	4-5 years	5-10 years	10-15 years	15-20 years	20-25 years	25-30 years	30-35 years	35-40 years	40-45 years	45-50 years	50-55 years	55-60 years	60-65 years	65-70 years	70-75 years	75-80 years	80-90 years	90-100 years	Age not given
Brights Disease.	M | B | W	M	25										2	3	1			2	1	2	3	4	2	3	1	1
		F	9											1		1	1	1	1	1	2	1				
		M	13		1						1	1	1	1	1		1	1		3		1		1		
		F	15				1							5		3		1		1	2	1		1		
	M | B | C	M																								
		F	2												1						1					
Nephritis.	M | B | W	M	4										1		1					1	1					
		F	4	1												1		1			1					
		M	7								1								1	1	1	2		1		
		F	4											1	1	1		1								
	M | B | C	M	1																	1						
		F																								
Uræmia.	M | B | W	M	5										1							3	1					
		F	4		1								1			1				1						
		M	6	1									1							1	1	1	1			
		F	2									1						1								
	M | B | C	M																								
		F																								
Diabetes.	M | B | W	M	9							1		1	1						1	1	1	2		1		
		F	2										1										1			
		M	2															1					1			
		F	1															1								
	M | B | C	M																								
		F																								

Cystitis.	W	M	7	1																			2	3	1		
		F																									
	B	M	5																				1	3	1		
		F	1																1								
	M	M																									
		F																									
Hæmaturia.	W	M																									
		F																									
	B	M	1										1														
		F																									
	M	M	1					1																			
		F																									
Retention of Urine.	W	M	1		1																						
		F																									
	B	M																									
		F																									
	M	M	1														1										
		F																									
Calculus Vesical.	W	M																									
		F																									
	B	M	1																				1				
		F																									
	M	M																									
		F																									
Albuminuria.	W	M																									
		F	2													1			1								
	B	M	1						1																		
		F	1															1									
	M	M																									
		F																									
Summary of Deaths from Diseases of the Urinary System.	W	M	51	1	1				1			1	5	3	2			2	2	7	6	8	5	5	1	1
		F	21	1	1								2	1	1	3	1	3	1	2	3	1	1			
	B	M	36	1	1					1	2	1	3	1	1		1	2	1	5	2	6	5	3		
		F	24				1					1		6	1	4	1	5		1	2	1		1		
	M	M	3					1									1			1						
		F	2												1						1					
Gen'l Summary			137	3	3		1	1	1	1	2	3	10	11	6	7	4	12	4	16	14	16	11	9	1	1

Annual Report of Deaths by Causes, Sexes, and Ages, for the State of Alabama for 1891.

GENERATIVE SYSTEM (MALE).

CAUSES OF DEATH.	Color	Sex	Total	Under 1 year	1-2 years	2-3 years	3-4 years	4-5 years	5-10 years	10-15 years	15-20 years	20-25 years	25-30 years	30-35 years	35-40 years	40-45 years	45-50 years	50-55 years	55-60 years	60-65 years	65-70 years	70-75 years	75-80 years	80-90 years	90-100 years	Age not given
			AGES OF DECEDENTS.																							
Stricture of Urethra.	W	M	1													1										
		F																								
	B	M																								
		F																								
	M	M																								
		F																								
Prostatitis.	W	M	2																			1		1		
		F																								
	B	M																								
		F																								
	M	M																								
		F																								

GENERATIVE SYSTEM (FEMALE).

CAUSES OF DEATH.	Color	Sex	Total	Under 1 year	1-2 years	2-3 years	3-4 years	4-5 years	5-10 years	10-15 years	15-20 years	20-25 years	25-30 years	30-35 years	35-40 years	40-45 years	45-50 years	50-55 years	55-60 years	60-65 years	65-70 years	70-75 years	75-80 years	80-90 years	90-100 years	Age not given
Ovarian Tumor.	W	M																								
		F	2														2									
	B	M																								
		F																								
	M	M																								
		F																								

Fibroid Tumor of Uterus.	W	M																										
		F	1														1											
	B	M																										
		F	1																	1								
	M	M																										
		F																										
Metritis.	W	M																										
		F																										
	B	M																										
		F	5									1			1	2							1					
	M	M																										
		F																										
Hemorrhage of Uterus.	W	M																										
		F	6								1	1		1	1	2												
	B	M																										
		F	2									1	1															
	M	M																										
		F																										
Amenorrhea.	W	M																										
		F	1									1																
	B	M																										
		F	1							1																		
	M	M																										
		F																										
Summary of Deaths from Diseases of Generative System (Female).	W	M																										
		F	10								1	2		1	1	3	2											
	B	M																										
		F	9							1	1	1	1	1	2				1			1						
	M	M																										
		F																										
Gen'l Summary			19							1	2	3	1	2	3	3	2		1			1						

Annual Report of Deaths by Causes, Sexes, and Ages, for the State of Alabama for 1891.

AFFECTIONS CONNECTED WITH CHILD BIRTH AND PREGNANCY.

CAUSES OF DEATH.	Color	Sex	Total	AGES OF DECEDENTS. Under 1 year	1-2 years	2-3 years	3-4 years	4-5 years	5-10 years	10-15 years	15-20 years	20-25 years	25-30 years	30-35 years	35-40 years	40-45 years	45-50 years	50-55 years	55-60 years	60-65 years	65-70 years	70-75 years	75-80 years	80-90 years	90-100 years	Age not given
Child Birth.	W	M																								
		F	5											3	2											
	B	M																								
		F	21								3	2	3	1	2	1										
	M	M																								
		F	1																							
Abortion.	W	M																								
		F	3									2			1											
	B	M																								
		F	6								1	1	1		3											
	M	M																								
		F																								
Metro-Peritonitis, Puerperal.	W	M																								
		F	2										2													
	B	M																								
		F	2								1		1													
	M	M																								
		F																								
Peritonitis, Puerperal.	W	M																								
		F	4									1	1	1		1										
	B	M																								
		F	5								1	2			1	1										
	M	M																								
		F																								

Convulsions, Puerperal.	W	M																										
		F	10								4		2	1	1	2												
	B	M																										
		F	13							1	7		1	1		3												
	M	M																										
		F																										
Hemorrhage, Post-Partem.	W	M																										
		F	5								1		1	1	2													
	B	M																										
		F	6										2		3	1												
	M	M																										
		F																										
Rupture of Uterus.	W	M																										
		F																										
	B	M																										
		F	2								1					1												
	M	M																										
		F																										
Endo-Metritis.	W	M																										
		F																										
	B	M																										
		F	1								1																	
	M	M																										
		F																										
Summary of Deaths from Affections Connected with Child Birth and Pregnancy.	W	M																										
		F	29								5	3	6	6	6	3												
	B	M																										
		F	47							1	15	5	8	2	9	7												
	M	M																										
		F	1										1															
Gen'l Summary			77							1	20	8	15	8	15	10												

Annual Report of Deaths by Causes, Sexes, and Ages, for the State of Alabama for 1891.

ORGANS OF LOCOMOTION.

CAUSES OF DEATH.	Color	Sex	Total	Under 1 year	1-2 years	2-3 years	3-4 years	4-5 years	5-10 years	10-15 years	15-20 years	20-25 years	25-30 years	30-35 years	35-40 years	40-45 years	45-50 years	50-55 years	55-60 years	60-65 years	65-70 years	70-75 years	75-80 years	80-90 years	90-100 years	Age not given
			AGES OF DECEDENTS.																							
Hip Joint Disease	M | B | W	M	1									1														
		F																								
		M																								
		F																								
		M																								
		F																								

INTEGUMENTARY SYSTEM.

CAUSES OF DEATH.	Color	Sex	Total	Under 1 year	1-2 years	2-3 years	3-4 years	4-5 years	5-10 years	10-15 years	15-20 years	20-25 years	25-30 years	30-35 years	35-40 years	40-45 years	45-50 years	50-55 years	55-60 years	60-65 years	65-70 years	70-75 years	75-80 years	80-90 years	90-100 years	Age not given
Carbuncle.	M | B | W	M																								
		F	2			1											1									
		M																								
		F																								
		M																								
		F																								
Elephantiasis.	M | B | W	M																								
		F																								
		M	1													1										
		F																								
		M																								
		F																								

Summary of Deaths from Diseases of Integumentary System.	W	M																									
		F	2		1													1									
	B	M	1														1										
		F																									
	M	M																									
		F																									

Class VII. Poisons—Metallic Poisons.

Arsenic.	W	M																									
		F	1									1															
	B	M	1		1																						
		F																									
	M	M																									
		F																									
Summary of Deaths from Metallic Poisons	W	M																									
		F	1									1															
	B	M	1		1																						
		F																									
	M	M																									
		F																									

Vegetable Poisons.

Morphine.	W	M	2										1							1							
		F	2															1									1
	B	M	1														1										
		F																									
	M	M																									
		F																									
Opium.	W	M	3	1											1						1						
		F	3										1								1						1
	B	M	2						1		1																
		F	1														1										
	M	M	1	1																							
		F																									

Annual Report of Deaths by Causes, Sexes, and Ages, for the State of Alabama for 1891.

VEGETABLE POISONS—Continued.

CAUSES OF DEATH.	Color	Sex	Total	AGES OF DECEDENTS. Under 1 year	1-2 years	2-3 years	3-4 years	4-5 years	5-10 years	10-15 years	15-20 years	20-25 years	25-30 years	30-35 years	35-40 years	40-45 years	45-50 years	50-55 years	55-60 years	60-65 years	65-70 years	70-75 years	75-80 years	80-90 years	90-100 years	Age not given
Summary of Deaths from Vegetable Poisons.	W	M	6	1									1		1				1	1						
		F	5										1				1			1						2
	B	M	3						1		1					1										
		F	1													1										
	M	M	1	1																						
		F																								
Gen'l Summary			15	2					1		1		2		1	2	1		1	2						2

POISONED WOUNDS.

Hydrophobia.	W	M																								
		F																								
	B	M	1													1										
		F	1			1																				
	M	M																								
		F																								
Snake Bite.	W	M																								
		F																								
	B	M																								
		F	1									1														
	M	M																								
		F																								

Summary of Deaths from Poisoned Wounds	W	M																									
		F																									
	B	M	1													1											
		F	2			1						1															
	M	M																									
		F																									

Class VIII. Violence.—(Accident and Negligence.)

Accidents (Unclassified.)	W	M	6									1			1		1		1	1				1			
		F	2					1				1															
	B	M	14								1	5	4	2		1					1						
		F	2	2																							
	M	M	1	1																							
		F																									
Railroad Injuries.	W	M	51					1	1		7	8	9	8	7	4	1	1	2		1						1
		F	1				1																				
	B	M	32							3	7	5	4	3	2					4					1		3
		F	4										1					1		2							
	M	M	3									1			1	1											
		F																									
Gunshot Wound.	W	M	6							1	3	1			1												
		F	1													1											
	B	M	8			1				1	2	2	2														
		F	1			1																					
	M	M	1										1														
		F																									
Pistolshot Wound	W	M	1									1															
		F																									
	B	M	1									1															
		F	1											1													
	M	M																									
		F																									

Annual Report of Deaths by Causes, Sexes, and Ages, for the State of Alabama for 1891.

ACCIDENTS AND NEGLIGENCE—Continued.

CAUSES OF DEATH.	Color	Sex	Total	AGES OF DECEDENTS. Under 1 year	1-2 years	2-3 years	3-4 years	4-5 years	5-10 years	10-15 years	15-20 years	20-25 years	25-30 years	30-35 years	35-40 years	40-45 years	45-50 years	50-55 years	55-60 years	60-65 years	65-70 years	70-75 years	75-80 years	80-90 years	90-100 years	Age not given
* Burns and Scalds.	W	M	16	1	1	4	2	2	3	1	2															
		F	23	1	2	2	2	3	4	4	1		1						1		1			1		
	B	M	26	2	2	5	2	4		3	1	1	1													4
		F	35	1	2	3	4	4	10	4	2	1				1	2				1					
	M	M																								
		F																								
Falling.	W	M	8				1		1		2	1		1	1				1							
		F	1	1																						
	B	M	12	2	2							1	2		1		1		1				1			1
		F	1																1							
	M	M																								
		F																								
Drowning.	W	M	8		1				1	1	2	1	1	1												
		F	2								2															
	B	M	7								3	2	1										1			
		F	1																	1						
	M	M																								
		F																								
Asphyxia.	W	M	3	3																						
		F	4	4																						
	B	M	6	6																						
		F	12	12																						
	M	M																								
		F																								

*100 to 110 years—1 Black Male.

Fracture of Spine.	W	M	1													1													
		F																											
	B	M	2							1	1																		
		F																											
	M	M																											
		F																											
Fracture of Skull.	W	M	3					1								1	1												
		F																											
	B	M	2										1	1															
		F																											
	M	M																											
		F																											
Fracture of Femur.	W	M																											
		F	1													1													
	B	M	2																	1			1						
		F																											
	M	M																											
		F																											
Fracture of Pelvis	W	M																											
		F	1																								1		
	B	M																											
		F																											
	M	M																											
		F																											
Falling Slag.	W	M																											
		F																											
	B	M	2									1				1													
		F																											
	M	M																											
		F																											
Falling Tree.	W	M																											
		F	1																1										
	B	M	2						1										1										
		F																											
	M	M																											
		F																											

Annual Report of Deaths by Causes, Sexes, and Ages, for the State of Alabama for 1891.

ACCIDENTS AND NEGLIGENCE—Continued.

CAUSES OF DEATH.	Color	Sex	Total	Under 1 year	1-2 years	2-3 years	3-4 years	4-5 years	5-10 years	10-15 years	15-20 years	20-25 years	25-30 years	30-35 years	35-40 years	40-45 years	45-50 years	50-55 years	55-60 years	60-65 years	65-70 years	70-75 years	75-80 years	80-90 years	90-100 years	Age not given
			AGES OF DECEDENTS.																							
Falling Trestle.	W	M	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
		F	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	B	M	2	...	...	...	...	...	...	...	...	...	...	...	1	...	...	1	...	...	...	...	...	...	...	...
		F	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	M	M	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
		F	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Falling House.	W	M	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
		F	2	...	...	...	...	...	...	...	1	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	B	M	1	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...
		F	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	M	M	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
		F	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Falling Rock.	W	M	...	...	...	...	...	...	...	...	1	...	...	2	1	...	...	...	...	...	...	...	...	...	...	...
		F	4	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	B	M	3	...	...	...	...	...	...	...	...	2	...	1	...	...	...	...	...	...	...	...	...	...	...	...
		F	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	M	M	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
		F	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Lightning Stroke.	W	M	1	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...
		F	1	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	B	M	1	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...
		F	1	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...
	M	M	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
		F	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...

Explosion of Boiler.	M | W	M	1							1																		
		F																										
	M | B	M																										
		F																										
	M | M	M																										
		F																										
Explosion of Dynamite.	M | W	M	1																									1
		F																										
	M | B	M	1								1																	
		F																										
	M | M	M																										
		F																										
Explosion of Oil.	M | W	M																										
		F	1										1															
	M | B	M																										
		F																										
	M | M	M																										
		F																										
Accident in Mines.	M | W	M	5									1	1															3
		F																										
	M | B	M	7											1														6
		F																										
	M | M	M																										
		F																										
Foreign Body in Trochea	M | W	M																										
		F																										
	M | B	M	1	1																								
		F																										
	M | M	M																										
		F																										
Traumatism.	M | W	M																										
		F	1											1														
	M | B	M																										
		F																										
	M | M	M																										
		F																										

Annual Report of Deaths by Causes, Sexes, and Ages, for the State of Alabama for 1891.

ACCIDENTS AND NEGLIGENCE—Continued.

CAUSES OF DEATH.	Color	Sex	Total	AGES OF DECEDENTS. Under 1 year	1-2 years	2-3 years	3-4 years	4-5 years	5-10 years	10-15 years	15-20 years	20-25 years	25-30 years	30-35 years	35-40 years	40-45 years	45-50 years	50-55 years	55-60 years	60-65 years	65-70 years	70-75 years	75-80 years	80-90 years	90-100 years	Age not given
Blow from Base Ball Bat.	W	M																								
		F																								
	B	M	1							1																
		F																								
	W	M																								
		F																								
Mule Kick.	W	M	1							1																
		F																								
	B	M	1						1																	
		F																								
	W	M																								
		F																								
Thrown from Horse.	W	M	2								1		1													
		F																								
	B	M																								
		F																								
	W	M																								
		F																								
Poisoned.	W	M	1			1																				
		F	1													1										
	B	M	2						1					1												
		F	2					1														1				
	W	M	1									1														
		F																								

Gored by Ox.	W	M																									
		F																									
	B	M	1							1																	
		F																									
	M	M																									
		F																									
Sunstroke.	W	M																									
		F																									
	B	M																									
		F	1															1									
	M	M																									
		F																									
Falling in Well.	W	M	1												1												
		F																									
	B	M																									
		F	1						1																		
	M	M																									
		F																									
Summary of Deaths from Accidents and Negligence.	W	M	120	4	2	5	3	4	6	5	18	14	12	12	15	5	2	1	4	1	1			1		5
		F	43	6	2	2	3	4	4	4	4	3	2	1	1	2	1		1		1			2		
	B	M	137	11	4	6	2	4	3	10	16	20	15	9	6	1	3	2	1	4	1		3			14
		F	61	15	2	4	4	5	11	4	2	1	2	1		1	2	2	1	3	1	1				
	M	M	7	1								2	1		1	1	1									
		F																								
Gen'l Summary			368	37	10	17	12	17	24	23	40	40	32	23	23	10	9	5	7	8	4	1	3	3		19

Homicide.

Murdered.	W	M	4										2			1		1									
		F	1													1											
	B	M	8						1			1	3		1	1					1						
		F	2								1			1													
	M	M	1															1									
		F																									

Annual Report of Deaths by Causes, Sexes, and Ages, for the State of Alabama for 1891.

HOMICIDE—Continued.

CAUSES OF DEATH.	Color	Sex	Total	AGES OF DECEDENTS. Under 1 year	1-2 years	2-3 years	3-4 years	4-5 years	5-10 years	10-15 years	15-20 years	20-25 years	25-30 years	30-35 years	35-40 years	40-45 years	45-50 years	50-55 years	55-60 years	60-65 years	65-70 years	70-75 years	75-80 years	80-90 years	90-100 years	Age not given
Pistol.	M | B | W	M	2								1															1
		F																								
		M	10								1	1	4		1	1		1								1
		F	2															1								1
	M | B | M	M	1								1															
		F	1										1													
Shotgun.	M | B | W	M	27						1		2	8	1	6	2	3		1	1		1					1
		F	1							1																
		M	34								3	8	8	5	3	1	3	1		1						1
		F	3								1	1	1													
	M | B | M	M	2								1			1												
		F																								
Knife.	M | B | W	M	1											1												
		F																								
		M	7							1	2	1		1	2											
		F	1									1														
	M | B | M	M																								
		F																								
Axe.	M | B | W	M	1																					1		
		F	1															1								
	M | B | M	M																								
		F																								

Hung by Mob.	W	M	8									1		1	1	1	2		1		1							
		F																										
	B	M																										
		F																										
	M	M																										
		F																										
Summary of Deaths from Homicidal Causes.	W	M	43						1		3	9	3	8	3	5	2	2	2		2			1			2
		F	3							1						1		1									
	B	M	59						1	1	6	11	15	6	7	3	3	2		1	1						2
		F	8								2	2	1	1				1									1
	M	M	4								2			1				1									
		F	1										1														
Gen'l Summary			118						2	2	13	22	20	16	10	9	5	7	2	1	3			1			5

Suicide.

Suicide. (Mode not Stated)	W	M	1												1														
		F																											
	B	M	3										2	1															
		F																											
	M	M	1										1																
		F																											
Pistol.	W	M	1										1																
		F																											
	B	M																											
		F																											
	M	M																											
		F																											
Shotgun.	W	M	1									1																	
		F																											
	B	M																											
		F																											
	M	M																											
		F																											

Annual Report of Deaths by Causes, Sexes, and Ages, for the State of Alabama for 1891.

SUICIDE—Continued.

CAUSES OF DEATH.	Color	Sex	Total	AGES OF DECEDENTS. Under 1 year	1-2 years	2-3 years	3-4 years	4-5 years	5-10 years	10-15 years	15-20 years	20-25 years	25-30 years	30-35 years	35-40 years	40-45 years	45-50 years	50-55 years	55-60 years	60-65 years	65-70 years	70-75 years	75-80 years	80-90 years	90-100 years	Age not given
Morphine.	W	M	1									1														
		F	1										1													
	B	M																								
		F	1									1														
	M	M																								
		F																								
Chloroform.	W	M	1													1										
		F																								
	B	M																								
		F																								
	M	M																								
		F																								
Knife.	W	M	1													1										
		F																								
	B	M																								
		F																								
	M	M																								
		F																								
Hanging.	W	M																								
		F	1													1										
	B	M																								
		F																								
	M	M																								
		F																								

Starving.	W	M																										
		F	1															1										
	B	M																										
		F																										
	M	M																										
		F																										
Summary of Deaths from Suicide.	W	M	6											1			1	2										
		F	3											1				1	1									
	B	M	3											2	1													
		F	1										1															
	M	M	1											1														
		F																										
Gen'l Summary			14										3	5	1	1	3	1										

Execution.

Hanging.	W	M																										
		F																										
	B	M	1												1													
		F																										
	M	M																										
		F																										
Summary of Deaths from Execution.	W	M																										
		F																										
	B	M	1												1													
		F																										
	M	M																										
		F																										

Annual Report of Deaths by Causes, Sexes, and Ages, for the State of Alabama for 1891.

Class IX.—Surgical Operations.

Causes of Death.	Color	Sex	Total	Under 1 year	1-2 years	2-3 years	3-4 years	4-5 years	5-10 years	10-15 years	15-20 years	20-25 years	25-30 years	30-35 years	35-40 years	40-45 years	45-50 years	50-55 years	55-60 years	60-65 years	65-70 years	70-75 years	75-80 years	80-90 years	90-100 years	Age not given
			Ages of Decedents.																							
Amputation of Leg.	W	M																								
		F																								
	B	M																								
		F	1													1										
	M	M																								
		F																								
Laparotomy.	W	M																								
		F																								
	B	M																								
		F	1																	1						
	M	M																								
		F																								
Summary of Deaths from Surgical Operations.	W	M																								
		F																								
	B	M																								
		F	2													1				1						
	M	M																								
		F																								

Class X.—Unclassified.

Unknown.	W	M	121	62	7	6	2	2	4	2	4	..		...	5	2	4	...	4	1	4	2	2	4	1	3
		F	109	49	2	1	3	1	2	1	1	1	2	...	3	...	5		4	7	2	8	8	6	2	...
	B	M	341	146	25	7	6	5	12	4	11	11	17	11	2	9	11	5	6	5	5	8	9	5	2	1
		F	332	127	30	11	5	2	12	12	18	14	20	8	15	10	7	9	3	8	6	12	8	4	1	19
	M	M	16	6	3	1	....	...	1	.	1	...	..	1	....	...	..	1	1	...	..	1	..	...	..	2
		F	23	12	..	3	...	...		..	2		1			2	1			....	1	..				....
Congestion.	W	M	24	3	2	...	2	..	2	1	3	2	2	..	..	..	1	1	2	2	1	.	.	.		
		F	16	2	1	...	...	..	1	2	1	1	2	..	1	1	1	1	..	1		.		.	1	..
	B	M	31	4	...	2	...	...	1	3	2	3	4	2	2	2	3	1	..	1			1	..	..	..
		F	21	2	1	1	1	...	6	..	2	2	4	..	1	..	...		.	1	.	..	..	..	..	..
	M	M	...	...	...	...	...	...	..	..	..	...	...	..	..	...	.		..	..	..	..	..	..	.	
		F	5	1	..	...	...	..	..	1	.	1	2					.								
Hemorrhage.	W	M	...	...	....	...	..	..	...	..	..	....	....		..	..		.	..	..	..	..	..	...	..	
		F	...	....	....	...	...	..	..	..	...	...	.	..	..	..	..	..	..	..	..	..	..	....	..	..
	B	M	...	...	....	...	...	..	...	....	...	...	..	..	..	..	..	..	..	..	.	..	.	..	..	..
		F	2	...	...	...	...	..	...	..	..	..	1	....	..	..	..	..	1	..	..	..	..	..	..	..
	M	M	...	..	....	...	...	..	..	..	...	..	..	...	..	...	..	...	.	..	..	..	..	..	..	..
		F	...	...	....	...	....	..		.	....	...	..	..							..		....			.
Abscess.	W	M	1	...	....	...	...	...	...	....	..	1	....	...	..	...	....	..	...	..	....	..	..	..	..	....
		F	..	..	...	...	...	...	...	...	.	...	....	..	..	..	..	..	....	..	..	...	....	..	.	....
	B	M	1	...	...	...	...	...	...	..	1	..	..	..	..	..	..	....	..	..	..	..	..	..	....	....
		F	...	...	..	...	..	...	...	..	..	..	...	...	..	...	..	..	...	..	..	...	..	....	.	....
	M	M	...	...	...	...	...	...	...	..	...	..	..	..	..	..	.	..	....	....	..	..	..	....	..	..
		F	..	.	..	....	....	....	.		....	..													....	..
Masturbation.	W	M	...	...	....	...	...	..	...	..	.	...	..	.	..	.	...	...	..	..	..	..	.	..	...	..
		F	...	...	...	..	...	..	...	..	...	...	...	..	...	...	..	...	...	...	..	..	..	..	...	..
	B	M	...	...	...	...	...	...	...	...	..	...	...	...	.	...	..	..	...	..	...	..	...	..	..	..
		F	1	....	....	....	....	....	...	...	1	...	..	..	...	...	..	..	..	..	...	...	..	..	..	..
	M	M	...	...	...	...	...	...	...	...	...	...	..	..	...	...	..	..	..	..	...	...	..	..	..	..
		F	...	...	...	...	...	...	...	...	...	...	..	..	...	...	...	..	..	..	...	...	..	..	..	..

Annual Report of Deaths by Causes, Sexes, and Ages, for the State of Alabama for 1891.

CLASS X.—UNCLASSIFIED—Continued.

CAUSES OF DEATH.	Color	Sex	Total	Under 1 year	1-2 years	2-3 years	3-4 years	4-5 years	5-10 years	10-15 years	15-20 years	20-25 years	25-30 years	30-35 years	35-40 years	40-45 years	45-50 years	50-55 years	55-60 years	60-65 years	65-70 years	70-75 years	75-80 years	80-90 years	90-100 years	Age not given
			AGES OF DECEDENTS.																							
Tumor.	W	M	1	....	..	..	...	.	...	..	...		....	....	...	.	..	..	1	.	..	...	..	.	..	..
		F	...	...	...	...	...	..	...	....	..	..	..	...	..	..	..	..	..	....	..	..	..	...	.	..
	B	M	..	....	..	....	....	...	...	...	..	..	..	...	...	..	....	..	....	..	..	...	..	...	....	..
		F	1	..	...	...	..	..	....	....	...	..	..	..	..	..	..	..	....	1	..	..	..	...	....	..
	M	M	..	.	...	....	...	..	...	....	...	..	..	....	..	..	..	..	...	....	..	..	..	..	...	...
		F	.	..	...	...	...		...	.		....					....				..	..	..			
Summary of Deaths from Causes Unknown.	W	M	147	69	9	6	4	2	6	3	7	3	2	..	5	2	5	1	7	3	5	2	2	4	1	3
		F	125	51	3	1	3	1	3	3	2	2	4	..	4	1	6	1	4	8	2	8	8	6	3	1
	B	M	373	141	25	9	6	5	13	7	14	14	21	13	4	11	14	6	6	6	5	8	10	5	2	19
		F	357	129	31	12	6	2	18	12	21	16	25	8	16	10	7	9	4	10	6	12	8	4	1	2
	M	M	16	6	3	1	....	...	1	....	1	..	..	1	..	..	..	1	1	..	.	1	..	...	...	...
		F	28	13	...	3		..		1	2	2	3	...		2	1				1	...				
Gen'l Summary			1046	409	81	32	19	10	41	26	47	37	55	22	29	26	33	18	22	27	19	31	28	19	7	25
General Summary of Deaths for the Year 1891.	W	M	2045	374	139	62	36	33	68	54	77	140	91	106	10	80	71	64	91	70	93	102	66	89	17	17
		F	1795	288	119	54	33	31	61	41	85	108	101	76	95	92	96	69	72	82	77	62	65	61	13	13
	B	M	2082	313	129	89	31	33	83	67	146	182	161	104	89	75	92	63	65	60	45	68	57	56	16	55
		F	1973	316	136	65	45	38	84	69	169	155	135	105	106	95	73	73	40	80	45	49	33	39	19	8
	M	M	102	18	6	8	...	1	2	1	8	9	5	10	3	4	8	3	3	3	5	1	....		1	..
		F	113	23	3	6	2	..	4	3	10	16	12	6	5	5	5	1	2	4	3	1		2		
Grand Total.			8110	1332	532	284	147	136	302	235	495	610	505	407	399	351	345	273	273	299	268	283	221	247	66	93

*100 to 110 years—2 White Males, 2 Females; 2 Black Males, 6 Females; 1 Mulatto Male. 110 to 120 years—1 Black Male, 4 Females.

Annual Report of Deaths by Causes, Colors, Sexes,

Causes of Death.	Total.	Colors.			Sexes.		Deaths per Month.											
		White.	Black.	Mulatto.	Male.	Female.	January	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
Class I.—Zymotic.																		
Miasmatic Diseases.																		
Measles	50	27	22	1	26	23	9	9	2	9	8	4	5	1	1	1	1	...
Diphtheria	31	27	4		15	16	1	.	.	2	2	1	1	2	8	6	6	2
Whooping Cough	39	9	28	2	23	16	2			4	2	5	7	8	5	3	2	1
*LaGrippe	247	127	116	4	141	106	73	65	34	18	7	3	1	1	1	1	4	39
Typhoid Fever	376	217	152	7	207	169	18	16	22	16	15	27	42	55	64	49	28	24
Continued Fever	12	9	3		6	6	.	1	.		1			4	..	3	3	...
Typho-Malarial Fever.	50	28	20	2	24	26	1	4	1	2	5	5	13	5	5	5	3	1
Cerebro-Spinal Fever	5	4	1	..	2	4	1	1	..	.	1	..	.	..	.	.	1	1
Scarlet Fever	10	10	.	..	5	5		.		.	..		.	2	2	5	1	...
Summary of Deaths from Miasmatic Diseases	820	458	346	16	449	371	105	96	59	51	41	45	69	78	86	73	49	68
Diarrhœal Diseases.																		
Dysentery	248	132	110	6	122	126	4	4	6	14	42	58	44	20	24	18	7	7
Dysentery, Typhoid	4		4	..	3	1	..		..	.	.	1	1	.	1	1	..	...
Diarrhœa	59	31	24	4	23	36	2	1	.	3	11	8	15	3	8	4	3	1
Diarrhœa, Chronic	48	36	12	..	25	23	1	3		3	4	6	7	7	5	8	3	2
Cholera Infantum	165	106	54	5	89	76	7	1	2	4	14	44	22	36	18	12	4	1
Entero-Colitis	77	51	26	..	43	34	..	1	1	1	11	16	11	15	9	9	1	2
Cholera Morbus	14	9	5	..	6	8	.	.	1	1	2	1	2	3	..	2	1	1
Colic, Billious	22	11	10	1	11	11	2	1	2	1	2	1	2	2	1	4	4	...
Summary of Deaths from Diarrhœal diseases	637	376	245	16	322	315	16	11	12	27	86	135	104	86	66	58	22	14
Malarial Diseases.																		
Malarial Haematuria	2	2	..	....	2		1	..	..	..		..		.	..		1	...
Malarial Fever	151	49	102	..	78	73	4	2	6	5	9	19	21	31	26	13	10	5
Cong. Malarial Fever	46	15	30	1	30	16	1	.	...	1	5	7	5	8	10	4	3	2
Hemorrhagic Mal. Fever	2	1	1	..	2		..	.	1	.	...	..	..	.	..	.	...	...
Intermittent Fever	23	2	21	..	16	17		...	.	.	3	4	1	2	4	3	5	1
Remittent Fever	61	29	31	1	32	29	1	1	2	2	4	10	10	8	12	7	3	1
Billious Remittent Fever	6	3	3	..	5	1	.	.	..	..	3	..	1	2	.	..	...	..
Gastric Fever	3	2	1	..	1	2	.	.	.	..		..	.	1	2	..	...	...
Catarrhal Fever	25	10	15	..	12	13	4	1	7	1	2	2	1	1	1	..	...	5
Pernicious Fever	3	2	1	..	1	2		..	.	..	.	.	.	2	..	1	...	...
Spinal Fever	3		3		2	1	.	...	.				..		..	..	...	3
Summary of Deaths from Malarial Diseases	325	115	208	2	181	144	11	4	16	9	26	42	39	56	55	28	23	17
Venereal Diseases.																		
Syphilis	17	2	14	1	10	7	2	2	1	...	2	3	1	2	1	...	2	1
Syphilis, Congenital	3		3		2	1	.	..	.	...	.	..	.	2	..	...	1	...
Syphilis, Tertiary	2	1	1	...	1	1	..	.	.	...	...	...	...	...	...	1	...	1

* 100-110 years—One.

Months and Ages, for the State of Alabama, for 1891.

AGES OF DECEDENTS.

Under 1 year	1-2 years	2-3 years	3-4 years	4-5 years	5-10 years	10-15 years	15-20 years	20-25 years	25-30 years	30-35 years	35-40 years	40-45 years	45-50 years	50-55 years	55-60 years	60-65 years	65-70 years	70-75 years	75-80 years	80-90 years	90-100 years	Age not given
6	4	3	..	2	4	6	3	5	3	2	2	1	2	3	1	2	1	..	..	..	..	...
2	3	6	3	8	7	2	..	.	..	..	..	..	....	..	.	.	.	..	..	..	..	...
15	16	5	3			.	..	.	.	..	....	.	.	.	.	.	.	.	.	.	..	..
28	7	2	6	8	9	9	11	10	13	11	5	11	18	9	11	10	16	17	13	19	3	...
5	8	9	1	3	26	26	62	60	33	35	26	19	17	11	7	13	8	4	.	3	..	...
1	.	2		.	..	2	..	2		1	..	1	1	..	1	..	..	1	.	..	..	...
4	2	1	1	1	.	3	6	6	4	7	1	2	4	2	2	1	..	2	1	..	..	...
..	..	..	..		3	..	1	.	1	..	..	..	..	.	.	.	.	..	.	..	..	...
...	2	..	2	3	2	1	...				..		..	..	.	..	.	.	.	.	..	...
61	42	28	16	25	51	49	83	83	54	56	34	34	42	25	22	26	25	24	14	22	3	...
26	47	19	7	8	14	4	9	3	10	8	7	11	11	9	11	17	8	4	4	8	1	2
....	..	..	..		..	.		1	..	..	1	1	..	.	1	.	.	.	.	..	..	..
16	15	4	2	1	1	1	1	..	1	2	1	1	2	2	2	..	1	3	.	2	..	1
4	3	4	1			1	1	1	2	7	3	3	2	7	.	1	1	3	1	3	..	..
96	57	9	1		1	..		..	..		.	..	.	..	..	.		..	..	..	..	1
32	26	8	2		1	1	1	..	1		.	..	..	2	..	1	.	.	.	.	..	2
2	..	..	..		..		1	....	2	..	1	1	..	1	..	2	..	1	..	1	1	1
7	3	..	3			..	.	....	..	..	1	1	2	1	2	1	..	1	.	..	..	...
184	151	44	16	9	17	7	13	5	16	17	14	18	17	22	16	22	10	12	5	14	2	7
....	..		...		.			.			.	1	..	..	.	...	..	1	..	..	..	...
17	10	6	6	3	13	9	11	14	8	10	4	6	3	10	4	5	5	2	3	2	.	...
....	2	3	1	3	12	4	6	4	3	4	1	2	1	.	.	.	..	..	..	..	..	...
....	....	.	...		....	..	..	1				..	.	..	.	..	1	..	..	..	..	...
....	1	2	.	4	1	2	1	5	2		1	1	1		1	...	..	..	.	1	..	...
3	5	2	5	3	3	1	4	9	6	2	2	5	1	...	3	.	2	4	1	...	..	...
....	3	..		.	1		1	1	..	....	....	..	..	.	.	..	.	...	..	..	..	...
....	2	..	....	.		..	1		..		....	..	..	..	.	..	..	.	.	..	..	...
2	1	1	1	1	1	1	1	2	1	1	1	...	1	..	..	4	1	1	2	1	..	1
....	...	1	.	....	..	..	.	1	.		1	..	..		..	..	.	...	.	..	.	...
...	...	.		.		.	1	....	.		..	.	1	..	..	1	.	...	.	...	..	...
22	24	15	13	14	31	17	26	37	20	17	10	15	8	10	8	8	10	9	6	4	...	1
....	....	....	....	..	..	.	1	5	4	1	1	1	..	..	..	..	1	1	1	1	...	...
2	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	...
....	....	....	..	....	....	....	..	....	....	....	....	2	..	..	....	....	....	....	..	....	....	...

Annual Report of Deaths by Causes, Colors, Sexes,

Causes of Death.	Total.	Colors.			Sexes.		Deaths per Month.											
		White	Black	Mulatto	Male	Female	January	February	March	April	May	June	July	August	September	October	November	December
Venereal Diseases. (Continued.)																		
Syphilis, Hereditary	2	..	2	.	1	1	.	1	..	.	1	..	.	..		..	..	...
Summary of Deaths from Venereal Diseases	24	3	20	1	14	10	2	3	1	.	3	3	1	4	1	1	3	2
Septic Diseases.																		
Pyæmia	4	4	..	..	1	3	1	.	1	..		..	.	1	.	..	1	...
Septicæmia	37	19	17	1	17	20	5	1	3	3	3	4	3	3	4	..	5	3
Puerperal Fever	58	28	26	4		58	9	4	9	2	5	1	4	8	5	4	3	4
Erysipelas	20	17	3	..	7	13	.	1	1	1	2	2	2	6	2	1	1	1
Summary of Deaths from Septic Diseases	119	68	46	5	25	94	15	6	14	6	10	7	9	18	11	5	10	8
Class II—Parasitic Diseases.																		
Worms	20	3	17	..	4	16	2	.	1	2	2	1	4	3	1	1	2	1
Thrush	3	..	3		2	1	..	1	.	.	..	1	.	..	1	..	..	...
Summary of Deaths from Parasitic Diseases	23	3	20	..	6	17	2	1	1	2	2	2	4	3	2	1	2	1
Class III—Dietetic Diseases.																		
Alcoholism	15	10	4	1	13	2	1	4	..	1	1	2	..	1	.	..	3	2
Class IV—Constitutional Diseases.																		
*Phthisis Pulmonalis	861	318	505	38	344	517	74	58	92	95	58	73	82	78	60	69	50	72
Phthisis of Bowels	8	5	3	...	2	6	1	1	1	.	.	.	1	.	1	2	1	..
Meningitis, Tubercular.	8	5	2	1	3	5	2	..	2	1	1	.		..		1	1	..
Peritonitis, Tubercular	1	..	1	..	.	1	..	..	..	1	..	.		..		..	..	...
Enteritis, Tubercular	1	..	1	..	..	1		.	..	..	..		..	.	1	.	..	..
Rheumatism	20	9	10	1	12	8	2	1	1	2	1	1	1	2	2	1	1	5
Rheumatism, Inflam	3	2	1	..	1	2	1	.	..	1	..		...	.		1	.	..
Purpura Hemorrhagica.	4	3	1	..	3	1		.	1	.	..	.		.	1	.	1	1
Tabes Mesenterica	7	4	3	...	2	5	.	.	1	1	1	1	1			1	.1	...
Anæmia	16	13	3	..	7	9	1	2	.	1	2	1	2	2	1	2	..	2
Leucocythæmia	1	1	..	...	1	...	.	.	..	..	..		..	.	.	1	..	...
Scrofula	27	10	17	..	12	15	1	2	1	3	4	2	3	6	1		2	2
Cancer (not located)	38	18	20	..	15	23	3	5	1	4	1	6	6	4	1	3	2	2
Cancer of Mouth	2	1	1	..	..	2	..	..	..	1	..	.	.	..	..	.	1	...
Cancer of Eye	2	1	1	..	1	1	..	...	.	...	.	.	..	...	...	.	..	2
Cancer of Throat	2	2	...	...	2	...	...	1	..	..	.	.	..	.	..	...	...	1
Cancer of Face	2	2	...	...	2	...	...	...	...	...	...	...	1	...	1	...	...	...

* 110-120 years—One.

Months and Ages, for the State of Alabama, for 1891.

AGES OF DECEDENTS.

Under 1 year	1-2 years	2-3 years	3-4 years	4-5 years	5-10 years	10-15 years	15-20 years	20-25 years	25-30 years	30-35 years	35-40 years	40-45 years	45-50 years	50-55 years	55-60 years	60-65 years	65-70 years	70-75 years	75-80 years	80-90 years	90-100 years	Age not given
....	1	1	....	..	....	....	....	....	....	....	....	....	....	....	....	....	.	.	....	....	....	....
2	2	1	....	..	..	..	1	5	4	1	1	3	....	.	....	....	1	1	1	1	.	....
....	....	....	..	....	..	..	....	2	....	....	1	..	....	..	..	.	..	....	1	..	....	....
2	....	....	....	..	1	1	1	7	4	6	2	5	2	2	1	2	1	....	....	....	....	....
....	..	..	....	....	....	..	8	23	9	6	6	4	2	.	.	.	.	....	....	....	....	....
6	1	1	1	..	1	1	..	1	1	1	....	....	1	.	....	....	1	3	1	..	....	....
8	1	1	1	....	2	2	9	33	14	13	9	9	5	2	1	2	2	3	2	.	..	....
....	3	4	3	7	3	....	....	....	....		..	....	....	..	..	....	....	....	....	.	....	....
3	....	..	....	....	....	....	..	..	..	..	....	....	..	..	..	..	.	.	....	..	....	....
3	3	4	3	7	3	....	....	..	....	..	..	....	....	.	....	..	.	....	..	..	....	....
....	..	....	....	..	....	....	..	....	1	1	4	1	1	1	2	3	..	1	....	....	....	....
7	8	3	1	2	13	23	96	154	120	93	83	65	66	33	26	20	22	10	3	2	..	10
1	....	....	....	....	....	....	....	1	..	1	2	..	1	....	1	1	..	....	....	....	..	....
1	1	2	....	2	..	....	....	1	....	....	..	..	....	..	..	..	....	....	..	....	..	..
....	..	..	..	....	..	..	....	..	..	1	..	....	....	..	..	..	....	....	..	....	..	..
....	....	....	....	....	..	..	..	....	..	..	....	....	....	....	....	1	....	....	....	....	..	..
....	....	....	.	..	..	2	..	4	1	....	1	3	1	..	2	2	1	3	....	....	..	..
....	....	..	....	....	2	..	..	..	..	....	..	....	....	1	.	....	....	....	..	....	..	..
....	..	1	..	....	1	..	1	.	....	1	....	....	....	.	....	....	....	....	..	....	..	..
2	1	....	....	....	..	....	2	....	1	....	....	1	..	....	....	....	....	....	....	....	..	..
3	1	....	....	..	1	1	..	3	..	..	1	1	..	1	..	....	....	1	1	2	....	..
....	..	....	..	....	..	....	..	1	..	..	..	....	..	..	..	..	..	..	..	..	....	..
3	5	1	....	....	5	2	4	1	....	....	..	....	1	1	2	..	1	1	....	....	....	..
....	....	..	....	..	....	....	..	....	2	3	3	3	5	3	4	7	1	1	1	4	1	..
....	..	....	....	..	1	..	..	....	..	....	..	1	....	....	....	..	....	....	....	....	....	..
....	..	1	....	....	1	..	....	....	....	....	....	....	....	....	....	..	....	....	....	....	....	..
....	..	..	..	....	..	..	....	..	....	1	....	....	1	....	....	....	....	....	....	....	....	..
....	....	....	....	....	....	....	....	....	....	..	....	....	....	....	....	....	1	1	....	....	....	..

Annual Report of Deaths by Causes, Colors, Sexes,

Causes of Death.	Total.	Colors.			Sexes.		Deaths per Month.											
		White	Black	Mulatto	Male	Female	January	February	March	April	May	June	July	August	September	October	November	December
Constitutional Diseases. (Continued.)																		
Cancer of Mammary	2	...	2	...	..	2	..	..	..	..	..	...	1	1	..		.	...
Cancer of Breast	9	7	2	..	1	8	1	.	1	..	..	..	1	3	..	..	1	2
Cancer of Uterus	37	19	16	2	..	37	6	2	3	3	3	3	3	3	3	3	2	3
Cancer of Rectum	1	1	..	...	....	1	..	..	..	..	..	..	..	.	.	1	..	...
Cancer of Stomach	15	10	5	..	7	8	1	1	1	3	1	2	1	1	1	2	..	1
Cancer of Bowels	1	1	..	...	1	..	.	..	..	..	..	..	..	.	..	.	1	...
Cancer of Liver	4	3	1	..	2	2	..	.	2	..	.	.	.	..	..	1	1	...
Cancer of Femur	2	1	1	..	1	1	1	..	.	..	.	..	..	..	..	1	..	...
Cancer of Bladder	2	1	1	..	2	..	.	..	..	..	..	1	.	.	..	.	.	1
Cancer of Vulva	1	..	1	...	....	1	.	.	..	..	..	..	.	..	1	.		...
Cancer of Foot	1	1	..	..	1	..	.	..	..	..	..	..	..	..	..	..	1	..
Cancer, Epithelioma	1	1	..	.	1	..	.	..	1	.	..	..	..	..	..	.	.	...
Summary of Deaths from Const. Diseases	1079	451	586	42	425	654	94	73	108	116	72	90	103	100	74	89	66	94
Class V—Developmental Diseases.																		
Premature Birth	95	59	33	3	55	40	7	10	11	2	8	9	15	9	8	9	5	2
Cyanosis Neanatorum	13	8	4	1	7	6	2	1	..	1	..	..	1	..	1	2	3	2
Spina Bifida	4	4		..	1	3	..	1	..	..	..	..	..	..	..	1	1	1
Umbilical Hemorrhage	4	2	2	..	2	2	..	..	1	..	..	..	..	2	1	..	..	...
Imperforated Anus	1	1	..	...	1	..	..	..	..	..	..	1	..	..	..	..	..	...
Marasmus	42	23	19	..	25	17	..	2	3	2	2	5	7	3	2	12	3	1
Inanition	97	32	63	2	44	53	5	8	7	7	12	9	13	10	7	8	2	9
Dentition	54	8	45	1	20	34	5	2	5	6	5	4	8	8	5	3	1	2
Debility (General)	16	6	10	...	8	8	1	..	..	3	2	..	3	1	1	2	..	3
*Old Age	185	77	106	2	96	89	22	12	11	8	21	20	16	18	11	11	13	22
Gangrene, Senile	4	2	2	..	2	2	..	..	1	..	..	2	..	..	..	..	..	1
Neurosis, Senile	1	1	...	...	1	..	..	..	..	..	1	..	..	..	..	..	..	...
Summary of Deaths from Develop. Diseases	516	223	284	9	262	254	42	36	39	29	51	50	63	51	36	48	28	43
Class VI—Local Diseases Nervous System.																		
Meningitis	97	59	32	6	63	34	4	9	5	6	14	8	15	6	10	8	7	5
Meningitis, C'bro-Spinal	25	15	10	..	14	11	1	4	2	5	1	1	1	2	3	3	2	...
Meningitis, Cerebral	7	4	3	....	2	5	..	1	..	..	..	1	4	..	..	1	..	...
Hydrocephalus	15	10	5	...	7	8	2	2	1	2	..	4	1	..	1	1	..	1
Apoplexy	80	52	24	4	47	33	5	6	7	9	3	10	5	6	9	4	10	6
Neurasthenia	5	5	....	..	2	3	1	1	1	..	..	..	1	..	..	..	..	1
Convulsions	126	55	69	2	69	57	9	13	6	5	11	6	12	18	13	11	10	12

* 110–120 years—9. * 100-110 years—3.

Months and Ages, for the State of Alabama, for 1891.

AGES OF DECEDENTS.

Under 1 year	1-2 years	2-3 years	3-4 years	4-5 years	5-10 years	10-15 years	15-20 years	20-25 years	25-30 years	30-35 years	35-40 years	40-45 years	45-50 years	50-55 years	55-60 years	60-65 years	65-70 years	70-75 years	75-80 years	80-90 years	90-100 years	Age not given
...	..	..	....	....	...	..	...	...	..	1	..	..	1	..	..	...	...	...	...	...	...	...
...	..	..	..	....	..	..	..	.	..	....	..	3	..	3	2	...	1	...	...	...	...	...
....	..	..	...	....	..	..	...	1	2	...	5	5	8	1	3	4	5	...	...	3	...	...
....	..	.	..	....	..	..	....	.	..	....	..	..	1	..	..	...	...	...	...	...	...	...
....	..	..	..	....	..	..	....	1	1	..	1	1	2	3	1	1	1	2	1	...	...	...
..	..	.	..	....	..	..	.	..	1	..	....	..	....	..	..	...	..	...	...	...	...	...
....	..	.	..	...	..	..	..	..	..	..	..	..	1	..	1	..	1	..	1	...	...	...
...	..	..	...	....	..	1	..	..	....	...	.	....	..	..	..	1	..	...	...	...	...	...
....	..	....	..	..	.	..	..	..	..	..	....	....	1	..	..	1	..	...	...	...	...	...
....	..	..	...	...	..	....	...	....	...	..	..	..	....	..	..	..	..	1	...	...	...	...
....	...	..	..	...	..	..	..	..	..	..	..	..	..	..	1	..	..	...	...	...	...	...
....	...	..	...	...	..	..	..	..	..	..	..	....	..	1	..	..	..	...	...	...	...	...
17	16	8	1	4	24	29	103	168	127	102	97	83	89	46	43	37	34	20	7	11	1	11
95	..	..	..	..	..	....	..	..	...	..	..	..	..	..	..	..	..	..	..	..	..	...
13	....	..	...	....	..	..	..	....	..	..	..	..	....	..	..	..	..	..	..	..	..	...
4	....	..	....	....	...	....	...	..	....	..	..	..	....	..	..	..	..	..	..	..	..	...
4	....	..	....	....	....	....	....	..	..	..	....	..	..	..	..	..	..	..	..	..	..	...
1	....	..	....	....	....	..	....	..	....	..	..	..	..	..	..	..	..	..	..	..	..	...
21	7	3	2	1	...	..	...	..	1	1	..	..	..	..	..	3	...	2	..	..	..	1
69	12	4	2	....	....	...	..	....	....	1	..	1	2	1	1	..	2	1	...	1	..	...
15	26	12	1	...	....	...	....	....	....	....	..	..	..	..	..	..	..	..	..	..	..	...
1	..	..	....	....	1	...	1	....	..	..	..	2	..	1	1	3	3	1	1	1	..	...
....	..	..	....	....	....	....	....	....	....	..	..	..	..	..	..	4	3	16	25	85	38	2
....	....	....	....	....	....	..	....	....	....	..	..	..	....	..	..	1	..	..	2	1	..	...
....	..	....	....	....	..	....	....	....	....	....	..	..	....	..	..	..	..	..	..	1	..	...
223	45	19	5	1	1	....	1	..	1	2	....	3	2	2	2	11	8	20	28	89	38	3
24	12	12	4	1	7	7	2	6	5	4	5	3	....	2	1	1	..	..	..	..	..	1
2	3	1	1	1	5	1	6	....	...	..	..	1	...	2	..	2	..	..	..	..	..	...
3	1	..	..	...	1	....	..	...	..	...	2	..	....	..	..	..	..	..	..	..	..	...
8	2	1	1	...	1	1	...	..	...	...	..	..	....	..	..	..	1	..	..	..	..	...
....	....	...	...	...	1	....	2	...	2	4	3	2	5	6	11	8	6	11	6	10	2	1
2	..	..	..	...	..	..	..	....	....	..	..	..	...	..	..	1	1	..	..	..	1	...
75	13	12	9	5	...	1	....	2	2	....	2	1	....	..	..	..	..	..	..	..	..	2

Annual Report of Deaths by Causes, Colors, Sexes,

Causes of Death.	Total.	Colors.			Sexes.		Deaths per Month.											
		White.	Black.	Mulatto.	Male.	Female.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
Local Diseases—Nervous System (Continued.)																		
Epilepsy	18	9	8	1	8	10	..	4	1	2	1	...	...	2	3	1	2	2
Paralysis	111	70	35	6	63	48	6	5	16	7	7	13	11	12	6	10	6	12
Hemiplegia	4	3	...	1	3	1	1	..	1	...	1	1	...	...	...	...	...	...
Paraplegia	1	...	1	...	1	...	1	...	..	..	...	...	...	...	...	...	...	...
Neuritis	1	1	...	...	..	1	..	...	...	1	...	...	...	...	...	...	...	...
Trismus Nascentium	22	11	11	...	13	9	2	3	1	1	2	...	2	1	3	2	1	4
Tetanus	14	8	6	...	7	7	..	1	1	1	2	1	1	1	2	2	2	...
Locomotor Ataxia	2	1	...	1	2	...	..	...	1	..	...	1	...	...	...	...	...	...
Spinal Sclerosis	4	3	1	...	3	1	...	..	...	..	...	...	1	..	1	1	1	
Paralysis, C'bro-Spinal	1	1	...	...	1	...	..	..	...	..	...	...	...	...	1	...	...	...
Spinal Concussion	1	1	...	...	1	...	..	..	...	..	...	1	...	...	...	...	...	...
Nervous Prostration	12	10	2	...	9	3	2	1	...	2	...	...	3	1	...	1	1	1
Melancholia	5	2	3	...	5	...	1	..	...	...	2	1	..	1	..	...	...	...
Insanity	12	6	5	1	8	4	2	..	..	1	...	2	3	1	1	1	1	...
Maniacal Exhaustion	6	3	3	..	2	4	..	1	..	...	1	...	..	1	..	2	1	...
Thrombus, Cerebral	2	2	...	..	...	2	...	1	..	..	..	1	..	..	..	..	..	...
Hyperæmia, Cerebral	1	...	1	...	...	1	...	..	.	...	...	...	..	1	...	...	...	...
Apoplexy, Cerebral	3	3	..	...	2	1	..	..	..	..	..	1	1	1	..	..	..	...
Congestion of Brain	118	69	48	1	58	60	15	14	11	4	10	12	9	13	11	8	5	6
Softening of Brain	12	11	1	...	9	3	3	...	...	2	2	1	...	2	...	1	1	...
Concussion of Brain	5	1	4	..	5	...	..	..	..	1	..	1	...	...	2	..	...	1
Sclerosis of Brain	1	1	...	...	1	...	..	..	1	...	..	...	...	..	..	..	...	...
Compression of Brain	3	2	1	...	2	1	..	...	...	...	1	...	..	...	...	2	...	...
Abscess of Brain	8	7	1	...	7	1	1	..	1	...	...	...	1	2	1	...	..	2
Inflammation of Brain	18	12	6	..	10	6	1	2	1	...	1	3	3	...	2	1	3	1
Organic Diseases of Brain	2	2	..	...	1	1	..	...	1	...	...	1	..	...	...	...	...	...
Hemorrhage of Brain	18	16	2	...	9	9	3	...	2	1	..	1	2	2	2	1	2	2
Paralysis of Brain	3	...	3	...	1	2	...	...	1	...	...	...	...	...	1	1	...	...
Status Epilepticus	1	1	...	...	...	1	...	...	...	...	...	...	1	...	...	...	...	...
Psoas Abscess	1	1	...	...	...	1	...	...	...	...	1	...	...	...	...	...	...	...
Gangrene	2	...	2	...	2	...	...	...	...	...	...	...	...	1	1	...	...	...
Gangrene of Lower Jaw	1	1	...	..	..	1	...	...	...	...	...	...	...	...	...	1	...	...
Inter-Cranial Tumor	1	1	..	...	...	1	...	...	...	...	1	...	...	...	...	...	...	...
Perineal Abscess	2	1	1	...	2	...	...	1	...	...	...	1	...	...	...	...	...	...
Summary of Deaths from Diseases of Nervous System	771	460	287	24	440	331	60	69	61	50	61	72	77	74	73	63	55	56
Organs Special Sense.																		
Otitis Media	2	2	...	...	...	2	...	1	...	...	...	...	...	...	...	1	...	...

Months and Ages, for the State of Alabama, for 1891.

AGES OF DECEDENTS.

Under 1 year	1-2 years	2-3 years	3-4 years	4-5 years	5-10 years	10-15 years	15-20 years	20-25 years	25-30 years	30-35 years	35-40 years	40-45 years	45-50 years	50-55 years	55-60 years	60-65 years	65-70 years	70-75 years	75-80 years	80-90 years	90-100 years	Ages not given
1	..	...	..	..	1	....	1	2	3	3	2	2	2	1	...	...	...	...	...			
....	1	...	....	..	1	...	..	2	1	4	3	4	9	10	7	8	14	17	17	9	3	1
....	..	..	....	..	..	..	....	....	..	....	....	..	...	...	2	..	2	..	..			
....	..	..	..	..	..	...	....	..	..	....	....	.	...	...	..	1	..	..	..			
....	..	..	..	..	..	...	..	....	....	..	..	1	..	...	..	..	..	..	..			
22	..	..	..	..	..	...	....	..	....	..	..	..	..	...	..	..	..	..	..			
3	..	..	1	....	2	1	....	2	1	1	1	1	...	...	..	..	..	..	..	1		
....	..	..	..	....	..	..	....	..	..	..	....	..	1	..	1	..	..	..	..			
....	..	..	..	..	..	..	..	..	..	..	....	..	..	1	..	..	..	..	3			
....	..	..	..	..	..	..	..	..	..	1	..	..	..	..	..	..	..	..	..			
....	..	..	..	....	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..			
....	..	..	..	....	..	..	..	1	1	2	..	..	1	1	..	2	..	2	..	2		
....	..	..	..	....	..	..	..	1	1	1	..	..	.	1	..	1	..	..	..			
....	..	..	..	....	..	..	1	4	..	1	1	1	1	..	1	1	..	1	..			
....	..	..	..	....	..	..	..	1	..	..	..	2	..	..	..	2	..	1	..			
....	..	..	..	....	..	..	..	..	..	..	..	..	1	..	1	..	..	..	..			
....	..	..	..	....	..	..	..	..	..	..	..	..	..	..	1	..	..	..	..			
....	..	..	..	....	..	..	..	1	..	..	..	..	..	..	..	..	..	1	1			
26	14	9	2	4	10	2	6	6	4	2	3	7	4	5	3	3	2	4	..			1
1	..	..	..	..	..	..	..	1	..	..	1	..	2	..	..	1	1	4	..	1		
....	..	..	..	..	1	..	3	..	..	..	..	1	..	..	..	..	..	..	1			
....	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..			
1	..	..	..	..	..	..	..	..	1	..	..	..	..	..	..	1	..	..	..			
1	1	..	..	1	..	1	..	1	..	1	..	..	..	..	1	..	1	..	..			
3	2	1	..	..	4	..	1	1	..	1	1	1	1	..	..	1	1	..	..			
....	1	..	..	..	..	..	..	..	..	..	..	..	1	..	..	..	..	..	..			
....	1	..	1	..	..	..	..	1	..	..	..	2	3	3	3	1	2	..	..	1		
....	..	.	..	..	..	..	..	..	..	..	..	1	..	..	..	..	..	1	1			
....	..	..	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..			
....	..	..	..	..	..	..	..	..	..	1	..	..	..	..	..	..	..	..	..			
....	..	..	..	..	..	1	..	..	..	..	1	..	..	..	..	..	..	..	..			
....	..	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..			
....	..	..	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	1	..			
....	..	..	..	..	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..			
172	52	37	19	12	34	16	24	34	22	26	25	30	31	32	32	33	31	44	29	24	6	6
1	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....

Annual Report of Deaths by Causes, Colors, Sexes,

Causes of Death.	Total.	Colors.			Sexes.		Deaths per Month.											
		White.	Black.	Mulatto	Male.	Female.	January	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
Circulatory System.																		
Dropsy (General)	127	47	79	1	53	74	12	3	5	6	14	17	14	9	12	9	10	16
Dropsy, Renal	3	2	1	..	1	2	..	..	1	..	..	..	1	..	..	1	..	..
Dropsy, Hepatic	3	2	1	..	1	2	2	..	..	..	..	1	..	..	..	..	..	..
Ascites	8	6	2	..	5	3	..	2	..	2	..	2	1	1	..	..	..	..
Anasarca	33	8	22	3	22	11	1	1	1	6	1	1	1	6	6	5	3	1
Hydropericardium	34	19	14	1	16	18	6	2	2	3	2	3	2	3	2	5	2	2
Endocarditis	14	6	8	..	5	9	2	..	..	2	1	1	1	5	1	1	..	..
Pericarditis	6	2	4	..	3	3	1	..	..	1	1	..	..	1	1	1	..	..
Mitral Insufficiency	4	2	2	..	2	2	1	..	1	..	1	..	1	..	..	..	..	..
Heart Disease	168	79	87	2	80	88	13	22	16	12	10	24	14	13	12	9	12	10
Valv. Dis. of Heart	33	16	17	..	19	14	2	3	3	5	2	..	4	6	3	1	3	1
Hypertrophy of Heart	6	1	4	1	3	3	..	..	..	1	..	1	1	2	..	1	..	..
Fatty Degen. of Heart	2	2	..	..	2	..	..	..	1	..	..	..	..	..	1	..	..	..
Rupture of Heart	1	1	..	..	..	1	..	..	..	..	..	..	..	..	1	..	..	..
*Heart Failure	83	59	24	..	48	35	7	3	8	5	6	9	5	6	5	8	14	7
Aneurism of Aorta	3	2	1	..	2	1	1	1	..	..	..	..	..	..	..	..	1	..
Embolism	1	..	1	..	..	1	..	..	..	..	..	..	..	..	1	..	..	..
Angina Pectoris	11	11	..	..	7	4	2	1	..	2	..	..	2	..	1	1	1	1
Summary of Deaths from Diseases of Circulatory System	540	265	267	8	269	271	50	38	38	45	39	59	47	52	46	42	46	38
Respiratory System.																		
†Pneumonia	699	313	378	8	383	316	175	123	79	53	38	19	14	6	18	23	69	82
Pneumonia, Broncho	4	2	2	..	2	2	..	1	..	1	..	2	..	..	..	..	1	..
Pneumonia, Pleuro	3	3	..	..	2	1	..	2	..	..	..	..	..	..	..	..	..	..
Pneumonia, Typhoid	7	5	2	..	5	2	2	..	..	..	1	..	..	..	..	2	2	..
Pneumonia, Croupous	5	2	3	..	4	1	1	1	2	..	..	..	..	..	..	..	..	1
Pneumonia, Catarrhal	7	3	3	1	4	3	2	1	..	1	..	1	1	..	1	..	..	..
Congestion of Lungs	16	10	5	1	8	8	4	4	1	1	2	1	..	1	1	..	..	1
Hemorrhage of Lungs	5	3	1	1	3	2	..	..	1	1	1	1	..	..	..	1	..	..
Abscess of Lungs	6	3	3	..	4	2	1	..	1	1	..	1	1	..	..	..	..	1
Pleurisy	15	6	9	..	6	9	..	1	1	1	1	..	..	..	..	1	7	3
Traumatic Pleuritis	1	..	1	..	1	..	..	..	..	..	..	1	..	..	..	..	..	..
Hydrothorax	11	6	5	..	9	2	..	1	3	1	2	1	..	1	1	1	..	..
Empyæma	18	9	9	..	9	9	3	1	2	3	1	3	..	..	1	1	..	3
Croup	63	46	16	1	39	24	6	8	4	3	2	..	2	3	5	7	5	18
Croup, Membraneous	25	20	5	..	14	11	1	1	..	..	..	2	1	3	5	5	5	2
Bronchitis	67	43	21	3	38	29	8	11	13	2	2	4	3	6	2	6	5	5
Bronchitis, Capillary	34	21	13	..	22	12	6	4	2	1	4	1	1	1	2	3	..	9
Bronchial Dyspnœa	1	1	..	..	..	1	..	..	..	..	..	..	..	..	..	..	1	..
Laryngitis	5	3	2	..	2	3	..	..	..	1	1	..	..	1	..	2	..	..
Ulcer of Throat	3	2	1	..	3	..	1	..	..	..	..	..	..	1	..	..	1	..
Pneumo-Thorax	1	..	..	1	..	1	..	..	..	..	..	..	..	..	..	..	1	..

* 100-110 years—2. † 100-110 years—1.

Months and Ages, for the State of Alabama, for 1891.

AGES OF DECEDENTS.

Under 1 year	1-2 years	2-3 years	3-4 years	4-5 years	5-10 years	10-15 years	15-20 years	20-25 years	25-30 years	30-35 years	35-40 years	40-45 years	45-50 years	50-55 years	55-60 years	60-65 years	65-70 years	70-75 years	75-80 years	80-90 years	90-100 years	Age not given
2	1	4	1	2	10	5	10	5	3	6	6	2	8	9	10	10	13	11	7	1	..	1
...	...	...	...	...	..	...	..	..	..	...	1	...	..	1	..	...	1	..	..	..	..	..
...	..	..	...	...	1	...	...	...	..	..	..	1	..	1	..	..	..	..	..	..	..	..
...	..	..	...	1	..	...	...	1	..	..	..	..	..	..	..	1	..	..	4	..	1	..
1	2	1	...	2	2	3	2	..	2	..	1	1	1	2	3	4	1	2	..	3	..	..
...	..	..	..	..	4	..	4	...	3	..	1	..	1	2	3	4	5	5	1	1	..	..
...	..	..	..	1	..	1	1	1	2	2	1	...	1	...	1	...	..	1	1	..	..	1
...	..	.	...	...	...	1	..	2	..	..	..	...	2	...	..	...	..	1	..	..	..	..
...	..	..	..	..	...	1	1	1	..	..	..	...	..	..	..	1	..	..	..	..	..	..
...	..	..	1	1	2	5	7	1	13	7	10	9	11	11	13	14	24	19	11	5	3	1
2	...	...	...	1	..	1	1	1	1	1	1	1	2	2	8	1	2	1	6	1	..	..
...	..	1	..	.	...	..	..	...	...	...	2	1	..	..	1	...	..	1	..	..	..	..
...	..	..	..	...	..	..	.	...	..	...	..	..	..	...	..	..	1	..	1	..	..	..
...	..	..	..	...	...	...	..	...	...	..	..	1	..	..	..	..	..	..	..	..	..	..
2	..	..	..	...	..	1	1	2	3	2	5	4	6	9	13	7	9	5	6	6	..	2
...	..	...	...	..	..	...	..	..	...	...	1	...	1	..	..	1	..	..	..	..	..	..
...	..	...	..	...	..	..	...	...	...	...	...	...	...	..	..	..	..	..	1	.	..	..
...	..	..	..	...	..	...	...	...	...	..	1	...	2	2	1	..	2	2	1	..	..	..
7	3	6	2	8	19	18	27	14	27	18	30	20	35	39	53	43	58	48	39	17	4	3
62	31	23	16	9	20	17	59	74	48	38	41	34	31	31	31	32	25	29	25	14	3	5
...	...	1	...	...	...	...	1	...	..	...	...	...	..	..	..	..	..	..	1	..	..	..
...	...	...	...	...	...	...	1	...	1	...	1	...	..	..	..	..	..	..	..	..	..	..
...	...	...	...	...	..	1	1	1	..	3	...	1	..	..	..	..	..	..	..	..	..	..
...	1	1	1	...	...	..	1	..	..	...	...	..	...	..	..	1	..	..	..	..	..	..
1	3	...	1	...	..	..	...	...	1	...	...	...	...	..	..	...	1	..	..	..	..	..
3	1	1	..	..	1	...	...	...	2	...	1	1	1	..	..	1	..	3	1	..	..	..
...	...	...	...	..	..	..	1	...	...	...	1	..	...	..	1	...	1	..	1	..	..	..
...	...	..	..	...	...	1	2	1	1	1	...	..	...	..	..	..	..	..	..	..	..	..
...	..	1	1	...	...	1	1	4	1	...	1	1	1	..	..	2	..	..	..	1	..	..
...	...	...	...	...	...	...	..	..	...	...	...	..	1	..	..	..	..	..	..	..	..	..
...	..	...	2	..	...	...	...	...	..	1	...	1	..	1	..	..	1	.	1	4	..	..
...	..	...	..	..	...	...	1	2	1	...	1	2	...	1	1	3	2	1	1	2	..	..
20	20	8	6	6	3	...	...	..	...	...	...	...	...	..	..	..	..	..	..	..	..	..
2	3	9	3	5	3	..	...	...	...	...	...	...	...	..	..	..	..	..	..	..	..	..
18	6	2	1	...	2	1	5	2	...	4	5	1	3	2	..	4	3	4	3	1	..	..
16	7	2	..	..	2	1	...	1	...	1	...	...	1	1	..	..	1	..	..	1	..	..
...	...	...	..	...	...	...	...	...	...	..	...	...	...	..	..	..	..	..	1	..	..	..
1	..	..	2	..	1	1	...	...	...	...	...	...	..	..	..	..	..	..	..	..	..	..
...	...	1	...	..	...	1	...	...	...	...	...	...	...	..	1	..	..	..	..	..	..	..
...	...	...	...	...	...	1	...	...	...	..	...	...	...	..	..	..	..	..	..	..	..	..

Annual Report of Deaths by Causes, Colors, Sexes,

Causes of Death.	Total.	Colors.			Sexes.		Deaths per Month.											
		White	Black	Mulatto	Male	Female	January	February	March	April	May	June	July	August	September	October	November	December
Respiratory System. (Continued.)																		
Spasm of Glottis	1	1	...	...	...	1	..	..	...	...	...	...	...	1	...	...	...	...
Summary of Deaths from Diseases of Respiratory System	997	501	480	16	559	438	210	159	109	70	55	37	23	24	36	52	97	125
Digestive System.																		
Tonsilitis	15	9	6	...	6	9	..	1	1	2	1	..	1	2	4	1	1	1
Gastritis	20	18	2	..	6	14	2	1	3	1	2	1	3	4	...	2	..	1
Gastritis, Chronic	7	6	1	...	3	4	..	1	1	2	...	...	1	..	1	..	1	..
Typhlitis	4	3	1	..	3	1	..	..	..	..	..	1	1	1	..	..	..	1
Enteritis	61	41	20	...	37	24	2	..	9	1	8	5	8	12	7	6	3	1
Gastro-Enteritis	28	17	10	1	12	16	3	..	1	4	1	4	7	2	3	..	3	..
Hæmataemesis	2	2	.	..	1	1	..	..	..	1	..	..	..	..	..	..	1	..
Jaundice	8	7	...	1	2	6	1	1	1	1	..	..	1	..	..	1	..	2
Appendicitis	1	1	..	...	...	1	..	..	..	..	..	..	..	1	..	..	..	..
Dyspepsia	6	5	1	..	5	1	1	..	..	..	..	1	1	..	..	1	1	1
Hepatitis	12	5	7	..	8	4	3	1	1	1	..	2	..	2	..	..	1	1
Hepatitis, Chronic	6	1	5	...	3	3	1	..	..	..	1	..	..	1	1	..	1	1
Congestion of Stomach	10	7	3	...	7	3	..	3	..	1	..	3	..	.	2	..	1	..
Inflammation of Stomach	2	2	..	..	1	1	..	.	..	.	1	..	..	1	..	..	..	..
Ulcer of Stomach	6	5	1	...	5	1	..	..	..	..	1	2	..	..	1	1	1	..
Cong. Stom. and Bowels	2	1	..	1	2	..	..	..	..	1	..	..	1	..	..	..	..	..
Inflam. Stom. and Bowels	2	2	..	..	1	1	..	..	..	1	..	..	..	1	..	..	..	..
Congestion of Bowels	50	32	17	1	30	20	2	2	..	3	10	4	9	8	2	5	4	1
Inflammation of Bowels	14	8	5	1	5	9	..	2	1	..	1	5	1	2	1	1	..	..
Intussuscept'n of Bowels	24	16	8	...	17	7	1	1	1	1	3	2	4	2	3	2	2	2
Ulcer of Bowels	9	8	1	..	6	3	1	..	.	..	2	1	1	1	1	1	..	1
Hemorrhage of Bowels	12	5	6	1	6	6	3	2	1	..	..	2	..	1	1	1	..	1
Occlusion of Bowels	12	7	5	...	6	6	2	1	..	..	2	1	1	1	1	1	1	1
Intestinal Perforation	3	3	...	...	3	..	.	..	..	..	..	..	..	..	1	..	2	..
Gastro-Intest. Catarrh	17	15	2	...	9	8	..	1	..	..	..	5	2	3	..	1	5	..
Tumor of Abdomen	2	1	1	..	..	2	..	..	..	..	..	..	..	..	..	1	..	1
Peritonitis	48	24	19	5	18	30	4	2	2	4	5	4	4	6	5	3	6	3
Hernia, Strangulated	15	4	11	..	12	3	..	3	..	2	2	2	2	1	..	1	1	1
Stricture of Œsophagus	1	1	..	...	1	..	..	1	..	..	..	..	..	..	..	..	..	..
Cirrhosis of Liver	15	13	2	...	13	2	1	1	..	2	1	..	4	1	2	1	1	1
Abscess of Liver	13	8	5	...	9	4	..	..	2	..	..	1	3	1	3	2	1	..
Congestion of Liver	3	3	...	...	2	1	..	..	..	..	..	1	1	..	1	..	..	..
Disease of Liver	4	3	...	...	4	..	1	..	1	1	..	1	..	..	..	..	..	..
Uticaria	2	1	1	..	..	2	..	..	..	..	1	..	..	..	..	..	..	1
Abscess of Rectum	1	1	...	...	1	..	..	..	..	..	..	1	..	..	..	..	..	..
Summary of Deaths from Diseases of Digestive System	437	285	141	11	245	192	28	24	25	29	42	49	56	54	40	32	36	22

Months and Ages, for the State of Alabama, for 1891.

AGES OF DECEDENTS.

Under 1 year	1-2 years	2-3 years	3-4 years	4-5 years	5-10 years	10-15 years	15-20 years	20-25 years	25-30 years	30-35 years	35-40 years	40-45 years	45-50 years	50-55 years	55-60 years	60-65 years	65-70 years	70-75 years	75-80 years	80-90 years	90-100 years	Age not given
1	....	..	..	...	...	....	...	..	..	...	...	....	..	...	...	...	..	...	..	..	..	...
124	73	49	33	20	32	25	74	85	55	48	51	42	38	36	34	43	34	37	34	23	3	5
1	3	1	2	1	4	...	1	...	...	...	...	...	..	...		..	1	...	1	..	...	...
1	3	..	..	...	...	1	1	..	1	1	3	2	2	...	1	..	1	..	1	2	...	...
....	....	..	..	....	..	...	....	2	...	...	..	...	2	...	.	2	..	..	...	..	..	1
...	...	.	...	...	1	1	..	1	..	1	...	...	...	...		...	...	...	...	...	...	...
18	7	7	1	....	4	3	1	3	1	2	2	...	1	3	2	1	1	3	...	1	...	...
3	6	...	..	....	1	1	...	1	1	2	2	1	...	1	2	1	1	1	1	1	...	2
....	....	..	...	....	...	...	....	...	...	...	...	..	...	...	1	...	..	1	...	..	..	...
1	..	1	...	....	...	..	...	...	2	1	1	...	..	...	...	...	1	..	...	1	...	...
....	..	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
1	...	...	..	...	...	...	...	...	...	...	...	1	...	1	1	1	..	...	1	..	...	...
...	1	..	...	...	...	...	...	1	1	1	1	1	3	1	1	..	..	...	...	1	...	...
....	...	...	...	...	...	..	..	1	...	2	...	...	1	...	...	1	1	..	...	...	...	...
2	..	1	..	...	...	1	...	1	1	...	1	...	2	...	...	..	1	..	...	...	...	...
...	...	...	1	1	...	...	...	...	...	...	...	...	...	..		..	..	..	...	...	...	...
...	.	...	..	...	...	...	...	...	1	...	...	...	...	1	1	...	..	1	1	1	...	...
1	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...
...	1	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...
8	5	6	2	3	3	2	1	3	1	1	1	3	1	1	4	3	2	.	...	...	...	...
2	1	3	...	...	1	...	2	1	...	1	3	...	...	...	...	...	...	...	...	...	...	...
5	1	1	..	...	1	2	...	3	...	1	2	...	...	...	1	2	2	1	1	...	...	1
...	1	...	...	...	...	...	...	2	...	...	1	2	1	...	1	1	...	...	...	...	...	...
2	1	...	...	..	...	...	1	2	1	...	1	..	...	1	1	...	...	1	...	1	...	...
2	...	...	...	..	1	2	...	1	1	2	...	...	...	...	...	1	1	1	...	...	...	...
....	...	...	...	1	...	...	...	...	...	1	1	..	..	...	...	...	...	...	...	...	...	...
4	4	1	...	1	...	...	...	...	...	1	2	3	...	...	...	...	1	...	...	...	...	...
1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...
...	...	...	...	1	1	4	2	6	9	3	8	2	4	1	...	1	1	2	2	...	...	1
1	...	...	...	...	...	1	...	2	...	...	2	...	1	3	1	...	1	1	2	...	...	...
....	...	...	...	...	..	...	..	...	..	...	...	...	...	...	...	...	...	...	...	...	1	...
...	...	...	...	...	...	...	...	...	...	...	4	3	1	2	2	1	...	1	1	...	...	...
...	...	...	...	...	...	1	..	1	...	5	2	...	2	...	1	...	...	...	1	...	...	...
1	...	...	...	...	...	...	...	...	...	...	...	..	..	...	...	...	...	...	1	1	...	...
1	...	...	...	...	...	...	...	...	...	...	...	1	..	...	1	...	...	...	1	...	...	...
2	...	...	...	..	...	..	...	...	...	..	...	..	..	...	...	...	...	...	...	...	...	...
....	...	...	...	..	...	..	...	...	...	..	...	..	...	...	...	...	...	...	1	...	...	...
58	34	20	6	8	18	18	10	31	23	23	38	19	21	15	21	15	16	13	15	9	1	5

22–91

Annual Report of Deaths by Causes, Colors, Sexes,

Causes of Death.	Total.	Colors.			Sexes.		Deaths per Month.											
		White.	Black.	Mulatto.	Male.	Female.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
Urinary System.																		
Brights Disease	64	34	28	2	38	26	7	8	3	1	3	7	4	9	3	9	5	5
Nephritis	20	18	11	1	12	8	2	..	1	..	..	3	..	2	4	3	2	3
Uræmia	17	9	8	....	11	6	1	..	...	2	3	2	..	2	1	3	1	2
Diabetes	14	11	3	....	11	3	2	...	3	..	1	1	1	1	..	2	1	2
Cystitis	13	7	6	..	12	1	1	3	1	1	1	1	..	1	1	1	1	1
Haematuria	2	..	1	1	2	..	..	..	1	1	..	.	..	..	..	..	..	..
Retention of Urine	2	1	..	1	2	..	..	..	..	.	.	..	1	..	..	..	..	1
Calculus Vesical	1	1	..	..	1	..	..	..	..	..	.	1	..	..	..	..	..	..
Albuminuria	4	2	2	..	1	3	1	..	..	1	..	1	1	..	..	..	..	..
Summary of Deaths from Diseases of Urinary System	137	73	59	5	90	47	14	11	9	6	8	16	7	15	9	18	10	14
Generative System (Male)																		
Stricture of Urethra	1	1	...	....	1	....	..	..	1	..	...	....	..	..	..	..	..	..
Prostatitis	2	2	...	....	2	....	..	..	..	..	..	..	..	..	..	1	..	1
Summary of Deaths from Diseases of Generative System (Male)	3	3	...	...	3	....	..	..	1	..	..	..	..	..	..	1	..	1
Generative System (Female.)																		
Ovarian Tumor	2	2	...	...	...	2	..	..	1	..	..	1	.	..	..	..	..	..
Fibroid Tumor of Uterus	2	1	1	..	...	2	..	..	1	..	..	..	1	.	..	..	..	..
Metritis	5	...	5	....	..	5	..	..	..	1	..	3	..	1	..	..	..	..
Hemorrhage of Uterus	8	6	2	..	...	8	..	1	..	..	2	..	..	1	..	..	1	3
Amenorrhea	2	1	1	....	....	2	..	..	..	..	..	..	..	..	1	1	..	..
Summary of Deaths from Diseases of Generative System (Female.)	19	10	9	....	....	19	..	1	2	1	2	4	1	2	1	1	1	3
Affections connect'd with Child Birth & Pregnancy.																		
Child Birth	18	5	12	1	....	18	2	..	2	..	..	2	3	2	2	2	3	..
Abortion	9	3	6	....	....	9	1	..	2	1	1	1	1	1	..	.	..	1
Metro-Peritonitis, Puerp.	4	2	2	....	...	4	1	..	..	1	2	..	..	..	..	..	..	..
Peritonitis, Puerperal	9	4	5	...	...	9	..	..	1	1	1	.	1	..	3	1	1	..
Convulsions, Puerperal	23	10	13	...	...	23	2	3	3	1	2	1	3	..	1	4	2	1
Hemorrhage, Post Partem	11	5	6	....	....	11	2	..	4	..	1	..	2	1	1	..	..	..
Rupture of Uterus	2	...	2	....	...	2	..	..	..	..	..	..	..	1	..	..	1	..

Months and Ages, for the State of Alabama, for 1891.

AGES OF DECEDENTS.

Under 1 year	1-2 years	2-3 years	3-4 years	4-5 years	5-10 years	10-15 years	15-20 years	20-25 years	25-30 years	30-35 years	35-40 years	40-45 years	45-50 years	50-55 years	55-60 years	60-65 years	65-70 years	70-75 years	75-80 years	80-90 years	90-100 years	Age not given
...	1	...	1	...	..	..	1	1	3	10	3	4	2	5	2	7	8	7	2	5	1	1
1	...	...	..	...	..	..	1	..	1	1	2	2	...	2	1	3	3	2	..	1	..	...
1	1	...	...	..	..	..	...	1	3	...	...	1	..	1	..	5	2	1	1	..	..	...
...	..	...	..	..	..	1	..	1	2	...	...	...	...	2	1	1	1	2	2	1	..	...
1	..	..	..	..	...	...	..	..	...	..	...	...	..	1	...	..	...	3	6	2	..	...
...	...	..	..	1	..	..	...	..	1	..	...	...	...	..	...	..	..	..	..	..	..	.
...	1	...	..	...	..	..	...	..	..	...	..	...	1	.	...	..	..	..	..	..	..	..
...	..	..	..	..	...	..	..	..	..	...	...	...	...	..	...	..	..	1	...	..	..	..
...	...	...	..	..	1	...	..	...	...	..	1	...	1	1	...	..	...	..	...	..	..	..
3	3	...	1	1	1	1	2	3	10	11	6	7	4	12	4	16	14	16	11	9	1	1
...	...	...	...	...	...	...	...	...	...	...	...	1	..	..	...	...	...	..	...	...	...	...
...	..	...	...	...	.	...	...	...	...	...	...	...	...	..	...	..	..	1	..	1	..	...
...	...	...	...	...	.	...	...	...	...	...	...	1	...	...	...	...	...	1	..	1	..	...
...	...	..	...	...	...	...	...	...	...	...	...	...	2	...	...	.	...	..	..	...	...	...
...	..	...	...	...	...	...	...	...	...	...	..	1	...	...	1	..	..	.	..	...	...	...
...	...	...	...	..	...	...	1	...	...	1	2	...	...	..	.	...	...	1	...	...	...	...
...	...	...	...	...	...	...	1	2	1	1	1	2	...	...	...	..	...	...	..	...	..	...
...	...	..	...	...	..	1	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...
...	...	...	...	..	...	1	2	3	1	2	3	3	2	...	1	...	...	1	...	...	...	...
...	...	...	...	...	...	..	3	2	4	4	4	1	..	...	...	..	..	...	...	...	..	...
...	..	..	...	...	..	..	1	3	1	..	4	..	...	...	...	..	...	...	...	...	..	...
...	...	...	...	...	...	...	1	...	3	..	..	...	...	...	...	..	...	...	...	...	..	...
...	...	..	...	..	...	..	1	3	1	1	1	2	...	...	...	..	...	...	...	...	..	...
...	...	...	...	..	...	1	11	...	3	2	1	5	...	...	...	..	.	...	...	...	..	...
...	...	..	..	..	..	...	1	...	3	1	5	1	...	..	...	..	...	...	...	...	..	...
...	...	..	...	...	...	...	1	...	...	...	...	1	...	...	...	...	...	..	...	...	...	...

Annual Report of Deaths by Causes, Colors, Sexes,

Causes of Death.	Total.	Colors.			Sexes.		Deaths per Month.											
		White	Black	Mulatto	Male	Female	January	February	March	April	May	June	July	August	September	October	November	December
Affections connect'd with Child Birth & Pregnancy. (Continued.)																		
Endo-Metritis	1	...	1	...	...	1	...	...	...	1	...	...	...	...	...	...	...	...
Summary of Deaths from Affections connected with Child Birth and Pregnancy	77	29	47	1	...	77	8	3	12	5	7	4	10	5	7	7	7	2
Organs of Locomotion.																		
Hip Joint Disease	1	1	...	...	1	...	...	...	...	...	...	...	...	...	...	1	...	...
Integumentary System																		
Carbuncle	2	2	...	...	...	2	...	...	...	...	...	...	2	...	...	...	...	...
Elephantiasis	1	...	1	...	1	...	...	...	...	...	...	...	...	1	...	...	...	...
Summary of Deaths from Diseases of Integumentary System	3	2	1	...	1	2	...	...	...	...	...	...	2	1	...	...	...	...
Class VII.—Poisons. Metallic Poisons.																		
Arsenic	2	1	1	...	1	1	...	...	...	...	...	1	...	...	...	...	...	1
Vegetable Poisons.																		
Morphine	5	4	1	...	3	2	3	...	...	...	...	1	...	...	...	...	...	1
Opium	10	6	3	1	6	4	...	1	...	1	2	3	...	...	...	...	2	1
Summary of Deaths from Vegetable Poisons	15	10	4	1	9	6	3	1	...	1	2	4	...	...	...	...	2	2
Poisoned Wounds.																		
Hydrophobia	2	...	2	...	1	1	...	...	...	...	...	1	...	1	...	...	...	...
Snake Bite	1	...	1	...	...	1	...	...	...	...	...	...	1	...	...	...	...	...
Summary of Deaths from Poisoned Wounds	3	...	3	...	1	2	...	...	...	...	...	1	1	1	...	...	...	...
Class VIII.—Violence. Accidents & Negligence.																		
Accidents	25	8	16	1	21	4	2	1	3	3	...	3	2	2	2	...	5	2
Railroad Injuries	91	52	36	3	86	5	7	4	15	6	6	8	4	7	10	12	6	6
Gun Shot Wound	17	7	9	1	15	2	2	1	...	1	...	2	1	3	1	2	1	3

Months and Ages, for the State of Alabama, for 1891.

AGES OF DECEDENTS.

Under 1 year	1-2 years	2-3 years	3-4 years	4-5 years	5-10 years	10-15 years	15-20 years	20-25 years	25-30 years	30-35 years	35-40 years	40-45 years	45-50 years	50-55 years	55-60 years	60-65 years	65-70 years	70-75 years	75-80 years	80-90 years	90-100 years	Age not given
...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
...	...	...	...	...	...	1	20	8	15	8	15	10	...	...	...	...	...	...	...	...	...	...
...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...
...	1	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...
...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...
...	1	...	...	...	...	...	...	...	...	...	...	1	1	...	...	...	...	...	...	...	...	...
...	1	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...
...	...	...	...	...	...	...	...	...	1	...	...	1	1	...	1	...	...	...	...	...	...	1
2	...	...	...	...	1	...	1	...	1	...	1	1	...	...	...	2	...	...	...	...	...	1
2	...	...	...	...	1	...	1	...	2	...	1	2	1	...	1	2	...	...	...	...	...	2
...	...	1	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...
...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...
...	...	1	...	...	...	...	...	1	...	...	...	1	...	...	...	...	...	...	...	...	...	...
3	...	...	...	1	...	...	1	7	4	2	1	1	1	...	1	1	1	...	...	1	...	...
...	...	...	1	1	1	3	14	14	14	11	10	5	1	2	2	6	1	...	...	1	...	4
...	...	2	...	...	...	2	5	3	3	1	...	1	...	...	...	...	...	...	...	...	...	...

Annual Report of Deaths by Causes, Colors, Sexes,

Causes of Death.	Total.	Colors.			Sexes		Deaths per Month.											
		White.	Black.	Mulatto	Male.	Female.	January	February.	March.	April	May.	June.	July.	August	September	October.	November.	December.
Class VIII.—Violence. Accidents & Negligence. (Continued.)																		
Pistol Shot Wound	3	1	1	1	3						1				1	1		
*Burns and Scalds	100	39	61		42	58	12	8	9	13	9	4	4	4	5	10	13	9
Falling	22	9	13		20	2		1	1	3	2	5	2	1	5	1	1	
Drowning	18	10	8		15	3		1	3	3	1	3	1	5		1		
Asphyxia	25	7	18		9	16	4	2	3	2	2	1	1	1	3	3	2	1
Fracture of Spine	3	1	2		3			1	1			1						
Fracture of Skull	5	3	2		5		1		1		1	1					1	
Fracture of Femur	3	1	2		2	1		1				1					1	
Fracture of Pelvis	1	1				1				1								
Falling Slag	2		2		2									2				
Falling Tree	3	1	2		2	1					1						1	1
Falling Trestle	2		2		2								2					
Falling House	3	2	1		1	2			1	1							1	
Falling Rock	7	4	3		7			1	2	1				1			2	
Lightning Stroke	4	2	2		2	2					1	2		1				
Sun Stroke	1		1			1							1					
Explosion of Oil	1	1				1								1				
Explosion of Boiler	1	1			1													1
Explosion of Dynamite	2	1	1		2		1											1
Accident in Mines	12	5	7		12		1	1			9	1						
Foreign Body in Trachea	1		1		1						1							
Traumatism	1	1				1												1
Blow from Base Ball Bat	1		1		1						1							
Mule Kick	2	1	1		2									1	1			
Thrown from Horse	2	2			2				1							1		
Poisoned	7	2	4	1	4	3	1			1			2	1		2		
Gored by Ox	1		1		1									1				
Falling in Well	2	1	1		1	1						1						1
Summary of Deaths from Accidents, Negligence, etc.	368	163	198	7	264	104	31	22	40	35	35	33	20	31	28	33	34	36
Homicide.																		
Murdered	16	5	10	1	13	3	1		2		2	4			1	2	1	3
Pistol	16	2	12	2	13	3		1	2		1	2	2	2	1	2	2	1
Shot Gun	67	28	37	2	63	4	5	3	3	5	6	5	7	12	4	2	3	12
Knife	9	1	8		8	1				1	1		2	2		1	1	1
Axe	2	2			1	1											2	
Hung by Mob	8	8			8									2				6
Summary of Deaths from Homicide	118	46	67	5	106	12	6	4	7	6	10	11	11	18	6	7	9	23

* 110-120 years—1.

Months and Ages, for the State of Alabama, for 1891.

AGES OF DECEDENTS.

Under 1 year	1-2 years	2-3 years	3-4 years	4-5 years	5-10 years	10-15 years	15-20 years	20-25 years	25-30 years	30-35 years	35-40 years	40-45 years	45-50 years	50-55 years	55-60 years	60-65 years	65-70 years	70-75 years	75-80 years	80-90 years	90-100 years	Age not given
...	...	...	...	...	...	...	...	2	...	1	...	...	...	...	...	...	...	...	...	...	...	...
5	7	14	10	13	17	12	6	2	2	...	...	1	2	...	1	...	2	...	...	1	...	4
3	2	...	1	...	1	...	2	2	2	1	2	...	1	...	3	...	...	...	1	...	...	1
...	1	...	...	...	1	1	7	3	2	1	...	...	...	...	...	1	...	...	1	...	...	...
25	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
...	...	...	...	...	...	1	1	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...
...	...	...	...	1	...	...	...	...	...	...	1	1	1	1	...	...	...	...	...	...	...	...
...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	1	...	...	1	...	...	...	...
...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...
...	...	...	...	...	...	...	...	1	...	...	1	...	...	...	...	...	...	...	...	...	...	...
...	...	...	...	...	1	...	...	...	...	...	...	...	2	...	...	...	...	...	...	...	...	...
...	...	...	...	...	...	...	...	...	...	...	1	...	...	1	...	...	...	...	...	...	...	...
...	...	...	...	...	...	...	1	1	...	...	1	...	...	...	...	...	...	...	...	...	...	...
...	...	...	...	...	...	...	1	2	...	3	1	...	...	...	...	...	...	...	...	...	...	...
...	...	...	...	...	...	...	...	1	1	...	1	...	1	...	...	...	...	...	...	...	...	...
...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...
...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...
...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1
...	...	...	...	...	...	...	...	1	1	1	...	...	...	...	...	...	...	...	...	...	...	9
1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...
...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
...	...	...	...	...	1	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
...	...	...	...	...	...	...	1	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...
...	...	1	...	1	1	...	...	1	...	1	...	1	...	...	...	...	...	1	...	...	...	...
...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
...	...	...	...	...	1	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...
37	10	17	12	17	24	23	40	40	32	23	22	10	9	5	7	8	4	2	2	4	...	19
...	...	...	...	...	1	...	1	1	5	1	1	3	...	2	...	...	1	...	...	...	...	...
...	...	...	...	...	...	...	3	1	5	...	1	1	...	2	...	...	...	...	...	...	...	3
...	...	...	...	...	1	1	7	17	10	12	5	4	3	2	1	1	1	...	...	...	...	2
...	...	...	...	...	...	1	2	2	...	2	2	...	...	...	...	...	...	...	...	...	...	...
...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	1	...	...
...	...	...	...	...	...	...	...	1	...	1	1	1	2	...	1	...	1	...	...	...	...	...
...	...	...	...	...	2	2	13	22	20	16	10	9	5	7	2	1	3	...	...	1	...	5

Annual Report of Deaths by Causes, Colors, Sexes,

Causes of Death.	Total.	Colors.			Sexes.		Deaths per Month.											
		White	Black	Mulatto	Male	Female	January	February	March	April	May	June	July	August	September	October	November	December
Suicide.																		
Suicide (mode not stated)	5	1	3	1	5	..	..	..	..	1	1	2	..	..	..	..	..	1
Pistol	1	1	..	..	1	..	..	..	..	..	..	..	1	..	..	..	..	..
Shot Gun	1	1	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	1
Knife	1	1	..	..	1		..	..	..	..	..	..	..	1	..	..	..	..
Morphine	3	2	1	..	1	2	..	..	..	..	..	..	..	1	1	1	..	..
Chloroform	1	1	..	..	1	..	..	..	..	..	..	..	..	1	..	..	..	..
Hanging	1	1	..	..	..	1	..	..	..	..	..	..	..	..	..	1	..	..
Starving	1	1	..	..	..	1	..	..	..	..	..	..	1	..	..	..	..	..
Summary of Deaths from Suicide	14	9	4	1	10	4	..	..	..	1	1	2	2	3	1	2	..	2
Execution.																		
Hanged	1	..	1	..	1	..	..	..	..	..	..	..	1	..	..	..	..	..
Class IX.—Surgical Operations.																		
Amputation of Leg	1	..	1	..	1	..	..	..	..	..	..	..	..	..	..	..	..	1
Laparotomy	1	..	1	..	..	1	..	..	..	..	..	..	..	..	..	..	1	..
Class X.—Unclassified.																		
Unknown	942	230	673	39	398	544	84	90	67	42	87	92	94	93	60	62	99	72
Congestion	97	40	52	5	55	42	6	5	5	3	6	17	15	13	12	8	5	2
Hemorrhage	2	..	2	..	..	2	..	..	..	..	..	..	..	1	..	1	..	..
Abscess	2	1	1	..	2	..	..	..	..	..	1	..	..	..	..	..	1	..
Masturbation	1	..	1	..	..	1	..	1	..	..	..	..	..	..	..	..	..	..
Tumor	2	1	1	..	1	1	..	..	..	..	..	..	..	1	1	..	..	..
Summary of Deaths from Causes Unclassified	1046	272	730	44	456	590	90	96	72	45	94	109	109	108	73	71	105	74
†‡Gen'l Summary Deaths for the year 1891	8110	3840	4055	215	4229	3881	788	663	626	535	648	778	759	785	652	633	609	639

† 100–110 years—13. ‡ 110–120 years—5.

Months and Ages, for the State of Alabama, for 1891.

AGES OF DECEDENTS.

Under 1 year	1-2 years	2-3 years	3-4 years	4-5 years	5-10 years	10-15 years	15-20 years	20-25 years	25-30 years	30-35 years	35-40 years	40-45 years	45-50 years	50-55 years	55-60 years	60-65 years	65-70 years	70-75 years	75-80 years	80-90 years	90-100 years	Age not given
									3	1	1											
									1													
												1										
									1													
												1										
												1										
													1									
								3	5	1	1	3	1									
										1												
												1										
																1						
402	67	29	16	19	31	19	37	27	40	20	25	23	28	15	18	21	17	31	27	20	6	25
12	4	3	3	10	7	8	9	14	2	1	3	7	3	2	5	1		1		1		
									1						1							
							1	1														
							1															
															1	1						
414	71	32	19	20	38	27	48	42	43	21	28	28	31	17	15	22	17	32	27	21	6	25
1332	532	284	147	136	302	235	495	610	506	407	399	351	345	273	273	299	268	282	221	247	66	93

CONTENTS.

PAGE

LETTER OF TRANSMITTAL 3
ORGANIZATION—OFFICERS FOR 1891. 5
PART I. PROCEEDINGS AND RECOMMENDATIONS 7

REPORT OF THE STATE BOARD 9
Introductory Note 9
Financial Statement—Expenditures 10
Note by State Health Officer 12
Conference of State Boards of Health 12
The Color Blind Law 13
Supervision of the Health of Towns and Cities 17
Work of the County Boards 18
The Roll of Honor 25

PART II. STATISTICAL REPORTS 31

OF COLOR BLINDNESS AND DEFECTIVE VISION 33

Table No. 1—Consolidated Table 33
Table No. 2—Examinations by Dr. Chas. Whelan 36
Table No. 3—Examinations by Dr. B. J. Baldwin 38
Table No. 4—Examinations by Dr. G. King 40
Table No. 5—Examinations by Dr. R. D. Webb 42
Table No. 6—Examinations by Dr. L. G. Woodson 44
Table No. 7—Examinations by Drs. Dement & Lowry 46
Table No. 8—Examinations by Dr. S. C. Carson 48
Table No. 9—Examinations by Dr. R. P. Huger 50
Table No. 10—Examinations by Dr J. M. Pinkston 52
Table No. 11—Examinations by Dr. A. A. Greene 54
Table No. 12—Examinations by Dr W. C. Jackson 56
Table No. 13—Examinations by Dr. S. J. Cooper 58

OF BIRTHS BY MONTHS FOR 1891 60
OF DEATHS BY MONTHS FOR 1891 61
OF BIRTHS AND DEATHS BY COUNTIES, TOWNS AND COLORS 62
OF BIRTHS AND DEATHS BY COUNTIES, TOWNS AND COLORS FOR YEAR 1891 108
OF BIRTHS AND DEATHS BY CITIES AND TOWNS FOR 1891 112
OF BIRTHS AND DEATHS BY CAUSES, COLORS, SEXES AND AGES 114

Class I. Zymotic—Miasmatic Diseases 114
Diarrhœal Diseases 116
Malarial Diseases 118

Of Births and Deaths by Causes, Colors, Sexes and Ages—Continued.

Venereal Diseases 120
Septic Diseases 121
II. Parasitic Diseases 123
III. Dietetic Diseases 123
IV Constitutional Diseases 124
V. Developmental Diseases 130
VI. Local Diseases—Nervous System 133
Organs Special Sense 141
Circulatory System 141
Respiratory System 145
Digestive System 150
Urinary System 158
Generative System (Male) 160
Generative System (Female) 160
Affections Connected with Child Birth and Pregnancy 162
Organs of Locomotion 164
Integumentary System 164
VII. Poisons—Metallic 165
Vegetable 165
Poisoned Wounds 166
VIII. Violence—Accidents, Etc 167
Homicide 173
Suicide 175
Execution 177
IX Surgical Operations 178
X. Unclassified 179

Of Deaths by Causes, Colors, Sexes, Months, Ages 182

Class I. Zymotic—Miasmatic Diseases 182
Diarrhœal Diseases 182
Malarial Diseases 182
Venereal Diseases 182
Septic Diseases 184
II. Parasitic Diseases 184
III. Dietetic Diseases 184
IV. Constitutional Diseases 184
V. Developmental Diseases 186
VI. Local Diseases—Nervous System 186
Organs Special Sense 188
Circulatory System 190
Respiratory System 190
Digestive System 192
Urinary System 194
Generative System (Male) 194
Generative System (Female) 194
Affections Connected with Child Birth and Pregnancy 194
Organs of Locomotions 196
Integumentary System 196

OF DEATHS BY CAUSES, COLORS, SEXES, MONTHS, AGES—Continued.

VII.	Poisons—Metallic	196
	Vegetable	196
	Poisoned Wounds	196
VIII	Violence—Accidents, Etc	196
	Homicide	198
	Suicide	200
	Execution.	200
IX	Surgical Operations	200
X.	Unclassified.	200

THE MEDICAL ASSOCIATION OF THE STATE OF ALABAMA.

THE REPORT

OF THE

BOARD OF HEALTH

OF THE

STATE OF ALABAMA,

FOR THE YEAR 1892.

MONTGOMERY, ALA.:
THE BROWN PRINTING CO., STATE PRINTERS AND BINDERS.
1893.

THE MEDICAL ASSOCIATION OF THE STATE OF ALABAMA.

THE STATE BOARD OF HEALTH,

BIRMINGHAM, ALA., Sept. 30, 1893.

To His Excellency, THOMAS G. JONES,

Governor of Alabama:

SIR—I have the honor herewith to submit the report of the State Board of Health for the year 1892.

Very respectfully,

T. L. ROBERTSON, M. D.,

President of the Medical Association of Alabama, and State Board of Health.

ORGANIZATION.

Under the laws of Alabama the Medical Association of the State of Alabama is the State Board of Health. The officers for 1892 are as follows :

PRESIDENT:

Thaddeus Lindley Robertson, M. D., Birmingham.

VICE-PRESIDENTS:

Senior—Barckley Wallace Toole, M D., Talladega.
Junior—John Alexander McKinnon, M. D., Selma.

SECRETARY:

James Reid Jordan, M. D., Montgomery.

TREASURER:

Walter Clark Jackson, M. D., Montgomery.
(Term expires 1898.)

BOARD OF CENSORS AND COMMITTEE OF PUBLIC HEALTH:

Jerome Cochran, M. D., (Senior Censor), Mobile.
James Thomas Searcy, M. D., Tuscaloosa.
William Henry Sanders, M. D , Mobile.
Samuel Dibble Seelye, M. D., Montgomery.
Benjamin James Baldwin, M. D., Montgomery.
Charles Higgs Franklin, M. D., Union Springs.
George Augustus Ketchum, M. D., Mobile.
Charles Whelan, M. D., Birmingham.
Edward Henry Sholl, M. D., Birmingham.
Wilds Scott DuBose, M. D., Columbiana.

STATE HEALTH OFFICER:

Jerome Cochran, M. D., Official residence, Montgomery.

PART I.

PROCEEDINGS AND RECOMMENDATIONS OF THE STATE BOARD OF HEALTH.

Report of the State Board of Health.

1892.

THE WORK OF THE STATE BOARD.

We are glad to be able again to report that the work of the State Board of Health is making encouraging progress, especially in regard to the great undertaking to which we have devoted so much attention, namely, the collection of vital statistics. The doctors and the people are getting more and more accustomed to the report and registration of births and deaths, and the courts of county commissioners are more and more falling into the habit of making appropriations for the payment of the county health officers. If the work is lagging in any of the counties it is because the doctors of those counties have not appreciated sufficiently their obligations in regard to it. Wherever the doctors lead the way in hygienic effort the people in due time will cheerfully follow.

In our previous reports we have frequently alluded to the multiplicity and magnitude of the difficulties that stand in the way of the collection of vital and mortuary statistics in sparsely settled counties. Our experience has abundantly shown that we have never over-estimated these difficulties; but it has, also, shown that great as they are they are not insuperable. We are no longer making an experiment, but have safely passed the experimental stage. We have only to follow up this work with the same systematic energy as during the past ten years to make it finally a triumphant success.

During the past year no destructive epidemic has invaded our State. We have been free from yellow fever, cholera,

and smallpox. We have had local and sporadic outbreaks of scarlet fever, diphtheria, and grippe; but none of these diseases have added greatly to our mortality. In a general way we can state that the health of our people has been exceptionally good.

FINANCIAL STATEMENT.

THE STATE BOARD OF HEALTH,

In account with the STATE OF ALABAMA:

1892.		DEBITS.	
April 30.	To cash from	Auditor	$ 250 00
May 31.	"	"	250 00
June 30.	"	"	250 00
July 30.	"	"	250 00
Aug. 31.	"	"	250 00
Sept. 30.	"	"	100 00
Oct. 1.	"	"	150 00
Oct. 31.	"	"	250 00
Nov. 30.	"	"	250 00
Dec. 31.	"	"	250 00
1893.			
Jan. 31.	"	"	250 00
Feb. 28.	"	"	250 00
Mch. 31.	"	"	250 00
	Total		$3,000 00

1892.		CREDITS.	
April 8	By	post-office box rent	$ 1 50
" 30		health officer's salary (April)	150 00
" 30		clerk's salary (April)	50 00
May 10		cash to Joel White	3 90
11		receipt book	25
11		1000 stamped envelopes (1c)	11 20
11		postage	5 00
21		drayage on books	25
31		health officer's salary (May)	150 00
31		clerk's salary (May)	50 00
June 14		drayage on books	40
28		postage	2 00
30		health officer's salary (June)	150 00
30		clerk's salary (June)	50 00

EXPENDITURES—Continued.

July	6	By 100 stamps (2c)	$ 2 00
	6	500 envelopes (plain)	1 00
	26	1000 stamped envelopes (2c)	22 00
	30	health officer's salary (July)	150 00
	30	clerk's salary (July)	50 00
Aug.	5	100 stamps (2c)	2 00
	12	post office box rent	1 50
	30	telegram (Ill. State Board of Health)	1 15
	31	210 stamps (2c)	4 20
	31	250 stamped envelopes (1c)	2 80
	31	health officer's salary (August)	150 00
	31	clerk's salary (August)	50 00
Sept.	1	postage (Book of Rules)	50
	28	stamps and envelopes	5 00
	30	health officer's salary (September)	150 00
	30	clerk's salary (September	50 00
Oct.	11	post office box rent	1 50
	11	drayage on books	25
	27	envelopes and stamps	10 00
	31	health officer's salary (October)	150 00
	31	clerk's salary (October)	50 00
Nov.	1	cash to Joel White	2 65
	5	cash to Brown Printing Co.	150 00
	30	health officer's salary (November)	150 00
	30	clerk's salary (November)	50 00
Dec.	5	postage	5 00
	14	envelopes (1c)	5 00
	21	1000 envelopes (2c)	22 00
	31	health officer's salary (December)	150 00
	31	clerk's salary (December)	50 00
1893.			
Jan.	5	post office box rent	1 50
	6	cash to Roemer (wrapping paper)	1 25
	9	postage	4 00
	16	drayage on books (Washington)	25
	31	health officer's salary (January)	150 00
	31	clerk's salary (January)	50 00
Feb.	1	expressage	25
	5	postage	5 00
	10	expressage	30
	28	postage	5 00
	28	health officer's salary (February)	150 00
	28	clerk's salary (February)	50 00
March	1	expressage	45
	6	postage	5 00

EXPENDITURES—Continued.

Mar.	14	By 1000 stamped envelopes (1c)	$ 11 20
	31	cash to Brown Printing Co	311 10
	31	health officer's salary (March)	150 00
	31	clerk's salary (March)	150 00
		Total	$3,000 00

	Dr.	Cr.
To total receipts from April 1, 1892, to April 1, 1893	$3,000 00	
By total expenditures from April 1, 1892, to April 1, 1893		$3,000 00

RECAPITULATION OF EXPENDITURES.

By health officer's salary from April 1, 1892, to April 1, 1893	$1,800 00
clerk's salary for the same time	591 65
cash for postage for the same time (stamps and envelopes)	129 90
cash to Brown Printing Co	461 10
miscellaneous	17 35
Total	$3,000 00

INSPECTION OF JAILS AND POOR HOUSES.

We desire to call the attention of the county boards of health in a very special way to section 1282 of the Code, the section in which the legal duties of said boards are separately specified. These duties are very important, and it is certain that some of them are not sufficiently appreciated by some of our boards. This is emphatically true of subsection 4 of said section of the Code, which is in these words: "To exercise a general superintendence over the sanitary regulations of the public institutions situate in the county, including hospitals, asylums, work houses, prisons, markets, and public schools."

A wide field of usefulness for the county boards of health is opened up by these provisions of the law, and it should be assiduously cultivated. The jails and poor houses especially require looking after. It is believed that in some of the counties the jails and poor houses are not managed in a way to foster the health and comfort of their inmates.

Common humanity requires that prisoners deprived of their liberty and the afflicted poor who are the recipients of public charity should not be allowed to suffer from unsanitary surroundings or from inadequate or improper diet.

Let all the county boards of health, therefore, place themselves in official communication with the courts of county commissioners, the sheriffs, the probate judges, and the grand juries, with a view to proper concert of action; and let them make such inspections and recommendations as may be necessary to keep these institutions in good sanitary condition.

The number of inspections that ought to be made will depend very much upon circumstances. The more populous the jails and poor houses the more frequent should be the inspections; say, in the more populous counties once a month, and in the less populous counties once a quarter. The inspections may be made by committees of the boards or by the county health officers, as may be most convenient or most expedient under the circumstances of each case. They should be made carefully and systematically, and should be carefully written up for submission to the boards of health, to the county authorities and to the state health officer. When abuses grow up in jails and poor houses it is nearly always the result of negligence and want of proper information on the part of the county officers, and it is the duty of the county boards of health to keep said officers properly informed.

THE CONFERENCE OF STATE BOARDS OF HEALTH.

We have duly considered the report of the State Health Officer in regard to the Conference of State Boards of Health held in New York April 5th-8th, to consider the means for the prevention of the introduction of cholera into this country during the current year; and have given our approval to the principles and policies advocated by him at said conference. This paper will be found on page 20 of this report.

THE WORK OF THE COUNTY BOARDS OF HEALTH.

The work of the county boards of health is steadily improving, when we consider all the counties together. That is to say, a larger number of counties than ever before are engaged in the collection of vital statistics, and a larger number than ever before are approximating satisfactory results. This persistent progress, even while it is slow, is very gratifying. In it we have the assurance that complete success will ultimately crown our efforts in the most difficult enterprise ever undertaken by the medical profession of any country in the world. It is a work, therefore, of which the medical profession of Alabama may well be proud. We proceed to notice each one of the county boards of health, and its work for the past year, separately :

Autauga County Board.—No report was received from this board for the past year. Dr. W. J. Bell, the county health officer, made some effort to do the work, but failed. Dr. R. L. Huddleston, of Wadsworth, is health officer for 1893. The outlook for effective work is not encouraging.

Baldwin County Board.—Dr. W. M. Lovelady continues to act as health officer for the county. No other county in the state presents more difficulties in the way of long distances and sparseness of population. In spite of these difficulties the work is fairly well done, and continues to improve. The health officer's salary is three hundred dollars a year.

Barbour County Board.—The work in this county still continues to be in a very unsatisfactory condition. In the beginning of the year Dr. W. H. Robertson was county health officer. He was succeeded by Dr. W. A. Warren. At this time Dr. H. L. Brannon has the place. This is a large and wealthy county with a large number of fairly qualified physicians, and it should do better work.

Bibb County Board.—No reports have been received from this county during the past year. Dr. Fred Black is still the county health officer.

Blount County Board.—This county is in about the same condition as last year. The reports are regularly made, but are not up to any high grade of efficiency. Dr. W. M. Cole is still the county health officer. This board ought to do better work.

Bullock County Board.—The work in this county has improved considerably. It has always been well done; but for a year or two the

reports were not believed to be quite complete. It is believed now that they are complete. Dr. S. C. Cowan is still the county health officer.

Butler County Board.—Our work in Butler county continues to improve, and lacks very little of being complete. Dr. J. C. Kendrick is still the county health officer.

Calhoun County Board.—The work in this county is about the same as last year—good but not quite complete. The separate reports for Anniston, Oxford, Jacksonville and Piedmont are about complete. Dr. T. W. Ayres is still the county health officer.

Chambers County Board.—No reports were received from this board for the past year. Dr. J. B. Rutland continues nominally county health officer. He receives no salary.

Cherokee County Board.—The work in this county has not improved, and is not on a satisfactory basis. Dr. G. W. D. Lawrence is still the county health officer.

Chilton County Board.—No reports have been received from this county during the past year. There is no appropriation to pay a health officer.

Choctaw County Board.—Dr. R. B. Carr, who had been so long health officer in this county, died a few months ago, leaving his books and papers in such a condition that his successor was not able to make out the annual report. Dr. T. A. Knighton is now county health officer. He makes regular reports, but they are not complete.

Clarke County Board.—The reports from this county are very good; just a little more effort would make them complete. Dr. J. W. Armistead is still the county health officer.

Clay County Board.—The work in this county is well done. Dr. Thomas Northen, the efficient county health officer, believes the reports to be about complete.

Cleburne County Board.—The condition of things in this county is much more favorable, but the collection of vital statistics is not a success. Dr. T. J. John is the county health officer.

Coffee County Board.—The reports from this county for the past year have been very defective. Dr W. W. Grubbs was the county health officer. He has been succeeded by Dr. B. A. Hill, who promises better things.

Colbert County Board.—As usual no reports have been received from this board for the past year. Dr Palmer is the county health officer.

Conecuh County Board.—Dr. A. A. McKittrick, who has been health officer in this county so long, and who conducted the work of the office

with so much energy, has been superceded by Dr. Andrew Jay. The reports are still claimed to be complete. Dr. McKittrick occupied the office until the first day of January.

Coosa County Board.—During the past year the work in this county has been done in a very satisfactory manner. The reports have been nearly complete. Dr. A. J. Peterson is the county health officer.

Covington County Board.—No reports for the past year have been received from this board. Dr. W. E. Sentell is still the nominal health officer. He has no salary.

Crenshaw County Board.—We have not received any reports from this county during the past year. There is no appropriation to pay the county health officer. Dr. A. J. Jones, however, has recently accepted the position and will endeavor to put the work on a good basis.

Cullman County Board--The work of this board continues to be fairly well done, but the reports are not quite complete. Dr. M. L. Johnson is still health officer.

Dale County Board.—The work has been very poorly done in this county. Dr. R. F. Harper is county health officer. He has no salary.

Dallas County Board.—Our work in this county has been done about as usual. The reports for Selma are claimed to be complete. For many of the county beats the reports are defective. On account of the large negro population this is a difficult county to manage. Dr. E. B. Ward was county health officer up to March, when he was superceded by Dr. W. W. Harper.

DeKalb County Board—Our work in this county still continues to improve, but is still not entirely satisfactory. Dr. H. P. McWhorter is still the county health officer.

Elmore County Board.—This board has again acquitted itself well. The reports are not quite complete, but very nearly so. Dr. O. S. Justice is still the county health officer.

Escambia County Board.—This board continues to do excellent work. Dr. J. L. Bass, the previous health officer, has left the county, and the place is now filled by Dr. E. T. Parker.

Etowah County Board.—The work of this board has slowly improved and is now fairly well done. Dr. D. H. Baker is still the county health officer.

Fayette County Board.—During the past year no report has been received from this board. There is no appropriation to pay a county health officer.

Franklin County Board.—This board has never made any reports. There is no appropriation for the county health officer; which place, however, is still held by Dr. L. W. Desprez.

Geneva County Board.—No reports have been received from this board. Recently the board has shown more signs of life, and has elected Dr. M. F. Flemming as county health officer. It is hoped he will be able to give a good account of himself.

Greene County Board.—The work of this board has been very imperfectly done during the past year. Dr. T. W. Pierce continued to act as health officer until January, when he was superceded by Dr. G. A. Moore. The organization of the county has considerably improved of late years, but the collection of vital statistics has not been made a success.

Hale County Board.—Our work in this county has improved a little, but is not well done. Dr. J. Huggins is still the county health officer.

Henry County Board.—Our work in this county is still in a very unsatisfactory condition. As health officer Dr. Phillips was succeeded by Dr. W. H. Williams, and now Dr. J. W. Payne is the incumbent of the office. The condition of the society has improved and we trust the collection of vital statistics will also improve.

Jackson County Board.—The work in this county has gone on about as usual. The reports have been good, but not complete. Dr. G. L. Hayes continued to act as county health officer up to the first of January, when Dr. A. N. Blackmore was elected to succeed him.

Jefferson County Board.—The work of this board again deserves special commendation. The collection of vital statistics continues to improve. The separate reports for Birmingham, Bessemer, Pratt City, and Warrior, and for the prisons at Pratt Mines and Coalburg, are believed to be nearly complete. The reports for the county beats are more defective. The board has continued its policy of inspecting the jail, poor house, market, hospitals, and schools. It is also active as a municipal board of health for the city of Birmingham. Dr. H. N. Rosser is still the county health officer.

Lamar County Board.—The work of this board has not improved to any measurable extent. The reports are regularly made but they are not complete. Dr. D. D. Hollis continues to occupy the position of county health officer.

Lauderdale County Board.—The board of this county has not been making reports for several years. It has recently been reorganized, but will hardly engage in the collection of vital statistics during the current year.

Lawrence County Board.—This board has sent in its reports regularly, but they are quite defective. Dr. W. J. McMahon is still the county health officer.

Lee County Board.—We have received no reports from this county during the past two or three years, and the outlook for the future is not good.

Limestone County Board.—In this county, during the past year, our work has not been well done. Dr. G. R. Lewis was county health officer. For the current year Dr. W. J. Hagan is the county health officer, and the prospect for good work has greatly improved.

Lowndes County Board.—In this county the work goes on as usual. Dr. Shirley Bragg is county health officer and claims that his reports are about complete.

Macon County Board.—The work of this board continues to be a failure. The health officer gets no pay and does poor work.

Madison County Board.—The work of this board for the past year has been extremely defective. Dr. W. C. Wheeler was county health officer. For the current year Dr. J. T. Johnson is the county health officer, and there has been a decided improvement already accomplished.

Marengo County Board.—The reports from this county last year was the first for several years. They were very defective, but as a beginning were welcomed. Dr. I. G. Wilson continues to occupy the position of county health officer.

Marion County Board.—The organization of this county has been greatly improved, but no vital statistics reports of any value have been received from it.

Marshall County Board.—The work of this board continues defective. The health officer gets no salary.

Mobile County Board.—During the past year the work of this board improved materially, although it did not reach a high grade of efficiency. Dr. E. L. Marechal was the county health officer. Since the first of January Dr. D. C. Randle has been county health officer. This is a large and wealthy county, the health officers salary is $420 a year, and this board should do better work.

Monroe County Board.—Our work in this county continues to be fairly well done. The reports are often delayed, and many supplements are sent in. Dr. W. W. McMillan is still the county health officer.

Montgomery County Board.—The work of this county continues to improve, but is not yet what it ought to be, and what the board could easily make it. Dr. P. H. Owen is still the county health officer.

Morgan County Board.—The work of this board for the past year showed some deterioration in place of the improvement that was expected. This year Dr. W. A. Barclift is the county health officer.

Perry County Board.—This board last year failed again to make any reports. Dr. O. L. Shivers was the county health officer. This year the health officer is Dr. G. R. Johnson. He promises to do better work.

Pickens County Board.—During the past year the Pickens county board has been in a state of suspended animation. Since January Dr. H. B. Upchurch has been the county health officer. He is endeavoring to bring about a better state of affairs.

Pike County Board.—Our work in this county has gone on about as usual. The reports are fairly good, but not complete. Dr. C. W. Hilliard is still the county health officer.

Randolph County Board.—No reports were received from this board last year. There is no appropriation for the health officer.

Russell County Board.—This board made some effort last year towards the collection of statistics but accomplished very little. This year the health officer is Dr. H. H. Allen.

Shelby County Board.—We have had no reports from this board for the past year. The health officer has no salary.

St. Clair County Board.—There has been considerable improvement in the reports from this county, and the improvement seems likely to continue. Dr. E. P. Cason is the county health officer.

Sumter County Board.—Our work in Sumter county still drags along in a very unsatisfactory way. Dr. D. S. Brockway is still county health officer.

Talladega County Board.—There continues to be some slight improvement in the work of this board; but it has not yet reached a satisfactory degree of efficiency. Dr. W. F. Thetford is still the county health officer.

Tallapoosa County Board.—During the past year the retrogression in the work of this board, noted in our last report, continued. A few months ago Dr. A. L. Harlan was elected county health officer, with the result of great improvement in the monthly reports.

Tuskaloosa County Board.—The work of this board continues about as heretofore. It ought to be greatly improved. Dr. J. B. Read is still the county health officer.

Walker County Board.—No reports have been received from this board for last year.

Washington County Board.—No reports from last year have been received from this county. There is no county health officer, and no appropriation to pay one.

Wilcox County Board.—No reports have been received from this county for the past year. Dr. R. H. Kilpatrick is the nominal health officer.

Winston County Board.—There has been some improvement in the reports from this county. Dr. J. C. Taylor is still the county health officer. He gets no salary.

THE CHOLERA CONFERENCE.

The Conference of State Boards of Health for the year 1893 was called to meet in New York at the Fifth Avenue Hotel. The meeting was held on the 5th, 6th, 7th and 8th days of April. The Program of Proceedings issued in advance was as follows :

1. Report of National Quarantine Commission: Dr. Irving A. Watson, New Hampshire, Chairman; Dr. Peter H. Bryce, Ontario, Secretary.

2. (*a*) What are the present conditions, as to equipment and efficiency of administration of quarantine stations on the seaboard of the United States, including improvements to be actually available during the coming season?

(*b*) What is the practice as to the inspection of persons and the disinfection of baggage, and what is the exact practical meaning of certificates issued to passengers and immigrants as to themselves and the disinfection of their effects? (To be responded to by port quarantine authorities of the United States.)

3. The same questions as to Canadian ports. (To be responded to by port quarantine authorities of Canada.)

4. The same questions as to Mexican ports. (To be responded to by port quarantine authorities of Mexico.)

5. (*a*) What available plan can be agreed upon which will pass a properly certified passenger or immigrant and his baggage and effects from his starting point in the United States, Canada or Mexico, to his destination without unnecessary interference or delay?

(*b*) Is it necessary and practicable to disinfect the baggage of all immigrants, and require certificates of disinfection?

6. In the emergency of an epidemic, would it be practicable to conduct a uniform system of inspection service at the various state lines, as against any infected district, by means of which co-operation and mutual protection would be secured?

Propositions Nos. 5 and 6 will be referred to committees, appointed at the opening session, and requested to report to the Conference in time for its action before adjournment.

7. (*a*) What has been done by such State Board of Health to protect the territory under its jurisdiction against cholera?

(*b*) What quarantine powers has each board?

(*c*) What are the present conditions in the principal cities and towns of each state? (This will be responded to briefly, preferably in writing, by each state board.)

8. In the event of cholera in this country, what requirements should be made of transportation companies to prevent spread of the disease. Dr. C. A. Lindsley, Dr. E. P. La Chapelle, Dr. F. W. Reiley, Dr. L. F. Salamon, Dr. R. M. Swearingen.

The reading of the Report of the National Quarantine Commission, as provided for in the first number of the Program, had to be deferred on account of the absence of Dr. Peter H. Bryce of the Province of Ontario, Canada, the secretary of the commission. On the last day of the session it was read in part. But as it was very elaborate, and because it covered ground that had already been considered, and because on account of the time that had already elapsed since the investigations of the Commission were made it was of historical rather than current importance, the reading of the whole of it was not deemed necessary.

Under the second number of the program the members from the different states and provinces were called on to give an account of the character and efficiency of the quarantine and other defenses of their respective localities for the prevention of the invasion of migrating epidemic diseases. It is not necessary to repeat these statements in detail for each state and province; but a few general inferences based upon them are of some interest. The absence of efficient means to prevent the admission of epidemic diseases into the New England states was specially notable. At the same time it was easily understood. Heretofore these states have had practically but one migrating pestilence to deal with, namely, smallpox, and this disease came to them only from Canada. It has been many years since they have had anything to fear from yellow fever. And hence they had few apprehensions to lead them to the construction of elaborate defenses, until the recent menace from cholera roused them from their lethargy; and even now the danger to them of invasion by cholera is not very great. The great majority of European immigrants are bound for the great West, and not for New England, or the South.

Another notable fact was the comparative absence of efficient quarantines on the North Atlantic coast. This is due doubtless to the fact that our North Atlantic cities have not been for more than half a century much subject to invasion by foreign epidemics. They have not felt the need of quar-

antine protection, and hence their quarantine establishments are of very primitive construction.

On the South Atlantic coast where the danger of yellow fever invasion is always more or less to be feared, the quarantine defenses are considerably more efficient, although Charleston is the only city on the South Atlantic coast with a thoroughly equipped modern quarantine plant. The most efficient quarantine defenses for the South Atlantic coast, and as far north as Philadelphia, are to be found in the national quarantine establishments under the management of the Marine Hospital Service. This line of defenses is now or soon will be in a very satisfactory condition of efficiency.

The quarantine defenses of our gult coast are by far the most complete, the most efficient, and the most efficiently managed of any on the cost line in the United States. This is due to our proximity to the West Indies, the perennial home of yellow fever, which is thus to us an ever present menace of pestilential invasion. Here the states of Louisiana, Alabama and Florida, have finely equipped quarantine stations, and these are supplemented by the stations of the national government at Chandeleur and Tortugas.

The New York quarantine requires a separate notice. This city is the grant entrepot for that great army of immigrants who every year leave their homes in far off Europe to become citizens of the great republic. They come by millions in crowded ships with unsanitary surroundings, and are liable to bring with them such diseases as typhus, small pox and cholera. Through this port, on several occasions, typhus fever has gained access to the city of New York. Through this port small pox has been repeatedly introduced into the west. And it was at this port last fall that the fleet of cholera ships made their appearance, and spread consternation throughout the length and breadth of the continent. The conference was therefore very much interested in ascertaining just what sort of a quarantine was depended on for the protection of the metropolitan city of the nation, and indirectly for the protection of the whole

country, and especially of the great west, the destination of most of the immigrants. Accordingly we paid a visit to Ellis Island, where all the immigrants are landed, and to the two quarantine islands, Hoffman and Swinburne. After this visit a committee, consisting of Drs. Patten, Plunkett, McCormack, La Chappelle, Probst and Wells, were appointed to prepare resolutions in relation to the quarantine outfit in the lower bay. The report of this committee, which was adopted, was as follows:

"*Resolved*, That it be expressed as the sense of this conference, representing the health authorities of the United States, Canada and Mexico, that the importance of having maintained at the port of New York a thoroughly efficient system of quarantine against imported pestilence is so great as to warrant the conference in offering certain urgent recommendations:

Inasmuch as the state of New York has assumed the responsibility of carrying on the important work, upon the equipment and efficiency of which other states must of necessity largely depend, the representatives of these states and communities feel themselves justified in urging that the present plant and appliances for the performance of quarantine at Hoffman Island be so enlarged and improved as to conform with the highest standard of modern improvement.

The conference recognizes the fact that the present quarantine administration has labored under the disadvantage of having to operate a system burdened with grave, inherited defects, and full credit is accorded for such good work as has been done by the present active quarantine officer. The conference is informed that several important improvements are contemplated, and that as soon as possible these will be instituted. It is intended to increase the area of Hoffman Island, the observation and disinfecting station containing the principal quarantine plant, from two acres to about ten.

The facilities for the disinfection of baggage and bedding

are deemed entirely inadequate. The conference is informed that an extension of the same to about nine times its present capacity is contemplated, but in view of the constant menace from cholera the conference urgently recommends that these facilities be increased immediately.

If practicable, it is also recommended that a wharf in deep water be built for the better accommodation of vessels under treatment at Hoffman Island.

The supply of drinking water in cisterns is such as to render its contamination at the stations possible, and the necessity for a better arrangement is imperative.

It appears that no disinfection of immigrants' baggage other than on vessels has been practiced at the port of New York since last October, and this conference formally protests against the continuance of this neglect. The conference also deems it its duty to report that the certificates at present issued by the United States officials as represented, by Dr. Wheeler, of that service, have no value whatever in guaranteeing any previous inspection or disinfection of immigrants' baggage, as this station is not designed for quarantine work.

The hospital at Swinburne Island is well equipped, and the crematory attached to same is one of approved construction."

To consider proposition "5," as divided into "a," and "b," and prepare a report on same, the following committee was appointed: Drs. Jerome Cochran, of Alabama; C. H. Hewitt, of Minnesota; F. W. Reilly, of Illinois; C. N. Metcalf, of Indiana; E. P. LaChappelle, of Ontario; Benj. Lee, of Pennsylvania; C. A. Lindsley, of Connecticut; J. T. Reeves, of Wisconsin, and John J. Kinyoun, United States Marine Hospital service.

After four hours discussion among themselves they submitted the following report:

"It is not believed that it would be practicable to conduct a uniform system of inspection service at state lines as

againt any given district infected by any epidemic disease, but it is urged that it is the paramount duty of every health organization to exercise the utmost viligance for the protection of its own territory. In this direction lies the practical protection of the whole country. To the extent, for example, that New York preserves herself from epidemic disease she protects her neighbors.

"As to the limitation of an outbreak it is believed that the best and most effective work for the prevention of the spread of an epidemic disease can be done at the point where the outbreak occurs. The early notification of state and provincial boards of health of the existence of communicable diseases in any state or province, as agreed upon at the conference at Toronto, is also urged upon the members of the conference as a measure of great value.

"It is believed that transportation companies should be required—in event of cholera appearing in this country—to refuse the transportation of persons and things from any infected district, except under the direct supervision of the health authority of such district. It also is recommended that transportation companies, both by land and water, secure and maintain the highest practical sanitary condition of equipment, stations, grounds, latrines, water supplies, etc., not only during the existence of cholera, but as a highly effective method of preventing the introduction and spread of communicable diseases.

"Your committee further venture to offer the following proposition: That no person be allowed to embark on board a vessel sailing from abroad to this country unless he or she furnishes satisfactory evidence of vaccination within the previous seven years, and that no person be allowed to land in this country until he or she has furnished to the quarantine officer evidence that such vaccination was successful, or unless such person present physical evidence of a previous attack of small-pox."

The report fell short of the expectations and views of the conference and after a general expression of opinion, it was

upon motion, referred to a new and different committee, composed of the following: Drs. V. C. Vaughan, of Michigan; J. H. Rauch, of Illinois; E. P. LaChapelle, Ontario; G. F. Patten, Louisiana, and —— Atkinson, Missouri.

At the evening session this committee submitted the following report, which was carefully considered section by section and then adopted:

Resolved, That in our opinion a uniform system of inspection service may be established and carried out. But we do not believe that this inspection should be carried out at the state lines.

SEC. 2. In an emergency of cholera at any place, inspection should be instituted and no suspect should be allowed to enter a train.

SEC. 3. A medical inspector should accompany each outgoing train. He should carry medicines, disinfectants, etc., and should pay special attention to the closets, following directions formulated by the State Board of Health. Rules for the care of closets should be posted in each closet.

SEC. 4. If any person on the train shows symptoms of the disease such persons should be isolated so far as is possible. One closet should be selected for the exclusive use of such persons. The sick person should be carried to one of the temporary hospitals provided for below, or the car containing the sick person should be side-tracked in an isolated place and proper accommodation provided in the car. In either case the names and addresses of other passengers on that car should be telegraphed to the health authorities at their respective places of destination.

SEC. 5. When passengers in a car in which a suspect has been found are transferred another car should, if possible, be provided for their exclusive use.

SEC. 6. Railroad companies should be requested to provide, at such places in each state as the State Board of Health may designate, accommodations for those who may be taken sick en route. Such accommodations should be

subject to the inspection and approval of the State Board of Health.

SEC. 7. Each train medical inspector should be furnished by the State Board of Health with a list of physicians along the line, any one of whom may be called upon for assistance in case of necessity. The compensation for these auxiliaries should be provided for by the State Board of Health. A special car must be provided for passengers going on a train at an infected place.

SEC. 8. Ordinary articles of merchandise do not require disinfection. Household goods, personal effects and wearing apparel from an infected locality must not be received for transportation, however, until such articles have been properly disinfected. Each trunk, box or package must have a card showing that the article has been disinfected and the method of disinfection.

SEC. 9. In case any car should be contaminated in any way, such car must be removed from the train as soon as practicable and purified.

SEC. 10. That it is the sense of this conference that in the emergency of an epidemic of cholera it should be required that all passenger coaches should be provided with closets, specially arranged for the retention and disinfection of all fecal matter, the apparatus and methods to be subject to the approval of the respective State and Provincial Boards of Health.

SEC. 11. A system of rules applicable to river and lake transportation should be formulated in accordance with the above rules."

It is believed by the present writer that the several propositions contained in the second of these two reports could have emanated only from sanitarians whose knowledge of the dissemination of communicable diseases and of the methods at our command for preventing or restricting the dissemination of said diseases, has been derived exclusively from closet study and based upon the abstract discussion of theories only half way scientific. I cannot enter into an

elaborate discussion of their numerous absurdities, but will content myself with noticing very briefly a few of them.

Take the second proposition. If cholera appears at any place something more than an inspection should be instited. The health authorities of the place should take absolute possession of the infected house or houses. What sort of inspection at the point of departure of a railroad train is going to discover a suspect? By what signs can a suspect be known? From some stations trains depart every few minutes, and at such places how is time to be had to make inspections?

Take the third section. Because there were half a dozen cases of cholera in New York would you send out a medical officer with every outgoing train? It would be folly to attempt it. I suppose several hundred trains leave New York every day. Are several hundred medical officers to be sent out every day under such circumstpnces? It would be a bonanza for the doctors but utter destruction to commerce and travel. But this system of medical inspectors on all outgoing trains is only to be instituted in an emergency, whatever that may mean. Whenever an emergency arises of such magnitude of danger as to warrant the employment of this army of medical inspectors, better put a stop to all railroad travel at once. But what would these multitudinous doctors do? Men already sick with cholera are not going to attempt to travel. Even the short period of cholera incubation is long enough to allow a man infected with cholera to leave New York well and reach New Orleans still well, the cholera only developing a day or two after his arrival. So the probabilities are that the army of doctors going as inspectors from New York would probably not discover a man sick with cholera on a thousand outgoing trains. Then when these trains reach interior cities and the passengers they carry transfer themselves to other trains still more numerous, are all these also to have medical inspectors? and so on, world without end? It is utter folly to think of it. It is like invoking a tempest to wash a cockle shell ashore.

Take section four. The provision about closets—one only to be used by sick persons—is entirely without reason. Nobody ever took cholera from the seat of a water closet. This closet question comes up again in section ten with a requirement that all passenger coaches should have specially arranged closets for the retention and .disinfection of all fecal matter. I know the argument. It is very specious. The cholera germ is to be found in the cholera dejections; scattered along the road-bed they might be washed into streams and contaminate some water supply used by men and women; and so might cause sporadic cases or an epidemic of cholera. But the argument really amounts to nothing. The chances are that for every cholera patient found on railroad trains there would be some hundreds of thousands of travellers who wouldn't have cholera. Suppose there was a case of cholera on a car, and suppose cholera dejections were scattered along the road-bed for a few miles, the chances are a hundred to one that no trouble would come of it. It is another case of invoking a storm to wash a cockle shell ashore. Then the car containing the sick person is to be side-tracked in some isolated place. But side-tracks are not common in isolated places. And would the people of even isolated places allow a car containing a cholera patient to be side-tracked anywhere in the neighborhood of their residences? And what would be done with the patient after he was side-tracked? How would he be taken care of? By neighboring physicians and nurses? Not much. And how would the railroads manage to run their trains with their side-tracks encumbered by hospital cars?

Take the sixth section. Railroads should be requested to provide accommodations for those who may be taken sick *en route* at such places in each state as the State Board of Health may designate. Suppose the railroads failed to pay any attention to the request? Or suppose in Alabama there was a railroad hospital at Montgomery, and the case of cholera was discovered on the train going south from Cull-

man, more than a hundred miles north of Montgomery, is the train with the sick man to run all the distance before he is cared for? A thousand such hospitals might be built and not one of them ever used. It is another storm and cockle shell story. Something might, perhaps, by possibility be done to transport immigrants on special trains and under special surveillance; but it would be only under peculiar circumstances that even this would be practicable.

In one word, all this system of railroad inspection to prevent the transmission of epidemics is practically impossible and absurd. It has been attempted in yellow fever seasons in the South where the number of trains to be looked after was not large, and attempted at considerable cost. If any of these inspectors ever intercepted a case of yellow fever, or ever intercepted a man that was dangerous to the public health, I never heard of it.

In my judgment there are just three places in which to fight the progress of cholera in connection with immigrants. The first is at the point of departure in the foreign country. The second is at the port of arrival in this country. The third is at the point of destination in the interior of the country, when the immigrant has finished his journey.

Propositions "6" and "8" of programme were referred to a committee for a report upon same, composed of the following delegates: Drs. Irving A. Watson, of New Hampshire; Walter Wyman, Surgeon General Marine Hospital Service; F. Montizambert, Quarantine Officer, Dominion of Canada; L. F. Solomon, of Louisiana; J. H. Rauch, of Illinois; C. O. Probst, of Ohio; F. H. DeVaux, of North Dakota; and J. D. Plunket, of Tennessee. At the evening session the committee made the following report, which was adopted:

"WHEREAS, Article 14, of the immigration regulations of the United States, provides that each immigrant, or head of a family, prior to or at the time of embarkation shall be

given a ticket on which shall be written his or her name, a number or letter designating a list and his or her number on the said list, for convenience of identification on arrival.

Resolved, That for the purpose of assisting the quarantine officers and health inspectors said tickets should also have printed thereon figures or letters, or words which shall be hereafter provided; that the ship's surgeon, or agent, shall indicate by punch or otherwise on said ticket, the information hereafter to be specified, that the quarantine officers at the port of arrival, and the inspecting officers at the several inspecting stations in the interior states, shall indicate in like manner the same information; said ticket to be carried by the immigrant from the port of embarkation to the point of destination, and then delivered to the proper health officer; provided, that this provision does not conflict or interfere with the rules or regulations of the Treasury Department.

Resolved, That the secretary of the conference be directed to forward this resolution, with the necessary forms, to the secretary of the treasury.

Resolved, That the steamship companies shall be furnished with blank forms to be filled out by the surgeons on the voyage, dividing passengers into lists by states or provinces to which they are destined, such lists to be handed to the quarantine officer, to be by him punched, with such information as derived at quarantine; this to be enclosed in an envelope with the printed address of the executive officer of such state or provincial board of health, and at once posted. The state or provincial officer receiving it to notify, by telegram if necessary. the local health officer into whose jurisdiction each family or person is going. Some such form as the following is suggested:

Steamship—— ———, from—— ———, date———,
place ———, when started ———, name —— ——, age—,
destination———, fullest details —— ——, disease———,
isolated cases.

A question which gave rise to a good deal of discussion was as to the extent to which it is expedient to invoke the assistance of the marine hospital service in the administration of quarantines and other protective measures for the prevention of the dissemination of infectuous diseases amongst the states. This marine hospital service is very ambitious, and with the immense pecuniary resources placed at its disposal it will be able to break down opposition in many directions. The administration of our sea coast quarantines is now largely in their hands, and doubtless in course of time they will completely monopolize it. In addition to this they are now ambitious to undertake the administration of quarantines between the states. This extension of the jurisdiction of this service met with scant favor from the conference, and every resolution favoring it was promptly voted down. It met with most favor from the Western members—another illustration of the drift in the Western states towards a paternal government and state socialism.

The fact that we are to have the Columbian Exposition this year at Chicago has generated an unreasonable fear of the advent of cholera. In my opinion the danger of an invasion of this country by cholera this year is greatly less than was the danger of invasion last year. Last year we took no extraordinary precautions and yet we escaped invasion. It is urged that the number of Europeans flocking to Chicago will of itself greatly increase our danger. I do not think so. It is not probable that Europeans will flock to Chicago in very large numbers, and the class of people who will attend the exposition are not the sort of people who are likely to disseminate cholera. In 1884–85 there was a widespread epidemic of cholera in Western Europe; we resorted to no extraordinary measures of defense; and we had no cholera. There is no reason, therefore, why we should lose our heads, and impose useless restrictions on immigration and commerce.

I desire to add to this report two documents bearing on points embraced in it. The first is in the shape of an interview with the New Orleans *Times-Democrat*, and bears date the 23d of February. The other is an editorial from the New York *Times*, printed during the progress of the conference.

INVASION OF CHOLERA.

The *Times-Democrat* correspondent waited on Dr. Jerome Cochran to-day and asked that gentleman his views as to the probable invasion of cholera next summer. In reply he said:

"We are undoubtedly in some danger; but I think the probabilities are that we will escape. Cholera still lingers in various places in Western Europe, and may break out again when the weather gets warm and in some places become epidemic. But very energetic efforts will be made by the health authorities to restrain its spread, and I think the chances are that it will not prevail extensively. Of course our danger will be in proportion to the extent of its prevalence in those countries with which we are in most direct and frequent communication."

"Do you think it is desirable to prohibit immigration from European ports during the coming summer in order to prevent the introduction of cholera?" was asked.

"I do not think that so extreme a measure is likely to be necessary. It might, however, become so if cholera, contrary to my expectation, should prevail as extensively in Western Europe as it did last summer and fall. But even then we ought to be able to protect ourselves without laying an embargo on immigration. We were in great danger a few months ago when half a dozen large immigrant ships with scores of cholera cases on board and with hundreds of immigrants exposed to the infection, made their appearance in the port of New York—in greater danger, I think, than we are ever likely to be in again, and yet the disease failed to get a footing on shore."

"But a few cases did get into New York and they might have spread."

"Yes, a few cases did get in, and they did not spread. It is fortunate that these cases did occur in crowded New York city; fortunate because it gave the health authorities an opportunity to show that cholera cases can be so managed as to prevent any dessemination of the disease. In England a still larger experience went to prove the same thing. Some forty cases were brought from Hamburg at different times into Liverpool and London, and there was no spread."

"You believe, then, that even if a few cases of cholera should be in-

troduced into our seaports there would be no great danger of its epidemic dissemination?"

"That is my belief. With a rigid enforcement of isolation and disinfection, there is no reason why the disease should be allowed to propagate itself. If it should be allowed to spread in any community, that fact would be a sufficient proof of the want of skill or of the want of means of the local health authorities."

"What about our quarantine defenses?"

"They are certainly very much better than they ever were before; and this is specially true of our Gulf quarantines, which, in my opinion are the best in the world—much better, take them altogether, than those on the Atlantic coast. Still cholera might get into the country in spite of all our efforts to keep it out. There is contraband of revenue and there may be contraband of quarantine. Hence the importance of being able to manage it after it gets among us. Besides the defensive quarantines at our own seaports, very important measures of prevention are now employed at the ports of departure—the European ports from which the ships come. Great care is taken that persons who have been exposed to cholera shall not be allowed to embark for this country, and all baggage and freights that are regarded as suspicious are disinfected. In a word, our first line of quarantine defenses is erected in these foreign ports. Our home quarantines constitute a second line; and the isolation of cases that may occur among us constitute a third line of defense."—*Times-Democrat*, February 22, 1893.

STATE AND NATIONAL HEALTH JURISDICTION.

The discussions of the doctors who have been conferring in this city for the last few days upon questions of quarantine and defense against cholera have been disturbed by a serious difference of opinion as to the limits of state and national jurisdiction. As those doctors are mostly representatives of State Boards a majority of them take a "state rights" view of the case, and some go so far as to maintain that the national authorities have no right to meddle in the matter at all. This controversy is significant mainly because it indicates the constant liability to conflict of authority that comes from the failure of congress to assume jurisdiction within clearly-defined limits.

There is really no reason why the limits of state and national jurisdiction should not be clearly defined, and there will be controversy and conflict of authority so long as congress refrains from providing for the exercise of the power that belongs to the national government and that can be effectively exercised by it alone. There is no question that a state, through its "police power," can take all necessary measures for the protection of the health of the people of other states. It alone has to do with the sanitary condition of its cities and towns, the purification of the water supply of its people, and the control of causes of

disease and of the movements of traffic that promote its spread within the limits of the state.

It is equally clear that the national government has no jurisdiction to interfere with questions of local sanitation or the protection of the public health within any state It has no jurisdiction at all on the subject of public health as such. But when it comes to matters of quarantine and of dealing with epidemics and contagious diseases, which have no respect for state lines, a wholly different question of jurisdiction comes into view. The most prominent feature of quarantine regulation is an interruption of commerce and an interference with travel. That is the essential feature of it in its relation to public authority and the exercise of official jurisdiction It is a matter that pertains of necessity to the power to regulate commerce, rather than the power to protect public health.

Now, in the regulation of commerce with foreign nations and between the several states, the national jurisdiction is beyond question, and is exclusive because it is specially conferred upon congress by the Constitution of the United states. No state board or officer has the slightest authority to detain a vessel coming from a foreign port, or to prevent or interfere with the landing of its cargo or passengers, except by the sufferance of the national government, while on the other hand the national government has full power to make and enforce any regulation affecting incoming vessels that may be required by the public interest and no state authority can resist or interfere with the exercise of that power. When it comes to interrupting or interfering with transportation from one state to another, on any account whatever, it is a question pertaining to the regulation of commerce between the states, and the national jurisdiction is complete and unquestionable, while state jurisdiction does not exist, and state authority can only be excercised by sufferance of the national government.

The only chance for doubt or question or for conflict of authority now existing is due to the failure of congress to assume the jurisdiction that belongs to the national government and to provide for its exercise, and it is pretty clear that this will have to be done before the efforts of state boards of health in their own proper field can be fully supplemented and supported by effective regulations for excluding foreign epidemics from the country and preventing the spread of contagion from state to state, whatever its source may be.—*New York Times.*

THE NEW NATIONAL QUARANTINE LAW.

AN ACT granting additional quarantine powers and imposing additional duties upon the Marine Hospital Service.

Be it enacted by the Senate and House of Representatives of the United States of America in Congress assembled: That it shall be unlawful for any merchant ship or other vessel from any foreign port or place to enter any port of the United States except in accordance with the provisions of this act and with such rules and regulations of State and municipal health authorities as may be made in pursuance of, or consistent with, this act; and any such vessel which shall enter, or attempt to enter, a port of the United States in violation thereof shall forfeit to the United States a sum, to be awarded in the discretion of the court, not exceeding five thousand dollars; which shall be a lien upon said vessel, to be recovered by proceedings in the proper district court of the United States. In all such proceedings the United States district attorney for such district shall appear in behalf of the United States, and all such proceedings shall be conducted in accordance with the rules and laws governing cases of seizure of vessels for violation of the revenue laws of the United States.

SEC. 2. That any vessel at any foreign port clearing for any port or place in the United States shall be required to obtain from the consul, vice-consul, or other consular officer of the United States at the port of departure, or from the medical officer where such officer has been detailed by the President for that purpose, a bill of health, in duplicate, in the form prescribed by the Secretary of the Treasury, setting forth the sanitary history and condition of said vessels and that it has in all respects complied with the rules and regulations in such cases prescribed for securing the best sanitary condition of the said vessel, its cargo, passengers and crew; and said consular or medical officer is required,

before granting such duplicate bills of health, to be satisfied that the matters and things therein stated are true; and for his services in that behalf he shall be entitled to demand and receive such fees as shall by lawful regulation be allowed, to be accounted for as is required in other cases.

The President, in his discretion, is authorized to detail any medical officer of the government to serve in the office of the consul at any foreign port for the purpose of furnishing information and making the inspection and giving the bill of health heretofore mentioned. Any vessel clearing and sailing from any such port without such bill of health and entering any port of the United States, shall forfeit to the United States not more than five thousand dollars, the amount to be determined by the court, which shall be a lien on the same, to be recovered by proceedings in the proper district court of the United States. In all such proceedings the United States district attorney for such district shall appear in behalf of the United States; and all such proceedings shall be conducted in accordance with the rules and laws governing cases of seizure of vessels for violations of the revenue laws of the United States.

SEC. 3. That the Supervising Surgeon General of the Marine Hospital Service shall, immediately after this act takes effect, examine the quarantine regulations of all State and municipal boards of health, and shall, under the direction of the Secretary of the Treasury, co-operate with and aid State and municipal boards of health in the execution and enforcements of the rules and regulations of such boards and in the executions and enforcement of the rules and regulations made by the Secretary of the Treasury to prevent the introduction of contagious or infectious diseases into the United States from foreign countries, and into one State or Territory or the District of Columbia from another State or Territory or the District of Columbia; and all rules and regulations made by the Secretary of the Treasury shall operate uniformly and in no manner discriminate against any port or place; and at such ports and places

within the United States as have no quarantine regulations under State or municipal authority, where such regulations are, in the opinion of the Secretary of the Treasury, necessary to prevent the introduction of contagious or infectious diseases into the United States from foreign countries, or into one State or Territory or the District of Columbia from another State or Territory or the District of Columbia, and at such ports and places within the United States where quarantine regulations exist under the authority of the State or municipality which, in the opinion of the Secretary of the Treasury, are not sufficient to prevent the introduction of such diseases into the United States, or into one State or Territory or the District of Columbia from another State or Territory or the District of Columbia, the Secretary of the Treasury shall, if in his judgment it is necessary and proper, make such additional rules and regulations as are necessary to prevent the introduction of such diseases into the United States from foreign countries, or into one State or Territory or the District of Columbia from another State or Territory or the District of Columbia, and when said rules and regulations have been made they shall be promulgated by the Secretary of the Treasury and enforced by the sanitary authorities of the States and municipalities, where the State or municipal health authorities will undertake to execute and enforce them; but if the State or municipal authorities shall fail or refuse such rules and regulations the President shall execute and enforce the same and adopt such measures as in his judgment shall be necessary to prevent the introduction or spread of such diseases, and may detail or appoint officers for that purpose.

The Secretary of the Treasury shall make such rules and regulations as are necessaay to be observed by vessels at the port of departure and on the voyage, where such vessels sail from any foreign port or place to any port or place in the United States, to secure the best sanitary condition of such vessel, her cargo, passengers and crew; which shall be published and communicated to and enforced by the con-

sular officers of the United States. None of the penalties herein imposed shall attach to any vessel or owner or officer thereof until a copy of this act, with the rules and regulations made in pursuance thereof, has been posted up in the office of the consul or other consular officer of the United States for ten days, in the port from which said vessel sailed; and the certificate of such consul or consular officer over his official signature shall be competent evidence of such posting in any court of the United States.

SEC. 4. That it shall be the duty of the Supervising Surgeon General of the Marine Hospital Service, under the direction of the Secretary of the Treasury, to perform all the duties in respect to quarantine and quarantine regulations which are provided for by this act, and to obtain information of the sanitary condition of foreign ports and places from which contagious and infectious diseases are or may be imported into the United States, and to this end the consular officer of the United States at such ports and places as shall be designated by the Secretary of the Treasury shall make to the Secretary of the Treasury weekly reports of the sanitary condition of the ports and places at which they are respectively stationed, according to such forms as the Secretary of the Treasury shall prescribe; and the Secretary of the Treasury shall also obtain, through all sources accessible, including state and municipal sanitary authorities throughout the United States, weekly reports of the sanitary condition of ports and places within the United States, and shall prepare, publish and transmit to collectors of customs and to state and municipal health officers and other sanitarians weekly abstracts of the consular sanitary reports and other pertinent information received by him, and shall also, as far as he may be able, by means of the voluntary co-operation of state and municipal authorities; of public associations and private persons, procure information relating to the climatic and other conditions affecting the public health, and shall make an annual report of his

operations to Congress, with such recommendations as he may deem important to the public interests.

SEC. 5. That the Secretary of the Treasury shall, from time to time, issue to the consular officers of the United States and to the medical officers serving at any foreign port, and otherwise make publicly known, the rules and regulations made by him, to be used and complied with by vessels in foreign ports, for securing the best sanitary condition of such vessels, their cargoes, passengers and crew, before their departure for any port in the United States, and in the course of the voyage; and all such other rules and regulations as shall be observed in the inspection of the same on the arrival thereof at any quarantine station at the port of destination, and for the disinfection and isolation of the same, and the treatment of cargo and persons on board, so as to prevent the introduction of cholera, yellow fever, or other contagious or infectious diseases; and it shall not be lawful for any vessel to enter said port to discharge its cargo, or land its passengers, except upon a certificate of the health officer at such quarantine station certifying that said rules and regulations have in all respects been observed and complied with; as well on his part as on the part of the said vessel and its master, in respect to the same and to its cargo, passengers and crew, and the master of every such vessel shall produce and deliver to the collector of customs at said port of entry, together with the other papers of the vessel, the said bills of health required to be obtained at the port of departure and the certificate herein required to be obtained from the health officer at the port of entry; and that the bills of health herein prescribed shall be considered as part of the ship's papers, and when duly certified to by the proper consular or other officer of the United States, over his official signature and seal, shall be accepted as evidence of the statements therein contained in any court of the United States.

SEC. 6. That on the arrival of an infected vessel at any port not provided with proper facilities for treatment of the

same, the Secretary of the Treasury may remand said vessel, at its own expense, to the nearest national or other quarantine station, where accommodations and appliances are provided for the necessary disinfection and treatment of the vessel, passengers and cargo; and after treatment of any infected vessel at a national quarantine station, and after certificate shall have been given by the United States quarantine officer at said station that the vessel, cargo and passengers are each and all free from infectious disease, or danger of conveying the same, said vessel shall be admitted to entry to any port of the United States named within the certificate. But at any ports where sufficient quarantine provision has been made by state or local authorities, the Secretary of the Treasury may direct vessels bound for said ports to undergo quarantine at said state or local station.

SEC. 7. That whenever it shall be shown to the satisfaction of the President that by reason of the existence of cholera or other infectious or contagious diseases in a foreign country there is serious danger of the introduction of the same into the United States, and that notwithstanding the quarantine defense this danger is so increased by the introduction of persons or property from such country that a suspension of the right to introduce the same is demanded in the interest of the public health, the President shall have power to prohibit, in whole or in part, the introduction of persons and property from such countries or places as he shall designate, and for such period of time as he may deem necessary.

SEC. 8. That whenever the proper authorities of a state shall surrender to the United States the use of the buildings and disinfecting apparatus at a state quarantine station, the Secretary of the Treasury shall be authorized to receive them and to pay a reasonable compensation to the state for their use, if in his opinion, they are necesssry to the United States.

SEC. 9. That the act entitled "An act to prevent the introduction of infectious or contagious diseases into the United

States, and to establish a national board of health," approved March 3, 1879, be, and the same is hereby repealed. And the Secretary of the Treasury is directed to obtain possession of any property, furniture, books, papers or records belonging to the United States which are not in the possession of an officer of the United States under the Treasury Department which were formerly in the use of the National Board of Health or any officer or employee thereof.

ROLL OF HONOR.

Beat Health Officers who deserve favorable mention:

BARBOUR.

Dr. H. L. Brannon,
" A. Goodwin,
" Thomas Patterson,
Dr. D. J. Herron,
" W. H. Robertson,
" J. A. Newberry.

BLOUNT.

Dr. W. H. Estelle,
Mrs. A. S. Smith,
Dr. P. G. Allridge,
" D. S. Moore,
" W. B. Allgood,
" J. T. Hendricks,
Dr. W. K. Clapp,
" W. M. Cole,
" H. H. Haden,
" George Self,
" A. S. Davidson,
" J. W. Boyd.

BULLOCK.

Dr. G. Caldwell,
" S. C. Cowan,
" W. B. Thomason,
" B. F. Darnell,
" W. A. Reynolds,
Prof. J. T. Flewellen,
Dr. N. M. Bledsoe,
" W. A. Walker,
" E. D. Grimes,
" J. H. Reynolds,
Dr. C. W. Powell.

BUTLER.

Dr. Thomas Hall,
" J. J. McCane,
" C. N. Sheppard,
" C. Wall,
" W. A. Brown,
" H. G. Perry,
Dr. W. R. Smith,
" L S. Tillery,
" J. D. Owens,
" J. L. Perdue,
" H. E. Scott,
" J. C. Kendricks.

CALHOUN.

Dr. T. W. Ayres,
" W. R. Kendall,
" B. S. Evans,
" J. M. Whiteside,
" E. C. Anderson,
Dr. T. Williamson,
" W. H. Kinnebrew,
" J. F. Davis,
" P. H. Brothers,
" F. M. McRae.

CLARKE.

Dr. H. G. Davis,
" C. J. Dahlberry,
" J. W. Armistead,
" B. Burroughs,
" T. B. Harwood,
" J. M. Davis,
Dr. G. S. Chapman,
" G. W. Files,
" J. W. Fleming,
" G. E. Jones,
" J. D. Lindsey,
L. L. Armistead.

CLAY.

Dr G. N. Sims,
" J. T. Manning,
" W. M. Scarborough,
" S. W. Owen,
" A L. Harlan,
" A. P. Stephens,
Dr. G. W. Bartlett,
" C. W. Darby,
" A. K. McDairmid,
" J S. Wyley,
" O. K. Waits,
" G. M. Calloway.

CONECUH.

Dr. I. N. Mixon,
" T. M. McMillan,
" Andrew Jay,
Dr. R. T. Holland,
" W. B. Shaver,
" A. A. McKittrick.

COOSA.

Dr. William Bailey,
" A. C. Peterson,
" W. J. Peddy,
Dr. W. H. Moon,
" W. T. White,
" H. C. Dollar,
Dr. C. K. Maxwell.

CULLMAN.

Dr. J. E. Purdon,
" T. B. Burnum,
" J. H. Walling,
Dr. G. W. Watts,
" W. H. Martin,
" L. W. Keller,
Dr. G. W. McCarty.

DALLAS.

Dr. William Mixon,
" R. M. Cochran,
" W. Q. Kendall,
" W. R. Hardy,
" B. C. Adams,
Dr. R. D. Jackson,
" L. L. Alston,
" W. C. Stewart,
" G. W. Keyser,
" J. O. Boykin,
Dr. J. A. Groves.

DEKALB.

Dr. H. P. McWhorter,
" W. E. Moore,
" E. P. Nicholson,
" W. J. Wright,
Dr. J. T. Miller,
" W. E. Quinn,
" S. P. Smith,
" W. A. Elrod.

ELMORE.

Dr. A. L. Warren,
" J. T. Rushin,
" S. F. Jowers,
" J. I. Lamar,
" W. F. Beckett,
" M. L. Felder,
" R. D. Howe,
Mrs. E. H. Grier,
Dr. J. R. Powell,
" O. S. Justice,
" N. B. Sewell,
" E. H. Robinson,
" H. T. Lett,
" T. D. Hall,
" W. A. Warren.
Mrs. Emily Foster.

ESCAMBIA.

Dr. S. W. Douglass,
" J. L. Bass,
" G. P. Henry,
" J. D. Trammell,
Dr. E. B. Loveless,
" J. A. Wilkinson,
" J. H. Parker,
" S. N. Jones,
Dr. E. T. Parker.

ETOWAH.

Dr. W. E. Jack,
" J. W. Lawrence,
" G. W. Morgan,
" J. H. Ellison,
Dr. F. P. Landers,
" W. D. Sauls,
" J. K. Johnson,
" J. P. Stewart.

HALE.

Dr. A. R. Davis,
Dr. G. M. Spencer,
Dr. R. J. Griffin.

JACKSON.

Dr. S. L. Zurmerhly,
" J. R. Tarrant,
" J. H. McCord,
" C. W. Adkins,
" G. T. Hayes,
" J. O. Robertson,
" W. C. Maples,
" E. R. Smith,
" C. H. Owen,
Dr. G. W. Foster,
" W. D. Haden,
" T. W. Arnold,
" A. N. Blakemore,
" H. F. Gattis,
" S. P. Coon,
" J. F. Clarke,
" J. B. Haralson,
" G. R. McAfee,
Mrs. Girley Sanders.

JEFFERSON.

Dr. M. C. Ragsdale,
" J. C. Jones,
" J. T. Miller,
" R. S. Greene,
" S. W. Acton,
" M. A. Posey,
" Thomas Cross,
" A. J. Farley,
" G. W. Brown,
" T. J. Brown,
" S. C. Carson,
" M. N. Due,
" Dr. W. M. Owen,
" J. F. Hancock,
" R. N. Hawkins,
" D. D. Oates,
" B. F. Clayton.
" L. A. Whissenhant,
" J. E. Robbins,
" P. B. Lusk,
" L. A. Jenkins,
" W. F. Posey,
" D. D. Jones,
" J. N. Statum,
Dr. H. N. Rosser.

LAMAR.

Dr. M. W. Morton,
" W. F. Elliott,
" R. J. Redden,
" J. I. Barksdale,
" G. J. Collins,
Dr. F. A. Collins,
" J. R. Block,
" D. W. Box,
" L. C. Blakeney,
" J. T. Seay.

LAWRENCE.

Dr. W. J. McMahon,
Dr. L. W. Houston.

LOWNDES.

Dr. Shirley Bragg,
" C. T. Weatherly,
" S. G. Dilburn,
" W. L. Buford,
Dr. S. E. Winnemore,
" Wm. Peake,
" O. G. Bruner,
" J. H. Russell,
Dr. D. S. Hopping.

MONROE.

Dr. G. G. Scott,
" H. T. Fountain,
"W. M. Hestle,
Dr. W. W. McMillan,
" H. C. Bradley,
" W. M. Burroughs.

MONTGOMERY.

Dr. W. T. Kendrick,
" B. E. McGehee,
" N. H. McCrummin,
" J. M. Brown,
" B. P. Ivey,
Dr. J. V. Phillips,
" C. W. Powell,
" A. H. Sellers,
" P. H. Owen,
" G. W. McDade.

MORGAN.

Dr. B. F. Cross,
" W. B Thomasson,
" J. H. Oden,
" J. L. Gill,
Dr. J. M. Kitchens,
" F. B. Hunter,
" S. C. Smith,
" S. L. Rountree,
Dr. J. P. Whorton.

PIKE.

Dr. E. G. Ford,
" J. M. Bean,
" W. A. Eiland,
" J. W. Lawrence,
" T. F. Moore,
Dr. L R. Boyd,
" L. Hendrick,
" T. H. Dennis,
" J. C. Borders,
" F. M. Broach.

ST. CLAIR.

Dr. J. W. Ashville,
Dr. O. M. Steadham.
Mrs. Susan Rickles.

SUMTER.

Dr. J. N. Gilmore,
" D. S. Brockway,
" J. T. Hawkins,
Dr. J. B. Mooney,
" S. P. Hand,
" D. Henagin,
Dr. M. B. Cameron.

TALLADEGA.

Dr. J. T. Donaldson,
" W. F. Thetford,
" A. G. Sims,
" H. T. Morton,
" J. E. Pearson,
Dr. J. T. Harrison,
" J. W. Heacock,
" W. D. Caldwell,
" Jno. Dixon,
" W. B. Kant,
Dr. W. T. Coker.

TALLAPOOSA.

Dr. R. W. Lightfoot,
Dr. J. J. Harlan,
Dr. O. T. Shepard.

TUSCALOOSA.

Dr. C. R. McCord,
" W. J. Smothers,
" W. W. Elrod,
" R. Neilson,
" T. M. Leatherwood,
" J. B. Read,
" W. J. Caldwell,
" W. T. Parker,
Dr. G. W. Olive,
" P. L. Hagler,
" B. M. Smothers,
" Ezra Foster,
" A. S. Allen,
" R. D. Lucius,
" M. A. Toomey,
" J. M. Thompson.

WINSTON.

Dr. D. Carroll,
" D. B. Ford,
Dr. J. C. Taylor,
" C. H. Johnson.

PART II.

STATISTICAL REPORTS.

Annual Report of Births in the State of Alabama--1892.

MONTHS.	BORN LIVING.					STILL BIRTHS.					PRESENTATION.		
		White.		Black.			White.		Black.				
	Total.	M	F	M	F	Total.	M	F	M	F	Head.	Breach.	Cross.
January	1706	512	491	378	325	72	19	16	18	19	1712	56	10
February	1656	467	490	368	331	61	20	11	15	15	1652	53	12
March	1703	500	437	385	381	60	12	14	18	16	1694	51	18
April	1560	504	405	391	260	48	8	11	13	16	1562	35	13
May	1483	495	371	325	292	68	18	13	21	16	1475	63	13
June	1492	493	364	348	287	49	13	10	13	13	1474	42	25
July	1675	505	454	438	278	53	16	11	19	7	1681	34	13
August	1885	585	467	488	345	71	19	18	11	23	1875	65	16
September	1561	402	496	339	324	63	18	2	21	16	1559	48	17
October	1402	410	395	290	307	38	13	6	10	9	1397	34	9
November	1500	420	393	321	366	34	8	6	11	9	1489	32	13
December	1433	443	320	381	289	43	13	9	8	13	1437	28	11
Total	19056	5736	5083	4452	3785	660	177	133	178	172	19007	539	170

Live Births—total, 19,056; white, 10,819; colored, 8,237. Population—total, 782,233; white, 429,625; colored, 352,608. Live births per 1000—total, 24.36; white, 25.18; colored, 23.36. Still Births—total, 660; white, 310; colored, 350. Presentations—total, 19,716; head, 19,007; breach, 539; cross, 170. White, 11,129; head, 10,786; breach, 266; cross, 77. Colored—8,587; head, 8,221; breach, 273; cross, 93.

Annual Report of Deaths in the State of Alabama—1892.

MONTHS.	Total.	Colors and Sexes.				Ages of Decedents.																									
		White.		Black.																											
		M.	F.	M.	F.	Under 1 Year.	1-2 Years.	2-3 Years.	3-4 Years.	4-5 Years.	5-10 Years.	10-15 Years.	15-20 Years.	20-25 Years.	25-30 Years.	30-35 Years.	35-40 Years.	40-45 Years.	45-50 Years.	50-55 Years.	55-60 Years.	60-65 Years.	65-70 Years.	70-75 Years.	75-80 Years.	80-90 Years.	90-100 Years.	100-110 Years.	110-120 Years.	Not given.
January	888	231	214	199	244	130	30	13	16	11	21	18	29	79	73	41	49	38	32	41	31	38	43	58	33	30	13	3	1	14
February	627	154	140	188	155	78	20	21	14	10	18	24	28	44	50	51	31	31	31	18	15	18	20	28	20	18	6	1		10
March	645	162	145	222	116	98	32	20	16	9	14	19	30	58	44	51	36	33	23	23	29	32	28	28	16	16	4	1	2	12
April	607	132	136	220	119	89	36	18	13	8	25	29	42	48	40	33	30	26	33	29	16	30	28	26	12	21	3	1	1	17
May	643	138	163	179	163	116	40	20	13	8	23	20	41	55	40	31	28	31	23	28	15	26	19	13	15	20	5	1		9
June	677	149	147	190	191	137	67	26	15	10	18	11	30	48	39	36	35	30	30	34	19	15	16	19	18	18	3	1		8
July	696	170	145	185	199	134	56	30	10	4	18	16	30	38	38	30	46	31	30	18	20	27	28	28	15	19	8			12
August	766	195	182	193	196	130	80	34	15	16	31	36	41	43	36	36	38	35	36	27	19	21	26	15	18	20	7	1		10
September	670	166	164	153	187	112	75	30	9	10	18	15	45	38	43	26	28	21	16	30	20	19	24	21	17	30	8			6
October	608	153	145	156	154	90	40	31	13	10	20	13	36	48	34	30	34	33	20	26	21	24	27	18	14	9	9			8
November	498	131	124	128	115	90	28	31	12	9	11	15	31	31	21	21	30	28	14	16	28	24	17	9	16	4	4			9
December	495	128	109	139	119	88	26	19	11	5	28	9	30	39	30	35	26	24	14	20	15	13	21	10	16	8	3			10
Total	7820	1909	1811	2137	1963	1296	530	293	157	110	245	225	413	569	488	420	411	361	302	320	248	287	291	273	210	213	73	9	4	125

Deaths—total, 7,820; white, 3,720; colored, 4,100. Population—total, 782,233; white, 429,625; colored, 352,608. Deaths per 1,000—total, 9.99; white, 8.65; colored, 11.60. Nativities—Alabama, 6,084; other United States, 1,003; England, 33; Ireland, 28; Germany, 51; not given, 621.

Births and Deaths by Counties, Towns and Colors—January, 1892.

Counties and Towns.	Population.			Births.						Deaths.					
	Total.	White.	Colored.	Total.	Rate per M.	White.	Rate per M	Colored.	Rate per M.	Total.	Rate per M.	White.	Rate per M.	Colored.	Rate per M.
Baldwin	8,941	5,635	3,306	24	32.21	17	35.89	7	25.40	7	9.39	3	6.33	4	14.51
Barbour	34,898	13,321	21,577	71	24.35	23	20.70	48	26.68	17	5.83	8	7.20	9	5.00
Exclusive	29,874	10,121	19,753	66	26.40	21	25.78	45	27.00	10	4.01	5	5.90	5	3 00
Eufaula	4,027	2,600	1,427	3	8.86	2	9 30	1	8.40	4	11.82	3	13 96	1	8.40
Clayton	997	600	397	2	24 07	...	.....	2	60 45	3	36 10	....	.....	3	90.67
Blount	21,927	20,115	1,812	15	24.61	45	26.82	...	....	12	6.56	12	7.05	...	.....
Bullock	27,033	6,066	20,967	100	44.34	19	37.43	81	46.33	30	13.39	1	1.97	29	16.51
Exclusive	25,016	5,066	19,950	97	47.46	17	39 32	80	47.53	21	23.19	....	.....	21	24.34
Union Springs	2,017	1,000	1,017	3	17.84	2	24.00	1	11.79	9	53.54	1	12.00	8	94 37
Butler	21,581	11,368	10,213	62	34.37	33	34.83	29	25.84	22	12.19	8	8.44	14	16.44
Exclusive	18,779	9,968	8,811	56	35 67	30	36.11	26	35 40	19	12.10	6	6 22	13	17.70
Greenville	2,802	1,400	1,402	6	25.69	3	25 71	3	25 67	3	12.84	2	17 14	1	8 55
Calhoun	33,835	23,891	9,944	89	31.60	64	32.01	25	31.25	27	9.55	15	7.50	12	15.00
Exclusive	20,301	15,092	5,209	56	33 00	46	36 57	10	23 03	12	7.08	8	6 36	4	9 21
Anniston	10,113	6,399	3,714	24	28.47	15	28.12	9	29.07	10	11 86	4	7.50	6	19 38
Jacksonville	1,237	900	337	1	9 70	...	....	1	35 60	3	29.10	2	26.66	1	35.60
Oxford	1,473	900	573	6	48 87	1	13 33	5	104.71	2	16.29	1	13 33	1	20 94
Piedmont	711	600	111	2	33 75	2	40.00	..	....	...	....	...	....	...	....
Clarke	22,622	9,627	12,995	68	36.06	29	36.14	39	36.01	18	9.54	5	6.23	13	12.00
Clay	15,765	14,086	1,679	37	28.16	33	28.11	4	28.58	17	12.94	17	14.48	..	...
Conecuh	14,594	7,956	6,638	37	30.42	17	25.85	20	36.15	14	11.51	5	7.60	9	16.26
Exclusive	13,557	7,341	6,216	32	28.32	13	21.24	19	36.67	14	12 39	5	8.17	9	17 37
Evergreen	1,037	615	422	5	57 85	4	78 04	1	28.43	..	....	...	.....	...	....
Coosa	15,906	10,486	5,420	64	48 24	45	51.49	19	42.06	17	12.82	10	11.44	7	15 49
Cullman	13,439	13,439	.....	30	26.85	30	26.85	...	.....	14	12.53	14	12.53	....	.....
Exclusive	12,422	12,422	.....	28	27 04	28	27 04	...	.....	9	8.69	9	8 69	...	.....
Oullman	1,017	1,017	.....	2	23.59	2	23.59	....	.....	5	58.99	5	58.99	...	.....

Births and Deaths by Counties, Towns and Colors—January, 1892. (Continued.)

Counties and Towns.	Population.			Births.						Deaths.					
	Total.	White.	Colored.	Total.	Rate per M.	White.	Rate per M.	Colored.	Rate per M.	Total.	Rate per M.	White.	Rate per M.	Colored.	Rate per M.
Dallas	49,350	7,906	41,444	77	18.71	16	24.20	61	17.62	115	27.94	20	30.20	95	27.45
Exclusive	41,728	4,406	37,322	59	16.96	8	21.78	51	16 39	63	18.11	9	24 51	54	17 36
Selma	7,622	3,500	4,122	18	28.35	8	27 42	10	29.11	52	81 93	11	37 71	41	119.35
DeKalb	21,010	19,881	1,129	53	30 32	51	30.78	2	21.25	18	10.29	16	9.65	2	21.25
Exclusive	18,312	17,881	431	43	28.02	43	28 85	....	...	15	9 77	14	9.39	1	27 84
Ft. Payne	2,698	2,000	698	10	44.47	8	48 00	2	34 38	3	13.33	2	12.00	1	17.19
Elmore	21,732	11,329	10,403	53	29.26	34	36 01	19	21 91	8	4.41	5	5.28	3	3.46
Exclusive	20,919	10,829	10,090	53	30 40	34	39 36	19	21.50	8	4.61	5	5 78	3	3.56
Wetumpka	813	500	313	...	..	....	....	...	...	...	.....	....	.....	....	.....
Escambia	8,666	5,614	2,992	12	16.61	5	10 57	7	28 07	8	11.07	5	10 57	3	12.03
Exclusive	7,302	4,799	2,503	8	13 14	4	10 00	14	19.16	5	8.21	4	10.00	1	4 79
Brewton	1,115	750	365	4	43 04	1	16.00	3	98 62	3	32 28	1	16.00	2	65 75
Alco	249	125	124	...	.. .	...	....	...	....	...	.....	....	....	....	.....
Etowah	21,926	18,097	3,829	42	22.97	35	23.30	7	21.93	14	7.65	10	6 63	4	12.53
Exclusive	14,926	12,797	2,129	28	22.50	26	24.38	2	11 27	8	6.43	5	4 68	3	16.90
Gadsden	5,000	3,800	1,200	14	33 60	9	28 41	5	50.00	3	7.20	3	9 47	...	..
Attalla	2,000	1,500	500	5	30 00	3	24.00	2	48.00	3	18.00	2	16.00	1	24 00
Hale	27,501	5,053	22,448	27	11.77	9	21.36	18	9 61	16	6.97	5	11.85	11	5.87
Exclusive	25,742	4,153	21,589	23	10.72	6	17 23	17	9 43	13	6.06	2	5.77	11	6.11
Greensboro	1,759	900	859	4	27.28	3	39 99	1	13.96	3	20.46	3	39.99	...	..
Jackson	28,026	24,132	3,894	73	31.25	69	34.30	4	12 32	35	14.12	29	14.41	4	12 32
Exclusive	27,067	23,382	3,685	70	31 03	66	33 87	4	13.02	30	13.30	26	13.34	4	13.02
Scottsboro	959	750	209	3	37.53	3	48 00	..	.	3	37 53	3	48 00		
Jefferson	88,501	56,953	31,548	173	23.44	118	24 78	55	20.90	171	23.17	92	19.32	79	30.02
Exclusive	46,951	34,423	19,278	89	....	68	...	21	.....	95	.....	52	.....	43	.....
Birmingham	27,000	17,550	9,450	73	35.11	40	27.32	33	41.87	57	27 41	30	20.49	27	34 26
Bessemer	4,000	2,500	1,500	3	9.00	3	14 40	...	.....	5	15 00	3	14.40	2	16.00

Births and Deaths by Counties, Towns and Colors—January, 1892. (Continued.)

Counties and Towns.	Population.			Births.						Deaths.					
	Total.	White.	Colored.	Total.	Rate per M.	White.	Rate per M.	Colored.	Rate per M.	Total.	Rate per M.	White.	Rate per M.	Colored.	Rate per M.
Woodlawn	1,500	1,000	500	4	32 00	3	36.00	1	24.00	3	24.00	3	36.00	..	....
Pratt Mines—Convicts	1,000	.....	.....	...	....	..	....	...	.....	6	72.00	....	.	6	..
Pratt City	1,050	680	370	3	34.28	3	52.93	...	.....	3	34.28	2	35.29	1	32.43
Coalburg	575	.....	... ..	..	.....	...	....	...	....	11	22 76	1	...	10	....
Warrior	1,250	800	450	1	9.60	1	15 00	..	.....	1	9 60	1	15 00	..	.....
Lawrence	20,725	12,536	8,189	45	27.21	25	23.93	20	29.55	28	16.31	11	10.54	17	25.11
Lowndes	31,550	4,446	27,084	74	28.14	5	12 31	69	30.57	44	16.73	1	2.46	43	19 05
Monroe	18,990	8,327	10,663	70	44 23	21	29 95	49	55.14	15	9.47	12	17 11	3	3.36
Montgomery	56,172	14,530	41,642	73	15.59	27	22.29	46	13.25	53	11.32	15	12.38	38	10.95
Exclusive	34,289	5,638	28,651	41	14.30	10	21.28	31	12.98	23	8 02	1	2 12	22	9.21
Montgomery	21,883	8,892	12,991	32	17.62	17	22 94	15	13.85	30	16 52	14	18.89	16	14 77
Morgan	24,089	17,903	6,186	47	23.40	36	24.12	11	21.32	42	20.91	31	20.77	11	21.32
Exclusive	16,953	13,903	3,050	32	22 59	27	23 01	5	19 67	19	13.41	18	15.53	1	3 93
Decatur	7,136	4,000	3,136	15	25 21	9	27.00	6	22 93	23	38.66	13	39.00	10	38.23
Pike	24,423	15,633	8,790	50	24.56	28	21 31	22	30 03	13	6.38	9	6.85	4	5.46
Exclusive	20,974	13,433	7,541	32	18 30	20	17 86	12	19.09	9	5.14	6	5 35	3	4.77
Troy	3,449	2,200	1,249	18	62.64	8	43.63	10	96.00	4	13.72	3	16 36	1	9.60
St. Clair	17,353	14,285	3,068	35	24.20	32	26.88	3	11.73	13	8 98	11	9.24	2	7 82
Talladega	29,346	15,343	14,003	64	24 60	37	28 83	27	23.11	17	6.80	11	8.60	6	5.13
Exclusive	26,846	13,843	13,003	58	25.92	34	29.48	24	22.14	16	7.15	10	8.67	6	5.53
Talladega	2.500	1,500	1,000	6	28.80	3	24.00	3	36.00	1	4.80	1	8.00	..	.....
Tallapoosa	25,460	16,854	8,606	63	29.67	44	31.32	19	26.50	11	5.18	10	7.12	1	1.39
Exclusive	23,660	15,354	8,306	55	25.54	39	30.48	16	23 12	9	4.18	8	6 25	1	1.44
Daderille	1,000	800	200	3	36 00	2	30 00	1	60 00	1	12.00	1	15.00	..	....
Alexander City	800	700	100	5	75.00	3	51 42	2	240 00	1	15 00	1	17.14	.	....
Tuscaloosa	30,352	18,213	12,139	33	13.03	22	14.47	11	10 86	61	40.13	42	27.30	19	48.77
Exclusive	23,652	13,813	9,739	21	10.69	14	12.10	7	8.62	36	18 34	26	12 47	10	12.32

Births and Deaths by Counties, Towns and Colors—January, 1892. (Continued.)

Counties and Towns.	Population.			Births.						Deaths.					
	Total.	White.	Colored.	Total.	Rate per M.	White.	Rate per M.	Colored.	Rate per M.	Total.	Rate per M.	White.	Rate per M.	Colored.	Rate per M.
Tuscaloosa	5,000	3,000	2,000	10	24.00	6	24 00	4	24.00	10	24.00	7	28 00	3	18 00
North Port	700	500	200	2	34.28	2	48.00	...	.....	7	119.99	4	96.00	3	180 00
Insane Asylum	11,000	900	200	...	.....	..	....	..	.....	8	87.28	5	66.68	3	180.00
Winston	6,520	6,520	.....	16	29.44	16	29 44	..	.....	3	5.52	3	5.52	...	
Total of counties for January	782,233	429,625	352,608	1708	26.20	995	27.77	713	24.26	888	13 63	445	12 40	443	15 07
Exclusive of towns	654,649	354,747	301,472	1421	26.04	829	23.37	592	19.63	608	11.14	343	9 67	265	8.79
Total of towns	127,584	74,878	51,136	287	26 91	166	22 16	121	23.66	280	26.33	102	13.62	178	34.80

Births and Deaths by Counties, Towns and Colors—February, 1892.

COUNTIES AND TOWNS.	Population.			Births.						Deaths.					
	Total.	White.	Colored.	Total.	Rate per M	White.	Rate per M.	Colored.	Rate per M.	Total.	Rate per M.	White.	Rate per M.	Colored.	Rate per M.
Baldwin	8,941	5,635	3,306	23	30 86	18	38.00	5	18.14	4	5.36	3	6 33	1	3.62
Barbour.	34,898	13,321	21,577	53	18 17	21	18.90	32	17 79	23	7 88	12	10.80	11	6.11
Exclusive	29,874	10,121	19,763	47	18.80	16	18.88	31	18 60	15	6.01	7	8.26	8	4.80
Eufaula.	4,027	2,600	1,427	5	14.77	4	18 61	1	8 40	6	16 83	3	18.96	3	25.22
Clayton.	997	600	397	1	12.03	1	20.00	..	....	2	24.06	2	40 00	..	.....
Blount	21,927	20,115	1,812	15	8.20	15	8.94	.		7	4 92	7	4.17	.	...
Bullock.	27,033	6,066	20,967	82	36 32	19	37 43	63	36.03	25	11.07	4	7.91	21	12.01
Exclusive	25,016	5,066	19,950	79	37 42	17	38.29	62	35.64	23	11.01	3	7.10	20	13.20
Union Springs	2,017	1,000	1,017	3	17.84	2	24 00	1	11 79	2	11.89	1	12 00	1	11.79
Butler	21,581	11,368	10,213	65	35 23	36	38 62	29	18.27	19	10 53	6	6 33	13	15.27
Exclusive	18,779	9,968	8,811	56	36 10	30	37.31	26	28.19	14	8.91	5	6 01	9	12.25
Greenville	2,802	1,400	1.402	9	35.53	6	51 42	3	25.67	5	21.41	1	8.59	4	4.34
Calhoun	33,835	23,891	9,944	67	23 71	46	23 00	21	23 91	28	9.91	22	11.00	6	6 32
Exclusive	20,301	15,092	5,209	31	18 32	24	19.08	7	16 12	13	7.68	8	6.36	5	11.51
Anniston	10,113	6,399	3,714	25	29 66	14	27.25	11	35 54	8	9 49	7	13 12	1	3.23
Jacksonville	1,237	900	337	3	29 10	2	26.66	1	35 60	.	....	..	....	..	....
Oxford	1,473	900	573	4	32 58	2	26.66	2	41.88	2	16 29	2	26 66	..	.....
Piedmont	711	600	111	4	67.51	4	80 00	..		5	84.38	5	100.00	..	.....
Clarke	22,622	9,627	12,995	62	32.88	25	31.16	37	34.16	21	11.13	6	7.47	15	13.85
Clay	15,765	14.086	1,679	32	24.35	27	23 00	5	35.73	9	6 85	5	4 25	4	28.58
Conecuh	14,594	7,956	6,638	41	33.71	23	34 97	18	32.53	13	10.68	6	9 12	7	12.65
Exclusive	13.557	7,341	6,216	36	31.86	21	34.32	15	28 95	12	10.62	6	9 80	6	11.58
Evergreen	1,037	615	422	5	57.85	2	39.02	3	85 31	1	11.57	..	....	1	28.43
Coosa	15,906	10,486	5,420	41	30.92	29	33.28	12	26.56	8	6 03	5	5.72	3	6.64
Cullman	13,439	13,439	.....	46	41.17	46	41.17	..	...	13	11 63	13	11 63	...	.....
Exclusive	12,422	12,422	.....	42	40 57	42	40.57	...	.....	11	10.62	11	10.62	..	.....
Cullman	1,017	1,017	.....	4	47.19	4	47.19	....	....	2	22.99	2	22.99	....	....

Births and Deaths by Counties, Towns and Colors—February, 1892. (Continued.)

Counties and Towns.	Population.			Births.						Deaths.					
	Total.	White.	Colored.	Total.	Rate per M.	White.	Rate per M.	Colored.	Rate per M.	Total.	Rate per M.	White.	Rate per M	Colored.	Rate per M.
Dallas	49,350	7,906	41,444	67	10.76	11	19.22	56	10.36	54	10.27	10	15.17	44	9.60
Exclusive	41,728	4,406	37,322	51	14 66	4	10 89	47	15.11	26	7.47	3	8.17	23	7 39
Selma	7,622	3,500	4,122	16	25 18	7	24.00	9	26.20	28	44.06	7	24.00	21	61.13
DeKalb	21,010	19,881	1,129	49	28.03	44	27 16	5	53.11	14	8.01	13	7.84	1	10.62
Exclusive	18,312	17,881	431	43	28.02	38	25.50	5	139.21	12	7 82	12	9.05	....	.....
Fort Payne	2,698	2,000	698	6	26 68	6	36 00	..	....	2	8.89	1	6 00	1	17.19
Elmore	21,732	11 329	10,403	54	28.85	36	38 03	18	20.76	17	9.37	11	11.65	6	6.92
Exclusive	20,919	10,829	10,090	52	29 82	34	39.36	18	21.30	16	9.17	11	12.73	5	5.94
Wetumpka	813	500	313	2	29 52	2	48.00	.	.....	1	14.76	....	.....	1	38.53
Escambia	8,666	5,674	2,992	33	45 69	18	38.06	15	28 07	8	11.07	5	10 57	3	12 03
Exclusive	7,302	4,799	2,503	29	47.65	15	37.50	14	67.06	7	11 51	4	10 00	3	14 29
Brewton	1,115	750	365	3	32.28	2	32.00	1	32.87	1	10.76	1	16 00	....	....
Alco	249	125	124	1	48.19	1	96.00	....	....	....	....	....	....	....	....
Etowah	21,926	18,097	3,829	49	29.69	46	32 10	3	25.39	14	7 65	9	5 33	5	33.23
Exclusive	14,926	12,797	2,129	41	32.95	40	37.50	1	5 63	7	5.67	5	4.68	2	11.27
Gadsden	5,000	3,800	1,200	5	12 00	3	9 47	2	20.00	4	9.60	2	6 31	2	20 00
Attalla	2,000	1,500	500	3	18.00	3	24.00	.	....	3	18.00	2	16 00	1	24.00
Hale	27,501	5,053	22,448	41	23 54	8	22.36	33	19.62	18	8.98	7	12.85	11	5.87
Exclusive	25,742	4,153	21,589	37	17.24	5	14.44	32	17 78	18	8.39	7	20 22	11	6.11
Greensboro	2,759	900	859	4	27.28	3	39 99	1	13.96	..	....	..	....	....	....
Jackson	28,026	24,132	3,894	70	29 97	62	30.82	8	24.65	22	9 41	18	8 95	4	12 32
Exclusive	27,067	23,382	3,685	69	30.59	61	31.30	8	26 05	22	9.75	18	9.23	4	13 02
Scottsboro	959	750	209	1	12 51	1	16.00	..		.	...	.	...	..	...
Jefferson	88,501	56,953	31,548	184	34 33	123	37.64	61	30.10	106	14 31	48	10.08	58	22 04
Exclusive	46,951	34,423	19,278	105		74	....	31		58		26		32	....
Birmingham	27,000	17,550	9,450	52	25.01	30	20.40	22	27 72	25	12.50	10	6 83	15	17.82
Bessemer	4,000	2,500	1,500	11	33.00	7	33.60	4	32.00	6	18 00	2	....	4	32.00

Births and Deaths by Counties, Towns and Colors—February, 1892. (Continued.)

Counties and Towns.	Population.			Births.						Deaths.					
	Total.	White.	Colored.	Total.	Rate per M	White.	Rate per M.	Colored.	Rate per M	Total.	Rate per M.	White.	Rate per M.	Colored.	Rate per M.
Woodlawn	1,500	1,000	500	6	48.00	3	36 00	3	72.00	5	40.00	4	48 00	1	24.00
Pratt Mines—Convicts	1,000	....	.....	..	....			..	.	5	60 00	1	....	4	....
Pratt City	1,050	680	370	7	79.99	6	105.86	1	32 43	2	22.85	2	35.29	.	..
Coalburg	575	....	.....	..		..		..	...	3	62 07	2	.	1	
Warrior	1,250	800	450	3	28 80	3	45 00	..		2	19 20	1	15 00	1	26 66
Lawrence	20,725	12,536	8,189	34	19 06	24	22 09	10	14.07	15	6 08	8	7 65	7	10.34
Lowndes	31,550	4,446	27,084	75	28.52	7	17 24	68	30 12	35	13.31	1	2.46	34	15 06
Monroe	18,990	8,327	10,663	59	36.28	24	34 23	35	39 28	9	5.68	4	5.70	5	5.62
Montgomery	56,172	14,530	41,642	74	15.80	30	24.77	44	12.68	42	8.97	12	9.91	30	8 61
Exclusive	34,289	5,638	28,651	38	13.25	13	27.66	25	10 47	21	7.32	3	6.38	18	7.53
Montgomery	21,883	8,892	12,991	36	19.82	17	22 94	19	17.55	21	11.56	9	12 14	12	11.08
Morgan	24,089	17 903	6,186	48	23.90	37	24 79	11	21.32	23	11 45	18	12.06	5	9 69
Exclusive	16,953	13,903	3,050	32	22 59	27	23.30	5	19 67	13	9 17	11	9.49	2	7.86
Decatur	7,136	4,000	3,136	16	26.89	10	30 00	6	22 93	10	16.81	7	21 00	3	11 46
Pike	24,423	15,633	8,790	80	39.30	49	37 30	31	42.31	13	6.38	7	5 33	6	8 19
Exclusive	20,974	13,433	7,541	72	41 19	45	40.19	27	42.96	5	2 86	3	2.67	2	3 18
Troy	3,449	2,200	1,249	8	27.84	4	21 81	4	38 40	8	27 84	4	21 81	4	38 40
St. Clair	17,353	14,285	3,068	50	14 57	47	39.48	3	11 73	8	5.53	7	5 88	1	3 91
Talladega	29,346	15,343	14,003	33	13 20	17	13 26	16	13.69	16	6 40	6	4.69	10	8 56
Exclusive	26,846	13,843	13,003	30	13.40	15	13 00	15	13.84	13	5 81	5	4.33	8	7.38
Talladega	2,500	1,500	1,000	3	14 40	2	16 00	1	12.00	3	14 40	1	8 00	2	24.00
Tallapoosa	25,460	16,854	8,606	50	23.55	33	23 49	17	23.73	10	4.71	5	3 30	5	6.97
Exclusive	23,660	15,354	8,306	46	21 36	31	24 22	15	21 67	9	4.18	5	3 90	4	5 78
Dadeville	1,000	800	200	1	12 00	.		1	60.00	1	12.00	..	..	1	60.00
Alexander City	800	700	100	3	45 00	2	34.28	1	120.00	..	....	...	. .	..	..
Tuscaloosa	30,352	18,213	12,139	47	18 56	33	21 71	14	13 83	31	12 24	14	9 21	17	16.79
Exclusive	23,652	13,813	9,739	31	15.79	23	19.88	8	9.85	13	6.62	7	6.05	6	7 39

Births and Deaths by Counties, Towns and Colors—February, 1892. (Continued.)

COUNTIES AND TOWNS.	Population.			Births.						Deaths.					
	Total.	White.	Colored.	Total.	Rate per M	White.	Rate per M	Colored.	Rate per M.	Total.	Rate per M.	White.	Rate per M.	Colored.	Rate per M
Tuscaloosa...	5,000	3,000	2,000	12	28.80	6	24 00	6	36.00	8	19 20	3	12 00	5	30.00
North Port	700	500	200	4	68 57	4	96 00	....	.....	3	51.42	...	...	3	180.00
Insane Asylum	11,000	900	200	..	....	..	...	....	....	7	76.37	4	53 34	3	180 00
Winston	6,520	6,520	...	14	25.76	14	25 76	..	....	2	3.68	2	3 68	..	...
Total of Counties for February	782,233	429,625	352,608	1658	25 43	968	27 03	690	23.68	627	9.61	294	8 21	333	11.42
Exclusive of Towns	654,649	354,747	301,472	1392	25 30	803	27.15	589	23.07	445	8.08	208	7.03	247	9 68
Total of Towns	127,584	74,878	51,136	266	26 02	165	26 64	101	23.72	182	17 11	86	13.78	86	20.19

Births and Deaths by Counties, Towns and Colors—March, 1892.

Counties and Towns.	Population.			Births.						Deaths.					
	Total.	White.	Colored.	Total.	Rate per M.	White.	Rate per M	Colored.	Rate per M.	Total.	Rate per M.	White.	Rate per M.	Colored.	Rate per M.
Baldwin	8,941	5,635	3,306	18	24.15	8	16.89	10	36 29	5	6.71	4	8.44	1	3.62
Barbour	34,898	13,321	21,577	48	16.46	18	16.20	30	16.68	25	8 57	14	12.60	11	6 11
Exclusive	29,874	10,121	19,753	40	18 38	14	17.62	26	20.72	16	9.34	9	10 76	7	4.21
Eufaula	4,027	2,600	1,427	4	10 72	2	9 30	2	16.80	5	14.77	2	9.30	3	25.20
Clayton	997	600	397	4	48 12	2	40 00	2	60.44	4	48.12	3	60.00	1	30.22
Blount	21,927	20,115	1,812	47	25 70	47	28.34	..	...	10	5 47	10	5 96	..	.
Bullock	27,033	6,066	20,967	83	36 76	10	19.78	73	41.75	25	11 67	4	7.91	21	12.01
Exclusive	25,016	5,066	19,950	77	36.11	9	18.77	68	40.80	19	9.10	3	7.10	16	9 60
Union Springs	2,017	1,000	1,017	6	35 69	1	12.00	5	59.02	6	35.69	1	12 00	5	59 02
Butler	21,581	11,368	10,213	58	32.16	27	39.06	31	14 09	15	8 31	7	7 38	8	9 39
Exclusive	18,779	9,968	8,811	55	35 04	27	42 13	30	34 04	11	7.00	6	6 22	5	6.80
Greenville	2,802	1,400	1,402	3	12 84	2	17.14	1	8 55	4	17.12	1	8 57	3	25.67
Calhoun	33.835	23,891	9,944	51	13.36	40	20 00	11	13.75	13	4.69	10	5 02	3	3.77
Exclusive	20,301	15,092	5,209	25	14 77	20	15 90	5	11 57	8	4.72	8	6 36	..	...
Anniston	10,113	6,399	3,714	21	24.91	16	29.90	5	16 15	4	4.74	1	1.87	3	9 69
Jacksonville	1,237	900	337	...	....	....	....	....	....	1	9.70	1	13 33	...	....
Oxford	1,473	900	573	4	32.58	3	39 99	1	20.94	.	...	..	....	...	....
Piedmont	711	600	111	1	16.87	1	20.00	..	.	..	...	..	....	...	.....
Clarke	22,622	9,627	12,995	75	39.73	36	44 75	39	36.01	17	8.57	8	9 87	9	8.31
Clay	15,765	14,086	1,679	38	28.92	34	28.96	4	25.58	17	12 94	16	13 63	1	7.14
Conecuh	14,594	7,956	6,638	40	32.89	20	30.41	20	36.15	13	10.68	7	10.64	6	10.84
Exclusive	13,557	7,341	6,216	35	30.98	17	27 78	18	34 74	11	9 73	7	11.47	4	7.72
Evergreen	1,037	615	422	5	57 85	3	58 53	2	56 87	2	23.14	..	...	2	56.87
Coosa	15,906	10,486	5,420	52	39 23	22	25.17	30	66.42	12	9.06	7	8.01	5	11 07
Cullman	13,439	13,439	.....	31	27.74	31	27 74	...	.....	7	6 26	7	6 26	....	.....
Exclusive	12,422	12,422	.....	28	27.04	28	27.04	..	.....	7	6.76	7	6 76	...	.....
Cullman	1,017	1,017	.....	3	35 39	3	35.39	...	.....	....	.....	....	.....	...	....

Births and Deaths by Counties, Towns and Colors—March, 1892. (Continued.)

Counties and Towns.	Population.			Births.						Deaths.					
	Total.	White.	Colored.	Total.	Rate per M.	White.	Rate per M.	Colored.	Rate per M.	Total.	Rate per M.	White.	Rate per M.	Colored.	Rate per M.
Dallas	49,350	7,906	41,444	102	24 78	7	10 61	95	29.46	44	24.06	8	13.10	36	...
Exclusive	41,728	4,406	37,322	86	24 73	1	2.72	85	27 32	23	6 61	3	8.17	20	6.43
Selma	7,622	3,500	4,122	16	25 18	6	20 57	10	29 11	21	33.06	5	17.14	16	46 57
DeKalb	21,010	19,881	1,129	53	30.32	52	31 38	1	10 62	10	5 72	10	6.03		....
Exclusive	18,312	17,881	431	48	31.28	47	31 54	1	27.84	9	5.86	9	6.04	..	....
Ft. Payne	2,698	2,000	698	5	22.23	5	30 00	.		1	4.44	1	6.00	..	....
Elmore	21,732	11,329	10,403	67	36 99	42	44.48	25	28 83	13	7.17	7	7.41	6	6.92
Exclusive	20,919	10,829	10,090	67	38.43	42	48.63	25	29 72	13	7 45	7	8.10	6	7 13
Wetumpka	813	500	313		...		...	..	.		....	.		..	...
Escambia	8,666	5,614	2,992	37	51.23	26	54 98	11	44.11	10	13.84	6	12 68	4	16 04
Exclusive	7,302	4,799	2,503	35	57 51	25	52 50	10	47.90	10	16 43	6	15 00	4	19.16
Brewton	1,115	750	365	2	21 52	1	16.00	1	32.87	..	....	..	....	.	....
Alco	249	125	124	.		..	...	.		..	....	..	...	....	
Etowah	21,926	18,097	3,829	27	23 70	24	24 02	3	9.40	7	3 83	1	.66	6	18 78
Exclusive	14,926	12,797	2,129	25	20.09	23	21.56	2	11 27	4	3.21	1	.93	3	16.90
Gadsden	5,000	3,800	1,200	2	4.80	1	3.15	1	10.00	1	2 40	..	....	1	10.00
Attalla	2,000	1,500	500	..	..			.	....	2	12 00	..	...	2	48.00
Hale	27,501	5,053	22,448	44	19 93	5	12 34	39	47 32	8	3 58	3	7.11	5	2 73
Exclusive	25,742	4,153	21,589	43	20 04	4	11.55	39	50.02	8	3.72	3	8.61	5	2.77
Greensboro	1,759	900	859	1	6 82	1	13.33	..		..	....			....	
Jackson	28,026	24,132	3,894	70	29.97	63	31 32	7	21.57	22	9 42	15	7.46	7	21.57
Exclusive	27,067	23,382	3,685	68	30 14	61	31.30	7	22.79	22	9.75	15	7.69	7	22.79
Scottsboro	959	750	209	2	25 02	2	32 00	..				....		....	
Jefferson	88,501	56,953	31,548	211	28.59	148	31.08	63	23.94	145	19.64	68	14.28	77	29.26
Exclusive	46,951	34,423	19,278	119		97		22	...	73	....	35	..	38	..
Birmingham	27,000	17,550	9,450	62	29.82	37	25.27	25	30.16	47	35.11	22	14.02	25	31.50
Bessemer	4,000	2,500	1,500	17	51.00	4	19.20	13	104.00	9	27.00	5	24 00	4	32.00

Births and Deaths by Counties, Towns and Colors—March, 1892. (Continued.)

Counties and Towns.	Population.			Births.						Deaths.					
	Total.	White.	Colored.	Total.	Rate per M	White.	Rate per M	Colored.	Rate per M.	Total.	Rate per M.	White.	Rate per M.	Colored.	Rate per M.
Woodlawn	1,500	1,000	500	8	64.00	8	96.00	....	....	2	16.00	2	24.00	..	....
Pratt Mines—Convicts	1,000	...	....	...		..	...	....	....	8	96 00	1		7	....
Pratt City	1,050	680	370	3	45.71	2	35.29	2	64.86	2	22.85	2	35 29	..	....
Coalburg	575	.....	...	1	....	..	...	1	...	4	82 76	1	. .	3	....
Warrior	1,250	800	450	..	. .	..		...	..	..		.	...	..	.
Lawrence	20,725	12,536	8,189	21	12.15	15	14.39	6	8.86	10	5.79	5	4 78	5	7.38
Lowndes	31,550	4,446	27,084	80	30.42	7	17.24	73	32.34	34	12 93	2	4.92	32	14.17
Monroe	18,990	8,327	10,663	60	37.91	16	22.82	44	49.51	22	13.90	10	14.26	12	13.40
Montgomery	56,172	14,530	41,642	77	16.44	19	15.69	58	16 71	49	10.46	6	5.78	42	12.10
Exclusive	34,289	5,638	28,651	45	15.70	4	8.51	41	17 17	28	9.76	3	6 38	25	10 47
Montgomery	21,883	8,892	12,991	32	17.62	15	20.24	17	15.70	21	11.56	4	5.39	17	15.70
Morgan	24,089	17,903	6,186	48	23.90	40	26.80	8	15 51	14	6.97	11	7.37	3	5.81
Exclusive	16,953	13,903	3,050	40	28.24	36	31.06	4	15.73	5	3.53	4	3 45	1	3 93
Decatur	7,136	4,000	3,136	8	13.44	4	12.00	4	15.29	9	15.12	7	21 00	2	7.64
Pike	24,423	15,633	8,790	61	29.96	43	32.73	18	24.57	22	10 80	10	7 61	12	16 38
Exclusive	20,974	13,433	7,541	54	30 89	39	34 81	15	23.86	13	7.33	6	5 35	7	11.13
Troy	3,449	2,200	1,249	7	24.36	4	21.81	3	28.80	9	31 32	4	21 81	5	48 00
St. Clair	17,353	14,285	3,068	40	27.66	37	31 08	3	11 73	9	6 22	7	5 88	2	7.82
Talladega	29,346	15,343	14,003	50	20 00	21	16.42	29	26.14	17	6 80	4	3.12	13	11.12
Exclusive	26,846	13,843	13,003	48	21.45	20	17.34	28	25.84	13	5.8	2	1.73	11	11 15
Talladega	2,500	1,500	1,000	2	9.60	1	8.00	1	12 00	4	19.20	2	16.00	2	24.00
Tallapoosa	25,460	16,854	8,606	..	..	..	..	..		...	....	..	....	...	....
Exclusive	23,660	15,354	8,306	63	29.26	44	34.38	19	27 46	16	7 43	12	9.37	4	5.78
Dadeville	1,000	800	200	6	72.00	3	45.00	3	180 00	..	....		....	..	....
Alexander City	800	700	100	2	30.00	1	17.14	1	120.00	.	....	..		..	...
Tuscaloosa	30,352	18,213	12,139	44	17 39	28	18.44	16	15.81	36	14.23	24	15 81	12	11.86
Exclusive	23,652	13,813	9,739	33	16.81	25	21.61	8	9.85	17	8.66	13	11.23	4	4 92

Births and Deaths by Counties, Towns and Colors—March, 1892. (Continued.)

Counties and Towns.	Population.			Births.						Deaths.					
	Total.	White.	Colored.	Total.	Rate per M.	White.	Rate per M.	Colored.	Rate per M.	Total.	Rate per M.	White.	Rate per M.	Colored.	Rate per M.
Tuscaloosa	5,000	3,000	2,000	8	19 20	1	4.00	7	42 00	6	14 40	3	12.00	3	18.00
North Port	700	500	200	3	51.42	2	48.00	1	60.00	4	68.57	4	96.00	..	..
Insane Asylum	11,000	900	200	.	.....	..	..	..	....	9	98.19	4	53.34	5	300.00
Winston	6,520	6,520	.....	19	33.12	19	33.12	...	.....	5	9.20	5	9.20	..	....
Total of counties for January	782,233	429,625	352,608	1708	26.22	942	23.98	766	26.07	645	9 88	309	8.86	336	11 15
Exclusive of towns	654,649	354,747	3 01,472	1469	26 90	810	27.39	659	26 22	480	8.93	236	7 98	244	9.71
Total of towns	127,584	74,878	51,136	239	22.40	132	21.16	107	25 18	165	15.51	73	11.84	92	21 58

Births and Deaths by Counties, Towns and Colors—April, 1892.

Counties and Towns.	Population.			Births.						Deaths.					
	Total.	White.	Colored.	Total.	Rate per M	White.	Rate per M.	Colored.	Rate per M.	Total.	Rate per M.	White.	Rate per M.	Colored.	Rate per M.
Baldwin	8,941	5,635	3,306	24	32.21	14	29.56	10	36.29	2	2.68	2	4.22	..	....
Barbour	34,898	13,321	21,577	48	10 17	15	9.64	33	17 79	29	11 08	18	16.15	11	6 11
Exclusive	29,874	10,121	19,763	39	17.60	13	15 85	26	18.20	15	6.01	8	7 26	7	3.79
Eufaula	4,027	2,600	1,427	3	7.86	..		3	25 28	8	23.64	4	18 61	4	33.63
Clayton	997	600	397	6	72.21	2	40.00	4	120 88	6	72.21	6	120 00	...	....
Blount	21,927	20,115	1,812	43	25 62	43	26.82	...		9	3 01	9	3.01	..	.....
Bullock	27,033	6,066	20,967	75	26.12	13	21.43	62	35.02	25	10.07	3	6 91	22	13 02
Exclusive	25,016	5,066	19,950	71	34.38	11	25.96	60	36 01	22	12.01	3	7.10	19	12 20
Union Springs	2,017	1,000	1,017	4	23.79	2	24.00	2	23 59	3	17.84	..	..	3	33 39
Butler	21,581	11,368	10,213	42	23.28	20	21.11	22	25 84	11	6.09	5	5 27	6	7 04
Exclusive	18,779	9,968	8,811	40	25.48	19	22 86	21	28.59	8	5.09	3	3 61	5	6 80
Greenville	2,802	1,400	1,402	2	8.56	1	8.57	1	8.55	3	12.84	2	17.14	1	8.55
Calhoun	33,835	23,891	9,944	84	30 06	57	31 28	27	29.13	13	8 09	7	7 60	6	9 21
Exclusive	20,301	15,092	5,209	44	26 00	36	28 62	8	18 42	3	1.77	2	1 59	1	2.30
Anniston	10,113	6,399	3,714	30	35 59	15	28 12	15	48.46	7	8.30	2	3 70	5	16.15
Jacksonville	1,237	900	337	2	19 40	1	13 33	1	35.60	2	19.40	2	26.66	...	....
Oxford	1,473	900	573	3	24.43	2	26 66	1	20.94	...	..	...	...	...	....
Piedmont	711	600	111	5	84 38	3	60.00	2	216.21	1	16 87	1	20.00	..	....
Clarke	22,622	9,627	12,995	70	37.57	32	38.41	38	35.13	16	8 48	6	7.47	10	9.23
Clay	15,765	14,086	1,679	38	28 92	36	30 77	2	14.28	7	5 32	7	5.96	...	....
Conecuh	14,594	7,956	6,638	24	19.73	17	25.85	7	12.65	13	10 68	4	6 08	9	16.26
Exclusive	13,557	7,341	6,216	23	20 35	16	26.15	7	13.51	11	9.73	4	6 53	7	13.51
Evergreen	1,037	615	422	1	11 57	1	19 57	....	...	2	23 14	....	.	2	56 87
Coosa	15,906	10,486	5,420	47	35 45	25	28 60	22	48 50	10	7 54	9	10.29	1	2.21
Cullman	13,439	13,439	.....	26	23.27	26	23.27	...	.....	5	4.47	5	4.47	...	.....
Exclusive	12,422	12,422	.....	25	24.15	25	24.15	...	.....	4	3.86	4	3 86	..	....
Cullman	1,017	1,017	.....	1	11 79	1	11.79	....	.....	1	11.79	1	11 79	...	.....

Births and Deaths by Counties, Towns and Colors—April, 1892. (Continued.)

Counties and Towns.	Population.			Births.						Deaths.					
	Total.	White.	Colored.	Total.	Rate per M.	White.	Rate per M.	Colored.	Rate per M.	Total.	Rate per M.	White.	Rate per M.	Colored.	Rate per M.
Dallas	49,350	7,906	41,444	86	19 81	18	18.22	68	20.18	50	8.62	6	7 66	44	8.92
Exclusive	41,728	4,406	37,322	72	21.70	8	21 78	64	30 57	30	8.62	1	2.72	29	9.32
Selma	7,622	3,500	4,122	14	22.04	10	34 28	4	11.64	20	31 46	5	17.14	15	43.66
DeKalb	21,010	19,881	1,129	51	29 18	49	29 57	2	21 25	13	7.43	12	7.24	1	10 62
Exclusive	18,312	17,881	431	44	28.67	42	28 18	2	55.68	9	5.86	9	6 04	1	27.84
Ft Payne	2,698	2,000	698	7	31.12	7	42 00	...		4	17 78	3	18.00	1	17.19
Elmore	21,732	11,329	10,403	59	32 57	31	32 83	28	32.29	21	11.59	11	11 65	10	11 53
Exclusive	20,919	10,829	10,090	59	34 74	31	35 79	28	33.29	21	11.03	11	12 73	10	11 89
Wetumpka	813	500	313	..		....		..	..			...	....	...	....
Escambia	8,666	5,614	2,992	21	29.07	14	29 60	7	28.07	9	12.46	3	6.34	6	24.06
Exclusive	7,302	4,799	2,503	16	26 29	14	35.00	2	9.58	8	13.14	2	5 00	6	28.74
Brewton	1,115	750	365	3	32.28	..	....	3	98.62	1	10.76	1	16.00	....	....
Alco	249	125	124	2	96 38	..		2	193.54	..	...	...	....	...	....
Etowah	21,926	18,097	3,829	64	35 00	52	34 47	12	37 62	19	10 39	16	10.60	3	10.10
Exclusive	14,926	12,797	2,129	49	39 39	41	38 44	8	45.09	14	11 25	12	11.25	2	11.25
Gadsden	5,000	3,800	1,200	9	21.60	6	18 94	3	30.00	3	7 20	3	9.47	....	....
Attalla	2,000	1,500	500	6	36.00	5	40 00	1	24.00	2	12.00	1	8.00	1	24 00
Hale	27,501	5,053	22,448	31	13 51	7	19.82	24	12.31	8	3.68	3	8.41	5	2.64
Exclusive	25,742	4,153	21,589	31	14 45	7	20.22	24	13.33	8	3 72	3	8.62	5	2 77
Greensboro	1,759	900	859	..	..	..	.	..		....	.....	..	...	....	....
Jackson	28,026	24,132	3,894	72	30.82	68	33.81	4	12 32	17	7.27	13	6.46	4	12.32
Exclusive	27,067	23,382	3,685	70	31.03	66	33 87	4	13 02	17	7.53	13	6.67	4	13.02
Scottsboro	959	750	209	2	25 02	2	32 00	..			....	..	....	..	..
Jefferson	88,501	56,953	31,548	176	25.62	138	30 28	38	15.66	122	16.53	51	10 71	71	28.50
Exclusive	46,951	34,423	19,278	110		91	...	19	....	64	....	34	...	30	..
Birmingham	27,000	17,550	9,450	50	24.00	33	22.53	17	22.42	35	22 50	13	9 83	22	27.72
Bessemer	4,000	2,500	1,500	4	12 00	2	9 60	2	16.00	6	18.00	1	4.80	5	40 00

Births and Deaths by Counties, Towns and Colors—April, 1892. (Continued.)

Counties and Towns.	Population.			Births.						Deaths.					
	Total.	White.	Colored.	Total.	Rate per M	White.	Rate per M.	Colored.	Rate per M.	Total.	Rate per M.	White.	Rate per M.	Colored.	Rate per M.
Woodlawn	1,500	1,000	500	6	48.00	6	72.00	....	...	2	16 00	2	24.00	....	.....
Pratt Mines—Convicts	1,000	.....	.....	...	.....	....	....	....	.....	8	96.00	..	....	8	...
Pratt City	1,050	680	370	5	57.14	5	88.22	....	....	....	..	..	....	....	.....
Coalburg	575	.....	.....	...	....	....		....	.....	7	144 93	1	....	6	.....
Warrior	1,250	800	450	1	9 60	1	15 00	....		....	...	..	...	..	..
Lawrence	20,725	12,536	8,189	32	18.52	19	18.18	13	19.20	8	4 63	3	2.87	5	7 38
Lowndes	31,550	4,446	27,084	62	23 58	3	7.38	59	26.14	44	16.73	2	4.92	42	18.60
Monroe	18,990	8,327	10,663	47	29.69	19	27.10	28	31 51	10	6.31	4	5.70	6	6 75
Montgomery	56,172	14,530	41,642	83	17 73	26	21.47	57	16.42	41	8.75	10	8.25	31	8.93
Exclusive	34,289	5,638	28,651	56	19.53	8	17 02	48	20.10	15	5 23	3	6 38	12	5 02
Montgomery	21,883	8,892	12,991	27	14.86	18	24.29	9	8 31	26	14.31	7	9 44	19	17 55
Morgan	24,089	17,903	6,186	52	25.42	43	28.81	9	17.45	20	9.96	12	8 01	8	15.51
Exclusive	16,953	13,903	3,050	43	30 35	35	30.20	8	31 47	8	5 64	5	4.31	3	11.80
Decatur	7,136	4,000	3,136	9	15.12	8	24.00	1	3 82	12	20.17	7	21.00	5	19.11
Pike	24,423	15,633	8,790	44	21.61	18	13 70	26	35 49	17	8.35	9	6.85	8	10 92
Exclusive	20,974	13,433	7,541	40	22.88	15	13.39	25	39.78	12	6 86	7	6.25	5	7.95
Troy	3,449	2,200	1,249	4	13 72	3	16.36	1	9.60	5	17.40	2	10 80	3	28.80
St. Clair	17,353	14,285	3,068	36	24 89	28	23 52	8	31 29	10	6 91	7	5 88	3	11 73
Talladega	29,346	15,343	14,003	53	21 20	29	22.67	24	20 54	16	6.40	9	7 03	7	7.36
Exclusive	26,846	13,843	13,003	50	22 34	27	23 41	23	21 22	13	5.81	7	6.06	6	5 53
Talladega	2,500	1,500	1,000	3	....	2		1	....	3	...	2	.	1	.
Tallapoosa	25,460	16,854	8,606	52	24.49	41	29.19	11	9.41	12	5.45	8	5 69	4	3.42
Exclusive	23,660	15,354	8,306	44	20 43	34	26.57	10	14.45	12	5.57	8	6.25	4	5.78
Dadeville	1,000	800	200	1	12.00	...	....	6	60 00	..	....	..	....	..	....
Alexander City	800	700	100	7	1 05	7	119.99	....	...	.	...	.	.	..	....
Tuscaloosa	30,352	18,213	12,139	35	15 03	26	17.47	9	8.06	33	13 03	18	15.19	15	12.76
Exclusive	23,652	13,813	9,739	28	14.26	21	18.15	7	8.62	18	9.17	13	11.23	5	6.16

Births and Deaths by Counties, Towns and Colors—April, 1892. (Continued.)

Counties and Towns.	Population.			Births.						Deaths.					
	Total.	White.	Colored.	Total.	Rate per M.	White.	Rate per M.	Colored.	Rate per M.	Total.	Rate per M.	White.	Rate per M.	Colored.	Rate per M.
Tuscaloosa	5,000	3,000	2,000	4	9 60	2	8.00	2	12.00	6	14.40	..	.....	6	36.00
North Port	700	500	200	3	51.42	3	72.00	..	....	..	....	..	....	..	.
Insane Asylum	11,000	900	200	..	....	..	....	..	.....	9	98.19	5	66.88	4	240 00
Winston	6,520	6,520	.....	8	14.72	8	14 72	..	....	1	1.84	1	1.84	..	...
Total of counties for January	782,233	429,625	352,608	1560	23.80	909	25.39	651	22.15	606	29.17	268	9 17	338	17.43
Exclusive of towns	654,649	354,747	301,472	1337	24.50	761	25 74	556	22.13	426	7 84	198	6 68	228	9.01
Total of towns	127,584	74,878	51,136	233	21 97	148	23 75	95	21.31	180	16.93	70	11.21	110	25.83

Births and Deaths by Counties, Towns and Colors—May, 1892.

Counties and Towns.	Population.			Births.						Deaths.					
	Total.	White.	Colored.	Total.	Rate per M.	White.	Rate per M.	Colored.	Rate per M.	Total.	Rate per M.	White.	Rate per M.	Colored.	Rate per M.
Baldwin	8,941	5,635	3,306	22	29.52	15	31.67	8	10.73	2	2 68	2	4.22	..	....
Barbour	34,898	13,321	21,577	61	20.92	26	22.40	35	19.46	34	11.66	15	12.50	19	10 57
Exclusive	29,874	10,121	19,753	55	19 83	22	18.04	33	20.23	28	9.16	11	12.98	17	8.72
Eufaula	4,027	2,600	1,427	5	14.77	4	18.61	1	8.40	5	14.77	3	13.96	2	16.81
Clayton	997	600	397	1	12.03	.	....	1	30.22	1	12.03	1	20 00	..	....
Blount	21,927	20,115	1,812	31	16.95	31	18 47	.		8	4.37	8	4 76	..	....
Bullock	27,033	6,066	20,967	71	31 45	9	17.78	62	35 46	31	13.73	3	5.93	28	16.01
Exclusive	25,016	5,066	19,950	67	30.26	7	15.29	60	33 26	24	11.62	2	3 95	22	13 20
Union Springs	2,017	1,000	1,017	4	23.79	2	24.00	2	23 58	7	40.94	1	12 00	6	70.78
Butler	21,581	11,368	10,213	53	29.38	22	23.22	31	36.53	16	8 87	5	5 27	9	10 57
Exclusive	18,779	9,968	8,811	50	31.85	21	...	29	39.49	10	6.37	2	2.40	8	10.89
Greenville	2,802	1,400	1,402	3	12.84	1	8.57	2	17.11	6	25.69	5	42.85	1	8 55
Calhoun	33.835	23,891	9,944	77	32.16	58	34.19	19	26 37	27	9 55	19	9 50	8	10.20
Exclusive	20,301	15,092	5,209	44	26 00	35	27 82	9	20.73	8	4.72	7	5.56	1	2.30
Anniston	10,113	6,399	3,714	28	33.12	18	33.55	10	32 31	13	15.42	8	15.00	5	16.15
Jacksonville	1,237	900	337	2	19.40	2	26 66	..	....	3	29 10	1	13.33	2	71.21
Oxford	1,473	900	573	2	16 29	2	26 66	..	...	1	8.14	1	13.33	...	....
Piedmont	711	600	111	1	16.87	1	20.00	.	.....	2	33.75	2	40.00	..	....
Clarke	22,622	9,627	12,995	86	45 61	37	44.78	49	45 22	16	8 48	8	9.87	8	7.38
Clay	15,765	14,086	1,679	39	29.68	37	31.62	2	14 28	5	3.80	5	4.25	..	.
Conecuh	14,594	7,956	6,638	30	24 66	14	21 91	16	28.92	12	9 86	4	6.08	8	14 61
Exclusive	13,557	7,341	6,216	30	26.55	14	22 88	16	30 88	11	9.73	4	6.53	7	13 51
Evergreen	1,037	615	422	..		..	...	.	....	1	11.57	.	....	1	28 43
Coosa	15,906	10,486	5,420	40	30 17	30	34.31	10	22.14	9	6.78	4	4 57	5	11.07
Cullman	13,439	13,439	.....	27	24 09	27	24.09	.	.....	8	7 16	8	7 16	..	....
Exclusive	12,422	12,422	.....	24	23 18	24	23 18	..	.....	7	6.76	7	6 76	..	....
Cullman	1,017	1,017	.....	3	35 39	3	35.39	...	.....	1	11.79	1	11.79	...	.....

Births and Deaths by Counties, Towns and Colors—May, 1892. (Continued.)

Counties and Towns.	Population.			Births.						Deaths.					
	Total.	White.	Colored.	Total.	Rate per M.	White.	Rate per M.	Colored.	Rate per M.	Total.	Rate per M.	White.	Rate per M	Colored.	Rate per M.
Dallas	49,350	7,906	41,444	63	15.94	14	16.21	49	12.62	66	16.14	18	18.10	48	12.60
Exclusive	41,728	4,406	37,322	52	14.95	8	21.78	44	14.14	39	11.21	10	27.23	29	9.32
Selma	7,622	3,500	4,122	11	10.73	6	20 57	5	14.55	27	42.47	8	27.42	19	55.31
DeKalb	21,010	19,881	1,129	54	30 89	49	29.57	5	53.14	14	8.01	13	7.84	1	10 62
Exclusive	18,312	17,881	431	48	31.28	44	28.67	2	55.68	12	7.82	11	7.38	1	27.84
Fort Payne	2,698	2,000	698	6	26.68	5	30.00	1	17.19	2	8.89	2	12.00	..	.....
Elmore	21,732	11 329	10,403	61	33.70	34	36.01	27	31.14	14	7.75	10	11 53	4	4 61
Exclusive	20,919	10,829	10,090	61	34.99	34	39.36	27	32.12	14	8.03	10	11.57	4	4.75
Wetumpka	813	500	313	....	.....	..		...	....	..	.....	..	..	..	..
Escambia	8,666	5,674	2,992	20	27.69	16	33.83	4	16.04	6	8.30	5	10.57	1	4 01
Exclusive	7,302	4,799	2,503	19	31.22	15	37.50	4	19 16	6	9 86	5	12 50	1	4.79
Brewton	1,115	750	365	1	10.76	1	16.00	...	....	...	....	...	....	..	.....
Alco	249	125	124	..		.	....	..	...	..	....	..	.....	..	....
Etowah	21,926	18,097	3,829	56	25.67	48	46.10	8	23 65	15	8.20	13	8.61	2	6 26
Exclusive	14,926	12,797	2,129	42	33 76	38	35.63	4	22 54	12	9 64	11	10.31	1	5.63
Gadsden	5,000	3,800	1,200	8	19.20	5	15.78	3	30.00	3	7.20	2	6 31	1	10.00
Attalla	2,000	1,500	500	6	36.00	5	40.00	1	24.00	..	...	....	.....	...	.....
Hale	27,501	5,053	22,448	30	12.90	4	7.10	26	14.11	12	5.23	2	3.74	10	5.34
Exclusive	25,742	4,153	21,589	28	13.05	3	8.61	25	13.89	12	5 59	2	5.77	10	5.58
Greensboro	2,759	900	859	2	13.64	1	13.33	1	13 96	..	.....	....	.. .	..	....
Jackson	28,026	24,132	3,894	60	25 69	56	27 84	4	12.32	18	7.70	16	7.95	2	6.16
Exclusive	27,067	23,382	3,685	59	26 15	55	28.22	4	13 02	18	7.98	16	8.21	2	6 51
Scottsboro	959	750	209	1	12.51	1	16.00	....	....	..	.. .	..	.....	...	.....
Jefferson	88,501	56,953	31,548	142	19 24	111	23.31	31	11.78	103	13.95	53	11.13	50	19.00
Exclusive	46,951	34,423	19,278	78	...	67	.....	11	....	48	....	24	...	24	....
Birmingham.	27,000	17,550	9,450	45	21 64	29	19.80	16	20.16	35	16.83	22	15 02	13	16 38
Bessemer	4,000	2,500	1,500	7	21 00	4	19.20	3	24 00	9	27.00	4	19.20	5	40.00

Births and Deaths by Counties, Towns and Colors—May, 1892. (Continued.)

Counties and Towns.	Population.			Births.						Deaths.					
	Total.	White.	Colored.	Total.	Rate per M.	White.	Rate per M.	Colored.	Rate per M.	Total.	Rate per M.	White.	Rate per M.	Colored.	Rate per M.
Woodlawn	1,500	1,000	500	4	32.00	4	48.00	..	....	3	24 00	2	24.00	1	24.00
Pratt Mines—Convicts	1,000	....	.....	..	..	..	....	...	....	3	36 00	..	..	3	....
Pratt City	1,050	680	370	5	57.14	5	88 22	...	.....	1	11 42	1	17.64	..	....
Coalburg	575	.....	...	....	..	..	...	..	...	4	82.76	..	....	..	....
Warrior	1,250	800	450	3	28 80	2	31.00	1	26 66	....		..	....	..	
Lawrence	20,725	12,536	8,189	17	9.84	10	9 57	7	10.34	12	6 94	3	2.87	9	13 29
Lowndes	31,550	4,446	27,084	84	31.94	7	17.24	77	34 11	45	17.15	3	7.38	42	18 60
Monroe	18,990	8,327	10,663	52	32 85	19	27.10	33	37.02	15	9.47	7	9 98	8	8 80
Montgomery	56,172	14,530	41,642	57	12 17	8	6.60	49	14 12	53	11 32	12	9 91	41	11.81
Exclusive	34,289	5,638	28,651	48	16 74	5	10.64	43	18.00	27	9 42	4	4 25	25	10.47
Montgomery	21,883	8,892	12,991	9	4 95	3	4 04	6	5.54	26	14.31	10	13.49	16	14.77
Morgan	24,089	17,903	6,186	32	15 93	23	15.41	9	17.45	7	3.48	4	2.68	3	5.81
Exclusive	16,953	13,903	3,050	26	18.35	22	18.98	4	15.73	6	4.23	3	2.58	3	11.80
Decatur	7,136	4,000	3,136	6	10.08	1	3.00	5	19 11	1	1.68	1	3.00	..	..
Pike	24,423	15,633	8,790	5	25 54	34	25.88	18	24.46	16	7.86	12	9.13	4	5 46
Exclusive	20,974	13,433	7,541	44	25.17	30	26.79	14	22 27	11	6.29	8	7 14	3	4.77
Troy	3,449	2,200	1,249	8	27.84	4	21 81	4	38 40	5	17.40	4	21.81	1	9 60
St. Clair	17,353	14,285	3,068	40	27.66	38	31 92	2	7 82	9	6 22	8	6.72	1	3 91
Talladega	29,346	15,343	14,003	55	22 00	29	22 67	26	21.96	24	9.60	14	10 94	10	8 56
Exclusive	26,846	13,843	13,003	49	21 90	25	21 67	24	22.14	21	10 31	13	9 89	8	10.92
Talladega	2,500	1,500	1,000	6	28 80	4	32 00	2	24.00	3	14.40	1	8 00	2	24 00
Tallapoosa	25,460	16,854	8,606	46	21.66	38	27.65	5	6.97	7	3.99	4	2.84	3	5.18
Exclusive	23,660	15,354	8,306	41	19.04	37	28.91	4	5.78	7	3.25	4	3 12	3	4.33
Daderille	1,000	800	200	1	12.00	..		1	60 00	...	.....	...	....	..	....
Alexander City	800	700	100	1	15.00	1	17.14	..	.94	...	....	..	.	..	...
Tuscaloosa	30,352	18,213	12,139	21	8.29	16	10 52	5	4 94	34	13.43	18	11.84	16	15.80
Exclusive	23,652	13,813	9,739	20	10.19	15	12.96	5	6.16	13	6.61	11	9 50	2	2.46

Births and Deaths by Counties, Towns and Colors—May, 1892. (Continued.)

Counties and Towns.	Population.			Births.						Deaths.					
	Total.	White.	Colored.	Total.	Rate per M	White.	Rate per M	Colored.	Rate per M.	Total.	Rate per M.	White.	Rate per M.	Colored.	Rate per M
Tuscaloosa	5,000	3,000	2,000	1	2.40	1	14.00	...	.....	12	28.80	2	8.00	10	60.00
North Port	700	500	200	..	.....	..	.....	...	.....	..	....	....	.....	..	..
Insane Asylum	11,000	900	200	...	.	...	...	....	.....	9	98.19	5	66.68	4	240.00
Winston	6,520	6,520	... ..	10	18 40	10	18 40	..	.....	5	9 20	5	9.20	..	....
Total of Counties for February	782,233	429,625	352,608	1487	22.82	870	24.30	617	21.17	643	9 86	301	8.65	342	14.41
Exclusive of Towns	654,649	354,747	301,472	1308	23 77	756	25.57	552	21.58	460	8.36	214	7.24	246	9 64
Total of Towns	127,584	74,878	51,136	179	16.84	114	18.27	65	15.26	183	17.22	87	13.94	96	29.08

Births and Deaths by Counties, Towns and Colors—June, 1892.

Counties and Towns.	Population.			Births.						Deaths.					
	Total.	White.	Colored.	Total.	Rate per M	White.	Rate per M.	Colored.	Rate per M.	Total.	Rate per M.	White.	Rate per M.	Colored.	Rate per M.
Baldwin	8,941	5,635	3,306	25	39.55	16	33.78	9	32 66	5	6.71	2	4 22	3	10.88
Barbour.	34,898	13,321	21,577	37	12 72	15	13.51	22	12.23	12	4.12	3	2 70	9	4 99
Exclusive	29,874	10,121	19,763	25	10 04	9	10 66	16	9.63	7	2 81	1	1 18	6	3 61
Eufaula	4,027	2,600	1,427	10	29.55	6	27.92	4	33.63	4	11.82	2	9.30	2	16 81
Clayton	997	600	397	2	24 07		.....	2	60 45	1	12 03	..		1	30.22
Blount	21,927	20,115	1,812	37	20.24	35	20.87	2	13 24	5	2 73	5	2.98	...	....
Bullock	27,033	6,066	20,967	70	31 03	12	23.73	58	33 19	38	16 85	7	13 84	31	17 74
Exclusive	25,016	5,066	19,950	65	31.19	10	23 68	55	33.08	36	17 27	6	14.20	30	18.04
Union Springs	2,017	1,000	1,017	5	29.74	2	24.00	3	35 39	2	11.89	1	12 00	1	11 79
Butler	21,581	11,368	10,213	61	33 82	27	28 48	34	39 95	13	7 20	6	6.33	7	8 22
Exclusive	18,779	9,968	8,811	56	35.67	24	28.89	32	43.58	10	6.37	4	4.81	6	8 17
Greenville	2,802	1,400	1,402	5	21.41	3	25 71	2	17.11	3	12 84	2	17.14	1	8 55
Calhoun	33,835	23,891	9,944	55	19.50	35	17.57	20	25.07	18	7 38	13	6 53	5	5 78
Exclusive	20,301	15,092	5,209	29	17.24	23	18 28	6	13.82	9	4 81	7	5.56	2	4.60
Anniston	10,113	6,399	3,714	20	23.73	7	13.12	13	42.00	6	7.11	3	5 62	3	9.62
Jacksonville	1,237	900	337	1	9 70	..	..	1	35.60	..	.....	..	....	..	.....
Oxford	1,473	900	573	2	16 29	2	26 66	...	.....	..	...	....	....	..	....
Piedmont	711	600	111	3	50.63	3	60 00			3	50.63	3	60 00	..	...
Clarke	22,622	9,627	12,995	76	40.31	35	43 61	41	37 84	20	10 60	7	8 72	13	12.00
Clay	15,765	14,086	1,679	34	25.88	31	26.00	3	21 44	10	7.61	7	5.96	3	21 44
Conecuh	14,594	7,956	6,638	24	19.73	11	16.72	13	23.50	9	7.39	2	3.04	7	12.65
Exclusive	13,557	7,341	6,216	21	18 58	9	14 71	12	23.16	9	7.96	2	3 26	7	13.51
Evergreen	1,037	615	422	3	34.71	2	39 02	1	28.43	....	....	..	.....	..	.....
Coosa.	15,906	10,486	5,420	39	29 42	28	32.04	11	24.35	18	13.51	6	6.86	12	26.56
Cullman	13,439	13,439	.....	23	20 60	23	20.60	..	.....	8	7 16	8	7.16	...	..
Exclusive	12,422	12,422	.....	21	20 28	21	20 28	..	....	6	5.79	6	5 79	...	.....
Cullman	1,017	1,017	.....	2	23.59	2	23.59	...	.....	2	23.59	2	23 59	....	.....

Births and Deaths by Counties, Towns and Colors—June, 1892. (Continued.)

Counties and Towns.	Population.			Births.						Deaths.					
	Total.	White.	Colored.	Total.	Rate per M.	White.	Rate per M.	Colored.	Rate per M.	Total.	Rate per M.	White.	Rate per M.	Colored.	Rate per M.
Dallas	49,350	7,906	41,444	66	16.04	15	22.75	51	14.76	49	11.93	10	15.17	39	11.29
Exclusive	41,728	4,406	37,322	49	14.10	3	8.17	46	14.78	35	10.05	7	19 08	28	9.00
Selma	7,622	3,500	4,122	17	26.76	12	41.14	5	14.55	14	22.04	3	10.28	11	32 02
DeKalb	21,010	19,881	1,129	51	29.18	50	30.17	1	10 62	11	6 29	9	5 43	2	21.25
Exclusive	18,312	17,881	431	49	31 93	48	33.21	1	27.84	9	5.86	9	6.04	2	55.68
Fort Payne	2,698	2,000	698	2	8 89	2	12.00	...		2	8.89	.	....	2	34.38
Elmore	21,732	11.329	10,403	59	32 57	35	37 07	24	27.68	15	8.28	12	12.71	3	3.46
Exclusive	20,919	10,829	10,090	54	30.97	33	38 21	21	24.97	15	8.60	12	13 89	3	3 56
Wetumpka	813	500	313	5	73.80	2	48.00	3	115.01	.		.	..	.	
Escambia	8,666	5,674	2,992	17	9.69	12	25 37	5	20 05	10	13 84	4	8 45	6	24.06
Exclusive	7,302	4,799	2,503	8	13 14	7	17 50	1	4.79	5	8.21	2	5 00	3	14 37
Brewton	1,115	750	365	8	86.09	4	64 00	4	131 50	4	43.04	2	32 00	2	65.75
Alco	249	125	124	1	48 19	1	96 00	...	...	1	48.19	1	96.00	.	..
Etowah	21,926	18,097	3,829	69	37 76	61	40.44	8	25.07	33	18 06	23	15.25	10	31 34
Exclusive	14,926	12,797	2,129	57	45 82	55	51 57	2	11 27	18	14 47	15	14 06	3	16 90
Gadsden	5,000	3,800	1,200	10	24.00	5	15.78	5	50 00	12	28.80	6	18.94	6	60 00
Attalla	2,000	1,500	500	2	12 00	1	8.00	1	24.00	3	18.00	2	16.00	1	24 00
Hale	27,501	5,053	22,448	43	18 76	1	2.37	42	22.45	14	6 10	1	2 37	13	6.95
Exclusive	25,742	4,153	21,589	41	19 11	1	2.88	40	22 23	14	6.52	1	2.88	13	7 22
Greensboro	2,759	900	859	2	13 64	..	...	2	27.93	..		.		...	....
Jackson	28,026	24,132	3,894	70	29 97	57	23 34	13	40.06	21	8.99	19	9 44	2	6.16
Exclusive	27,067	23,382	3,685	68	30 14	56	28.73	12	39 07	19	8 42	17	8.72	2	6.51
Scottsboro	959	750	209	2	25 02	1	16 00	1	57 41	2	25.02	2	32 00	..	....
Jefferson	88,501	56,953	31,548	158	21.42	121	25.49	37	14.07	128	17 35	54	11.36	74	28.14
Exclusive	46,951	34,423	19,278	84	....	65	.	19	...	46		18	.....	28	....
Birmingham	27,000	17,550	9,450	49	23.58	34	23 24	15	24.11	61	29.37	24	16.40	37	49 95
Bessemer	4,000	2,500	1,500	6	18.00	6	28.80	...	....	4	12 00	1	4.80	3	24.00

Births and Deaths by Counties, Towns and Colors—June, 1892. (Continued.)

Counties and Towns.	Population.			Births.						Deaths.					
	Total.	White.	Colored.	Total.	Rate per M	White.	Rate per M.	Colored.	Rate per M.	Total.	Rate per M.	White.	Rate per M.	Colored.	Rate per M.
Woodlawn	1,500	1,000	500	6	48 00	4	48 00	2	48.00	6	48 00	6	72.00	..	.....
Pratt Mines—Convicts	1,000	.....	.....	..	....	..	....	...	.....	2	24 00	...	...	2	.....
Pratt City	1,050	680	370	7	79 99	7	123.51	..	....	3	34.28	3	52 93	.	.....
Coalburg	575	....	.. ...	..		..		..	..	4	82.76	..	..	4	....
Warrior	1,250	800	450	6	57.60	5	75.00	1	26.66	2	19.20	2	30.00	..	...
Lawrence	20,725	12,536	8,189	30	17 37	20	19.14	10	14.77	17	9 84	3	2.87	14	20.68
Lowndes	31,550	4,446	27,084	68	25 86	6	14.97	62	27.47	42	15 97	4	9.85	38	16 83
Monroe	18,990	8,327	10,663	24	15.16	11	15.69	13	14.61	13	8 21	4	5.70	9	10.12
Montgomery	56,172	14,530	41,642	97	20.72	20	16 51	77	22.19	52	11.10	18	14 86	34	9 79
Exclusive	34,289	5,638	28,651	69	24 07	8	17.02	61	25 54	22	7 67	3	6 38	19	7.95
Montgomery	21,883	8,892	12,991	28	15.41	12	16.19	16	14 77	30	16.52	15	20.24	15	13 85
Morgan	24,089	17,903	6,186	35	17 43	29	19.43	6	11.63	19	9.46	13	8.71	6	11.63
Exclusive	16,953	13,903	3,050	26	18 35	26	22.43	..		8	5.64	5	4.31	3	11.80
Decatur	7,136	4,000	3,136	9	15.12	3	9.00	6	22.93	11	18 49	8	24.00	3	11.46
Pike	24,423	15,633	8,790	41	20 14	17	13.04	24	32.77	11	5.41	7	5.32	4	5 46
Exclusive	20,974	13,433	7,541	35	20.02	14	11.50	21	33.41	6	3.43	4	3.57	2	3.18
Troy	3,449	2,200	1,249	6	22.88	3	16 36	3	28.80	5	17.40	3	16.36	2	19 20
St. Clair	17,353	14,285	3,068	29	20 05	25	21.00	4	15.64	8	5.53	6	5.04	2	7.08
Talladega	29,346	15,343	14,003	58	23.69	35	27.37	23	19.70	20	8.17	10	7.82	10	8.57
Exclusive	26,846	13,843	13,003	52	23.24	30	26.01	22	20 30	16	7 15	9	7 80	7	6 46
Talladega	2,500	1,500	1,000	6	28 80	5	40 00	1	12 00	4	19 20	1	8 00	3	36.00
Tallapoosa	25,460	16,854	8,606	54	25.45	37	27 05	16	22.32	13	6.12	10	7 12	3	4.18
Exclusive	23,660	15,354	8,306	51	23.68	37	28.91	14	20.23	12	5.57	10	7.81	2	2.89
Dadeville	1,000	800	200	2	24.00	.		2	120.00	..	....	..	....	..	...
Alexander City	800	700	100	1	15.00	1	17.14	.		1	15.00	..		1	120.00
Tuscaloosa	30.352	18,213	12,139	33	13.04	27	17.78	6	5 93	36	14.23	19	12 51	17	16 80
Exclusive	23,652	13,813	9,739	22	11.20	16	13.83	6	7 39	17	8.66	12	10.37	5	6.16

Births and Deaths by Counties, Towns and Colors—June, 1892. (Continued.)

Counties and Towns.	Population.			Births.						Deaths.					
	Total.	White.	Colored.	Total.	Rate per M	White.	Rate per M	Colored.	Rate per M.	Total.	Rate per M.	White.	Rate per M.	Colored.	Rate per M
Tuscaloosa...	5,000	3,000	2,000	8	19.20	8	32 00	..	....	10	24.00	3	12.00	7	42 00
North Port	700	500	200	3	7.20	3	12 00	..	....	6	14.00	3	4 00	5	30.00
Insane Asylum	11,000	900	200		....	..	....	..	...	...		3	40.01	..	....
Winston	6,520	6,520	...	12	22.08	12	22 08	..	....	4	7.36	4	7.36	..	....
Total of Counties for February	782,233	429,625	352,608	1495	22.93	860	24 02	635	20 79	676	10.37	296	8.26	380	13 04
Exclusive of Towns	654,649	354,747	301,472	1256	22 81	714	24 14	542	21.23	465	8.35	197	6.66	278	10.89
Total of Towns	127,584	74,878	51,136	239	22 57	146	23 40	93	21.83	211	19.84	99	15 83	102	23 95

Births and Deaths by Counties, Towns and Colors—July, 1892.

Counties and Towns.	Population.			Births.						Deaths.					
	Total.	White.	Colored.	Total.	Rate per M.	White.	Rate per M	Colored.	Rate per M.	Total.	Rate per M.	White.	Rate per M.	Colored.	Rate per M.
Baldwin	8,941	5,635	3,306	21	28.18	11	23.22	10	36.29	9	12.07	5	10 55	4	14.51
Barbour	34,898	13,321	21,577	69	23 78	36	32.42	33	18 35	25	8.59	11	9 91	14	7.78
Exclusive	29,874	10,121	19,753	57	28 89	30	35 55	27	16.26	18	7.22	10	11.85	8	4.81
Eufaula	4,027	2,600	1,427	12	35 46	6	27 92	6	50 45	6	17.73	1	4 65	5	42.04
Clayton	997	600	397	..		..	...	..	....	1	12.03	..	..	1	30 22
Blount	21,927	20,115	1,812	24	13 13	24	14.31	..	...	3	1.64	3	1.78	.	....
Bullock	27,033	6,066	20,967	64	28 37	10	19 78	54	30.90	26	11.53	4	7.91	22	12.59
Exclusive	25,016	5,066	19,950	59	31.30	8	18.94	51	39.67	21	10.09	3	7.10	18	10 82
Union Springs	2,017	1,000	1,017	5	29.74	2	24.00	3	35.39	5	29 74	1	12.00	4	47.21
Butler	21,581	11,368	10,213	63	34.93	26	27.43	37	43.47	23	12.75	10	10 56	13	15 27
Exclusive	18,779	9,968	8,811	59	37 58	25	30.09	34	46.30	19	12.10	8	9.63	11	14 98
Greenville	2,802	1,400	1,402	4	17.12	1	8 57	3	25.67	4	17.12	2	17.14	2	17.11
Calhoun	33.835	23,891	9,944	64	21 69	50	25.11	14	17 59	22	7.80	14	7 03	8	10.05
Exclusive	20,301	15,092	5,209	35	20.68	27	21 46	8	18 42	11	6 50	10	7.95	1	2 30
Anniston	10,113	6,399	3,714	24	28.47	19	35.62	5	16.15	11	13 05	4	7.50	7	22.68
Jacksonville	1,237	900	337	2	19 40	1	13.33	1	35.60	..	....	..	....	..	.....
Oxford	1,473	900	573	1	8 14	1	13 33	..	....	..	....	..	.....	..	....
Piedmont	711	600	111	2	33 75	2	40 00	....	...	..	....	..	....	..	...
Clarke	22,622	9,627	12,995	69	36 59	31	38 62	38	35.08	19	10.07	10	12.46	9	8.31
Clay	15,765	14,086	1,679	33	25.11	28	23 85	5	35.73	5	3.80	2	1 70	3	21 44
Conecuh	14,594	7,956	6,638	32	26.31	20	30.41	12	21.69	12	9 86	8	12.16	4	7.23
Exclusive	13,557	7,341	6,216	29	25 66	18	29.44	11	21 23	11	9.73	7	11.47	4	7.72
Evergreen	1,037	615	422	3	34.71	2	39.02	1	28.43	1	11 57	1	19 51	..	...
Coosa	15,906	10,486	5,420	43	32.44	29	33 28	14	30.99	13	9.80	8	9.15	5	11.07
Cullman	13,439	13,439	.....	43	38 52	43	38 52	...	....	12	37 62	12	37 62	..	.....
Exclusive	12,422	12,422	.....	38	36.61	38	36 61	..	.....	8	7.72	8	7.72	....	....
Cullman	1,017	1,017	.....	5	58.99	5	58.99	..	....	4	47.19	4	47.19	....	....

Births and Deaths by Counties, Towns and Colors—July, 1892. (Continued.)

Counties and Towns.	Population.			Births.						Deaths.					
	Total.	White.	Colored.	Total.	Rate per M.	White.	Rate per M.	Colored.	Rate per M.	Total.	Rate per M.	White.	Rate per M.	Colored.	Rate per M.
Dallas	49,350	7,906	41,444	84	20.42	19	28.83	65	12 77	36	8.75	9	13.65	27	7 81
Exclusive	41,728	4,406	37,322	55	15 81	5	13 61	50	16.07	24	6 90	6	16.34	18	5.18
Selma	7,622	3,500	4,122	29	45.08	14	48 00	15	43.66	12	18.88	3	10.28	9	26.20
DeKalb	21,010	19,881	1,129	49	28 03	45	27 16	4	42.51	22	12.58	21	12 67	1	10 62
Exclusive	18,312	17,881	431	43	28.02	42	28.18	4	101 36	19	12 38	18	12 08	1	27.84
Ft. Payne	2,698	2,000	698	6	26.68	3	18 00	3	51.57	3	13.33	3	18.00	..	.
Elmore	21,732	11,329	10,403	53	28 26	34	36.01	19	21.91	12	6 62	4	4 23	8	9.22
Exclusive	20,919	10,829	10,090	51	29.25	32	36 94	19	21.50	12	6.88	4	4 63	8	9.51
Wetumpka	813	500	313	2	29 52	2	48.60	..	...	.	...	..	....	..	
Escambia	8,666	5,614	2,992	34	47.08	23	6 34	11	44.11	12	16 61	6	12.68	6	24.06
Exclusive	7,302	4,799	2,503	21	34.51	17	42.50	4	19.16	7	11.50	5	12 50	2	9 58
Brewton	1,115	750	365	10	107 62	4	64.00	6	197.25	5	53 81	1	16 00	4	131 50
Alco	249	125	124	3	144.57	2	192.00	1	96.77	...	....	..	....	..	
Etowah.	21,926	18,097	3,829	53	29.00	44	29 16	9	28.24	19	10.29	12	7.95	7	21 94
Exclusive	14,926	12,797	2,129	45	36.17	37	34 69	8	45 09	12	9.64	7	6.56	5	28.18
Gadsden	5,000	3,800	1,200	3	7 20	2	6.31	1	10.00	6	14 40	4	12.62	2	20.00
Attalla	2,000	1,500	500	5	30 00	5	40 00	..	....	1	6 00	1	8.00	..	.....
Hale.	27,501	5,053	22,448	55	23.99	7	14.62	48	25 66	15	6.54	3	10.12	12	6 42
Exclusive	25,742	4,153	21,589	51	23 77	6	17 23	45	25 01	15	6.99	3	8.61	12	6.66
Greensboro	1,759	900	859	4	27.28	1	13.33	3	51.90	..	..	..	....	..	....
Jackson.	28,026	24,132	3,894	44	18 83	40	19 88	4	12.32	17	7.27	16	7 95	2	6.16
Exclusive	27,067	23,382	3,685	44	19.50	40	20.52	4	13 02	15	6.65	14	7.18	1	3.25
Scottsboro	959	750	209	.	....	...	....	...	.....	2	25.02	1	16.00	1	57.41
Jefferson	88,501	56,953	31,548	201	27.25	151	31.81	50	19.01	158	21.32	69	14 53	89	33.84
Exclusive	46,951	34,423	19,278	109	....	91	....	18	.....	75	..	34	.....	41	..
Birmingham	27,000	17,550	9,450	57	27 44	35	23.9	22	27 93	57	27.44	26	17.77	31	39.36
Bessemer	4,000	2,500	1,500	15	45 00	8	38.40	7	56.09	10	30.00	5	24.00	5	40.00

Births and Deaths by Counties, Towns and Colors—July, 1892. (Continued.)

Counties and Towns.	Population.			Births.						Deaths.					
	Total.	White.	Colored.	Total.	Rate per M	White.	Rate per M	Colored.	Rate per M.	Total.	Rate per M.	White.	Rate per M.	Colored.	Rate per M.
Woodlawn	1,500	1,000	500	8	64 00	8	96 00	..	.....	3	24.00	3	36.00	..	.....
Pratt Mines—Convicts	1,000	....	....	..		.	....		....	7	84 00	....	....	7	....
Pratt City	1,050	680	370	7	45.71	4	70 58	3	97.29	2	22 85	...	.....	2	64 86
Coalburg	575	....	...	..	..	..	....	..	....	4	82.76	1	....	3	. .
Warrior	1,250	800	450	5	48.00	5	75.00	..	....	..	....	..	....	..	....
Lawrence	20,725	12,536	8,189	23	13.31	14	13 39	9	13 26	12	6.94	7	6 80	5	7 38
Lowndes	31,550	4,446	27,084	51	19 39	9	22 16	42	18.60	36	13.69	1	2.40	35	15.50
Monroe	18,990	8,327	10,663	39	24 64	11	15.69	28	31 51	13	8 21	5	7 13	8	8.80
Montgomery	56,172	14,530	41,642	164	35 03	25	20 64	139	40.05	64	13 67	11	9.08	53	15.27
Exclusive	34,289	5,638	28,651	109	38.03	12	25.54	97	40 62	32	11.16	2	4.25	30	12.56
Montgomery	21,883	8,892	12,991	55	30.28	13	17.54	42	38 79	32	17 62	9	12.14	23	21 24
Morgan	24,089	17,903	6,186	30	14.94	23	15 41	7	13.57	15	7.47	8	5 36	7	13 57
Exclusive	16,953	13,903	3,050	19	13 41	15	12 94	4	15 73	6	4 23	3	2.58	3	11.80
Decatur	7,136	4,000	3,136	11	18 49	8	24.00	3	11 46	9	15 12	5	15 00	4	15 29
Pike	24,423	15,633	8,790	59	28 98	37	28 16	22	30.05	10	4.91	6	4.56	4	5 46
Exclusive	20,974	13,433	7,541	49	28 03	31	27 69	18	25 64	8	4.59	5	4 46	3	4 97
Troy	3,449	2,200	1,249	10	34 80	6	32.72	4	38 40	2	6.96	1	5 45	1	9 60
St. Clair	17,353	14,285	3,068	41	28 35	36	30 24	5	20.55	9	6.22	8	6 72	1	3 91
Talladega	29,346	15,343	14,003	51	20.85	36	28 11	15	13.85	31	12.67	18	13 97	13	11.14
Exclusive	26,846	13,843	13,003	47	21 00	32	27.74	15	13 84	29		16		13	....
Talladega	2,500	1,500	1,000	4	19 20	4	32.00	...		2	9 60	2	16 00	..	.....
Tallapoosa	25,460	16,854	8,606	51	24.03	36	25.63	15	20 92	12	5 65	7	4 98	5	6.97
Exclusive	23,660	15,354	8,306	46	21.36	32	25.00	14	20.23	7	3.25	6	4.68	1	1.44
Dadeville	1,000	800	200	3	36 00	2	30.00	1	60 00	1	12.00	1	15.00	..	
Alexander City	800	700	100	2	30 00	2	34.28	..	....	4	60.00	.	..	4	480 00
Tuscaloosa	30,352	18,213	12,139	37	14 65	30	19.76	7	6 91	30	11 86	15	9.88	15	14.83
Exclusive	23,652	13,813	9,739	27	13.75	20	17.28	7	8.62	11	5.60	8	6 91	3	3.69

Births and Deaths by Counties, Towns and Colors—July, 1892. (Continued.)

Counties and Towns.	Population.			Births.						Deaths.					
	Total.	White.	Colored.	Total.	Rate per M.	White.	Rate per M.	Colored.	Rate per M.	Total.	Rate per M.	White.	Rate per M.	Colored.	Rate per M.
Tuscaloosa	5,000	3,000	2,000	8	19.20	8	32.00	....	....	10	24.00	3	12 00	7	42.00
North Port	700	500	200	2	34.28	2	48.00	...	.....	3	51.42	2	48 00	1	60 00
Insane Asylum	11,000	900	200	..	.....	..	...	..	....	6	65.46	2	26.67	4	240.00
Winston	6,520	6,520	.....	13	23.92	13	23.92	...	.....	4	7.36	4	7.36	...	....
Total of counties for January	782,233	429,625	352,608	1677	25.72	961	26.84	716	24 57	696	10 67	317	8.85	379	13 00
Exclusive of towns	654,649	354,747	30 1,472	1380	25 09	784	26.50	596	23.35	487	8.85	231	7.81	256	10 01
Total of towns	127,584	74,878	51,136	297	27 93	177	25.66	120	28.18	209	19 65	86	13 78	123	28 88

Births and Deaths by Counties, Towns and Colors—August, 1892.

Counties and Towns.	Population.			Births.						Deaths.					
	Total.	White.	Colored.	Total.	Rate per M	White.	Rate per M.	Colored.	Rate per M.	Total.	Rate per M.	White.	Rate per M.	Colored.	Rate per M.
Baldwin	8,941	5,635	3,306	30	40.26	20	42.23	10	36.29	8	10.73	5	10.55	3	10.88
Barbour	34,898	13,321	21,577	72	24.75	30	27.02	42	23.35	23	7.90	15	13.51	8	4.44
Exclusive	29,874	10,121	19,763	56	22.48	24	28.44	32	19 27	17	6.82	12	14.22	5	3.01
Eufaula	4,027	2,600	1,427	12	35.46	4	18 62	8	67.27	3	8.86	1	4 65	2	16.81
Clayton	997	600	397	4	48.14	2	40 00	2	60.45	3	36.10	2	40.00	1	30.22
Blount	21,927	20,115	1,812	35	19.25	35	20 87	..	.	4	2 18	4	2 38	..	..
Bullock	27,033	6,066	20,967	93	41.23	15	29.67	78	44.63	32	14.18	5	9.89	27	15 45
Exclusive	25,016	5,066	19,950	88	42.41	13	30.79	75	45 11	26	12.47	2	4.73	24	14.43
Union Springs	2,017	1,000	1,017	5	29.74	2	24 00	3	35.39	6	35.69	3	36.00	3	35 39
Butler	21,581	11,368	10,213	55	30.49	20	21.11	35	41.12	19	10.53	7	7.38	12	14.09
Exclusive	18,779	9,968	8,811	52	33 13	20	24.06	32	43 58	15	9.75	4	4.81	11	14.98
Greenville	2,802	1,400	1,402	3	12.84	..		3	25 67	4	17.12	3	25.71	1	8 55
Calhoun	33,835	23,891	9,944	76	26 95	56	28.12	20	25.14	23	8 15	12	6.02	11	13.83
Exclusive	20,301	15,092	5,209	42	24.82	35	27 82	7	16.12	5	2.95	3	2 38	2	4 60
Anniston	10,113	6,399	3,714	24	28.47	15	28 12	9	29.07	17	20 27	8	15.00	9	29.07
Jacksonville	1,237	900	337	3	29.10	1	13 33	2	71.21	1	9 70	1	13.33	....	....
Oxford	1,473	900	573	3	24.43	2	26.66	1	20 94	..	....	...	....	..	....
Piedmont	711	600	111	4	67 51	3	60.00	1	108 10	..	....	...	....	..	....
Clarke	22,622	9,627	12,995	73	38 71	34	42.36	39	36 01	21	11.13	8	9.87	13	12.00
Clay	15,765	14,086	1,679	41	41.20	38	32.48	3	21.44	11	8.37	10	8 51	1	7.14
Conecuh	14,594	7,956	6,638	37	30.42	23	34.97	14	25.30	14	11.51	7	10 64	7	12 65
Exclusive	13,557	7,341	6,216	34	30 09	21	34.32	13	25.09	11	9.73	6	9.80	5	9.65
Evergreen	1,037	615	422	3	34.71	2	39 02	1	28 43	3	34.71	1	19 51	2	56.87
Coosa	15,906	10,486	5,420	48	36 21	32	36 61	16	35 42	12	9 05	5	5.72	7	15.49
Cullman	13,439	13,439	.....	25	22 39	25	22.39	.	....	5	4.47	5	4 47	..	.. .
Exclusive	12,422	12,422	.....	22	21.25	22	21.25	..	.....	5	4.83	5	4.83	...	....
Cullman	1,017	1,017	.....	3	35.39	3	35.39	....	.....	....	.....	...	.....	..	....

Births and Deaths by Counties, Towns and Colors—August, 1892. (Continued.)

Counties and Towns.	Population.			Births.						Deaths.					
	Total.	White.	Colored.	Total.	Rate per M.	White.	Rate per M	Colored.	Rate per M.	Total.	Rate per M	White.	Rate per M.	Colored.	Rate per M.
Dallas	49,350	7,906	41,444	97	23.58	20	30 35	77	22.32	47	11.42	11	16 68	36	10.42
Exclusive	41,728	4,406	37,322	79	23.71	10	27 23	69	12 18	31	8.91	2	5.44	29	9.32
Selma	7,622	3,500	4,122	18	28.33	10	34 28	8	23 28	16	25 18	9	30.85	7	20.37
DeKalb	21,010	19,881	1,129	45	25 74	41	23.46	4	42.51	17	9.72	16	9 65	1	10.62
Exclusive	18,312	17,881	431	43	28 02	39	26 17	4	101.36	12	7.82	11	7.38	1	27.84
Ft. Payne	2,698	2,000	698	2	8 89	2	12 00	...	....	5	22.23	5	30.00	....	.....
Elmore	21,732	11,329	10,403	58	32.02	34	36.01	24	27.68	16	8.83	10	11.53	6	6 92
Exclusive	20,919	10,829	10,090	58	33.27	34	39.36	24	27.54	16	9.17	10	11.57	6	7.03
Wetumpka	813	500	313	...	..	....		....		...	...	....	....	....	...
Escambia	8,666	5,614	2,992	32	44.31	27	57.10	5	20.53	12	16.61	10	21.14	2	8.02
Exclusive	7,302	4,799	2,503	26	42.72	22	55 00	4	19.16	10	16 43	10	25 00	...	....
Brewton	1,115	750	365	1	10 76	1	16.00	....	....	....	....	...	....	...	
Alco	249	125	124	5	240.96	4	384 00	1	96.77	2	96.38	..	....	2	193.54
Etowah	21,926	18,097	3,829	84	45 97	73	48 40	11	34.48	23	12.58	19	12.59	4	12 53
Exclusive	14,926	12,797	2,129	71	57.07	62	58.13	9	50 73	17	13 66	14	13 12	3	16.90
Gadsden	5,000	3,800	1,200	13	31.20	11	34.72	2	20.00	6	14.40	5	15 99	1	10.00
Attalla	2,000	1,500	500	5	30.00	3	24 00	2	48 00	4	24 00	3	24.00	1	24.00
Hale	27,501	5,053	22,448	38	.....	6	....	32	...	11	.....	2	....	9	....
Exclusive	25,742	4,153	21,589	34	15 74	3	8 61	31	17.23	9	4.19	2	5.77	7	3.39
Greensboro	1,759	900	859	4	27.28	3	39 99	1	13.96	2	13.64	..	....	2	27.93
Jackson	28,026	24,132	3,894	70	29 97	65	32 31	5	15.40	38	16.27	34	16.90	5	15.40
Exclusive	27,067	23,382	3,685	69	30 59	65	33 35	4	13 02	36	15.96	32	16 42	4	13.02
Scottsboro	959	750	209	1	12 51	....	...	1	57.41	2	25.02	1	16.00	1	57 41
Jefferson	88,501	56,953	31,548	200	27.11	154	32.44	46	16.89	149	20.20	70	14.74	79	30 04
Exclusive	46,951	34,423	19,278	124	.....	94		30	....	72	....	41	....	31	...
Birmingham	27,000	17,550	9,450	53	25 51	40	27.34	13	16.50	66	31.77	23	15.72	43	54.58
Bessemer	4,000	2,500	1,500	12	36.00	10	48.00	2	16.00	5	15.00	3	14.40	2	16.00

Births and Deaths by Counties, Towns and Colors—August, 1892. (Continued.)

Counties and Towns.	Population.			Births.						Deaths.					
	Total.	White.	Colored.	Total.	Rate per M.	White.	Rate per M.	Colored.	Rate per M.	Total.	Rate per M.	White.	Rate per M.	Colored.	Rate per M.
Woodlawn	1,500	1,000	500	7	56.00	6	72.00	1	24.00	2	16 00	1	12.00	1	24.00
Pratt Mines—Convicts	1,000	.....	.....	..		..		....	....	..	....	....	....	....	.....
Pratt City	1,050	680	370	3	34.28	3	52 93	....	....	2	22.85	2	35.29	..	.....
Coalburg	575	.....	.....	..		..	....	..	....	2	41 38	....	....	2	....
Warrior	1,250	800	450	1	9 60	1	15.00	....	....	..		....	....	....	
Lawrence	20,725	12,536	8,189	16	9 26	6	5.74	10	14 77	10	5.79	5	4.78	5	7 38
Lowndes	31,550	4,446	27,084	70	26 62	5	12.31	65	28 79	32	12 17	...	....	32	14.17
Monroe	18,990	8,327	10,663	60	37.91	11	15 69	49	53 90	13	8.21	5	7.13	8	8.80
Montgomery	56,172	14,530	41,642	195	41.85	34	28.07	161	46.39	82	17.51	19	15.69	63	18 15
Exclusive	34,289	5,638	28,651	129	45 00	21	44 69	108	45.23	40	13.95	5	10.64	35	14.65
Montgomery	21,883	8,892	12,991	66	36.34	13	17 54	53	48.95	42	23 14	18	89 00	28	25.86
Morgan	24,089	17,903	6,186	47	23 40	42	28.14	5	9.69	23	11 45	13	8 71	10	19 39
Exclusive	16,953	13,903	3,050	38	26 82	35	30 20	3	11.80	7	4.94	4	3 45	3	11 80
Decatur	7,136	4,000	3,136	9	15.12	7	21.00	2	7 64	16	26.89	9	27 00	7	26.76
Pike	24,423	15,633	8,790	64	31.44	44	33.49	20	27 30	29	14.24	21	15.98	8	10 92
Exclusive	20,974	13,433	7,541	57	32.61	40	35.73	17	27.05	14	8.00	14	12 50	..	.....
Troy	3,449	2,200	1,249	7	24.36	4	21.81	3	28 00	15	52 50	7	38.17	8	76 80
St. Clair	17,353	14,285	3,068	44	30.42	42	35 28	2	7.82	10	6 91	9	7 56	1	3.90
Talladega	29,346	15,343	14,003	63	25.76	37	28.93	26	22.27	21	8.58	15	11 73	6	5.13
Exclusive	26,846	13,843	13,003	56	25.03	32	27.74	24	22.14	19	8.34	13	11.26	6	5.53
Talladega	2,500	1,500	1,000	7	33 60	5	40.00	2	24.00	2	9.60	2	16 00	..	....
Tallapoosa	25,460	16,854	8,606	65	30 63	51	36.31	14	19 53	17	8.01	14	9.96	3	5.08
Exclusive	23,660	15,354	8,306	61	28.33	47	36 73	14	20.23	17	7.89	14	10.94	3	4.33
Daderille	1,000	800	200	..	....	..	....	....	....	...	....	..	....	..	.....
Alexander City	800	700	100	4	60.00	4	68 57	....	....	..	....	..	....	..	....
Tuscaloosa	30,352	18,213	12,139	50	19.76	33	21 73	17	16.80	40	15.81	21	13 83	19	18.78
Exclusive	23,652	13,813	9,739	37	18.85	28	24.20	9	11 09	18	9.17	12	10 37	6	7.39

Births and Deaths by Counties, Towns and Colors—August, 1892. (Continued.)

Counties and Towns.	Population.			Births.						Deaths.					
	Total.	White.	Colored.	Total.	Rate per M	White.	Rate per M	Colored.	Rate per M.	Total.	Rate per M.	White.	Rate per M.	Colored.	Rate per M
Tuscaloosa	5,000	3,000	2,000	12	28 80	4	16 00	8	48 00	19	45.60	7	28.00	12	72.00
North Port	700	500	200	1	17.14	1	24.00	...	....	....	..	..	.....	..	
Insane Asylum	11,000	900	200	....	....	....	..	..	....	3	32.73	2	26.67	1	60.00
Winston	6,520	6,520	...	7	12 88	7	12 88	..	....	2	3.68	2	3.68	....	....
Total of Counties for February	782,233	429,625	352,608	1890	28.99	1057	29.52	833	28.58	765	11 73	379	10.58	386	13 24
Exclusive of Towns	654,649	354,747	301,472	1601	26 10	897	31 34	704	27.68	517	9.39	261	8.82	256	10.03
Total of Towns	127,584	74,878	51,136	289	27.28	160	25 64	129	30.29	248	23.32	118	19.91	130	30.53

Births and Deaths by Counties, Towns and Colors—September, 1892.

Counties and Towns.	Population.			Births.						Deaths.					
	Total.	White.	Colored.	Total.	Rate per M.	White.	Rate per M	Colored.	Rate per M.	Total.	Rate per M.	White.	Rate per M.	Colored.	Rate per M.
Baldwin	8,941	5,635	3,306	30	40 26	18	38.00	12	43.55	5	6.71	3	6 33	2	7.25
Barbour	34,898	13,321	21,577	62	21.31	32	28.82	30	16.68	13	4.46	8	7 28	5	3.33
Exclusive	29,874	10,121	19,753	49	19 67	23	27.25	26	13 66	8	3 21	4	4 75	4	2 40
Eufaula	4,027	2,600	1,427	9	26.59	7	31 57	2	16 81	5	14.77	4	18.60	1	8.40
Clayton	997	600	397	4	48.14	2	40.00	2	60.44	...	...	...	...	...	...
Blount	21,927	20,115	1,812	47	35.47	47	46.32	...	...	10	4.43	40	19 78	...	...
Bullock	27,033	6,066	20,967	84	36 24	9	28.22	75	37.36	27	11.97	4	7.91	23	12.27
Exclusive	25,016	5,066	19,950	75	35 95	7	32.10	68	36.76	24	11 51	3	7.10	21	12.62
Union Springs	2,017	1,000	1,017	9	53.54	2	24.00	7	82 57	3	17 84	1	12 00	2	23.59
Butler	21,581	11,368	10,213	37	20.51	19	20 05	18	20 86	16	8 87	11	11 61	5	5 87
Exclusive	18,779	9,968	8,811	37	20 57	19	22.36	18	27.69	11	7.00	7	8.42	4	5.44
Greenville	2,802	1,400	1,402	...				...		5	21.41	4	34 28	1	8 55
Calhoun	33,835	23,891	9,944	65	23 04	51	25 61	14	17.59	12	4.25	9	4.51	3	3.77
Exclusive	20,301	15,092	5,209	31	18 32	26	20.67	5	11.51	7	4 13	7	7.56	..	
Anniston	10,113	6,399	3,714	27	32 03	19	35.62	8	25.84	4	4.74	1	1.87	3	9.69
Jacksonville	1,237	900	337	1	9 70	1	13 33	.	.	..	....	..	....	...	.....
Oxford	1,473	900	573	4	32.58	3	39.99	1	20.94	....	...	..	..	...	.....
Piedmont	711	600	111	2	33.75	2	40.00	..	..	1	16.87	1	20.00	...	....
Clarke	22,622	9,627	12,995	75	39.73	32	38.41	43	39 70	21	11.13	8	9.87	13	12 00
Clay	15,765	14,086	1,679	32	24.35	32	27.26	.	.	16	7.61	8	6 81	2	14 29
Conecuh	14,594	7,956	6,638	43	35.35	21	31.93	22	39.76	8	6.57	6	9.12	2	3.61
Exclusive	13,557	7,341	6,216	41	30.09	21	34 32	20	38.61	6	5 31	5	8 17	1	1 95
Evergreen	1,037	615	422	2	23.14	...	..	2	56 87	2	23.14	1	19 51	1	28.43
Coosa	15,906	10,486	5,420	31	23.38	19	21.74	12	26.56	13	9 80	5	5.72	8	17.71
Cullman	13,439	13,439	.....	16	28 58	16	28.58	..	.....	8	7 16	8	7.16	....	.....
Exclusive	12,422	12,422	.....	16	28 58	16	28 58	...	.....	8	5.12	8	5.26	....	.....
Cullman	1,017	1,017	.....	...	.....	....	.....	....	.....	....	.....	....	.....	....	.....

Births and Deaths by Counties, Towns and Colors—September, 1892. (Continued.)

Counties and Towns.	Population.			Births.						Deaths.					
	Total.	White.	Colored.	Total.	Rate per M.	White.	Rate per M.	Colored.	Rate per M.	Total.	Rate per M.	White.	Rate per M.	Colored.	Rate per M.
Dallas	49,350	7,906	41,444	68	16.53	17	25.78	51	14 56	49	14.18	7	10.61	42	12.15
Exclusive	41,728	4,406	37,322	53	15 24	8	21.78	45	14.46	35	10 06	4	10.89	31	9.96
Selma	7,622	3,500	4,122	15	23 61	9	30 85	6	17.46	14	22.04	3	10.28	11	32 02
DeKalb	21,010	19,881	1,129	42	24.03	40	24.14	2	21 25	12	6.86	12	7.24	..	.....
Exclusive	18,312	17,881	431	36	13 48	35	22.81	1	27 84	8	5 21	8	5 37	..	....
Fort Payne	2,698	2,000	698	6	26.68	5	20.00	1	17 19	4	17 78	4	24.00	..	...
Elmore	21,732	11 329	10,403	64	35 33	40	42.36	24	27.68	18	9.93	11	11.65	7	8 07
Exclusive	20,919	10,829	10,090	61	35 09	38	34.00	23	27.35	16	9 17	10	11 57	6	7.03
Wetumpka	813	500	313	3	44 28	2	48.00	1	38.33	2	29.52	1	24 00	1	38.33
Escambia	8,666	5,674	2,992	13	18.00	9	19 03	4	16.04	4	5 58	3	6 34	1	4 01
Exclusive	7,302	4,799	2,503	9	14.79	8	20.00	1	4.79	3	4.93	2	5 00	1	4.79
Brewton	1,115	750	365	1	10 76	....		1	32.87	1	10 76	1	16.00	..	.....
Alco	249	125	124	3	144.57	1	96 00	2	193.54	..	....		....	..	....
Etowah	21,926	18,097	3,829	64	43.24	59	48 80	5	20.32	23	11.32	19	10 12	4	12 32
Exclusive	14,926	12,797	2,129	52	41.80	49	45 94	3	16.91	16	12 86	14	13.12	2	11.27
Gadsden	5,000	3,800	1,200	8	19 20	6	18 94	2	20 00	4	9.60	2	6.31	2	20 00
Attalla	2,000	1,500	500	4	24.00	4	32.00	....		3	18.00	3	24.00	..	...
Hale	27,501	5,053	22,448	33	22.32	9	21 45	24	25.11	10	4 36	4	9 49	6	2.40
Exclusive	25,742	4,153	21,589	28	13 05	7	20.22	21	11.67	9	4 19	3	8.61	6	3.33
Greensboro	2,759	900	859	5	34.11	2	26.66	3	51.90	1	6.82	1	13.33	..	...
Jackson	28,026	24,132	3,894	60	25.69	53	26.35	7	21.57	21	8.99	19	9 44	2	6.16
Exclusive	27,067	23,382	3,685	58	25.71	51	26.17	7	22 79	21	9 31	19	9.75	2	6.51
Scottsboro	959	750	209	2	25 02	2	32.00	..	...		..	..	...		.....
Jefferson	88,501	56,953	31,548	154	20.86	124	33 92	30	19.97	125	16 94	64	13.48	61	23.19
Exclusive	46,951	34,423	19,278	100	....	87		13		59	...	32	...	27	
Birmingham	27,000	17,550	9,450	36	17.33	24	23 14	12	15.20	43	20.70	21	13.84	22	27.91
Bessemer	4,000	2,500	1,500	5	15.00	3	14.40	2	16.00	7	21.00	5	24.00	2	16.00

Births and Deaths by Counties, Towns and Colors—September, 1892. (Continued.)

Counties and Towns.	Population.			Births.						Deaths.					
	Total.	White.	Colored.	Total.	Rate per M	White.	Rate per M	Colored.	Rate per M.	Total.	Rate per M.	White.	Rate per M.	Colored.	Rate per M.
Woodlawn	1,500	1,000	500	6	48.00	5	60 00	1	24.00	3	24.00	2	24.00	1	24.00
Pratt Mines—Convicts	1,000	.....	....	.		..		..	.....	4	48.00	1	.	3	..
Pratt City	1,050	680	370	6	68.56	4	70.58	2	64.86	3	34 27	3	52.93	..	....
Coalburg	575	.....	...	1	..	1	....	..	....	6	124.14	..	...	6	..
Warrior	1,250	800	450	..		..	..	..				..		..	....
Lawrence	20,725	12,536	8,189	16	9.26	12	11.48	4	5.91	11	6 36	6	5.74	5	7.38
Lowndes	31,550	4,446	27,084	69	26 24	2	4.92	67	29.68	41	15 59	3	7.38	38	16 83
Monroe	18,990	8,327	10,663	52	32 85	26	36.99	26	29 25	21	13 27	8	11.31	13	14.61
Montgomery	56,172	14,530	41,642	149	31.83	49	40.46	100	28 89	79	16.87	16	13.21	63	18.15
Exclusive	34,289	5,638	28,651	90	31.40	20	42.56	70	29.31	48	16 74	8	17.02	40	15.75
Montgomery	21,883	8,892	12,991	59	32.49	29	39.13	30	27.71	31	17.07	8	10.79	23	21 24
Morgan	24,089	17,903	6,186	30	14 94	20	13.40	10	19.39	31	15 43	23	15.41	8	15.51
Exclusive	16,953	13,903	3,050	21	14.82	18	15.53	3	11 80	9	6 35	9	7 76	..	.
Decatur	7,136	4,000	3,136	9	15.12	2	6.00	7	26 76	22	36.98	14	42 00	8	30 58
Pike	24,423	15,633	8,790	58	28 49	29	22 07	29	.	15	7.37	11	8.39	4	5 46
Exclusive	20,974	13,433	7,541	54	30 89	26	23.22	28	44.54	10	5.22	7	6.25	3	4 77
Troy	3,449	2,200	1,249	4	13.72	3	16 36	1	9.60	5	17 40	4	21 81	1	9.60
St. Clair	17,353	14,285	3,068	33	22 82	32	26.88	1	3 91	8	5.53	8	6 72	..	
Talladega	29,346	15,343	14,003	56	36.71	37	37.28	19	29.28	19	7 76	14	11.94	5	4 28
Exclusive	26,846	13,843	13,003	49	21.90	30	26.01	19	17 53	18	9 24	13	9 89	5	6.82
Talladega	2.500	1,500	1,000	7	33.60	7	56.00		..	1	4.80	1	8.00	...	...
Tallapoosa	25,460	16,854	8,606	50	23.56	35	27.37	15	20 92	12	5.65	9	6 40	3	4 18
Exclusive	23,660	15,354	8,306	40	18.57	29	22.66	11	15 89	11	5.10	8	6.25	3	4.33
Dadeville	1,000	800	200	4	48 00	3	45.00	1	60.00	..	....	...	..	.	....
Alexander City	800	700	100	6	90.00	3	51.42	3	360 00	1	15 00	1	17.14	..	....
Tuscaloosa	30,352	18,213	12,139	40	15 80	29	19 08	11	10.86	25	9.87	12	7.89	13	12.84
Exclusive	23,652	13,813	9,739	28	14 26	23	19.88	5	6.16	16	8 15	6	5.18	10	12.32

Births and Deaths by Counties, Towns and Colors—September, 1892. (Continued.)

Counties and Towns.	Population.			Births.						Deaths.					
	Total.	White.	Colored.	Total.	Rate per M.	White.	Rate per M.	Colored.	Rate per M.	Total.	Rate per M.	White.	Rate per M.	Colored.	Rate per M.
Tuscaloosa	5,000	3,000	2,000	10	24 00	4	16.00	6	36.00	6	14 40	4	16.00	2	12.00
North Port	700	500	200	2	34.28	2	48.00	..	....	..	...	...	...	...	....
Insane Asylum	11,000	900	200	..	...	..	.	..	....	3	32 73	2	26.67	1	60 00
Winston	6,520	6,520	.....	12	22.08	12	22.08	....	...	3	5.52	3	5.52	...	.....
Total of counties for January	782,233	429,625	352,608	1565	24 00	910	25 41	655	22 47	670	10 27	332	9.27	338	11.59
Exclusive of towns	654,649	354,747	304,472	1305	20 72	753	25.47	552	21.62	487	8 85	238	8.04	249	9.70
Total of towns	127,584	74,878	51,136	260	24.45	157	25.16	103	24.18	183	17 21	94	15.06	89	20.89

Births and Deaths by Counties, Towns and Colors—October, 1892.

Counties and Towns.	Population.			Births.						Deaths.					
	Total.	White.	Colored.	Total.	Rate per M	White.	Rate per M.	Colored.	Rate per M.	Total.	Rate per M.	White.	Rate per M.	Colored.	Rate per M.
Baldwin	8,941	5,635	3,306	20	26.84	11	23.22	9	32.66	13	17.44	8	16 88	5	17.14
Barbour.	34,898	13,321	21,577	38	13 06	14	12.60	24	13.34	9	3.09	5	4.50	4	2.22
Exclusive	29,874	10,121	19,763	30	12.0[illegible]	12	14 22	18	10 83	3	1.20	1	1.18	2	1 80
Eufaula	4,027	2,600	1,427	6	17.73	1	4.65	5	42.04	6	17.73	4	18.60	2	16.80
Clayton	997	600	397	2	24.06	1	20 00	1	30 22	..	....	..		..	.....
Blount	21,927	20,115	1,812	27	17 16	24	18.09	3	2 50	1	.54	1	1.59	..	.....
Bullock	27,033	6,066	20,967	65	25 22	13	22.00	52	32.26	28	10 17	3	7.05	25	11.16
Exclusive	25,016	5,066	19,950	60	23.28	12	21 64	48	30.49	28	10 58	3	8.27	25	11.26
Union Springs	2,017	1,000	1,017	5	29 74	1	12 00	4	47.18	..	....	....	.....	...	....
Butler	21,581	11,368	10,213	59	24.86	28	22 60	31	27.37	16	8.87	7	7.38	9	10 57
Exclusive	18,779	9,968	8,811	52	22.95	24	23.52	28	22 95	12	7.64	5	6.01	7	9.53
Greenville	2,802	1,400	1.402	7	..	4	..	3	.....	4	17.12	2	17.14	2	17.11
Calhoun	33,835	23,891	9,944	45	17.80	34	15.93	11	22 23	12	4 81	9	4 50	3	6 85
Exclusive	20,301	15,092	5,209	25	14.77	23	18.28	2	4 60	10	5.91	7	5 56	3	6.91
Anniston	10,113	6,399	3,714	12	14 23	6	11.25	6	19.38	1	1 18	1	1.87	...	....
Jacksonville	1,237	900	337	1	9.70	1	13 33	...	.....	...	.....	..	...	..	.....
Oxford	1,473	900	573	5	40.73	2	26.66	3	62.82	1	8.14	1	13.33	...	....
Piedmont	711	600	111	2	33.75	2	40.00	...		...	.....	..	...	..	....
Clarke	22,622	9,627	12,995	16	40.31	34	42 36	42	38.78	22	12 76	9	11.21	13	12.00
Clay	15,765	14,086	1,679	44	33 49	43	36 63	1	7.14	10	7.61	9	7.66	1	7.14
Conecuh	14,594	7,956	6,638	37	30 42	17	25.85	20	36.15	9	7.39	4	6 08	5	9 03
Exclusive	13,557	7,341	6,216	35	30.98	15	24.51	20	38.61	8	7 08	4	6.53	4	7.72
Evergreen	1,037	615	422	2	23.14	2	39.02	....	....	1	11.57	..	.....	1	28.43
Coosa	15,906	10,486	5,420	47	35 45	34	38 90	13	28 78	10	7 54	7	8 01	3	6.64
Cullman	13,439	13,439	.....	19	29 90	19	29.90	...	.....	7	....	7	.....	...	.....
Exclusive	12,422	12,422	.....	14	.....	4	.....	...	.....	6	....	6	.....	...	.....
Cullman	1,017	1,017	.....	5	....	5	.....	...	....	1	.....	1	.....	...	.....

Births and Deaths by Counties, Towns and Colors—October, 1892. (Continued.)

Counties and Towns.	Population.			Births.						Deaths.					
	Total.	White.	Colored.	Total.	Rate per M.	White.	Rate per M.	Colored.	Rate per M.	Total.	Rate per M.	White.	Rate per M.	Colored.	Rate per M.
Dallas	49,350	7,906	41,444	56	13 60	10	15.17	46	13.51	43	10 44	9	13.65	34	8.82
Exclusive	41,728	4,406	37,322	41	11.80	3	8.17	38	12.21	36	10.35	7	19.08	29	9.22
Selma	7,622	3,500	4,122	15	23 61	7	24 00	8	23.28	7	11 02	2	6.85	5	14.55
DeKalb	21,010	19,881	1,129	36	20.59	36	21.72	..	....	7	4 00	7	4.22	..	....
Exclusive	18,312	17,881	431	34	22 16	34	24.81	..	....	6	3.91	6	4 02	..	....
Ft. Payne	2,698	2,000	698	2	8.89	2	12.00	.	...	1	4 44	1	6.00	..	....
Elmore	21,732	11,329	10,403	63	34.78	35	37.07	28	32 29	20	11.04	10	10.59	10	11 53
Exclusive	20,919	10,829	10,090	5[illegible]	33.27	32	36 94	26	30.91	18	10.32	9	10 42	9	10.70
Wetumpka	813	500	313	5	73.80	3	72 00	2	76.67	2	29.52	1	24.00	1	38 33
Escambia	8,666	5,614	2,992	26	36.00	14	29.60	12	48 12	7	9 69	5	10.57	2	8 02
Exclusive	7,302	4,799	2,503	2[illegible]	32 86	13	32.50	7	33.53	5	8 21	3	7 50	2	9.58
Brewton	1,115	750	365	6	64 57	1	16.00	5	164 38	2	21.52	2	32.00	..	.
Alco	249	125	124	.		.	.	..		..		.		..	..
Etowah	21,926	18,097	3,829	47	11.52	46	36.54	1	3.13	18	9 84	15	9 94	3	9.39
Exclusive	14,926	12,797	2,129	34	27 33	34	31 78	.		13	10 45	13	12.19	..	.
Gadsden	5,000	3,800	1,200	10	24.00	9	28.41	1	10 00	4	9 60	1	3.15	3	30 00
Attalla	2,000	1,500	500	3	18.00	3	24 00			1	6 00	1	8 00	...	....
Hale	27,501	5,053	22,448	33	14 3[illegible]	3	21 3[illegible]	30	14 62	..		..	....	.	
Exclusive	25,742	4,153	21,589	31	14.45	2	5 77	29	16.12	5	2 33	1	2 88	4	2.22
Greensboro	1,759	900	859	2	13.64	1	13.33	1	13 96	1	6.82	..	..	1	13.96
Jackson	28,026	24,132	3,894	70	29.97	61	30 33	9	27 73	30	12 84	26	12 92	5	15.40
Exclusive	27,067	23,382	3,685	68	30 14	59	30 17	9	27 73	2[illegible]	12 41	24	12.31	4	13.02
Scottsboro	959	750	209	2	25.02	2	32 00	..	...	2	25 02	1	16 00	1	57 41
Jefferson	88,501	56,953	31,548	155	20.92	116	34.80	39	14 82	110	14.85	55	6.38	55	20.90
Exclusive	46,951	34,423	19,278	92	..	77		15	...	56		33	...	23	...
Birmingham	27,000	17,550	9,450	44	21.16	25	17 07	19	23 94	37	17 79	16	10 92	21	26 46
Bessemer	4,000	2,500	1,500	3	9.00	1	4 80	2	16.00	6	18.00	4	19.20	2	16.00

Births and Deaths by Counties, Towns and Colors—October, 1892. (Continued.)

Counties and Towns.	Population.			Births.						Deaths.					
	Total.	White.	Colored.	Total.	Rate per M	White.	Rate per M.	Colored.	Rate per M	Total.	Rate per M.	White.	Rate per M.	Colored.	Rate per M.
Woodlawn	1,500	1,000	500	6	48 00	3	36.00	3	72.00	1	8.00	1	12.00	....	.....
Pratt Mines—Convicts	1,000	..	....	.		.	..	..	....		....	..	....	..	
Pratt City	1,050	680	370	8	91.42	8	141 12	..	....	1	11 42	..		1	32.43
Coalburg	575	...	.....	.	19.20	...	.	..	....	8	165.52	1	15 00	7	....
Warrior	1,250	800	450	2	19 20	2	30.00	..	...	1	9 60	..	.	1	26 66
Lawrence	20,725	12,536	8,189	18	10.42	10	9 57	8	11.82	16	11 27	8	7 95	8	11.82
Lowndes	31,550	4,446	27,084	68	25 86	5	12 31	63	27 92	37	14.07	1	2.46	36	15 95
Monroe	18,990	8,327	10,663	36	22.74	16	22.82	20	22 50	14	8.84	3	4 28	11	12 37
Montgomery	56,172	14,530	41,642	87	18.58	29	23.95	58	16 71	64	13.67	21	17 34	43	12 39
Exclusive	34,289	5,638	28,651	45	15.70	3	6.38	42	17 59	33	11.51	8	17 02	25	10 47
Montgomery	21,883	8,892	12,991	42	23.12	26	35.08	16	14 77	31	17.07	13	17 54	18	16.62
Morgan	24,089	17,903	6,186	31	15.43	20	13 40	11	21 32	27	13.44	15	10 05	12	23 26
Exclusive	16,953	13,903	3,050	27	19 06	19	16.39	8	31 47	15	10.59	12	10 35	3	11.80
Decatur	7,136	4,000	3,136	4	6.72	1	3 00	3	11.46	12	20.17	3	9 00	9	34 40
Pike	24,423	15,633	8,790	34	16 70	21	16.38	13	17.78	16	7 86	12	9.13	4	5.46
Exclusive	20,974	13,433	7,541	23	13.15	16	14.28	7	11.13	11	6 29	8	7 14	3	4.77
Troy	3,449	2,200	1,249	11	38.28	5	27 27	6	57.60	5	17.40	4	21.81	1	9.60
St. Clair	17,353	14,285	3,068	28	19 36	22	18 48	6	23.46	9	6.22	9	7.56	..	
Talladega	29,346	15,343	14,003	57	17 66	34	22.42	23	12 22	10	4 08	8	6.25	2	1 71
Exclusive	26,846	13,843	13,003	56	25.03	33	28.61	23	21.22	10	4.46	8	....	2	1.84
Talladega	2,500	1,500	1,000	1	..	1		..		..		...		..	....
Tallapoosa	25,460	16,854	8,606	37	17.42	25	17.80	12	15.20	7	3.29	6	42.72	1	1.39
Exclusive	23,660	15,354	8,306	31	14.39	24	18.75	7	10.11	7	3 25	6	4 68	1	1.44
Dadeville	1,000	800	200	3	36 00			3	180.00	...	....	..	....	..	....
Alexander City	800	700	100	3	45.00	1	17.14	2	24 00		.				....
Tuscaloosa	30,352	18,213	12,139	38	15.01	26	17.10	12	11 85	34	13.43	18	11.85	16	15.76
Exclusive	23,652	13,813	9,739	29	14.77	22	19.01	7	8.62	12	6 11	7	6 05	5	6.16

Births and Deaths by Counties, Towns and Colors—October, 1892. (Continued.)

Counties and Towns.	Population.			Births.						Deaths.					
	Total.	White.	Colored.	Total.	Rate per M.	White.	Rate per M.	Colored.	Rate per M.	Total.	Rate per M.	White.	Rate per M.	Colored.	Rate per M.
Tuscaloosa	5,000	3,000	2,000	7	16.80	2	8 00	5	30.00	7	16.80	2	8 00	5	30.00
North Port	700	500	200	2	34.28	2	48 00	..	....	5	85 71	4	96.00	1	60.00
Insane Asylum	11,000	900	200	..	..	..	..	..	....	10	109.10	5	66 68	5	300.00
Winston	6,520	6,520	.....	9	16.56	9	16.56	..	....	1	1.84	1	1 84	.	....
Total of counties for January	782,233	429,625	352,608	1406	21.57	809	22.59	597	20.50	608	9.32	298	8 38	310	10.64
Exclusive of towns	654,649	354,747	301,472	1167	21 21	704	23 81	463	18.14	450	8.17	237	8 01	223	8.73
Total of towns	127,584	74,878	51,136	239	22 48	105	16 82	134	31.47	158	14.96	61	9.76	97	22.77

Births and Deaths by Counties, Towns and Colors—November, 1892.

Counties and Towns.	Population.			Births.						Deaths.					
	Total.	White.	Colored.	Total.	Rate per M.	White.	Rate per M	Colored.	Rate per M.	Total.	Rate per M.	White.	Rate per M.	Colored.	Rate per M.
Baldwin	8,941	5,635	3,306	16	21.47	9	19.00	7	25.40	9	12.07	8	16.88	1	3.62
Barbour	34,898	13,321	21,577	54	18.52	22	21 78	32	17.79	10	3.43	5	4.50	5	2 78
Exclusive	29,874	10,121	19,753	46	18 40	19	22.46	27	16.20	4	1 60	1	1.18	3	1 80
Eufaula	4,027	2,600	1,427	7	20.78	3	13.96	4	33.60	3	8.86	2	9.30	1	8.40
Clayton	997	600	397	1	12.03	...	...	1	30.22	3	36 09	2	40.00	1	30 22
Blount	21,927	20,115	1,812	23	16 58	23	17.61	.	....	1	...	1	.....	...	.....
Bullock	27,033	6,066	20,967	73	32 33	14	27 58	59	32.87	26	11.51	5	9.85	21	12.01
Exclusive	25,016	5,066	19,950	70	35 29	13	24 67	57	36.23	25	10 21	4	7.62	21	13.12
Union Springs	2,017	1,000	1,017	3	16 84	1	12.00	2	23.59	1	5 94	1	12 00	...	....
Butler	21,581	11,368	10,213	62	37 50	25	23.76	37	53.47	14	7.76	5	5.12	9	10.57
Exclusive	18,779	9,968	8,811	59	39.59	24	22.56	35	58.60	11	7 00	4	4.81	7	9 55
Greenville	2,802	1,400	1,402	3	..	1	.....	2	....	3	12.84	1	8 57	2	17 11
Calhoun	33.835	23,891	9,944	51	16.35	26	14.31	15	26.36	16	5.67	12	6.02	4	5.02
Exclusive	20,301	15,092	5,209	15	8 86	14	11 13	1	2.30	8	4.72	7	5.56	1	2.30
Anniston	10,113	6,399	3,714	29	24.40	15	28.12	14	45.23	8	9.42	5	9.37	3	9.69
Jacksonville	1,237	900	337	1	9 70	1	13.33	...	....	..	.....	..	.....	...	.....
Oxford	1,473	900	573	4	32 58	4	53.33	..	.....	..	.....	...	.....	...	.....
Piedmont	711	600	111	2	33 75	2	40.00	..	.....	...	....	...	.....	...	.....
Clarke	22,622	9,627	12,995	83	44.90	38	46.81	45	38.94	17	8 57	7	8 72	10	9.23
Clay	15,765	14,086	1,679	24	18.26	23	19.59	1	7.14	7	5.32	6	5 11	1	7 14
Conecuh	14,594	7,956	6,638	35	28.77	15	22.81	20	36.15	12	9 86	6	9.12	6	10 84
Exclusive	13,557	7,341	6,216	31	27 43	13	21.24	18	34 74	9	7.96	4	6.53	5	9.65
Evergreen	1,037	615	422	4	46 28	2	39 02	2	56.87	3	34.71	2	39.02	1	28.43
Coosa	15,906	10,486	5,420	40	30.17	27	30 89	13	28.78	11	8 29	8	9.15	3	6.64
Cullman	13,439	13,439	.....	13	11.63	13	11.63	...	.....	3	2.68	3	2 68	...	.....
Exclusive	12,422	12,422	.....	7	6.76	7	6.76	..	.....	1	.96	1	.96	...	....
Cullman	1,017	1,017	.....	6	70.79	6	70.79	...	.....	2	23 59	2	23.59	...	... .

Births and Deaths by Counties, Towns and Colors—November, 1892. (Continued.)

Counties and Towns.	Population.			Births.						Deaths.					
	Total.	White.	Colored.	Total.	Rate per M.	White.	Rate per M.	Colored.	Rate per M.	Total.	Rate per M.	White.	Rate per M.	Colored.	Rate per M.
Dallas	49,350	7,906	41,444	87	21.14	25	37.55	62	17.91	40	9.72	9	13.67	31	8.95
Exclusive	41,728	4,406	37,322	66	18.98	14	38.12	52	23 19	20	5.75	3	8.17	17	5.46
Selma	7,622	3,500	4,122	21	33.06	11	37 71	10	29.11	20	31.46	6	20.57	14	40.75
DeKalb	21,010	19,881	1,129	36	20.59	32	19.31	4	42.51	14	8 01	12	7.24	2	21 25
Exclusive	18,312	17,881	431	32	20 85	30	20 13	4	101.36	12	7.82	11	7.38	1	27.84
Fort Payne	2,698	2,000	698	4	17 78	2	12 00	2	34 38	2	8 89	1	6 00	1	17 19
Elmore	21,732	11 329	10,403	50	27 60	31	32.83	19	21.91	10	5 52	6	6.35	4	4.61
Exclusive	20,919	10,829	10,090	50	28 68	31	35 79	19	21.50	10	5.73	6	6 94	4	4.75
Wetumpka	813	500	313	..	...	..	...	..	....	..	.....	..	....	.	....
Escambia	8,666	5,674	2,992	26	36.00	20	42.29	6	24 06	9	12.46	6	12.68	3	12.03
Exclusive	7,302	4,799	2,503	20	32 86	18	45.00	2	9.58	7	11.50	5	12.50	2	9 58
Brewton	1,115	750	365	5	53.81	1	16 00	4	131 50	1	10.76	..	..	1	32.87
Alco	249	125	124	1	48 19		...	1	96 77	1	48.19	1	96.00	..	..
Etowah	21,926	18,097	3,829	70	40.75	63	41.92	7	31.30	27	7 89	21	16.66	6	6.42
Exclusive	14,926	12,797	2,129	53	42.60	49	45 94	4	22.54	14	11.25	10	9 37	4	22.54
Gadsden	5,000	3,800	1,200	12	28.80	10	31.57	2	20 00	10	24 00	9	28 41	1	10 00
Attalla	2,000	1,500	500	5	30 00	4	32.00	1	24.00	3	18.00	2	16 00	1	24 00
Hale	27,501	5,053	22,448	26	11.33	3	7.12	23	11 67	9	3.92	1	2.37	8	4.06
Exclusive	25,742	4,153	21,589	23	10 72	3	8.61	20	11 11	9	4.19	1	2.88	8	4.44
Greensboro	2,759	900	859	3	20.46	..	....	3	51.90	..		..	.....	..	....
Jackson	28,026	24,132	3,894	69	29.54	64	31.82	5	15.40	23	9 84	18	8.95	5	15.40
Exclusive	27,067	23,382	3,685	67	29.70	62	31 81	5	16.28	23	10.19	18	9 23	5	16 28
Scottsboro	959	750	209	2	25.02	2	32.00	.		.		..		.	....
Jefferson	88,501	56,953	31,548	168	19.65	119	23 12	49	20.00	69	9.28	40	8 40	29	11.02
Exclusive	46,951	34,423	19,278	113	...	95		18	...	25	..	20	..	5	.
Birmingham	27,000	17,550	9,450	40	19.24	15	10 14	25	31.50	27	12 98	15	10.24	12	15 12
Bessemer	4,000	2,500	1,500	8	24 00	3	14.40	5	40 00	4	12 00	2	9 60	2	16 00

Births and Deaths by Counties, Towns and Colors—November, 1892. (Continued.)

Counties and Towns.	Population.			Births.						Deaths.					
	Total.	White.	Colored.	Total.	Rate per M	White.	Rate per M	Colored.	Rate per M.	Total.	Rate per M.	White.	Rate per M.	Colored.	Rate per M.
Woodlawn	1,500	1,000	500	2	16.00	2	24.00	...	.....	2	16.00	2	24.00	...	.....
Pratt Mines—Convicts	1,000	...	...	...	.....	...	.....	...	.....	3	36.00	...	.....	3	.....
Pratt City	1,050	680	370	3	34.28	2	35.29	1	32.43	...	.....	...	.....	...	.....
Coalburg	575	...	...	...	.....	...	.....	...	.....	8	165.52	1	.....	7	.....
Warrior	1,250	800	450	2	19.80	2	30.00	...	.....	...	.....	...	.....	...	.....
Lawrence	20,725	12,536	8,189	24	13 98	11	10 52	13	19 20	8	4 63	6	5.74	2	2 95
Lowndes	31,559	4,446	27,084	67	25 48	9	22.16	58	25.69	24	9.12	4	9.85	20	8.86
Monroe	18,990	8,327	10,663	44	27 70	18	25.68	26	29.25	14	8 84	7	9 98	7	7.87
Montgomery	56,172	14,530	41,642	149	31.83	26	21.47	123	35.44	47	10 04	10	8.25	37	10 66
Exclusive	34,289	5,638	28,651	104	36 28	10	21.28	94	39 37	31	10.81	4	8 51	27	11.30
Montgomery	21,883	8,892	12,991	45	24.78	16	21 59	29	26 78	16	8.81	6	8 09	10	9 23
Morgan	24,089	17,903	6,186	11	5.47	9	6.03	2	3 87	15	7 47	12	8.04	3	5.81
Exclusive	16,953	13,903	3,050	9	6 35	8	6.90	1	3 93	5	3.53	3	2 58	2	7.86
Decatur	7,136	4,000	3,136	2	3.36	1	3.00	1	3 82	10	16 81	9	27.00	1	3 82
Pike	24,423	15,633	8,790	63	30 95	39	29.68	24	32 76	15	7 36	10	7.61	5	6.82
Exclusive	20,974	13,433	7,541	57	32 61	36	32 15	21	33.41	8	4 57	7	6 25	1	1 59
Troy	3,449	2,200	1.249	6	22 88	3	16 36	3	28 80	7	24.36	3	16.36	4	38.40
St. Clair	17,353	14,285	3,068	41	28.35	37	31.08	4	15.64	3	2.07	1	.84	2	7.82
Talladega	29,346	15,343	14,003	28	16 70	16	10 41	12	23 16	16	5.69	8	6.83	8	5.49
Exclusive	26,846	13,843	13,003	26	11.62	14	12.13	12	11.07	14	6 25	7	6.06	7	6.46
Talladega	2,500	1,500	1,000	2	9 60	2	16.00	...	.....	2	9.60	1	8.00	1	12.00
Tallapoosa	25,460	16,854	8,606	31	14 60	22	15.55	9	12.55	9	4 23	6	4.27	3	4 17
Exclusive	23,660	15,354	8,306	25	11.61	19	14 84	6	8.67	8	3 71	6	4.68	2	2 89
Dadeville	1,000	800	200	3	36.00	1	15.00	2	120 00	1	12.00	...	.....	1	60 00
Alexander City	800	700	100	3	45 00	2	34.28	1	120.00	...	.....	...	.....	...	.....
Tuscaloosa	30,352	18,213	12,139	31	12.24	29	19 08	12	11 85	19	7.50	10	6.58	9	8.89
Exclusive	23,652	13,813	9,739	21	10.69	15	12 96	6	7.39	9	4.58	7	6.05	2	2.46

Births and Deaths by Counties, Towns and Colors—November, 1892. (Continued.)

Counties and Towns.	Population.			Births.						Deaths.					
	Total.	White.	Colored.	Total.	Rate per M	White.	Rate per M	Colored.	Rate per M.	Total.	Rate per M.	Whfte.	Rate per M.	Colored.	Rate per M
Tuscaloosa...	5,000	3,000	2,000	7	16.80	2	8 00	5	30 09	4	16.80	2	8.00	5	30.00
North Port	700	500	200	3	51.42	2	48.00	1	60.00	...	...	...	.....	...	.....
Insane Asylum	11,000	900	200	....	.	...	.	...	.....	3	32.73	1	13.33	2	120.00
Winston	6,520	6,520	...	12	22.18	12	22 18	...	.....	2	3.68	2	3.68	...	.....
Total of Counties for February	782,233	429,625	352,608	1507	23.11	820	22.90	687	23 40	498	7.11	255	7.12	243	8.27
Exclusive of Towns	654,649	354,747	301,472	1267	23 22	701	...	566	.....	348	6.53	179	....	169	.....
Total of Towns	127,584	74,878	51,136	240	22.57	119	...	121	.....	150	14 10	76	.....	74	...

Births and Deaths by Counties, Towns and Colors—December, 1892.

Counties and Towns.	Population.			Births.						Deaths.					
	Total.	White.	Colored.	Total.	Rate per M	White.	Rate per M.	Colored.	Rate per M.	Total.	Rate per M.	White.	Rate per M.	Colored.	Rate per M.
Baldwin	8,941	5,635	3,306	17	22.81	6	12.66	11	39 92	6	8.05	5	10.55	1	3.62
Barbour.	34,898	13,321	21,577	50	12.52	16	10.78	34	19.79	24	8 23	11	9 90	13	7 15
Exclusive	29,874	10,121	19,763	44	17 60	13	15.34	31	18.70	21	8.40	10	11 85	11	6.60
Eufaula	4,027	2,600	1,427	3	8 86	1	4 65	2	16.81	3	8.86	1	4 65	2	16 80
Clayton	997	600	397	3	36.09	2	40 00	1	30.02	..	....	..	....	...	...
Blount	21,927	20,115	1,812	24	17.58	23	17.61	1	6.62		....	...	....	.	....
Bullock	27,033	6,066	20,967	74	33.33	9	20.67	65	38 87	20	10.51	7	11.85	13	9 36
Exclusive	25,016	5,066	19,950	68	30.12	8	18.88	60	36.00	20	9.58	7	16.52	13	7 80
Union Springs	2,017	1,000	1,017	6	34 69	1	12.00	5	58.98	.	....	.	....	.	....
Butler	21,581	11,368	10,213	57	31.57	27	28 46	30	35.10	13	7 20	3	3.16	10	11.74
Exclusive	18,779	9,968	8,811	50	31.50	25	30.00	25	34.00	90	5.85	1	1.20	8	10.89
Greenville	2,802	1,400	1,402	7	29.97	2	17.14	5	42.79	4	17.12	2	17 14	2	17 11
Calhoun	33,835	23,891	9,944	47	16.63	40	20 00	7	8 75	9	3 38	4	2.00	5	6.27
Exclusive	20,301	15,092	5,209	32	18.91	29	23.05	3	6 91	5	2.95	2	1.59	3	6.91
Anniston	10,113	6,399	3,714	13	15.42	10	18.75	3	9 69	4	4 74	2	3.75	2	6 46
Jacksonville	1,237	900	337	..	...	..	..	..	....	..	.....	..	...	....	.....
Oxford	1,473	900	573	1	8 14	1	13.33	....	....	.	.....	..	...	..	.....
Piedmont	711	600	111	1	16.87	..	..	1	108.10	.	..	..	....	..	.....
Clarke	22,622	9,627	12,995	86	45 61	39	48.59	47	43.38	15	7 95	6	7.47	9	8.31
Clay	15,765	14,086	1,679	33	25.11	32	27 26	1	7.14	4	3 04	4	3 40	.	.....
Conecuh	14,594	7,956	6,638	18	15.80	11	16.72	7	12 65	7	5.75	1	1.52	6	10.84
Exclusive	13,557	7,341	6,216	16	14.16	9	14.71	7	13 51	5	4.42	1	1.63	4	7 72
Evergreen	1,037	615	422	2	23 14	2	39 02	..		2	23.14	..	.....	2	56.87
Coosa.	15,906	10,486	5,420	33	24.89	19	21 74	14	30 99	6	4 52	4	4 51	2	4.42
Cullman	13,439	13,439	.....	21	18.79	21	18.79	..	....	12	10 74	12	10 74	.	.....
Exclusive	12,422	12,422	.... .	18	17.38	18	17.38	..	.....	10	9.66	10	9.66	..	....
Cullman	1,017	1,017	.....	3	35.39	3	35 39	....	.....	2	23.59	2	23.59	....	.....

Births and Deaths by Counties, Towns and Colors—December, 1892. (Continued.)

Counties and Towns.	Population.			Births.						Deaths.					
	Total.	White.	Colored.	Total.	Rate per M.	White.	Rate per M.	Colored.	Rate per M.	Total.	Rate per M.	White.	Rate per M.	Colored.	Rate per M.
Dallas	49,350	7,906	41,444	72	17.29	21	31 71	51	14.73	34	8.26	4	6 04	30	8 67
Exclusive	41,728	4,406	37,322	55	15.81	10	27.23	45	14.46	23	6.61	1	2.72	22	7.07
Selma	7,622	3,500	4,122	17	26 76	11	57.71	6	17.46	11	10.73	3	10.28	8	23.28
DeKalb	21,010	19,881	1,129	38	21.64	38	22 93	...	....	9	5.14	9	5.43	..	.....
Exclusive	18,312	17,881	431	37	24 11	37	24.83	....	....	8	5.21	8	5 37	..	....
Ft. Payne	2,698	2,000	698	1	4 44	1	6 00			1	4 44	1	6 00	....	....
Elmore	21,732	11,329	10,403	54	29.81	32	32.41	22	25.37	14	7 73	7	7 4.	7	8.07
Exclusive	20,919	10,829	10,090	51	29.25	30	34.73	21	24 97	13	7.45	6	6.94	7	8.32
Wetumpka	813	500	313	3	44.28	2	48.00	1	38.33	1	14.76	1	24 00	..	
Escambia	8,666	5,614	2,992	21	29.07	11	23 26	10	40.10	5	6.92	2	4 22	3	12 01
Exclusive	7,30[illegible]	4,799	2,503	11	18.07	8	20.00	3	14 37	3	4 93	1	2 50	2	9 58
Brewton	1,115	750	365	7	75 33	1	16.00	6	197 25	1	10.76	..	..	1	32.87
Alco	249	125	124	3	144.57	2	192 00	1	96.77	1	48.19	1	96 00	.	..
Etowah.	21,926	18,097	3,829	53	28 99	41	27 18	12	6.40	14	6.10	12	8.44	2	6.26
Exclusive	14,926	12,797	2,129	38	30.54	29	27.19	9	50.73	3	2.41	3	2 81	....	....
Gadsden	5,000	3,800	1,200	12	28 80	9	28.41	3	30.00	9	21.60	7	22 01	2	20.00
Attalla	2,000	1,500	500	3	18.00	3	24 00	..		2	12.00	2	16 00		..
Hale.	27,501	5,053	22,448	40	17.44	9	21.33	31	16.55	5	2.18	4	9.49	1	.53
Exclusive	25,742	4,153	21,589	37	17.24	7	20.22	30	16.67	4	1 86	3	8 61	1	.55
Greensboro.	1,759	900	859	3	20 45	2	26.66	1	13 96	1	6.82	1	13.33		
Jackson.	28,026	24,132	3,894	75	32.11	69	34.30	6	18 48	28	11.98	27	13 42	1	3.08
Exclusive	27,067	23,382	3,685	72	31 92	66	33 87	6	19 53	27	11 97	26	13.34	1	3 25
Scottsboro	959	750	209	3	37.53	3	48.00		.	1	12.51	1	16 00	..	
Jefferson	88,501	56,953	31,548	135	18.29	106	22.26	29	11.02	99	13 36	51	10.71	48	18 24
Exclusive	46,951	34,423	19,278	64	..	53	....	11	..	47	...	25		22	..
Birmingham	27,000	17,550	9,450	31	14.81	20	13.66	11	13.86	39	18 75	20	13.66	19	21.42
Bessemer	4,000	2,500	1,500	18	54.00	12	57.60	6	48.00	4	12 00	1	4.80	3	24.00

Births and Deaths by Counties, Towns and Colors—December, 1892. (Continued.)

Counties and Towns.	Population.			Births.						Deaths.					
	Total.	White.	Colored.	Total.	Rate per M	White.	Rate per M.	Colored.	Rate per M.	Total.	Rate per M.	White.	Rate per M.	Colored.	Rate per M.
Woodlawn	1,500	1,000	500	4	32.00	4	48 00	...	.....	1	8.00	1	12 00	..	...
Pratt Mines—Convicts	1,000	.....	.....	..	.....	..	..	..	...	3	36.00	...	....	3	....
Pratt City	1,050	680	370	13	14.85	12	21.16	1	32 43	..	..	..	....	..	.....
Coalburg	575	.....	.....	..	...	..	..	.	...	1	20 69	..	..	1	....
Warrior	1,250	800	450	5	48.00	5	75 00	.	...	4	38.40	4	60.00	..	...
Lawrence	20,725	12,536	8,189	21	12.15	12	11 48	9	13.29	5	2.89	3	2.87	2	2 95
Lowndes	31,550	4,446	27,084	71	27 00	10	24.63	61	27.02	40	15.21	3	7 38	37	16.39
Monroe	18,990	8,327	10,663	33	20 85	14	19 97	19	21 38	5	3 15	3	4.28	2	2.25
Montgomery	56,172	14,530	41,642	143	30.54	34	28.07	109	31.41	48	10 25	10	8.25	38	10 95
Exclusive	34,289	5,638	28,651	92	32.09	13	27 66	79	33.08	30	10 46	3	6.38	27	11 30
Montgomery	21,883	8,892	12,991	51	28.08	21	28.33	30	27.71	18	9.91	7	9 44	11	10.16
Morgan	24,089	17,903	6,186	16	7.96	11	7 37	5	9 69	15	7 47	9	6.03	6	11 63
Exclusive	16,953	13,903	3,050	10	7.06	7	6.04	3	11.80	8	5.64	4	3 45	4	15.73
Decatur	7,136	4,000	3,136	6	10 08	4	12.00	2	7 64	7	11.76	5	15.00	2	7.64
Pike	24,423	15,633	8,790	45	22.14	28	21.31	17	23.20	13	6.38	8	6.08	5	6 82
Exclusive	20,974	13,433	7,541	38	21.74	24	21.43	14	22 27	9	5 14	5	4.46	4	6 36
Troy	3,449	2,200	1,249	7	24 36	4	21.81	3	28 80	4	13 72	3	16.36	1	9 60
St. Clair	17,353	14,285	3,068	51	35.26	49	41.16	2	7.82	4	2 76	2	1 68	2	7.82
Talladega	29,346	15,343	14,003	45	18 36	23	17.98	22	18 83	17	6.93	9	7.03	8	6.84
Exclusive	26,846	13,843	13,003	39	17 43	20	17.34	19	17.53	13	5 81	7	6.06	6	5 53
Talladega	2,500	1,500	1,000	6	28 80	3	24 00	3	36.00	4	19.20	2	16.00	2	24 00
Tallapoosa	25,460	16,854	8,606	32	15.60	23	15.55	9	12 55	3	1.41	2	1 42	1	1 39
Exclusive	23,660	15,354	8 306	28	13 00	20	15.63	8	11 56	3	1.39	2	1.56	1	1 44
Dadeville	1,000	800	200	...			....	....	.		....	..	...		
Alexander City	800	700	100	4	60.00	3	51 42	1	120 00						
Tuscaloosa	30,352	18,213	12,139	28	9.24	19	9 98	9	8.85	19	7 50	13	9.58	6	5.89
Exclusive	23,652	13,813	9,739	20	10.19	16	13 83	4	4 92	9	4 58	4	3.45	5	6.16

Births and Deaths by Counties, Towns and Colors—December, 1892. (Continued.)

Counties and Towns.	Population.			Births.						Deaths.					
	Total.	White.	Colored.	Total.	Rate per M	White.	Rate per M	Colored.	Rate per M.	Total.	Rate per M.	White.	Rate per M.	Colored.	Rate per M
Tuscaloosa	5,000	3,000	2,000	8	19 20	3	12.00	5	30.00	4	9.40	3	12.00	1	6.00
North Port	700	500	200	..	..	..	.....	..	.....	..		..		..	.....
Insane Asylum	11,000	900	200	..		..	..	..	..	6	65 46	6	80.03		.....
Winston	6,520	6,520	...	6	11 04	6	11.04	..	.....	2	3.68	2	3 68	....	....
Total of Counties for February	782,233	429,625	352,608	1439	22 0	769	21.48	670	22 99	495	7 59	237	6.62	258	8.85
Exclusive of Towns	654,649	354,747	301,472	1195	21.92	628	21.24	567	22 21	360	6.55	161	5 44	196	7 77
Total of Towns	127,584	74,878	51,136	244	22.95	141	22.59	103	24 18	135	12.69	76	12.17	62	14.55

Births and Deaths by Counties, Towns and Colors—For the Year 1892.

Counties and Towns.	Population.			Births.						Deaths.					
	Total.	White.	Colored.	Total.	Rate per M	White.	Rate per M.	Colored.	Rate per M.	Total.	Rate per M.	White.	Rate per M.	Colored.	Rate per M.
Baldwin	8,941	5,635	3,306	253	18 96	155	22 19	98	18 10	75	5.94	50	8.10	25	3.56
Barbour.	34,898	13,321	21,577	663	17.63	268	20.16	395	12.25	244	4.73	125	6.91	119	3 20
Exclusive	29,874	10,121	19,753	554	18 89	216	21.34	338	12.55	162	5.42	79	7 85	83	4 20
Eufaula	4,027	2,600	1,427	79	19.61	40	15 38	39	27.33	58	14 40	30	11.53	28	19.62
Clayton	997	600	397	30	30.04	12	20.00	18	45 34	24	24 05	16	26.66	8	21.51
Blount	21,927	20,115	1,812	398	20.09	392	21.32	6	9.65	69	8.14	69	12.63	..	.....
Bullock.	27,033	6,066	20,967	940	18 24	155	17 21	785	20 23	333	7.10	52	9.18	281	5.61
Exclusive.	25,016	5,066	19,950	876	19.36	132	18 23	744	21 10	289	6 84	41	9.62	248	3 42
Union Springs	2,017	1,000	1,017	64	31 73	23	23 00	41	40.40	44	21 81	11	11.00	33	32.44
Butler	21,581	11,368	10,213	682	33.32	323	31.56	359	34.61	197	8.19	82	5.10	115	9.22
Exclusive.	18,779	9,968	8,811	629	33 44	299	32.23	330	34 21	149	7.91	55	6 54	94	10.03
Greenville	2,802	1,400	1.402	53	18.88	24	17.14	29	21.12	48	17 13	27	19.28	21	15 10
Calhoun	33,835	23,891	9,944	771	19.18	567	21 64	204	13.22	220	3 97	146	6 42	74	2 98
Exclusive.	20,301	15,092	5,209	409	20 37	338	22.64	71	14 64	99	4.87	76	5.26	23	4.42
Anniston	10,113	6,399	3,714	277	27 39	169	26 42	108	29.82	93	9.66	46	7.53	47	11 84
Jacksonville	1,237	900	337	17	13 74	10	11 11	7	20 74	10	9 16	7	7.77	3	9.42
Oxford	1,473	900	573	39	26 48	25	27 77	14	24.43	6	4 14	5	5 55	1	1 74
Piedmont	711	600	111	29	40 18	25	41.66	4	36 03	12	16.87	12	13 33	..	.....
Clarke	22,622	9,627	12,995	899	32 41	402	31.54	497	33 69	223	16.08	88	15 08	135	17 19
Clay	15,765	14,086	1,679	424	26.19	394	28.21	30	25.43	112	12.91	96	13 26	16	9 96
Conecuh	14,594	7,956	6,638	398	25.05	189	24 36	189	27.34	136	7.69	61	6.48	75	8.23
Exclusive	13,557	7,341	6,216	363	26.73	187	25.46	176	28.44	118	8.70	55	7.49	63	9 24
Evergreen	1,037	615	422	35	33 75	22	28.62	13	35.24	18	17.34	6	9 75	12	28.43
Coosa	15,906	10,486	5,420	525	36 41	339	38.12	186	35.96	139	12.61	78	13.12	61	10.12
Cullman	13,439	13,439	.....	320	21.85	320	21.85	..	....	102	5 59	102	5 59	..	.....
Exclusive	12,422	12,422	.....	283	22.86	283	22.86	..	....	82	6.60	82	6 60	....	.....
Cullman	1,017	1,017	.....	37	36.38	37	36 38	..	.....	20	19.66	20	19.66	....	.....

Births and Deaths by Counties, Towns and Colors—For the Year 1892. (Continued.)

Counties and Towns.	Population.			Births.						Deaths.					
	Total.	White.	Colored.	Total.	Rate per M.	White.	Rate per M	Colored.	Rate per M.	Total.	Rate per M	White.	Rate per M.	Colored.	Rate per M.
Dallas	49,350	7,906	41,444	925	18 54	193	24 53	732	17.96	627	12 75	121	15.46	506	12.64
Exclusive	41,728	4,406	37,322	718	17.26	82	16.99	636	18 45	385	10 33	56	9.64	329	11.24
Selma	7,622	3,500	4,122	207	27.15	111	31.71	96	26 64	242	31 44	65	23.64	177	32.34
DeKalb	21,010	19,881	1,129	547	26 32	519	26.77	28	24 54	161	7 66	150	7.54	11	7 86
Exclusive	18,312	17,881	431	490	25.33	471	25.67	19	20.34	.	.....	...	.....	...	.....
Ft. Payne	2,698	2,000	698	57	21.11	48	24.00	9	20 36	30	11 11	24	12 00	6	9 87
Elmore	21,732	11,329	10,403	695	22.63	418	31 21	277	21.84	178	8.76	103	9 64	75	7 34
Exclusive	20,919	10,829	10,090	675	31 43	405	40.24	270	27 90	172	8.54	101	9 32	71	7 16
Wetumpka	813	500	313	20	24.37	13	26 00	7	20 54	6	7 36	2	4 00	4	12.45
Escambia	8,666	5,614	2,992	291	35 24	194	36 15	97	32 04	98	13 64	61	10 21	37	13.94
Exclusive	7,302	4,799	2,503	222	31.54	166	34.33	56	23.82	74	13.23	50	12 36	24	12 64
Brewton	1,115	750	365	50	44 87	16	21 22	34	93 83	19	15.67	8	10 66	11	30.19
Alco	249	125	124	19	76 34	12	96.00	7	56 44	5	20.09	3	24 00	2	16.13
Etowah	21,926	18,097	3,829	688	31.32	598	33.61	90	26.43	230	11 26	173	9.67	57	11 87
Exclusive	14,926	12,797	2,129	535	32 41	483	36 21	52	26 14	138	10 96	110	9.48	28	12.16
Gadsden	5,000	3,800	1,200	106	21.20	76	20.00	30	25 00	65	13.00	44	11.92	21	17 50
Attalla	2,000	1,500	500	47	23 50	39	26.00	8	16 00	27	13 50	19	12.70	8	16.00
Hale	27,501	5,053	22,448	437	17 64	71	14.42	366	18.92	132	6.54	36	5 92	96	12 42
Exclusive	25,742	4,153	21,589	403	19.42	54	18 34	349	14.63	124	4.68	31	7.32	93	4.21
Greensboro	1,759	900	859	34	19 43	17	18 88	17	19.67	8	4.54	5	5 55	3	4 26
Jackson	28,026	24,132	3,894	803	28 42	727	32.62	76	24 00	269	8.65	228	7 42	41	12.36
Exclusive	27,067	23,382	3,685	782	26 92	708	31.36	74	25.46	257	9.14	219	8 96	38	11.24
Scottsboro	959	750	209	21	21 96	19	25 33	2	9.51	12	12 54	9	12.00	3	14.36
Jefferson	88,501	56,953	31,548	2057	23.37	1529	27.12	528	23.27	1495	16 46	717	14 25	778	25 96
Exclusive	46,951	34,423	19,278	1187	27 06	959	31 96	228	19 38	718	17 23	374	12.46	344	18.31
Birmingham	27,000	17,550	9,450	592	21.92	362	20.55	230	25 35	529	19.59	242	13.74	287	29 25
Bessemer	4,000	2,500	1,500	109	27 25	63	25.20	46	30.66	75	18 20	36	14.40	39	26.00

Births and Deaths by Counties, Towns and Colors—For the Year 1892. (Continued.)

Counties and Towns.	Population.			Births.						Deaths.					
	Total.	White.	Colored.	Total.	Rate per M.	White.	Rate per M.	Colored.	Rate per M.	Total.	Rate per M.	White.	Rate per M.	Colored.	Rate per M.
Woodlawn	1,500	1,000	500	67	44.66	56	56 00	11	25 00	33	22 00	29	29 00	4	8 00
Pratt Mines—Convicts	1,000	...	.....	....		...		..	...	49	49.00	3		46	.....
Pratt City	1,050	680	370	71	67.61	61	89.72	10	27.02	19	18.09	15	22.05	4	10.82
Coalburg—Convicts	575	.....	.....	....		.			....	62	107 82	8		54	.....
Warrior	1,250	800	450	31	24.83	28	35 00	3	6.55	10	8.00	10	12 50	.	
Lawrence	20,725	12,536	8,189	297	14.33	178	13.43	119	15 64	152	7.56	70	5.57	82	8.73
Lowndes	31,550	4,446	27,084	839	26.58	75	16.86	764	28.43	454	14.34	25	5.60	429	17.24
Monroe	18,990	8,327	10,663	576	33 44	225	23.46	351	35.16	183	9 87	79	9.12	104	10 22
Montgomery	56,172	14,530	41,642	1348	39.32	327	22.73	1021	39.74	674	17 34	161	11 23	513	18.26
Exclusive	34,289	5,638	28,651	866	23 35	128	22.37	738	25.41	350	11 26	55	10.09	295	18.24
Montgomery	21,883	8,892	12,991	482	23 37	199	22 35	283	26.42	324	10 54	106	10.26	218	19.36
Morgan	24,089	17.903	6,186	427	18.46	333	19.64	94	13.54	251	10.34	169	9.24	82	13.46
Exclusive	16,953	13,903	3,050	323	17.56	275	19.41	58	13 46	109	6.78	81	5.46	28	9 43
Decatur	7,136	4,000	3,136	104	14 64	58	14 50	46	14 96	142	18 24	88	22.00	54	16.25
Pike	24,423	15,633	8,790	651	26.45	387	25 22	264	31 24	190	7.64	121	6.67	69	8 85
Exclusive	20,974	13,433	7,54	555	25.43	336	24 19	219	26.46	116	6 84	80	5 36	36	7.74
Troy	3,449	2,200	1,249	96	24.26	51	23.16	45	32 12	74	5.16	41	4 23	33	6 86
St Clair	17,353	14,285	3,068	458	26 44	416	28.24	42	13 64	100	5 46	83	5 72	17	5.24
Talladega	29,346	15,343	14,003	613	24 36	351	28.61	262	23.16	224	8.56	123	8 76	101	9.62
Exclusive	26,846	13,843	13,003	560	22.46	312	27 28	248	29 61	195	8.25	107	7 94	88	10 14
Talladega	2,500	1,500	1,000	53	21 20	39	26 00	14	14.00	29	11.19	16	10 60	13	13.00
Tallapoosa	25,460	16,854	8,606	577	22 34	419	25.27	158	19.46	129	5.67	93	5.84	36	4.68
Exclusive	23,660	15,354	8,306	510	21 23	378	24.18	132	16 57	118	4.86	89	5 37	29	3.85
Dadeville	1,000	800	200	26	26 00	11	13 75	15	75.00	4	4.00	2	2 50	2	20 00
Alexander City	800	700	100	41	50.00	30	42 85	11	11 00	7	8 75	2	28 51	5	5.00
Tuscaloosa	30.352	18,213	12,139	419	16.34	290	16 78	129	16.26	385	12.42	221	17.36	164	11.26
Exclusive	23,652	13,813	9,739	317	15.36	238	15 68	79	15.14	189	11.26	126	16.12	63	10.91

Births and Deaths by Counties, Towns and Colors—For the Year 1892. (Continued.)

Counties and Towns.	Population.			Births.						Deaths.					
	Total.	White.	Colored.	Total.	Rate per M	White.	Rate per M	Colored.	Rate per M.	Total.	Rate per M.	Whfte.	Rate per M.	Colored.	Rate per M
Tuscaloosa...	5,000	3,000	2,000	88	13.60	48	13.33	48	24.00	98	19 60	36	12.00	62	31 00
North Port	700	500	200	24	34 28	22	44.00	2	20.00	24	34.28	16	32 00	8	40.00
Insane Asylum.....	11,000	900	200	...	.....	....	...	..	....	74	67.76	43	47.77	31	155.00
Winston	6,520	6,520	.....	138	21.17	138	21.17	..	....	34	5 21	34	5.21		....
Total of Counties for 1892..	782,233	429,625	352,608	19,039	24.33	10,892	25.37	8147	23.36	7816	9.99	3717	8 65	4099	10 15
Exclusive of Towns	654,649	354,747	301,472	15,944	24.32	9,134	28 72	6910	23 27	5516	8 78	2665	7 62	2851	9.76
Total of Towns	127,584	74,878	51,136	3,095	24 25	1,758	22 86	1237	24 18	2300	18.09	1052	17 45	1248	24.23

Births and Deaths by Cities and Towns—For the Year 1892.

Cities and Towns.	Population.			Births.						Deaths.					
	Total.	White.	Colored.	Total.	Rate per M.	White.	Rate per M.	Colored.	Rate per M.	Total.	Rate per M.	White.	Rate per M	Colored.	Rate per M.
Eufaula	4,027	2,600	1,427	79	19.61	40	15 38	39	27.33	58	14.40	30	11 53	28	19.62
Clayton	997	600	397	30	30.09	12	20 00	18	45 34	24	24.05	18	26.66	8	21.51
Union Springs	2,017	1,000	1,017	64	31 73	23	23 00	41	40.40	44	21.81	11	11.00	33	32 44
Greenville	2,802	1,400	1,402	53	18.88	24	17 14	29	21 12	48	17.13	27	19.28	21	15.10
Anniston	10,113	6,499	3,714	277	27.39	169	26 42	108	29.82	95	9 66	46	7.53	47	11.84
Jacksonville	1,237	900	337	17	13.74	10	11.11	7	20.74	10	9.16	7	7.77	3	9 42
Oxford	1,473	900	573	39	26.48	25	27.77	14	24 43	6	4.14	5	5.55	1	1.74
Piedmont	711	600	111	29	40 18	25	41.66	4	36 03	12	16 87	12	13 33	.	....
Evergreen	1.037	615	422	35	33 75	22	28 62	13	35 24	18	17 34	6	9.75	12	28 43
Cullman	1,017	1,017	...	37	36 38	37	36.38	.		20	19.60	20	19 66		..
Selma.	7,622	3,500	4,122	207	27.15	111	31.71	96	26 64	242	31.44	65	23.64	177	32.34
Ft. Payne	2,698	2,000	698	57	21 11	46	24.00	9	20.30	30	11 11	24	12 00	6	9 87
Wetumpka	823	500	313	20	24.37	13	26 00	7	20.54	6	7 36	2	4.00	4	12.45
Brewton	1,115	750	365	50	44 87	16	21 22	34	93.83	19	15.67	8	10.66	11	30.19
Alco	249	125	124	19	76.34	12	96.00	7	56.44	5	20 09	3	24 00	2	16 13
Gadsden	5,000	3,800	1,200	106	21.20	76	20.00	30	25 00	65	13 00	44	11.92	21	17 50
Attalla	2,000	1,500	500	47	23.50	39	26 00	8	16 00	27	13.50	19	12.70	8	16.00
Greensboro	1,759	900	859	34	19 43	17	18.88	17	19 67	8	4 54	5	5 55	3	4.26
Scottsboro	959	750	209	21	21.96	19	25 33	2	9.51	12	12 54	9	12.00	3	14 36
Birmingham	27,000	17,550	9,450	592	21.92	362	20.55	230	25.35	529	19.59	242	13 74	287	29 25
Bessemer	4,000	2,500	1,500	109	27.25	63	25 20	46	30.60	75	18 20	36	14.40	39	26.00
Woodlawn	1,500	1,000	500	67	44 66	56	56 00	11	22 00	33	22.00	29	29 00	4	8 00
Pratt Mines—Convicts	1,000	.....	...		...	..	.			49	49.00	3		46	..
Pratt City	1,050	680	370	71	67 61	61	89 72	10	27 02	19	18.09	15	22 05	4	10 82
Coalburg—Convicts	575	....	.....		.....	.	...	.		62	107.82	8	...	54	....
Warrior	1,250	800	450	31	24 83	28	35 00	3	6.55	10	8.00	10	12.50		
Montgomery	21,883	8,892	12,991	482	23.37	199	22 35	283	26 42	324	10.54	106	10.26	218	19.36

Births and Deaths by Cities and Towns—For the Year 1892. (Continued.)

Cities and Towns.	Population.			Births.						Deaths.					
	Total.	White.	Colored.	Total.	Rate per M.	White.	Rate per M	Colored.	Rate per M.	Total.	Rate per M.	White.	Rate per M.	Colored.	Rate per M.
Decatur	7,136	4,000	3,136	104	14.64	58	14.50	46	14 96	142	18 24	88	22 00	54	16.25
Troy	3,449	2,200	1,249	96	24 26	51	23 16	45	32.12	74	5.16	41	4 23	33	6 86
Talladega	2,500	1,500	1,000	53	21 20	39	26 00	14	14 00	29	11.19	16	10.60	13	13.00
Dadeville	1,000	800	200	26	26.00	11	13.75	15	75 00	4	4.00	2	2.50	2	20.00
Alexander City	800	700	100	41	50.00	30	42.85	11	11 00	7	8 75	2	28.51	5	5.00
Tuscaloosa	5,000	3 000	2,000	88	13 60	48	13.33	40	24.00	98	19 60	36	12 00	62	31.00
North Port	700	500	200	24	34.28	22	44 00	2	20 00	24	34.28	16	32 00	8	40.00
Insane Asylum	1,100	900	200		....					74	67 76	43	47.77	31	155.00
Total of towns	127,584	74,878	51,136	3095	24.25	1758	22.86	1237	24 18	2300	18 09	1052	17.45	1248	24 23

Annual Report of Deaths by Causes, Sexes and Ages, for the State of Alabama for 1892.

CLASS I—ZYMOTIC—MIASMATIC DISEASES.

CAUSES OF DEATH.	Color	Sex	Total	Under 1 year	1-2 years	2-3 years	3-4 years	4-5 years	5-10 years	10-15 years	15-20 years	20-25 years	25-30 years	30-35 years	35-40 years	40-45 years	45-50 years	50-55 years	55-60 years	60-65 years	65-70 years	70-75 years	75-80 years	80-90 years	90-100 years	Age not given
			AGES OF DECEDENTS.																							
Measles.	W	M	12	5	3	..	1	..	..		1	2	..	..	..	..	..	..	..	..	..	..	..	..	..	..
		F	5	2	2	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
	B	M	9	2	2	1	1	..	2	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
		F	3	..	1	1	..	..		1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
	M	M			..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
		F					..																			
Scarlet Fever.	W	M	2	..	1		1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
		F	3	1	..	1	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
	B	M	1	..	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
		F	1	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
	M	M	1	..	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
		F																								
Typhoid Fever.	W	M	113	3	..	2	3	2	3	5	14	18	8	16	14	7	4	3	2	3	2	1	2	1	..	..
		F	87	..	..	2	1	1	3	7	17	13	5	6	5	5	8	4	3	2	4	..	..	1	..	..
	B	M	78	2	..	..	1	2	4	8	20	13	6	6	3	3	2	1	..	4	1	1	..	1	..	..
		F	63	1	..	2	1	..	2	8	10	4	11	5	4	7	2	..	..	2	1	..	2	..	..	1
	M	M	5	..	..	..	1	1	..	1	..	..	1	..	..	1	..	..	..	..	..	..	..	..	..	..
		F	4		..					1	1			1		..				1	..		..	..	..	..
Typho-Mal. Fever.	W	M	9	1	..		..	..	..	..	1	2	3	1	..	..	1	..	..	..	..	..	..	..	..	..
		F	7	..	..	..	..	..	1	..	1	..	..	..	..	..	1	1	..	..	3	..	..	..	..	..
	B	M	5	2	..	..	..	..	..	..	..	2	..	..	..	..	..	..	1	..	..	..	..	..	..	..
		F	5	..	1	..	..	..	..	..	..	..	..	1	3	..	..	..	..	..	..	..	..	..	..	..
	M	M	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
		F	..		..			..	..						..	..					..	..	..	..	..	..

Cerebro-Spinal Fever.	W	M	3	1	...	...	...	...	...	1	...	1	..	...	...	...	...	...	...	...	..	..	..	...	...	...	...	...
		F	...	...	...	...	...	...	...	...	...	..	...	...	...	...	...	...	...	..	..	..	..	..	..	..	..
	B	M	...	...	..	...	...	...	...	...	...	...	...	...	...	...	...	...	...	..	..	..	..	..	..	...	..
		F	2	...	...	...	...	...	..	...	...	1	...	...	...	..	..	..	1	..	...	..	..	..	..	..	..
	M	M	...	...	...	...	.	...	...	...	...	...	...	...	...	..	..	..	..	...	..	..		..	..	...	...
		F		..						..																	
Continued Fever	W	M	4	..	1	..	..		...	...	..	...	1	1	...	..	...	...	..	...		..	1	..	..	..	..
		F	3	1	...	1	...	.	...	...	...	...	...	...	...	...	...	...	1	...	...	..	..	...	...	...	...
	B	M	8	1	...	...	1	...	1	2	2	..	..	1	..	...	...	...	..	..	..	..	.	..	..	..	..
		F	14	...	3	..	...	1	1	3	1	2	1	...	1	...	..	.	...	..	..	1	..	...	...	...	...
	M	M	..	...	...	..	...	..	...	...	..	...	...	..	...	...	...	...	...	..	...	..	..	..	..	..	..
		F	..																..		..						
Diphtheria.	W	M	12	1	4	3	1	2	1	.	...	...	...	...	...	...	...	...	...	...	..	..	..	..	..	..	..
		F	16	1	3	5	1	3	2	1	...	...	...	...	...	...	...	...	...	..	...	..	..	..	..	..	...
	B	M	...	...	...	...	..	..		...	...	...	..	..	...	...	...	...	...	..	...	..	...	...	..	..	..
		F	2	1	...	...	...	...	1	...	..	...	...	...	...	...	...	...	...	..	...	..	..	...	..	..	..
	M	M	1	...	1	...	.	...	..	...	...	...	...	...	...	...	...	...	..	...	..	..	.	..	..	...	...
		F		.	.					...														..			
Whooping Cough.	W	M	3	2	1	..	.	..	...	...	...	...	...	...	...	...	...	...	...	...	..	.	.	...			..
		F	12	6	4	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	..	...	...		..
	B	M	13	6	5	...	1	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	..	..		..
		F	12	3	2	4	2	...	1	...	...	...	...	...	...	...	..	...	...	...	...	...	...	...	...		..
	M	M	1	...	...	1	...	..	...	...	...	...	...	...	...	...	...	...	...	...	..	...	...	..	..		...
		F	...	..		..		..	.	..	..			..	..	..	..		...								
LaGrippe.	W	M	87	10	4	2	...	1	4	1	3	4	2	3	4	6	1	4	4	5	12	4	8	5	..		
		F	92	6	5	1	1	1	...	1	2	3	5	3	4	4	1	7	7	9	5	9	10	7	1	...	
	B	M	68	13	1	2	1	...	2	1	4	4	6	3	7	5	4	2	1	2	4	1	1	2	2	..	
		F	52	5	...	2	2	2	5	1	3	1	3	5	1	...	2	4	1	1	2	2	3	5	2	..	
	M	M	2	...	...	...	..	...	...	...	...	...	...	...	...	1	...	...	...	...	..	1	...	...	..	...	
		F	2			..				.	..				.	..		...		1	1	...					
Summary of Deaths from Miasmatic Diseases.	W	M	245	23	14	7	6	5	8	7	19	27	14	21	18	13	6	7	6	8	14	5	11	6	..	...	
		F	225	17	14	12	3	5	8	9	20	16	10	9	9	9	10	12	11	11	12	9	10	8	1	..	
	B	M	182	26	8	3	5	3	10	11	27	19	12	-10	10	8	6	3	2	6	5	2	1	3	2	...	
		F	154	11	7	9	5	3	10	13	14	8	15	11	9	7	4	4	2	3	3	3	5	5	2		1
	M	M	10	...	1	1	1	1	1	1	...	...	1	..	...	2	...	...	...	..	..	1	...	...	...	...	
		F	6		..			.		1	1	..		1				...		2	1		..			..	
Gen'l Summary.			822	77	44	32	20	17	37	42	81	70	62	52	46	39	26	26	21	30	36	20	27	22	5		1

Annual Report of Deaths by Causes, Sexes, and Ages, for the State of Alabama for 1892.

DIARRHŒAL DISEASES.

CAUSES OF DEATH.	COLOR	SEX	TOTAL	AGES OF DECEDENTS. Under 1 year	1-2 Years	2-3 Years	3-4 Years	4-5 Years	5-10 Years	10-15 Years	15-20 Years	20-25 Years	25-30 Years	30-35 Years	35-40 Years	40-45 Years	45-50 Years	50-55 Years	55-60 Years	60-65 Years	65-70 Years	70-75 Years	75-80 Years	80-90 Years	90-100 Years	Age not given
Dysentery.	W	M	103	26	19	9	..	2	4	.	2	2	6	2	4	3	4	4	2	6	3	2	1	1	..	1
		F	76	23	10	1	..		6	2	2	5	2	4	1	4	4	5	2	4	3	3	1	2	1	1
	B	M	76	3	6	8	2	4	5	2	3	4	11	1	2	2	4	4	5	4	...	3	..	..	1	3
		F	40	3	5	5	...	1	2	..	2	3	2	3	3	3	....	2	1	2	1	1	....	1	..	..
	M	M	7	1	...	..	.		..		.	1	..	1	..	..	1	....	1	....	..	1	..	.	..	3
		F	1												1	.	.	..	....		..	....		....	....	
Diarrhœa.	W	M	33	5	8	2		.	.	.	..	1	2	1	1	2	2	1	....	2	4	...	..	1	..	1
		F	24	3	2	1	...	...	...	.	1	..	2	4	...	1	1	....	...	3	1	1	3	1	...	..
	B	M	27	3	8	...	1	...		.	...	2	...	1	2	1	...	....	2	1	..	2	..	..	1	3
		F	18	1	4	4	2	1	1	...	...	....	...	...	...	1	1	1	...	...	2	..	..	..	...	....
	M	M	3		...	..	...	..	.	...	...	1	...	....	...	....	....	....	1	..	...	...	..	1	...	..
		F	1	1	..	..										....		..	..			.				.
Cholera Morbus.	W	M	2	..	.	1	...					....	...	..	...	1	....	....	....	....	...	...	...	...	..	..
		F	7	2	...	...	...		.	..	1	...	1	....	...	....	....	1	...	....	1	1	....	..	...	....
	B	M	1	...	...	....	...	..	.	..	...	...	...	...	...	....	....	....	....	....	...	....	1	...	...	....
		F	1	...	...	...	...	1		...	..	...	..	...	...	....	....	....	....	...	....	..	....	..	...	..
	M	M	...	...	...	...	...	..		.	..	...	...	..	...	....	....	..	..	...	....	...	....	..	....	..
		F													...		.			..	....	..	...	.	..	..
Cholera Infantum.	W	M	38	26	8	3	. .	.	.	1	..	....	...	...	...	....	....	....	....	....	...	....	...	...	...	....
		F	41	26	11	3	1	..	...	...	...	...	....	....	...	....	....	....	....	....	...	..	....	....	....	....
	B	M	21	12	8	1	.		...	.	...	..	...	....	...	....	....	....	..	..	..	..	....	....	..	....
		F	22	9	6	5	1	1	..	...	..	...	...	....	...	....	....	....	..	..	...	..	....	..	....	....
	M	M	3	1	2	...	..	.	...	...	...	...	...	...	...	....	..	....	..	..	..	...	...	..	..	....
		F	2	1	1											..	....	..	..	...	..	..	..	....	..	....

Colic, Billious.	W	M	4	1	1	...	..	....	..	...	..	...	...	..	..	..	..	1	...	..	..	..	...	..	1	...	..
		F	3	1	...	...	...	..	1	...	...	..	...	..	..	..	1	...	..	..	..	...	..	..	..	..
	B	M	2	1	...	...	...	...	...	...	..	...	...	..	..	...	..	..	.		..	1		...	..	...
		F	4	2	...	...	...	...	...	...	1	...	1	..	..	..	..	..	.				..	..	..	.
	M	M	..	.	...	..	...	..	...	...	...	...	...	..	..	..	..	..							..	
		F	...	.		...		...	..	.	.	..	..	..												
Entero-Colitis.	W	M	27	11	10	..	...	..	1	2	1	..	..	1	..	..		..		...		1				
		F	20	5	9	3	..	1	1	...	..	...	..	..	..	...	..	..	..	1			1			..
	B	M	13	2	4	2	1	1	..	...	..	...	1	..	1	..	..	..	..	1				.	.	..
		F	12	2	2	2	2	..	1	..	...	..	...	1	..	...	...	...	..	1		1	.	..		..
	M	M	..	..	..	..	..	..	..	...	..	...	..	..	..	..	..	..	..					..	.	
		F					..	..	.								...			..						
Summary of Deaths from Diarrhœal Diseases.	W	M	207	69	46	15	..	2	5	3	3	3	8	4	5	6	6	6	2	8	7	[illegible]	1	3		2
		F	171	50	32	8	1	1	8	2	4	5	5	8	1	5	6	6	2	4	7		3	5	2	1
	B	M	141	21	26	11	4	5	5	2	3	6	12	2	5	3	4	4	7	6		6	1		2	6
		F	97	17	17	16	5	4	4	..	3	3	3	4	3	4	1	3	1	3	3	2	..	1	.	
	M	M	13	2	2	...	...	...	.	...	..	2	..	1	...	..	1	..	2			1		1		1
		F	4	2	1				.						1											
Gen'l Summary.			633	161	124	50	10	12	22	7	13	19	28	19	15	18	18	19	14	29	17	17	5	10	4	10

Malarial Diseases.

Malarial Fever.	W	M	18	4	2	1	....	1	....	1	1	3	1	1	1	1	1	..	...	..							..
		F	20	1	...	1	...	1	2	1	2	5	...	1	2	....	...	2	..	..	1	..	.				
	B	M	38	3	4	3	2	..	1	2	3	7	..	3	1	1	..	2	1	.	4	.	5		..	.	
		F	36	3	1	1	1	1	4	5	3	3	4	1	5	....	2	..	....	1	.	..	1	..	..		
	M	M	6	...	..	...	...	.	..	..	1	1	3	...	...	1	..	..	..	..			..				
		F	2			...	.	.	1					..			1					...					....
Hemorrhagic Malarial Fever.	W	M	3	...	....	...	....	....	....	....	1	....	....	1	....	1	...	....	....	....	..	..	..		..	..
		F	..	.	....	...	...	....	....	....	....	....	....	....	....	....	....	....	..	...	..	..	..		..	...
	B	M	1	...	...	...	...	....	....	....	1	....	....	....	....	....	....	....	....	....	..	..	..	.	..	..
		F	..	...	...	...	....	....	...	....	...	....	...	....	....	....	....	....	....	....	..	..	..		..	..
	M	M	.	..	...	...	...	....	....	....	....	....	....	....	....	....	....	....	....	....	..	....	..	..	..	..
		F	...		...	...	....	....	....	....	....	....	....	....	....	....	....	....	....	.		.				

Annual Report of Deaths by Causes, Sexes, and Ages, for the State of Alabama for 1892.

MALARIAL DISEASES—Continued.

AGES OF DECEDENTS.

CAUSES OF DEATH.	Color	Sex	Total	Under 1 year	1-2 years	2-3 years	3-4 years	4-5 years	5-10 years	10-15 years	15-20 years	20-25 years	25-30 years	30-35 years	35-40 years	40-45 years	45-50 years	50-55 years	55-60 years	60-65 years	65-70 years	70-75 years	75-80 years	80-90 years	90-100 years	Age not given
Pernicious or Congestive Fever	W	M	7	1	1	...	1	1	...	...	...	...	1	...	...	...	1	...	...	...	1	...	...	...	...	...
		F	8	1	...	...	...	...	...	...	2	2	...	1	...	1	...	...	...	1	...	...	...	...	...	...
	B	M	16	...	1	2	...	...	3	...	1	1	...	2	...	1	...	2	...	1	...	2	...	...	...	...
		F	9	...	...	...	...	...	1	1	...	2	2	1	...	...	...	...	...	1	1	...	...	...	...	...
	M	M	..	..	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
		F																								
Intermittent Fever.	W	M	1	...	.		...	..	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	..	.	...
		F	4	..	1	...	.	...	...	...	...	1	...	1	...	1	...	...	...	...	...	...	...	...	...	...
	B	M	6	1	...	...	...	..	...	2	1	...	..	...	...	2	...	...	...	...	...	..	...	...	...	...
		F	9	...	2	...	2	...	...	...	...	2	2	1	...	...	...	...	...	...	...	...	...	...	...	...
	M	M	..	..	...	..	.	..	...	...	...	...	...	..	..	...	..	...	..	...	...	...	...	...	..	..
		F				..				..		..			.	..			.					.	..	..
Bilious Remittent Fever.	W	M	12	1	1	1	1	1	...	..	1	..	1	1	1	..	...	1	1	...	.	.	.	1		.
		F	15	1	3	..	2	...	2	1	1	..	2	1	...	..	1	..	..	...	...	1	..	...	..	...
	B	M	18	..	...	...	2	1	1	2	1	1	4	..	3	1	1	..	...	1	...	...	...	...	.	...
		F	11	..	..	4	...	2	2	1	...	...	1	...	..	...	1	...	...	...	..	...	..	...	...	...
	M	M	..	..	...		...	...	..	...	...	..	...	..	...	..	..	...	...	...	...	...	..	..	...	..
		F	1	1										..												
Gastric Fever.	W	M	1	1	...	..	..	..	...	..	...	.	..	...	...	..	..	...	...	...	...	.	...	...	.	..
		F	1	1	...	..	...	...	...	...	...	...	...	...	...	...	..	...	...	...	...	...	...	...	...	...
	B	M	..	..	...	..	..	..	..	...	...	...	..	...	...	..	...	...	...	...	...	...	...	.	.	...
		F	...	...	...	...	...	..	..	..	..	...	...	...	...	...	...	...	...	...	...	...	...	...	..	..
	M	M	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
		F	...	...	...	..	..	..	...	..	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...

Catarrhal Fever.	W	M	3							2				1														
		F	3	1	1																			1				
	B	M	2		1	1																						
		F	5			1						1			1			1			1							
	M	M																										
		F																										
Summary of Deaths from Malarial Diseases	W	M	45	7	4	2	2	3		3	3	3	3	4	2	2	2	2	1		1			1				
		F	51	5	5	1	2	1	4	2	5	8	2	5	2	2	1	2		1	1	1	1					
	B	M	81	4	6	6	4	1	5	6	7	9	4	5	4	5	1	4	1	2	4	2	5					
		F	70	3	3	6	3	3	7	7	3	8	9	3	6		3	1		2	2		1					
	M	M	6								1	1	3			1												
		F	3	1					1								1											
Gen'l Summary			256	20	18	15	11	8	17	18	19	29	21	19	14	10	8	9	2	5	8	3	7	1				

Venereal Diseases.

Syphilis.	W	M	3	1										1								1						
		F																										
	B	M	16	4								4	4			2			1									
		F	7	1							2	2	1			1												
	M	M																										
		F																										
Stricture of Urethra.	W	M																										
		F																										
	B	M	1																1									
		F																										
	M	M																										
		F																										
Gen'l Summary			27	6							2	6	5	1		3		1	2			1						

Annual Report of Deaths by Causes, Sexes and Ages, for the State of Alabama for 1892.

SEPTIC DISEASES.

CAUSES OF DEATH.	Color	Sex	Total	Under 1 year	1-2 years	2-3 years	3-4 years	4-5 years	5-10 years	10-15 years	15-20 years	20-25 years	25-30 years	30-35 years	35-40 years	40-45 years	45-50 years	50-55 years	55-60 years	60-65 years	65-70 years	70-75 years	75-80 years	80-90 years	90-100 years	Age not given
			AGES OF DECEDENTS.																							
Erysipelas.	M | B | W	M	10	3			1				1				2					2				1		
		F	14	2		2			2		2			1				1	1	1		1		1		
		M	3										1				1			1						
		F	6	1	1				1		1	2														
		M																								
		F																								
Pyæmia.	M | B | W	M	4											1			1				1				1	
		F	2									1										1				
		M	3									2	1													
		F																								
		M																								
		F																								
Septicæmia.	M | B | W	M	7								2	1						1	1		1			1		
		F	12		1				1			2		1	3	3										1
		M	4	1								1	2													
		F	14						1		5	3		4	1	1	1	1								
		M																								
		F																								
Septicæmia, Puerperal.	M | B | W	M																								
		F	8								1	3	2		1	1										
		M																								
		F	6								1	1	3		1											
		M																								
		F																								

Summary of Deaths from Septic Diseases	W	M	21	3	..	....	1	..	..	....	3	1	....	1	2	....	1	1	1	2	2	..	..	2	1	....
		F	36	2	1	2	..	.	3	...	3	6	2	2	4	4	....	1	1	1	..	2	....	1	....	1
	B	M	10	1	..	..	...	..		...	...	3	4	..	..	....	1	....	....	1	..	..	..	..	..	....
		F	26	1	1			..	2		4	6	3	4	2	1	1	1	....	...	..	..	..	....	....	....
	M	M		..		..		.			.	....	...	..	...		...	...	....	...	..	..	..	..	....	....
		F															..								...	.
Gen'l Summary			93	7	2	2	1		5	..	10	16	9	7	8	5	3	3	2	4	2	2		3	1	1

Class II—Parasitic Diseases.

Thrush.	W	M	..	..	..	...		.		...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
		F	1	1	..	....				...	..	...	..	...	...	...	..	...	...	...	...	...	...	...	...	...	...
	B	M	3	2	1	.			..	.	...	...	..	...	...	...	...	...	..	...	...	...	...	...	..	...	...
		F	..			.	..		..		...	...	...	..	...	...	..	...	...	..	...	..	..	...	..	...	...
	M	M		..	.				.	.	..	...	...	...	...	...	..	...	..	..	..	...	..	...	...	...	...
		F																									..
Worms.	W	M	1	..	1	...	...				..	..	...	...	..	...	..	...	..	...	...	..	...	...	...	...	...
		F	1	...	...	1	..				...	...	...	...	...	...	...	..	..	...	...	..	...	...	..	...	...
	B	M	9	...	...	2	4	2	1		...	...	...	...	...	...	...	..	..	...	...	...	...	...	...	...	...
		F	14	...	2	6	4	1		1	...	...	...	...	...	...	...	..	..	..	..	..	...	...	..	..	...
	M	M	...	.	.	...		...		...	...	...	..	...	...	...	..	..	..	..	..	..	...	..	..	..	...
		F									....				..	...	..				..	..		..	.	..	.
Summary of Deaths from Parasitic Diseases.	W	M	1	...	1		...		..	.	...	...	...	...	...	...	...	..	...	...	...	..	..	..	..	..	...
		F	2	1	.	1	.			.	.	...	...	..	...	...	..	...	...	..	..	..	..	..	..	..	..
	B	M	12	2	1	2	4	2	1	.	.	...	...	...	...	...	..	..	..	..	..	..	..	..	....	...	...
		F	14	.	2	6	4	1		1	..	.	...	...	...	...	...	...	...	...	...	..	..	..	..	...	...
	M	M				..	.	.	.			...	...	...	...	.	...	..	..	..	...	..	..	...	..	...	...
		F													...		.						....	..	..		
Gen'l Summary			29	3	4	9	8	3	1	1										..					..		

Annual Report of Deaths by Causes, Sexes and Ages, for the State of Alabama for 1892.

CLASS III—DIETETIC DISEASES.

CAUSES OF DEATH.	Color	Sex	Total	Under 1 year	1-2 years	2-3 years	3-4 years	4-5 years	5-10 years	10-15 years	15-20 years	20-25 years	25-30 years	30-35 years	35-40 years	40-45 years	45-50 years	50-55 years	55-60 years	60-65 years	65-70 years	70-75 years	75-80 years	80-90 years	90-100 years	Age not given
			AGES OF DECEDENTS.																							
Alcoholism.	W	M	10										1	1	1	1	1		1	1	1	1	1			
		F	1											1												
	B	M																								
		F																								
	M	M	1											1												
		F																								
Delirium Tremens.	W	M	1									1														
		F																								
	B	M																								
		F																								
	M	M																								
		F																								
Gen'l Summary			13									1	1	3	1	1	1		1	1	1	1	1			

CLASS IV—CONSTITUTIONAL DISEASES.

Phythisis Pulmonalis. (Consumption).	W	M	119	1	2	1	3		1	2	7	13	16	9	15	13	8	10	3	4	5	3	2			1
		F	199		5		2		2	2	12	20	22	20	25	18	12	20	12	11	7	8		2		1
	B	M	203		2	1		1	2	5	21	46	20	13	15	19	14	8	4	5	2	6	1			18
		F	261	1	3	1	1		8	12	37	46	47	30	20	14	8	10	6	8	4	1	1			3
	M	M	21								3	4	4	2	2	2	1	2			1					
		F	14	2							2	2	1	2	1			3			1					

Peritonitis, Tubercular.	W	M																										
		F																										
	B	M	1										1															
		F	2											1	1													
	M	M																										
		F																										
Rheumatism.	W	M	4												1		1	1			1							
		F	10							1							1	2	2	1	1			2				
	B	M	6							1	1								1	2				1				
		F	5							1							1	1			1	1						
	M	M																										
		F																										
Rheumatism, Syphilitic	W	M																										
		F																										
	B	M	3													1				1	1							
		F	1												1													
	M	M																										
		F																										
Rachitis.	W	M	1	1																								
		F	1			1																						
	B	M																										
		F																										
	M	M																										
		F																										
Tabes Mesenterica.	W	M	1													1												
		F	3			1								1						1								
	B	M	1	1																								
		F	1						1																			
	M	M	2	1		1																						
		F																										

Annual Report of Deaths by Causes, Sexes, and Ages, for the State of Alabama for 1892.

CONSTITUTIONAL DISEASES—Continued.

CAUSES OF DEATH.	Color	Sex	Total	AGES OF DECEDENS. Under 1 year	1-2 years	2-3 years	3-4 years	4-5 years	5-10 years	10-15 years	15-20 years	20-25 years	25-30 years	30-35 years	35-40 years	40-45 years	45-50 years	50-55 years	55-60 years	60-65 years	65-70 years	70-75 years	75-80 years	80-90 years	90-100 years	Age not given
Purpura Hemorrhagica.	W	M	1					1																		
		F																								
	B	M	1		1																					
		F	1		1																					
	M	M																								
		F																								
Diabetes.	W	M	7			1						1		1	1			1				1				1
		F	1			1																				
	B	M	1																				1			
		F																								
	M	M																								
		F																								
Lucocythæmia.	W	M	1							1																
		F	2			1					1															
	B	M	1						1																	
		F																								
	M	M																								
		F																								
Ricketts.	W	M	1		1																					
		F																								
	B	M	2		1	1																				
		F																								
	M	M																								
		F																								

Scrofula.	W	M	3						1															2				
		F	5			1				1		1		1				1										
	B	M	5					1	2	1	1																	
		F	5		2				1	1		1																
	M	M	1									1																
		F	1										1															
Anæmia.	W	M	3														1								2			
		F	8	1					1													1	2	1	1	1		
	B	M	2			1																				1		
		F	3									1											1		1			
	M	M																										
		F																										
Chlorosis.	W	M																										
		F	1								1																	
	B	M																										
		F																										
	M	M																										
		F																										
Cancer. (Not located.)	W	M	5									1										1	1	2				
		F	10														3		3	1	1			1	1			
	B	M	4																1	2	1							
		F	6																	3	1	1	1					
	M	M																										
		F																										
Cancer of Face.	W	M	3																					1	1	1		
		F																										
	B	M																										
		F																										
	M	M																										
		F																										
Cancer of Tongue.	W	M	1																	1								
		F																										
	B	M																										
		F																										
	M	M																										
		F																										

Annual Report of Deaths by Causes, Sexes and Ages, for the State of Alabama for 1892.

CONSTITUTIONAL DISEASES--Continued.

CAUSES OF DEATH.	Color	Sex	Total	Under 1 year	1-2 years	2-3 years	3-4 years	4-5 years	5-10 years	10-15 years	15-20 years	20-25 years	25-30 years	30-35 years	35-40 years	40-45 years	45-50 years	50-55 years	55-60 years	60-65 years	65-70 years	70-75 years	75-80 years	80-90 years	90-100 years	Age not given
			AGES OF DECEDENTS.																							
Cancer of Mouth.	W	M																								
		F	1	1																						
	B	M																								
		F																								
	M	M																								
		F																								
Cancer of Throat.	W	M																								
		F																								
	B	M																								
		F	1																	1						
	M	M																								
		F																								
Cancer of Hand.	W	M	1																							
		F																								
	B	M																								
		F																								
	M	M																								
		F																								
Cancer of Breast.	W	M																								
		F	7													3			1	2		1				
	B	M																								
		F	1																	1						
	M	M																								
		F																								

Cancer of Liver	W	M	2									1				1												
		F																										
	B	M																										
		F																										
	M	M																										
		F																										
Cancer of Pancreas.	W	M	1													1												
		F																										
	B	M																										
		F																										
	M	M																										
		F																										
Cancer of Uterus	W	M																										
		F	26									1		1	4	2	7		4	3	1	2	1					
	B	M																										
		F	18										1		1	4	3	3	2	1	2		1					
	M	M																										
		F	3										1				2											
Cancer of Stomach.	W	M	5													1	1			2		1						
		F	6													1		1	1	1	1			1				
	B	M																										
		F																										
	M	M																										
		F																										
Cancer of Bowels.	W	M	1													1												
		F																										
	B	M																										
		F																										
	M	M																										
		F																										
Cancer of Anus	W	M																										
		F	3													2			1									
	B	M																										
		F																										
	M	M																										
		F																										

Annual Report of Deaths by Causes, Sexes, and Ages, for the State of Alabama for 1892.

CONSTITUTIONAL DISEASES—Continued.

CAUSES OF DEATH.	Color	Sex	Total	Under 1 year	1-2 years	2-3 years	3-4 years	4-5 years	5-10 years	10-15 years	15-20 years	20-25 years	25-30 years	30-35 years	35-40 years	40-45 years	45-50 years	50-55 years	55-60 years	60-65 years	65-70 years	70-75 years	75-80 years	80-90 years	90-100 years	Age not given
			AGES OF DECEDENTS.																							
Cancer of Vulva	W	M																								
		F	1																	1						
	B	M																								
		F																								
	M	M																								
		F																								
Cancer Axillary.	W	M																								
		F	1																			1				
	B	M																								
		F																								
	M	M																								
		F																								
Cancer Mesenteric.	W	M																								
		F	1		1																					
	B	M																								
		F																								
	M	M																								
		F																								
Summary of Deaths from Constitutional Diseases.	W	M	159	2	3	2	3	1	2	3	7	16	16	11	17	18	10	11	4	8	6	10	3	4		2
		F	286	1	7	4	3		1	4	14	22	23	22	29	30	22	26	22	20	10	15	5	4	1	1
	B	M	230	1	4	3		2	5	7	23	47	20	13	16	19	14	10	9	7	2	6	3		1	18
		F	305	1	6	1	1		10	14	37	48	49	32	21	19	12	13	11	13	8	3	2	1		3
	M	M	24	1		1					3	5	4	2	2	2	1	2			1					
		F	18	2							2	2	3	2	1		2	3			1					
Gen'l Summary.			1022	8	20	11	7	3	18	28	86	140	115	82	86	88	61	65	46	48	28	34	13	9	2	24

Class V—Developmental Diseases.

Premature Birth.	W	M	31	31																							
		F	20	20																							
	B	M	16	16																							
		F	21	21																							
	M	M	2	2																							
		F																									
Cretinisim.	W	M																									
		F																									
	B	M	1					1																			
		F																									
	M	M																									
		F																									
Cyanosis.	W	M	5	5																							
		F	2	2																							
	B	M	2	2																							
		F	1	1																							
	M	M																									
		F																									
Malformation.	W	M	3	3																							
		F	2	1	1																						
	B	M	1	1																							
		F	1	1																							
	M	M																									
		F																									
Spina Bifida.	W	M	1	1																							
		F	2	2																							
	B	M																									
		F																									
	M	M																									
		F																									
Umbilical Hemorrhage.	W	M	3	3																							
		F	1	1																							
	B	M	2	2																							
		F	1	1																							
	M	M																									
		F	1	1																							

Annual Report of Deaths by Causes, Sexes and Ages, for the State of Alabama for 1892.

DEVELOPMENTAL DISEASES—Continued.

CAUSES OF DEATH.	Color	Sex	Total	AGES OF DECEDENTS. Under 1 year	1-2 years	2-3 years	3-4 years	4-5 years	5-10 years	10-15 years	15-20 years	20-25 years	25-30 years	30-35 years	35-40 years	0-45 years	45-50 years	0-55 years	55-60 years	60-65 years	65-70 years	70-75 years	75-80 years	80-90 years	90-100 years	Age not given
Marasmus.	W	M	15	5	5				1			1		1	1										1	
		F	2		1																				1	
	B	M	4		2																					2
		F	4	1	2						1															
	M	M																								
		F																								
Dentition.	W	M	3	2	1																					
		F	5	4	1																					
	B	M	28	7	12	9																				
		F	32	9	18	5																				
	M	M																								
		F																								
Inanition.	W	M	15	13	1	1																				
		F	31	26	2	1				1													1			
	B	M	21	19	2																					
		F	35	25	5	1			1															2	1	
	M	M																								
		F	3	2				1																		
Senile Gangrene.	W	M	2																				1	1		
		F	1																			1				
	B	M	1																	1						
		F																								
	M	M																								
		F																								

Debility. (General)	W	M	4	1																		1		2		
		F	6	1													1			1	1	1		1		
	B	M																								
		F	1																					1		
	M	M	5	1						1										1	2					
		F	1																			1				
*Old Age.	W	M	33																		4	5	3	14	7	
		F	36																		3	3	7	13	8	
	B	M	42																			6	13	15	6	
		F	62																	2	1	9	9	20	15	
	M	M	3																			2				
		F	2																				1	1		
Summary of Deaths from Developmental Diseases.	W	M	115	64	7	1			1			1		1	1						4	6	4	17	8	
		F	108	57	5	1				1							1			1	4	5	8	14	9	
	B	M	118	47	16	9		1												1		6	13	15	6	2
		F	158	59	25	6			1		1									2	1	9	9	23	16	
	M	M	10	3						1										1	2	2				
		F	7	3				1														1	1	1		
Gen'l summary			516	233	53	17		2	2	2	1	1		1	1		1			5	11	29	35	70	39	2

*100-110 years—2 White Females, 1 Black Male and 5 Black Females; 110-120—1 Black Male, 1 Black Female and 1 Mulatto Male.

Class VI—Local Diseases.

Hydrocephalus.	W	M	1			1																				
		F	1	1																						
	B	M	4	3												1										
		F	2		2																					
	M	M																								
		F																								
Congestion of Brain.	W	M	15	7	3	1								1					1		1	1				
		F	18	7	4		1			2	3										1					
	B	M	9	2	2										1		1				1			1		1
		F	13	2		1	1			1	2	1		1				2			1		1			
	M	M	1						1																	
		F	4			1						1					1				1					

Annual Report of Deaths by Causes, Sexes, and Ages, for the State of Alabama for 1892.

LOCAL DISEASES—Continued.

CAUSES OF DEATH.	COLOR	SEX	TOTAL	AGES OF DECEDENTS. Under 1 year	1-2 Years	2-3 Years	3-4 Years	4-5 Years	5-10 Years	10-15 Years	15-20 Years	20-25 Years	25-30 Years	30-35 Years	35-40 Years	40-45 Years	45-50 Years	50-55 Years	55-60 Years	60-65 Years	65-70 Years	70-75 Years	75-80 Years	80-90 Years	90-100 Years	Age not given
Inflammation of Brain.	W	M	3	2	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
		F	3	1	..	..	1	..	..	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..
	B	M	6	2	..	..	..	..	..	..	..	..	1	1	..	..	1	..	..	..	..	1	..	..	..	..
		F	6	..	..	..	1	..	1	1	2	..	..	..	..	..	..	..	..	..	..	1	..	..	..	..
	M	M	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
		F	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
Concussion of Brain.	W	M	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	..	..	..
		F	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
	B	M	2	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	..	..	..
		F	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
	M	M	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
		F	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
Softening of Brain.	W	M	3	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	..	1	..	..	1	..	..	..
		F	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	..	..	..
	B	M	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
		F	1	..	..	..	..	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..
	M	M	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
		F	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
Apoplexy of Brain.	W	M	2	..	..	..	..	..	..	..	..	..	1	..	..	..	1	..	..	..	..	..	..	..	..	..
		F	1	..	..	..	..	..	..	..	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..
	B	M	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
		F	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	..	..	..	..
	M	M	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
		F	1	..	..	..	..	..	..	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..

Hemorrhage of Brain.	W	M	9											1		1			4	2	1						
		F	3															1		1		1					
	B	M	2												1							1					
		F	1																1								
	M	M																									
		F	1																	1							
Disease of Brain.	W	M																									
		F	4	1												1	1			1							
	B	M	1												1												
		F																									
	M	M	1												1												
		F																									
Abscess of Brain.	W	M	1										1														
		F	1																1								
	B	M	2												1						1						
		F	1	1																							
	M	M																									
		F																									
Meningitis.	W	M	29	3	7	5	2	1	4	1	1	1		1	1				1		1						
		F	27	10	4	4			1	1	2	1				1		1		2							
	B	M	26	5	2	6		1	3	3			2		2	2											
		F	17	4	4		1		2				3			1		1				1					
	M	M	2		1				1																		
		F																									
Meningitis, Cerebro-Spinal.	W	M	7	1		1	1		2				1				1										
		F	8	3		1				1	1				1		1										
	B	M	4			1	1			1					1												
		F	5	1						1		1	1	1													
	M	M																									
		F																									
Meningitis Tubercular.	W	M	1			1																					
		F	2	2																							
	B	M	1									1															
		F	3			2		1																			
	M	M																									
		F	1	1																							

Annual Report of Deaths by Causes, Sexes and Ages, for the State of Alabama for 1892.

LOCAL DISEASES--Continued.

CAUSES OF DEATH.	Color	Sex	Total	AGES OF DECEDENTS. Under 1 year	1-2 years	2-3 years	3-4 years	4-5 years	5-10 years	10-15 years	15-20 years	20-25 years	25-30 years	30-35 years	35-40 years	40-45 years	45-50 years	50-55 years	55-60 years	60-65 years	65-70 years	70-75 years	75-80 years	80-90 years	90-100 years	Age not given
Apoplexy.	W	M	23	...	...	...	...	...	...	...	...	...	2	...	1	2	...	1	4	5	2	1	4	1	..	..
		F	23	...	...	...	...	...	...	..	1	2	..	1	2	...	3	3	..	4	2	2	2	1	..	..
	B	M	11	...	...	...	...	..	...	...	1	..	1	...	1	1	...	..	..	2	1	..	3	1	..	..
		F	14	...	...	...	...	...	...	...	..	1	...	..	1	1	..	4	3	1	1	..	2	1	...	..
	M	M	2	...	...	...	...	...	...	..	..	...	...	1	...	1	..	...	..	...	...	..	...	...	..	..
		F	1	...	...	..	...	..	..	.		..	...	.			1		...		.	...	.	.		
Hemiplegia.	W	M	...	...	...	...	...	...	...	...	..	...	..	...	..	...	...	..	..	...	..	...	..	...	...	..
		F	1	...	...	...	...	..	...	..	..	...	..	..	...	..	..	..	...	...	..	..	...	1	...	..
	B	M	...	...	...	...	...	...	...	..	..	..	...	...	..	..	..	..	..	..	..	..	..	..	..	..
		F	2	...	...	...	...	...	...	...	..	...	..	...	..	..	1	1	..	..	..	..	..	..	..	..
	M	M	...	...	...	...	...	..	...	..	..	..	..	..	..	..	..	..	..	...	..	..	..	...	...	..
		F	...	...	...	.	.	..	...	...		.					..		...	...	...				...	
Neurasthenia.	W	M	...	...	..	...	...	...	...	..	..	...	..	...	..	..		..	...	...	..	...	...	...	..	..
		F	4	...	...	...	...	...	...	..	..	...	1	1	..	..	...	..	...	...	...	1	1	..	..	...
	B	M	1	1	...	..	...	...	...	..	..	...	..	..	...	..	...	...	..	...	...	...	...	..	.	...
		F	2	..	...	1	..	..	..	1	...	..	..	...	..	..	..	..	..	...	..	...	...	...	..	..
	M	M	...	...	...	...	...	...	...	..	...	..	...	...	..	...	..	..	..	...	...	...	...	..	..	..
		F	...	...	.	...	...	...	...	...		...	...	...												
Convulsions.	W	M	23	20	2	1	...	...	...	..	..	..	...	..	..	.	..	.	...	..	..	..	..	..	..	...
		F	17	12	..	2	1	..	..	1	...	...	...	..	1	..	...	..	..	..	..	..	..	..	..	...
	B	M	33	14	6	3	5	..	2	...	...	...	...	..	...	...	1	..	1	...	..	..	..	..	..	1
		F	28	7	1	10	5	3	2	...	...	..	.	..	..	..	..	..	..	..	..	...	..	...	..	..
	M	M	3	3	...	...	...	...	...	...	...	..	..	..	..	...	...	..	...	..	..	...	...	..	..	..
		F	1	1	...	..	...	..	..	...		...		..	..					..	..		..			

Epilepsy.	W	M	7								1		1	1	1				1	1	1									
		F	7						1	1	1	1		1			1					1								
	B	M	6							1	1		1		1	2														
		F	1						1																					
	M	M																												
		F																												
Trismus Nascentium.	W	M	4	4																										
		F	1	1																										
	B	M	2	2																										
		F	7	7																										
	M	M																												
		F																												
Paralysis.	W	M	34			1						1	1		1		2	3	1	4	10	3	4	2			1			
		F	27						1			1		2	1		3	1	1	2	8	1	2	3	1					
	B	M	21				1			1		1		1		2	2		4	1	2	2	3	1						
		F	18						1		1	1				1			1	2	2	3	2		1		3			
	M	M	2				1					1																		
		F																												
Locomotor Ataxia.	W	M	4					1					1			1					1									
		F																												
	B	M	1													1														
		F																												
	M	M																												
		F																												
Myelitis.	W	M																												
		F																												
	B	M	1																											1
		F	1									1																		
	M	M																												
		F																												
Spinal Sclerosis	W	M																												
		F	1																	1										
	B	M																												
		F																												
	M	M																												
		F																												

Annual Report of Deaths by Causes, Sexes, and Ages, for the State of Alabama for 1892.

LOCAL DISEASES—Continued.

CAUSES OF DEATH.	Color	Sex	Total	Under 1 year	1-2 years	2-3 years	3-4 years	4-5 years	5-10 years	10-15 years	15-20 years	20-25 years	25-30 years	30-35 years	35-40 years	40-45 years	45-50 years	50-55 years	55-60 years	60-65 years	65-70 years	70-75 years	75-80 years	80-90 years	90-100 years	Age not given
			AGES OF DECEDENS.																							
Caries of Spine.	W	M																								
		F	2			1											1									
	B	M	2											1		1										
		F	1						1																	
	M	M																								
		F																								
Insanity.	W	M	9										1	1	1	3		1						2		
		F	1													1	1									
	B	M	9										2		2	1	1	1	1			1				
		F	5											1		1	2	1								
	M	M	1																	1						
		F																								
Melancholia.	W	M	1									1														
		F	1											1												
	B	M																								
		F	1								1															
	M	M																								
		F																								
Nervous Prostration.	W	M	4																	1				3		
		F	6										2								1		1	2		
	B	M	1															1								
		F	1								1															
	M	M																								
		F																								

Tetanus.	W	M	3								1			1	1												
		F	3	1					1		1																
	B	M	9					1		1	2	2	1								1			1			
		F	3	1						1				1													
	M	M	1						1																		
		F																									
Psoas Abscess.	W	M																									
		F																									
	B	M																									
		F	1										1														
	M	M																									
		F																									
Gangrene of Arm.	W	M	1							1																	
		F																									
	B	M																									
		F																									
	M	M																									
		F																									
Goitre.	W	M																									
		F	2											1							1						
	B	M																									
		F	2									1									1						
	M	M																									
		F																									
Summary of Deaths from Local Diseases.	W	M	185	37	12	12	3	2	6	1	4	3	9	6	6	7	5	5	9	11	20	8	10	8			1
		F	165	39	8	8	3		4	6	9	7	1	8	6	3	10	6	3	10	12	7	6	8	1		
	B	M	153	29	11	10	7	2	5	7	4	4	8	3	10	11	6	2	6	4	4	5	7	4			3
		F	137	25	7	14	8	4	8	5	7	5	6	4	1	4	3	9	5	3	6	5	5	1	1		3
	M	M	13	3	1		1		3			1		1	1	1				1							
		F	8	2		1						1					2				1	1					
Gen'l Summary.			661	135	39	45	22	8	26	19	24	21	24	22	24	26	26	22	21	31	43	26	28	21	2		7

Annual Report of Deaths by Causes, Sexes and Ages, for the State of Alabama for 1892.

Organs of Special Sense.

Causes of Death.	Color	Sex	Total	Under 1 year	1-2 years	2-3 years	3-4 years	4-5 years	5-10 years	10-15 years	15-20 years	20-25 years	25-30 years	30-35 years	35-40 years	40-45 years	45-50 years	50-55 years	55-60 years	60-65 years	65-70 years	70-75 years	75-80 years	80-90 years	90-100 years	Age not given
			Ages of Decedents.																							
Otitis Media.	W	M																								
		F																								
	B	M	1											1												
		F																								
	M	M																								
		F																								
Epistaxis.	W	M																								
		F																								
	B	M	1									1														
		F																								
	M	M																								
		F																								
Gen'l Summary.			2									1		1												

Circulatory System.

Causes of Death.	Color	Sex	Total	Under 1 year	1-2 years	2-3 years	3-4 years	4-5 years	5-10 years	10-15 years	15-20 years	20-25 years	25-30 years	30-35 years	35-40 years	40-45 years	45-50 years	50-55 years	55-60 years	60-65 years	65-70 years	70-75 years	75-80 years	80-90 years	90-100 years	Age not given
Endocarditis.	W	M	2													1										1
		F	2								1		1													
	B	M	3									1			1	1										
		F	4									1	1				2									
	M	M																								
		F																								

Pericarditis.	W	M	1									1															
		F	1															1									
	B	M	2									1										1					
		F	4													1			1			1					
	M	M																									
		F																									
Hydropericardium.	W	M	3							1			1											1			
		F	7							1	2		2						1		1						
	B	M	5	1				1						1										2			
		F	4													1	2				1						
	M	M	1						1																		
		F																									
Disease of Heart	W	M	37	1						1			2	1	2	2	3	4	1	3	5	2	3	6			1
		F	40	1		1	1			1		2	2	2	2	1	1	5	2	5	5	5	2	1			1
	B	M	45								1		1	1	1	7	3	4	5	5	5	5	3	1			3
		F	53						1	2	3		3	2	7	5	5	1	6	7	4	2	4	1			
	M	M	5							1							1	1		1		1					
		F	5										1				2	1				1					
Valvular Disease of Heart.	W	M	12						1								1		3		3	1	2	1			
		F	5												1	2				1		1					
	B	M	17											2		2	4	4	1	3	1						
		F	9									1	1	1		1	1	1	2		1						
	M	M	1																			1					
		F	1																			1					
Heart Failure.	W	M	26	1				1	1			3			1		4	2	2	2	1	3	1	4			
		F	24	2							2	1	2	1	2	2	3		3	1	1	2		2			
	B	M	14									1		2		2	1	1	1	2	2		1				
		F	14	1									2	2	1	3	1			2		1		1			
	M	M																									
		F	1																1								
Angina Pectoris.	W	M	4															1				3					
		F	3	1							1											1					
	B	M																									
		F	3									1							1		1						
	M	M																									
		F																									

Annual Report of Deaths by Causes, Sexes and Ages, for the State of Alabama for 1892.

CIRCULATORY SYSTEM—Continued.

CAUSES OF DEATH.	Color	Sex	Total	AGES OF DECEDENTS. Under 1 year	1-2 years	2-3 years	3-4 years	4-5 years	5-10 years	10-15 years	15-20 years	20-25 years	25-30 years	30-35 years	35-40 years	40-45 years	45-50 years	50-55 years	55-60 years	60-65 years	65-70 years	70-75 years	75-80 years	80-90 years	90-100 years	Age not given
Mitral Insufficiency.	W	M																								
		F	1															1								
	B	M																								
		F																								
	M	M																								
		F																								
Aortic Insufficiency.	W	M	1																		1					
		F	1									1														
	B	M	1													1										
		F																								
	M	M																								
		F																								
Anasarca.	W	M	3					1													1	1				
		F	3	1					1							1										
	B	M	9			1				1					1	1	2				2			1		
		F	10								1	1	1		3		1	1			1	1				
	M	M	1																		1					
		F																								
Aneurism of Aorta.	W	M	2																	1	1					
		F																								
	B	M																								
		F																								
	M	M																								
		F																								

*Dropsy. (General)	W	M	19	1	....	....	....	....	....	1	1	....	..	1	..	..	1	2	1	1	4	....	2	3	1	....
		F	18	....	....	....	1	....	....	....	1	2	1	....	..	1	1	....	....	....	3	3	1	3	1	....
	B	M	31	....	2	....	....	....	....	1	3	....	1	1	3	1	..	2	3	2	5	2	1	2	2	....
		F	38	....	....	1	....	....	3	....	..	....	1	3	7	..	5	2	2	2	3	1	4	2	..	....
	M	M	2	....	....	....	....	....	....	....	....	....	....	....	....	1	..	..	..	1	..	..	..	..	..	....
		F	3	1	..	....	....	....	....	1	..	..	..	....	....	....	..	..	..	..	....	....	....	1	..	..
Dropsy, Renal.	W	M	1	....	....	....	....	....	..	..	....	..	..	....	..	..	....	....	....	....	....	....	1	....	....	....
		F	2	....	....	....	....	1	..	1	..	..	..	....	..	..	....	....	....	..	....	....	....	....	....	....
	B	M	1	....	..	..	..	....	1	..	....	....	....	....	....	..	....	....	....	....	....	....	....	....	....	....
		F	....	....	....	....	....	....	....	..	..	..	....	..	..	..	....	....	....	....	....	....	....	....	....	....
	M	M	..	....	....	....	....	....	....	..	....	..	..	....	..	....	....	..	....	....	....	....	....	....	....	....
		F	..	..	....	....	....	....	....	..	..	..	..	....	....	....	..	..	..	..	..	..	..	..	..	....
Summary of Deaths from Diseases of Circulatory Sys.	W	M	111	3	..	..	..	2	2	3	1	4	3	2	3	3	9	9	7	7	16	10	10	14	1	2
		F	107	5	..	1	2	1	1	3	7	6	8	3	5	7	5	7	6	7	10	12	3	6	1	1
	B	M	128	1	2	1	...	1	1	2	4	3	2	7	6	15	10	12	10	12	15	7	7	4	2	3
		F	138	1	.	1	...	..	4	2	4	4	9	8	18	11	17	5	12	11	11	6	8	4	....	..
	M	M	10	..	....	..	....	....	1	1	..	....	....	..	....	1	1	1	..	2	1	2	...	....	....	....
		F	10	1	.	..	..	....		1	..		1		..		2	1	1	..		2		1		..
Gen'l Summary			504	11	2	3	2	4	9	12	16	17	23	20	32	37	44	35	36	39	53	39	28	29	4	6

*100–110 years—1 Black Female; 110–120 years—1 Black Female.

Respiratory System.

Pneumonia.	W	M	174	21	12	8	2	..	4	2	8	12	11	10	7	6	6	11	12	4	11	10	5	6	2	1
		F	149	18	16	2	5	2	3	1	7	10	6	7	15	10	4	4	7	2	7	11	6	5	..	1
	B	M	223	20	8	5	3	5	9	4	13	24	20	21	14	16	11	9	9	15	6	4	1	2	1	3
		F	134	11	5	4	..	2	8	4	10	9	7	14	8	5	8	9	6	9	4	5	3	2	....	1
	M	M	7	2	1	..	..	..	..	..	1	..	..	..	1	..	..	1	.	..	1	..	..	..	....	..
		F	10	1	..		..	.		1	..		1	2	1	.	1	.	1		1	1		..	....	....
Pneumonia, Croupous.	W	M	2	....	..	....	....	....	....	....	....	....	....	....	....	..	....	....	..	1	....	....	....	..	....	1
		F	....	....	....	....		....	....	....	....	....	....	....	....	..	....	....	..	....	..	....	..	..	..	....
	B	M	3	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	..	..	....	..	....	2
		F	..	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	..	....	..	..	....	..	..	..
	M	M	....	....	....	....	....	..	....	..	....	....	..	....	..	....	....	..	....	..	..	..	....	....	....	..
		F	.	..	..	.	....	....	..	..	....	..	....	....	....	....	....	..	..	....	.	..	....	.	.	....

Annual Report of Deaths by Causes, Sexes, and Ages, for the State of Alabama for 1892.

RESPIRATORY SYSTEM—Continued.

CAUSES OF DEATH.	COLOR	SEX	TOTAL	AGES OF DECEDENTS. Under 1 year	1-2 Years	2-3 Years	3-4 Years	4-5 Years	5-10 Years	10-15 Years	15-20 Years	20-25 Years	25-30 Years	30-35 Years	35-40 Years	40-45 Years	45-50 Years	50-55 Years	55-60 Years	60-65 Years	65-70 Years	70-75 Years	75-80 Years	80-90 Years	90-100 Years	Age not given
Pneumonia, Typhoid.	W	M	3											3												
		F	2		1				1																	
	B	M	4								1			2						1						
		F	4				1				1		1								1					
	M	M																								
		F																								
Croup.	W	M	30	9	6	6	4	3	2																	
		F	19	6	3	5	1	1	2						1											
	B	M	14	3	3	3	5																			
		F	9	2	2	1	2	1	1																	
	M	M	1	1																						
		F	1						1																	
Asthma, (Emphysema.)	W	M	5		1																1	1	1		1	
		F	3																1	1				1		
	B	M	4	1								2	1													
		F	3	1																1			1			
	M	M																								
		F																								
Laryngitis.	W	M	2	1		1																				
		F	2	1							1															
	B	M																								
		F																								
	M	M	1										1													
		F																								

Bronchitis.	W	M	25	9	3	2	...	...	...	...	...	1	..	...	...	...	...	...	2	2	1	2	1	1	...	1
		F	22	5	5	4	..	...	1	1	...	..	...	1	...	1	2	...	...	...	...	1	...	1	...	...
	B	M	8	1	...	...	...	...	...	...	...	1	...	...	...	...	...	2	1	...	...	1	2	1	..	...
		F	18	7	1	1	1	..	3	1	1	...	2	...	...	...	...	...	...	...	...	1	...	...	...	...
	M	M	1	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	..	...	...	...	...	...	...	...
		F	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	..	..	...	...	...	...	...	...
Bronchitis, Capillary.	W	M	13	7	3	...	..	2	...	...	...	...	...	...	..	..	...	...	...	...	...	1	...	..	...	...
		F	12	4	3	1	...	...	1	..	..	1	...	...	..	..	..	..	...	...	...	...	...	1	...	1
	B	M	5	4	1	...	...	...	...	..	...	...	...	...	..	...	..	...	...	...	..	...	...	...	...	..
		F	5	3	1	1	...	...	...	..	..	...	..	..	..	..	..	...	...	...	...	...	...	...	...	...
	M	M	3	2	...	1	...	...	...	..	..	..	...	..	..	..	..	...	..	..	...	...	...	...	...	...
		F	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Hydrothorax.	W	M	1	...	..	...	...	..	...	...	...	..	..	..	...	...	...	..	...	1	...	...	...	..	...	...
		F	1	...	...	..	...	..	...	..	..	1	...	..	...	...	...	..	...	...	...	.	...	..	...	...
	B	M	...	...	...	...	..	..	...	..	..	...	..	...	...	...	...	..	...	...	...	...	...	...	...	...
		F	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	..	...	...	..	...
	M	M	...	...	..	.	...	..	...	..	...	..	...	...	...	...	...	...	...	...	...	...	...	...	...	...
		F	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Pleurisy.	W	M	2	...	...	...	...	1	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...
		F	3	1	..	..	...	...	...	...	...	...	...	...	1	1	..	...	...	...	...	..	...	...	..	...
	B	M	6	...	...	1	...	...	...	...	1	...	...	1	1	...	...	...	...	...	2	..	...	...	...	...
		F	5	..	...	...	...	...	...	...	1	...	...	...	1	1	1	1	...	...	...	..	...	...	...	...
	M	M	..	..	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	..	...	...	...	...
		F	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Congestion of Lungs.	W	M	11	4	..	1	...	..	...	2	...	2	...	...	...	1	..	..	..	1	..	..	...	..	..	...
		F	8	1	2	...	1	1	..	..	...	...	1	..	..	..	..	..	..	...	1	..	..	1	..	...
	B	M	2	..	.	..	..	..	...	..	...	...	...	..	...	...	1	..	..	..	..	..	...	...	..	1
		F	3	..	...	...	...	..	...	..	...	..	...	..	..	1	1	..	..	..	..	1	..	...	..	...
	M	M	1	...	...	...	...	...	...	..	...	..	...	...	...	...	1	..	..	...	..	..	...	...	..	...
		F	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...
Hemorrhage of Lungs.	W	M	3	..	..	...	...	...	...	..	1	...	...	...	2	..	...	..	..	...	...	..	...	...	..	...
		F	3	..	..	...	.	..	...	...	...	...	...	...	...	..	..	2	..	1	...	...	...	...	..	..
	B	M	2	..	...	..	...	...	...	..	...	...	..	1	...	1	..	...	...	...	...	...	...	...	..	...
		F	4	1	..	..	..	..	...	..	...	..	2	...	...	..	...	...	...	...	1	...	...	...	..	...
	M	M	1	..	..	..	...	..	...	..	...	...	...	1	...	...	..	...	...	...	..	..	...	...	...	...
		F	1		...		...		...		...				...		...			...		...		...		...

Annual Report of Deaths by Causes, Sexes and Ages, for the State of Alabama for 1892.

RESPIRATORY SYSTEM—Continued.

CAUSES OF DEATH.	Color	Sex	Total	Under 1 year	1-2 years	2-3 years	3-4 years	4-5 years	5-10 years	10-15 years	15-20 years	20-25 years	25-30 years	30-35 years	35-40 years	40-45 years	45-50 years	50-55 years	55-60 years	60-65 years	65-70 years	70-75 years	75-80 years	80-90 years	90-100 years	Age not given
			AGES OF DECEDENTS.																							
Abscess of Lungs.	W	M	3								1				1		1									
		F																								
	B	M	1														1									
		F	1																		1					
	M	M																								
		F																								
Odema of Lungs.	W	M	1														1									
		F	1											1												
	B	M	2													1			1							
		F	1													1										
	M	M																								
		F																								
Summary of Deaths from Diseases of Respiratory System.	W	M	275	54	25	18	6	6	6	4	10	15	11	13	10	8	8	11	14	9	13	14	7	7	3	3
		F	225	36	30	12	7	4	8	2	8	12	7	9	17	12	6	6	8	4	8	12	6	9		2
	B	M	275	29	12	9	8	5	9	4	15	28	21	25	15	18	13	11	11	16	8	5	3	3	1	6
		F	187	25	9	7	4	3	12	5	13	10	13	14	9	8	10	10	6	9	7	7	3	2		1
	M	M	15	6	1	1					1		1	1	1		1	1			1					
		F	13	1					1	1			1	2	1		1		1		2	1	1			
Gen'l Summary.			990	151	77	47	25	18	36	16	47	65	54	64	53	46	39	39	40	38	39	39	20	21	4	12

Tonsilitis.	M | B | W	M	3	...	1	...	..	..	..	....	..	...	..	..	...	1	..	1	..	....	...	.	..	...	....	....
		F	..	...	..	...	..	..	...	..	..	...	...	..	...	...	..	...	..	..	..	..	..	..	..	..
		M	1	1	...	..	..	..	...	..	..	...	...	..	...	..	..	...	..	..	..		..	..	..	....
		F	1	..	...	...	1	...	...	...	..	..	..	..	..	...	..	...	..	...	..		..	..	..	..
	M | B | W	M	..	..	...	...	...	...	...	..	..	..	..	...	..	..	..	..	..	..	..	...	..	..	..	.
		F			...	...	...	..	...		..	...					...					...	...		.	
Gastritis.	M | B | W	M	10	3	1	..	1	...	..	...	..	..	..	..	..	1	1	...	1	1	...	1	..	..	...	..
		F	9	...	..	..	..	1	...	...	2	...	4	..	1	..	..	..	1	..	..	..	..	..	..	...
		M	4	...	..	..	..	...	...	1	..	..	...	..	..	..	..	1		1	...	...	1	...	..	...
		F	5	...	1	1	..	...	...	...	..	..	..	..	1	..	..	.	.	..	..	1	1	..	..	..
	M | B | W	M	1	...	...	..	...	...	...	...	..	..	..	..	..	..	..	1	..	..	..	..	..	..	..	..
		F	2	...		1		...							1				..					.	.	..
Typhlitis and Perityphlitis.	M | B | W	M	4	...	...	...	...	...	1	1	...	1	..	1	...	..	..	..	..	...	...	...	...	..	...	..
		F	2	...	...	..	..	..	...	...	..	..	..	..	...	1	..	1	..	..	..	...	..	..	...	...
		M	2	...	...	..	...	...	...	...	..	..	..	..	..	..	..	..	..	1	1	..	..	...	...	...
		F	1	...	...	..	...	...	...	...	..	..	..	..	..	...	1	..	...	..	..	..	..	..	..	...
	M | B | W	M	...	..	..	..	...	...	...	...	...	..	..	...	...	...	..	...	1	..	..	..	...	..	..	..
		F				..					...		...							...						
Pharyngitis.	M | B | W	M	2	...	2	..	..	...	..	.	..	...	..	...	..	..	..	..	...	..	...	..	.	..	..	..
		F	..	..	...	..	...	..	...	..	..	..	.	..	...	...	...	..	..	..	...	..	..	..	..	...
		M	...	..	..	..	...	...	...	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	...
		F	..	...	..	..	...	...	...	..	..	..	.	..	..	...	...	..	..	..	...	..	..	...	...	..
	M | B | W	M	...	..	...	..	...	...	...	..	..	..	..	..	..	..	..	..	..	..	....	..	..	..	..	..
		F		..							..															
Enteritis.	M | B | W	M	14	5	4	2	1	...	...	..	...	..	..	1	..	...	..	..	...	...	..	1	...	...	..	...
		F	11	3	2	1	1	...	...	...	..	1	..	..	1	..	..	..	1	..	1	..	..	..	..	..
		M	7	1	2	1	1	..	.	..	1	1	...	...	..	..	..	..	...	..	..	...	..	...	..	...
		F	7	2	..	...	..	...	2	..	...	1	..	..	..	..	..	...	...	..	1	1	...	...	...	...
	M | B | W	M	..	..	..	..	..	..	..	..	..	...	..	..	..	..	..	..	...	..	..	...	..	...	..	...
		F													..											..
Gastro-Enteritis.	M | B | W	M	12	3	2	5	...	...	1	..	..	...	..	1	..	..	..	..	...	...	...	...	..	...	...	...
		F	6	...	1	...	...	...	..	...	..	..	..	...	1	...	1	1	...	1	..	..	..	..	...	...
		M	6	1	...	1	...	...	1	...	..	..	...	..	..	1	..	...	...	...	..	...	...	..	...	2
		F	6	1	1	...	...	...	1	..	1	..	...	..	...	..	..	...	..	..	..	...	..	..	..	...
	M | B | W	M	2	3	2	...	...	...	..	..	...	...	...	..	..	..	...	..	..	..	..	...	..	..	..	...
		F	..		..		...								..		...	...	...						..	..

Annual Report of Deaths by Causes, Sexes, and Ages, for the State of Alabama for 1892.

DIGESTIVE SYSTEM—Continued.

CAUSES OF DEATH.	Color	Sex	Total	AGES OF DECEDENS. Under 1 year	1-2 years	2-3 years	3-4 years	4-5 years	5-10 years	10-15 years	15-20 years	20-25 years	25-30 years	30-35 years	35-40 years	40-45 years	45-50 years	50-55 years	55-60 years	60-65 years	65-70 years	70-75 years	75-80 years	80-90 years	90-100 years	Age not given
Peritonitis, (not Puerperal.)	W	M	8			1				3		1	1	1			1									
		F	19	1					1	1		5	1		1	1	2	2	1			1	1	1		
	B	M	11	1	1							3		1	2	1			1							1
		F	9		1				1		1	1	3					2								
	M	M	1														1									
		F	2			1									1											
Hernia.	W	M	2								1				1											
		F	2	1													1									
	B	M	4		1											1	1						1			
		F																								
	M	M	1	1																						
		F																								
Dyspepsia.	W	M	4	3																		1				
		F	2										1							1						
	B	M																								
		F																								
	M	M																								
		F																								
Tumor of Stomach.	W	M	1																		1					
		F	2										1										1			
	B	M																								
		F																								
	M	M																								
		F																								

Ulcer of Stomach.	W	M	2																		1	1					
		F	4															1	1				1	1			
	B	M	1																			1					
		F	1															1									
	M	M																									
		F																									
Congestion of Stomach.	W	M																									
		F	2													1			1								
	B	M	1						1																		
		F	1			1																					
	M	M																									
		F	1						1																		
Inflammation of Stomach.	W	M	2		1						1																
		F	2					1															1				
	B	M	1		1																						
		F																									
	M	M	1	1																							
		F																									
Catarrh of Stomach.	W	M																									
		F																									
	B	M																									
		F																									
	M	M	1													1											
		F																									
Hemorrhage of Stomach.	W	M	1									1															
		F																									
	B	M																									
		F																									
	M	M																									
		F																									
Congestion of Bowels.	W	M	13	5	2		1		2							1		1					1				
		F	7	1	1				1	1	1								1			1					
	B	M	9	2			1				1	2				1		1					1				
		F	10	1	1				1	1			2				1		2				1				
	M	M																									
		F																									

Annual Report of Deaths by Causes, Sexes, and Ages, for the State of Alabama for 1892.

DIGESTIVE SYSTEM—Continued.

CAUSES OF DEATH.	Color	Sex	Total	AGES OF DECEDENS. Under 1 year	1-2 years	2-3 years	3-4 years	4-5 years	5-10 years	10-15 years	15-20 years	20-25 years	25-30 years	30-35 years	35-40 years	40-45 years	45-50 years	50-55 years	55-60 years	60-65 years	65-70 years	70-75 years	75-80 years	80-90 years	90-100 years	Age not given
Intussusception of Bowels.	W	M	9	1		1					1	1		1	1			1			1		1			
		F	7	1									1			1			1	1		2				
	B	M	5	1											1		1					1		1		
		F	2																	1		1				
	M	M	1									1														
		F	1	1																						
Inflammation of Bowels.	W	M	5	1		1				1			1					1								
		F	4	1	1						1			1												
	B	M	2																		1					1
		F	2								1	1														
	M	M																								
		F																								
Hemorrhage of Bowels.	W	M	2	1														1								
		F																								
	B	M	3											1				1	1							
		F	1																		1					
	M	M																								
		F																								
Ulceration of Bowels.	W	M																								
		F	1									1														
	B	M																								
		F	1																1							
	M	M																								
		F																								

Perforation of Bowels.	W	M	2	1								1															
		F																									
	B	M																									
		F																									
	M	M																									
		F																									
Phthisis of Bowels.	W	M	1						1																		
		F	2							1									1								
	B	M	2														1										
		F	1	1																							1
	M	M	1																	1							
		F																									
Gastro Intestinal Catarrh.	W	M	3			1	1												1								
		F	8	3	1												1	1	1		1						
	B	M																									
		F																									
	M	M																									
		F																									
Congestion of Stomach and Bowels.	W	M	2												1												
		F	3	2	1																1						
	B	M																									
		F																									
	M	M																									
		F																									
Inflammation of Stomach and Bowels.	W	M																									
		F	3	1	1							1															
	B	M																									
		F																									
	M	M																									
		F																									
Hepatitis.	W	M	8							1				1		1				3	1			1			
		F	4															2					2				
	B	M	4														1			1		1		1			
		F	3																				1		2		
	M	M	1																								1
		F	1																	1							

Annual Report of Deaths by Causes, Sexes and Ages, for the State of Alabama for 1892.

DIGESTIVE SYSTEM--Continued.

CAUSES OF DEATH.	Color	Sex	Total	AGES OF DECEDENTS. Under 1 year	1-2 years	2-3 years	3-4 years	4-5 years	5-10 years	10-15 years	15-20 years	20-25 years	25-30 years	30-35 years	35-40 years	40-45 years	45-50 years	50-55 years	55-60 years	60-65 years	65-70 years	70-75 years	75-80 years	80-90 years	90-100 years	Age not given
Cirrhosis of Liver	W	M	6											1			1	2	1		1					
		F	1														1									
	B	M	2									1										1				
		F																								
	M	M																								
		F																								
Abscess of Liver.	W	M	4							1		1								2						
		F	1															1								
	B	M	1								1															
		F	1													1										
	M	M																								
		F																								
Congestion of Liver.	W	M																								
		F	2																1		1					
	B	M																								
		F																								
	M	M																								
		F																								
Atrophy of Liver.	W	M																								
		F																								
	B	M																								
		F	1									1														
	M	M																								
		F																								

Jaundice.	W	M	5	4																						1			
		F	3	2																					1				
	B	M	2	2																									
		F	1											1															
	M	M																											
		F																											
Appendicitis.	W	M	5					1			2				1			1											
		F	2				1													1									
	B	M	2										1	1															
		F	1											1															
	M	M	1									1																	
		F																											
Ascites.	W	M	3														1					1		1					
		F	3							1												1		1					
	B	M	3							1				1							1								
		F	2							1								1											
	M	M																											
		F																											
Ulcer of Anus.	W	M																											
		F	1																			1							
	B	M																											
		F																											
	M	M																											
		F																											
Anthrepsia.	W	M	3	3																									
		F	4	4																									
	B	M	1		1																								
		F	1	1																									
	M	M																											
		F																											
Aptha.	W	M																											
		F																											
	B	M																											
		F	3		1	2																							
	M	M																											
		F																											

Annual Report of Deaths by Causes, Sexes and Ages, for the State of Alabama for 1892.

DIGESTIVE SYSTEM—Continued.

CAUSES OF DEATH.	Color	Sex	Total	Under 1 year	1-2 years	2-3 years	3-4 years	4-5 years	5-10 years	10-15 years	15-20 years	20-25 years	25-30 years	30-35 years	35-40 years	40-45 years	45-50 years	50-55 years	55-60 years	60-65 years	65-70 years	70-75 years	75-80 years	80-90 years	90-100 years	Age not given
			AGES OF DECEDENTS.																							
Summary of Deaths from Diseases of Digestive System.	W	M	136	30	13	11	4	1	5	7	5	6	2	7	5	4	5	7	2	8	6	4	2	2	....	....
	W	F	117	21	8	1	2	2	2	4	4	8	8	1	5	4	8	10	7	4	5	7	5	1	...	..
	B	M	74	9	6	2	2	..	2	2	3	7	1	4	4	5	3	2	3	3	4	3	3	1	..	5
	B	F	61	8	5	4	..	1	5	2	3	4	5	2	1	2	2	5	1	1	2	5	1	2	..	....
	M	M	11	2	2	..	..	...	...	...	..	2	..	..	1	....	1	1	1	...		....	..	....	.	1
	M	F	7	1		2	.	...	1			..			2					1						....
Gen'l Summary			406	71	34	20	8	4	15	15	15	27	16	14	18	15	19	25	14	17	17	19	11	6		6
			LYMPHATIC SYSTEM AND DUCTLESS GLANDS.																							
Splenitis.	W	M	...		..		..	..	...	...	..	..	..	..	..	..	.	.	..	..	....	..	.	..	..	..
	W	F	...	..	..	....	....		..	..	..	..	..	..	..	..	.	..	..	....	..	..	..	..	..	..
	B	M	1	..		..	1	..	..	..	..	..	..	....	..	...		..	.	..	..	..	..	...	...	..
	B	F	..	..	..	..	....	..	...	...	..	..	..	..	..	..	..	..	..	....	..	..	..	..	.	..
	M	M	..	..	..	....	....	..	..	..	..	..	..	.	....	....	..	..	..	....	..	.	..	..	..	..
	M	F						..	.										...	....						
Prostatis.	W	M	4		..	..	..	..	...	..	..	...	..	..	..	..	..	..	1	....	1	....	2	....	....	....
	W	F	....	..	..	..	..	..	...	.	..	..	..	.	..	..	..	..	..	....	..	....	....	....	....	....
	B	M	....	..	..	..	..	..	...	..	..	..	..	..	..	..	.	..	..	....	..	....	....	..	....	....
	B	F	..	..	..	..	..	..	...	.	...	..	..	.	..	..	..	..	..	....	..	....	....	..	....	....
	M	M	..	..	..	..	..	...	..	.		..		..		..		..	..	...	..	....	....	..	....	....
	M	F					.	...									..	..		...		....	....		....	....
Gen'l Summary.			5		.		1		—	.									1		1		2			

Urinary System.

Brights Disease.	W	M	22								1	1				2	3	4	1	2	1	1	4	2				
		F	20									4	1	2	1		1	1	1	6	1	2						
	B	M	13			1								1	2	1	1		1	2	1	1		1				
		F	10								1	1	1	1		3		1		1	1							
	M	M	2								1								1									
		F																										
Nephritis.	W	M	8											1	2		1	1			2	1						
		F	11										1	1		1	1	1	3		1	2						
	B	M	8									1	1	1		1		1		1	1		1					
		F	6	1	1					1			1				1	1										
	M	M																										
		F																										
Uræmia.	W	M	9												2							5	1	1				
		F	5					1				1						1			2							
	B	M	7								1								1	2	1	1				1		
		F	4													1		1		1	1							
	M	M																										
		F																										
Calculus.	W	M	3							1												1		1				
		F																										
	B	M	1																					1				
		F																										
	M	M																										
		F																										
Suppression of Urine.	W	M																										
		F																										
	B	M	2									1										1						
		F																										
	M	M																										
		F																										
Hæmaturia.	W	M																										
		F																										
	B	M	1															1										
		F																										
	M	M																										
		F																										

Annual Report of Deaths by Causes, Sexes, and Ages, for the State of Alabama for 1892.

URINARY SYSTEM—Continued.

CAUSES OF DEATH.	Color	Sex	Total	Under 1 year	1-2 Years	2-3 Years	3-4 Years	4-5 Years	5-10 Years	10-15 Years	15-20 Years	20-25 Years	25-30 Years	30-35 Years	35-40 Years	40-45 Years	45-50 Years	50-55 Years	55-60 Years	60-65 Years	65-70 Years	70-75 Years	75-80 Years	80-90 Years	90-100 Years	Age not given
			AGES OF DECEDENTS.																							
Cystitis.	W	M	8										1		1		1	1				1	3			
		F	1		1																					
	B	M	5															3				1		1		
		F	1																		1					
	M	M																								
		F	1														1									
Cirrhosis of Kidney.	W	M	1																	1						
		F																								
	B	M																								
		F																								
	M	M																								
		F																								
Summary of Deaths from Diseases of Urinary System.	W	M	51							1	1	1	1	1	5	2	5	6	1	3	3	9	8	4		
		F	37		1			1				5	2	3	1	1	2	3	4	6	4	4				
	B	M	37			1					1	2	1	2	2	2	1	5	2	5	3	5	1	3	1	
		F	21	1	1					1	1	1	2	1		4	1	3		3	2					
	M	M	2								1								1							
		F	1														1									
Gen'l Summary.			149	1	2	1		1		2	4	9	6	7	8	9	10	17	8	17	12	18	9	7	1	

GENERATIVE SYSTEM. (Male.)

Gangrene of Scrotum.	W	M	1																					1				
		F																										
	B	M																										
		F																										
	M	M																										
		F																										

GENERATIVE SYSTEM. (Female.)

Metritis.	W	M																										
		F	1									1																
	B	M																										
		F	3									2		1														
	M	M																										
		F																										
Ovarion Tumor.	W	M																										
		F	2												1			1										
	B	M																										
		F	3										1		1	1												
	M	M																										
		F	1											1														
Pelvic Cellulitis.	W	M																										
		F	1												1													
	B	M																										
		F	1													1												
	M	M																										
		F																										
Tumor of Uterus.	W	M																										
		F	2																			2						
	B	M																										
		F	1									1																
	M	M																										
		F	1												1													

al Report of Deaths by Causes, Sexes, and Ages, for the State of Alabama for 1892.

GENERATIVE SYSTEM (FEMALE)—Continued.

CAUSES OF DEATH.	COLOR	SEX	TOTAL	AGES OF DECEDENTS. Under 1 year	1-2 Years	2-3 Years	3-4 Years	4-5 Years	5-10 Years	10-15 Years	15-20 Years	20-25 Years	25-30 Years	30-35 Years	35-40 Years	40-45 Years	45-50 Years	50-55 Years	55-60 Years	60-65 Years	65-70 Years	70-75 Years	75-80 Years	80-90 Years	90-100 Years	Age not given
Pelvic Peritonitis.	W	M	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...
		F	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	B	M	...	...	...	...	...	...	...	...	...	...	1	...	...	1	...	...	...	...	...	...	...	...	...	...
		F	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	M	M	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
		F	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Suppressed Catamania.	W	M	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
		F	2	...	...	...	...	...	...	...	1	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...
	B	M	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
		F	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	M	M	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
		F	1	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...
Summary of Deaths from Diseases of Generative System. (Female.)	W	M	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
		F	9	...	...	...	...	...	...	...	...	2	1	...	2	1	...	1	...	...	2	...	...	...	...	...
	B	M	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
		F	10	...	...	...	...	...	...	...	...	3	2	1	1	3	...	...	...	...	...	...	...	...	...	...
	M	M	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
		F	3	...	...	...	...	...	...	...	...	...	...	1	1	...	1	...	...	...	...	...	...	...	...	...
Gen'l Summary.			22	...	...	...	...	...	...	...	...	5	3	2	4	4	1	1	...	...	2	...	...	...	...	...

Affections Connected with Child Birth and Pregnancy.

Child Birth.	W	M																									
		F	7								1	1	2	1	1	1											
	B	M																									
		F	28								5	5	3	5	3	4	3										
	M	M																									
		F																									
Post-Partem Hemorrhage.	W	M																									
		F	8								1	1	3	1	2												
	B	M																									
		F	3									1			2												
	M	M																									
		F	1										1														
Puerperal Convulsions.	W	M																									
		F	12							1	1	3	2	2	1	1											1
	B	M																									
		F	13								4	2	2	4	1												
	M	M																									
		F	2									1			1												
Puerperal Peritonitis.	W	M																									
		F	9									2	1	3	2												1
	B	M																									
		F	5							1	1	2		1													
	M	M																									
		F																									
Endo-Metritis.	W	M																									
		F	1													1											
	B	M																									
		F																									
	M	M																									
		F	1									1															

Annual Report of Deaths by Causes, Sexes and Ages, for the State of Alabama for 1892.

AFFECTIONS CONNECTED WITH CHILD BIRTH AND PREGNANCY—Continued.

CAUSES OF DEATH.	Color	Sex	Total	Under 1 year	1-2 years	2-3 years	3-4 years	4-5 years	5-10 years	10-15 years	15-20 years	20-25 years	25-30 years	30-35 years	35-40 years	40-45 years	45-50 years	50-55 years	55-60 years	60-65 years	65-70 years	70-75 years	75-80 years	80-90 years	90-100 years	Age not given
			AGES OF DECEDENTS.																							
Nausea Gravidarum.	W—I	M																								
		F	2									1	1													
	B—I	M																								
		F																								
	M—I	M																								
		F																								
Puerperal Fever.	W—I	M																								
		F	26							1	7	2	5	4	3	1	2									1
	B—I	M																								
		F	28								2	7	6	8	3		1	1								
	M—I	M																								
		F	3								1	2														
Summary of Deaths from Diseases connect'd with Child Birth and Pregnancy.	W—I	M																								
		F	65							2	10	10	14	11	9	4	2									2
	B—I	M																								
		F	77							1	12	17	11	18	9	4	4	1								
	M—I	M																								
		F	7								1	4	1		1											
Gen'l Summary.			149							3	23	31	26	29	19	8	6	1								5

Organs of Locomotion.

Gangrene of Leg.	W	M																									
		F																									
	B	M	2													1											
		F	2											1				1									
	M	M																									
		F																									
Ulcer of Foot.	W	M																									
		F																									
	B	M																									
		F	1																	1							
	M	M																									
		F																									
Arthritis, Rheumatoid.	W	M																									
		F	1																					1			
	B	M																									
		F																									
	M	M																									
		F																									
Gen'l Summary of Deaths from Diseases of Organs of Locomotion.	W	M																									
		F																									
	B	M	6											1	1		1		1		1			1			
		F																									
	M	M																									
		F																									

Integumentary System.

Carbuncle.	W	M																									
		F	2																	1				1			
	B	M																									
		F																									
	M	M																									
		F																									

Annual Report of Deaths by Causes, Sexes and Ages, for the State of Alabama for 1892.

INTEGUMENTARY SYSTEM--Continued.

CAUSES OF DEATH.	Color	Sex	Total	Under 1 year	1-2 years	2-3 years	3-4 years	4-5 years	5-10 years	10-15 years	15-20 years	20-25 years	25-30 years	30-35 years	35-40 years	40-45 years	45-50 years	50-55 years	55-60 years	60-65 years	65-70 years	70-75 years	75-80 years	80-90 years	90-100 years	Age not given
			AGES OF DECEDENTS.																							
Liupus.	W	M																								
		F																								
	B	M																								
		F																								
	M	M																								
		F	1	1																						
Rupia.	W	M																								
		F																								
	B	M																								
		F	1		1																					
	M	M																								
		F																								
Eczema.	W	M																								
		F																								
	B	M	1	1																						
		F																								
	M	M																								
		F																								
Gen'l Summary			5	2	1													1				1				

Class VII—Poison.

By Morphine.	W	M	1											1														
		F																										
	B	M																										
		F	1		1																							
	M	M																										
		F																										
By Opium.	W	M	2												1									1				
		F	1									1																
	B	M																										
		F	3					1			1					1												
	M	M																										
		F																										
By Strychnine.	W	M	1									1																
		F																										
	B	M	1																		1							
		F	1											1														
	M	M																										
		F																										
Summary of Deaths from Poisons.	W	M	4									1		1	1									1				
		F	1									1																
	B	M	4																		1							
		F	5		1			1			1			1		1												
	M	M																										
		F																										
Gen'l Summary.			11		1			1			1	2		2	1	1					1		1					

Annual Report of Deaths by Causes, Sexes, and Ages, for the State of Alabama for 1892.

POISONED WOUNDS.

CAUSES OF DEATH.	Color	Sex	Total	AGES OF DECEDENS. Under 1 year	1-2 years	2-3 years	3-4 years	4-5 years	5-10 years	10-15 years	15-20 years	20-25 years	25-30 years	30-35 years	35-40 years	40-45 years	45-50 years	50-55 years	55-60 years	60-65 years	65-70 years	70-75 years	75-80 years	80-90 years	90-100 years	Age not given
Hydrophobia.	W	M	3	...	...	...	...	...	1	1	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...
		F	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	B	M	1	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
		F	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...
	M	M	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
		F	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Gen'l. Summary of Deaths from Hydrophobia.	W	M	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
		F	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	B	M	5	...	...	...	...	...	1	2	...	...	...	1	...	...	...	...	...	...	...	...	...	1	...	...
		F	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	M	M	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
		F	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...

CLASS VIII.—VIOLENCE, ACCIDENTS AND NEGLIGENCE.

Gun and Pistol Shot Wounds.	W	M	8	...	...	...	1	...	...	1	..	2	1	1	..	1	...	...	..	1	...	...	...	...	...	...
		F	...	...	...	...	...	...	...	...	...	..	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	B	M	8	...	...	...	...	1	1	..	...	3	...	1	...	..	2	...	...	...	...	...	...	...	...	...
		F	2	...	...	...	...	...	...	1	...	...	...	..	...	1	...	...	...	...	...	...	..	...	...	...
	M	M	..	...	...	...	..	..	...	..	...	..	..	...	..	..	..	...	..	...	...	...	..	...	...	...
		F	1	...	...	..	...		...	...	...	..	...	...	...	..	1	..	...	...	...	...	...	...	..	...

Burns and Scalds	W	M	17		1	2	4	2			3	1	1		1									1		1
		F	23		1	5	1	1	4	5	1	1	1		1			1	1							
	B	M	13	1		4	2	3	1				1								1					
		F	33	1	4	2	2	2	7	6	4	1		1			1					1	1			
	M	M																								
		F	3				1					1					1									
Drowning.	W	M	6					1	1		1			1	2											
		F	3								1	1						1								
	B	M	6						1	1		1	2					1								
		F	3									2					1									
	M	M																								
		F																								
Asphyxia.	W	M	6	6																						
		F	8	8																						
	B	M	6	4		1								1												
		F	9	9																						
	M	M																								
		F																								
Railroad Injuries	W	M	29									8	9	6	4				1			1				
		F																								
	B	M	25						1	3	2	5	7	3	2	1				1						
		F	2								1			1												
	M	M	2											1	1											
		F																								
Falling.	W	M	6		1							2		1				1			1					
		F	3	1														1				1				
	B	M	4				1			1				1	1											
		F	1																		1					
	M	M																								
		F	1										1													
Fracture of Skull.	W	M	5							1			1	2					1							
		F	1											1												
	B	M	4									1	1	1	1											
		F	3											1	1						1					
	M	M																								
		F																								

Annual Report of Deaths by Causes, Sexes, and Ages, for the State of Alabama for 1892.

ACCIDENTS AND NEGLIGENCE—Continued.

CAUSES OF DEATH.	Color	Sex	Total	Under 1 year	1-2 years	2-3 years	3-4 years	4-5 years	5-10 years	10-15 years	15-20 years	20-25 years	25-30 years	30-35 years	35-40 years	40-45 years	45-50 years	50-55 years	55-60 years	60-65 years	65-70 years	70-75 years	75-80 years	80-90 years	90-100 years	Age not given
			AGES OF DECEDENS.																							
Fracture of Spine	M | B | W	M																								
		F																								
		M	1										1													
		F	1	1																						
	M | B | W	M																								
		F																								
Fracture of Hip Joint.	M | B | W	M																								
		F	1																					1		
		M																								
		F																								
	M | B | W	M																								
		F																								
Accident in Mines.	M | B | W	M	6									2			1	1	1			1						
		F																								
		M	12									3	1		3											5
		F																								
	M | B | W	M	1									1														
		F																								
Falling Tree.	M | B | W	M	4						1			1	1				1									
		F	1												1											
		M																								
		F																								
	M | B | W	M																								
		F																								

Falling Dirt.	W	M																										
		F																										
	B	M	3									1					1	1										
		F																										
	M	M																										
		F																										
Injury at Saw Mill	W	M	2												1	1												
		F	3										1	1	1													
	B	M																										
		F																										
	M	M																										
		F																										
Boiler Explosion.	W	M	6												1	2	1	1	1									
		F																										
	B	M	6										1		1	1	2	1										
		F																										
	M	M																										
		F																										
Foreign Body in Trachea.	W	M	1		1																							
		F																										
	B	M																										
		F	1	1																								
	M	M																										
		F																										
Injury from Tame Bear.	W	M	1												1													
		F																										
	B	M																										
		F																										
	M	M																										
		F											1															
Lock Jaw.	W	M																										
		F																										
	B	M	1												1													
		F																										
	M	M																										
		F																										

Annual Report of Deaths by Causes, Sexes and Ages, for the State of Alabama for 1892.

CLASS VIII--Continued.

CAUSES OF DEATH.	Color	Sex	Total	AGES OF DECEDENTS. Under 1 year	1-2 years	2-3 years	3-4 years	4-5 years	5-10 years	10-15 years	15-20 years	20-25 years	25-30 years	30-35 years	35-40 years	40-45 years	45-50 years	50-55 years	55-60 years	60-65 years	65-70 years	70-75 years	75-80 years	80-90 years	90-100 years	Age not given
Poisoned.	W	M	1			1																				
		F	1																		1					
	B	M	2			1												1								
		F																								
	M	M																								
		F																								
Freezing.	W	M	2									1			1											
		F																								
	B	M	2	2																						
		F																								
	M	M																								
		F																								
Runaway Team.	W	M	1																	1						
		F	1	1																						
	B	M																								
		F																								
	M	M																								
		F																								
Thrown from Horse.	W	M	1													1										
		F																								
	B	M	1															1								
		F	1																1							
	M	M																								
		F																								

Kicked by Mule	W	M																										
		F																										
	B	M	1																		1							
		F																										
	M	M																										
		F																										
Falling Door.	W	M																										
		F																										
	B	M	1										1															
		F																										
	M	M																										
		F																										
Traumatism.	W	M	3	1								1						1										
		F																										
	B	M	2									1			1													
		F																										
	M	M																										
		F																										
Lightning Stroke.	W	M	1						1																			
		F																										
	B	M	1								1																	
		F																										
	M	M																										
		F																										
Other Accidents.	W	M	17	1			1		1	3		2	1		1	1			2		1							2
		F																										
	B	M	6						1	2		1			1				1									
		F	1										1															
	M	M																										
		F																										
Summary of Deaths from Accidents, Negligence, etc.	W	M	123	8	3	3	6	3	4	5	4	20	14	14	13	5	3	3	4	3	2	1		1				3
		F	45	10	1	5	1	1	4	5	2	3	2	2	2			3	1		1		1	1				
	B	M	105	7		6	3	4	5	7	3	17	14	9	11	4	3	3	1	2	1							5
		F	57	12	4	2	2	2	7	7	5	3	1	3	1	1	2		1		2	1	1					
	M	M	3									1		1	1													
		F	5				1					1	1				2											
Gen'l Summary.			338	37	8	16	13	10	20	24	14	45	32	29	28	10	10	9	7	5	6	2	2	2				8

Annual Report of Deaths by Causes, Sexes and Ages, for the State of Alabama for 1892.

HOMICIDE.

CAUSES OF DEATH.	Color	Sex	Total	Under 1 year	1-2 years	2-3 years	3-4 years	4-5 years	5-10 years	10-15 years	15-20 years	20-25 years	25-30 years	30-35 years	35-40 years	40-45 years	45-50 years	50-55 years	55-60 years	60-65 years	65-70 years	70-75 years	75-80 years	80-90 years	90-100 years	Age not given
			AGES OF DECEDENTS.																							
With Pistol and Gun.	W	M	17								2	2	2	3	1	2	2	1	2							
		F																								
	B	M	51							4	7	16	10	4	4	1	1	2			1					1
		F	2								1	1														
	M	M	2										2													
		F	1								1															
With Knife.	W	M	3										2				1									
		F																								
	B	M	4								1	2	1													
		F	4									2			1											1
	M	M																								
		F																								
With Hoe.	W	M																								
		F																								
	B	M																								
		F	1									1														
	M	M																								
		F																								
With Club.	W	M																								
		F																								
	B	M	2						1						1											
		F																								
	M	M																								
		F																								

With Rock.	W	M																										
		F																										
	B	M	1									1																
		F																										
	M	M																										
		F																										
Smothered.	W	M																										
		F																										
	B	M	1	1																								
		F																										
	M	M																										
		F																										
Lynched.	W	M	2											1			1											
		F																										
	B	M	1									1																
		F																										
	M	M																										
		F																										
Mode not stated.	W	M	4												2	1						1						
		F	1										1															
	B	M	3										1					1	1									
		F	2										1		1													
	M	M																										
		F																										
Summary of Deaths from Homicide.	W	M	26									2	2	5	5	2	3	3	1	2	1							
		F	1										1															
	B	M	63	1						1	4	10	19	11	4	5	1	2	3				1					1
		F	9									1	5		1	1												1
	M	M	2											2														
		F	1									1																
Gen'l Summary.			102	1						1	4	14	27	18	10	8	4		1	2			1					2

Annual Report of Deaths by Causes, Sexes, and Ages, for the State of Alabama for 1892.

SUICIDE.

CAUSES OF DEATH.	COLOR	SEX	TOTAL	AGES OF DECEDENTS. Under 1 year	1-2 Years	2-3 Years	3-4 Years	4-5 Years	5-10 Years	10-15 Years	15-20 Years	20-25 Years	25-30 Years	30-35 Years	35-40 Years	40-45 Years	45-50 Years	50-55 Years	55-60 Years	60-65 Years	65-70 Years	70-75 Years	75-80 Years	80-90 Years	90-100 Years	Age not given
Pistol.	W	M	1										1													
		F	1															1								
	B	M																								
		F																								
	M	M																								
		F																								
Knife.	W	M																								
		F	1									1														
	B	M																								
		F																								
	M	M																								
		F																								
Morphine.	W	M	1										1													
		F	2										1													1
	B	M	1																		1					
		F	2												1	1										
	M	M																								
		F	2									1	1													
Arsenic.	W	M																								
		F																								
	B	M	1																1							
		F																								
	M	M																								
		F																								

Hanging.	W	M	1																			1					
		F	1								1																
	B	M																									
		F																									
	M	M																									
		F																									
Mode not stated.	W	M	3								1			1			1										
		F	2										1					1									
	B	M																									
		F																									
	M	M																									
		F																									
Summary of Deaths from Suicide.	W	M	6								1	2		1			1					1					
		F	7								1	1	2					2									1
	B	M	2																1			1					
		F	2												1	1											
	M	M																									
		F	2									1	1														
Gen'l Summary			19								2	4	3	1	1	1	1	2	1			2					1

Class IX—Surgical Operations.

Laparotomy.	W	M																									
		F																									
	B	M																									
		F	1								1																
	M	M																									
		F																									
Surgical Operation.	W	M																									
		F																									
	B	M																									
		F	1											1													
	M	M																									
		F																									

Annual Report of Deaths by Causes, Sexes, and Ages, for the State of Alabama for 1892.

SURGICAL OPERATIONS—Continued.

CAUSES OF DEATH.	Color	Sex	Total	Under 1 year	1-2 years	2-3 years	3-4 years	4-5 years	5-10 years	10-15 years	15-20 years	20-25 years	25-30 years	30-35 years	35-40 years	40-45 years	45-50 years	50-55 years	55-60 years	60-65 years	65-70 years	70-75 years	75-80 years	80-90 years	90-100 years	Age not given
			AGES OF DECEDENS.																							
General Sum'ary of Deaths from Surgical Operations.	W	M																								
		F																								
	B	M	2											1												
		F																								
	M	M																								
		F																								

CLASS X.—UNCLASSIFIED.

Tumor.	W	M	1					1																		
		F	1													1										
	B	M																								
		F	2										1	1												
	M	M																								
		F																								
Hemorrhage.	W	M																								
		F	1													1										
	B	M	4	1									1			1										1
		F	2											1			1									
	M	M																								
		F																								

Abscess.	W	M																									
		F	2		1							1															
	B	M	1																								
		F	2							1				1													
	M	M																									
		F																									
Gangrene.	W	M																									
		F	1			1																					
	B	M																									
		F																									
	M	M																									
		F																									
Cause not stated.	W	M	125	66	15	3	2	1	2	2	1	2	2	2	4		1	2	2	2	2	2	4	3	1	4	
		F	136	50	8	4	2	1	4	4	5	4	5	5	9	3	3	4	3	4	1	7	4		1	5	
	B	M	317	98	27	9	9	7	7	12	10	10	19	12	9	15	9	13	10	8	6	6	6	5	3	7	
		F	249	91	22	10	11	3	8	5	13	9	8	8	9	9	5	7	2	8	5	5	1	4	4	4	
	M	M	18	8	3	1			1						1			1					1	1		1	
		F	15	3	1	1		1			2	1	2	1	1	1						1					
Congestion, general.	W	M	30	11	1		1		2	2	3	2		1	1	1			2	1			1			1	
		F	30	7	6	1	2	1	3	2	2	1	1					2	1							1	
	B	M	26	1	3		2	1	4	1	3	1	3	1	3	2		1									
		F	22	2	2		1	3	2	1		1	2	1	2	3		1					1				
	M	M	2	1	1																						
		F	5	1	1				1						1	1											
Summary of Deaths from Causes Unclassified.	W	M	169	90	16	3	3	2	4	4	4	4	2	3	5	7	1	2	4	3	2	2	5	3	1	5	
		F	181	67	15	6	4	2	7	6	7	6	6	5	9	5	3	6	4	4	1	7	4		1	6	
	B	M	348	100	30	9	11	8	11	13	13	11	23	13	12	18	9	14	10	8	7	6	6	5	3	8	
		F	277	93	24	10	12	6	10	6	14	10	11	11	12	12	6	8	2	8	5	5	2	4	4	4	
	M	M	20	9	4	1			1						1			1					1	1		1	
		F	20	4	2	1		1	1		2	1	2	1	2	2						1					
Gen'l Summary.			1015	363	91	30	33	19	34	29	40	32	44	33	41	38	19	31	20	23	15	21	18	13	9	24	

Annual Report of Deaths by Causes, Sexes and Ages, for the State of Alabama for 1892.

CAUSES OF DEATH.	Color	Sex	Total	AGES OF DECEDENTS. Under 1 year	1-2 years	2-3 years	3-4 years	4-5 years	5-10 years	10-15 years	15-20 years	20-25 years	25-30 years	30-35 years	35-40 years	40-45 years	45-50 years	50-55 years	55-60 years	60-65 years	65-70 years	70-75 years	75-80 years	80-90 years	90-100 years	Age not given
Gen'l Summary of Deaths for 1892.	W	M	1887	378	144	74	34	27	44	42	67	110	89	98	96	73	66	71	59	72	99	75	65	72	14	18
		F	1834	301	127	62	28	18	50	46	94	119	93	89	101	87	76	91	70	73	77	86	54	57	16	16
	B	M	1984	280	122	72	49	34	60	66	113	180	137	109	103	111	73	74	65	74	56	50	50	38	18	57
		F	1863	262	122	77	43	28	81	65	126	138	148	117	97	82	70	64	48	61	49	50	38	43	25	19
	M	M	140	26	11	4	2	1	6	3	6	12	11	7	7	7	5	6	4	4	5	6	1	2	..	3
		F	115	17	3	4	1	2	4	3	7	10	10	7	9	2	12	4	2	3	5	6	2	2		
Grand Total			7823	1264	529	293	157	110	245	225	413	569	489	420	411	362	302	320	248	287	291	273	210	214	73	113

100 to 110 years--2 White Females; 1 Black Male; 6 Black Females. 110 to 120 years—1 Black Male; 2 Black Females; 1 Mulatto Male.

Annual Report of Deaths by Causes, Colors, Sexes,

Causes of Death.	Total.	Colors.			Sexes.		Deaths per Month.											
		White.	Black.	Mulatto.	Male.	Female.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
Class I.—Zymotic.																		
Miasmatic Diseases.																		
Measles	29	17	12	....	21	8	3	1	3	4	3	4	3	4	...	2	1	1
Scarlet Fever	8	5	2	1	5	3	1	2	1	...	...	1	2	...	...	1	...	...
Typhoid Fever	350	200	141	9	196	154	17	16	14	20	27	30	45	43	54	42	33	19
Typho-Malarial Fever	26	16	10	....	14	12	2	...	3	...	2	1	6	3	4	2	1	2
Cerebro-Spinal Fever	5	3	2	....	3	2	1	...	...	1	.	...	...	...	2	1	...	...
Continued Fever	29	7	22	....	12	17	...	1	1	5	...	...	3	5	2	8	3	1
Diphtheria	31	28	2	1	13	18	3	2	...	1	2	1	1	2	2	10	4	3
Whooping Cough	41	15	25	1	17	24	3	2	3	5	4	3	2	3	3	5	3	5
LaGrippe	303	179	120	4	157	146	152	66	47	15	7	3	4	3	1	1	2	2
Summary of Deaths from Miasmatic Diseases	822	470	336	16	437	385	182	90	72	51	45	43	66	63	68	72	47	33
Diarrhœal Diseases.																		
Dysentery	304	179	117	8	187	117	15	7	6	11	43	51	48	59	27	20	13	4
Diarrhœa	106	57	45	4	63	43	7	3	3	3	11	14	21	14	15	6	5	4
Cholera Morbus	11	9	2	....	3	8	1	...	...	...	2	2	2	1	2	...	1	...
Cholera Infantum	127	79	43	5	62	65	2	1	2	...	13	17	24	28	25	11	1	3
Colic, Bilious	13	7	6	....	6	7	2	1	...	1	2	1	1	2	...	...	1	2
Entero-Colitis	72	47	25	....	40	32	1	1	1	2	8	19	15	10	8	3	1	3
Summary of Deaths from Diarrhœal Diseases	633	378	238	17	361	272	28	13	12	17	79	104	111	114	77	40	22	16
Malarial Diseases.																		
Malarial Fever	120	38	74	8	62	58	2	2	2	2	4	14	14	22	23	16	16	3
Pernicious, or Cong. Fever	40	15	25	....	23	17	...	1	1	1	1	3	5	10	12	5	1	...
Hemorrhagic Mal. Fever	4	3	1	....	4	....	...	..	.	...	...	...	...	1	1	1	1	...
Intermittent Fever	20	5	15	....	7	13	...	...	...	1	3	2	4	3	2	3	1	1
Bilious Remittent Fever	57	27	29	1	30	27	.	1	2	2	4	2	7	22	9	5	1	2
Gastric Fever	2	2	...	....	1	1	..	...	...	.	...	1	...	1	...	...	...	...
Catarrhal Fever	13	6	7	....	5	8	6	.	.	...	...	...	1	3	...	...	3	...
Summary of Deaths from Malarial Diseases	256	96	151	9	132	124	8	4	5	6	12	22	31	62	47	30	23	6
Venereal Diseases.																		
Syphilis	26	3	23	....	19	7	2	4	3	4	1	3	1	2	1	2	1	1
Stricture Urethra	1	...	...	...	..	...	...	...	...	...	...	1	...	...	...	...	...	...
Summary of Deaths from Venereal Diseases	27	3	23	....	19	7	2	4	3	4	1	4	1	2	1	2	1	1

Months and Ages, for the State of Alabama, for 1892.

AGES OF DECEDENTS.

Under 1 year	1-2 years	2-3 years	3-4 years	4-5 years	5-10 years	10-15 years	15-20 years	20-25 years	25-30 years	30-35 years	35-40 years	40-45 years	45-50 years	50-55 years	55-60 years	60-65 years	65-70 years	70-75 years	75-80 years	80-90 years	90-100 years	Age not given
9	8	2	2	....	3	1	2	2	....	....	....	....	....	..	....	....	....	....	....	....	....	..
2	1	1	1	....	3	....	....	....	....	....	....	....	....	..	....	....	....	....	....	....	....	..
6	...	6	7	6	12	30	62	48	31	34	26	23	16	8	5	12	8	2	4	3	...	1
3	1	.	..	....	1	2	4	3	2	3	2	1	1	..	3	...	....	..	....	..	..	..
1	....	..	.	..	....	1	....	2	....	....	....	....	....	.	1	...	....	.	....	..	..	..
2	4	1	1	1	2	5	3	2	2	2	1	....	....	.	1	...	...	1	1	..	..	..
3	8	8	2	5	4	1	...	....	....	....	....	....	....	..	.	.	.	....	....	..	..	..
17	12	7	3	1	1	....	....	....	....		.	....	....	.	.	.	.	..	....	..	..	..
34	10	7	4	4	11	4	12	12	16	14	16	16	8	17	13	18	24	17	22	19	5	.
77	44	32	20	17	37	42	81	70	62	52	46	39	26	26	21	30	36	20	27	22	5	1
46	40	23	2	7	17	4	9	15	21	11	11	12	13	15	11	16	7	10	2	4	2	
13	22	7	3	1	1	....	1	4	4	6	3	5	4	2	3	3	9	3	1	5	2	4
2	....	1	....	1	..	....	1	..	1			1		1	.	.	1	1	1	..	....	..
65	36	12	2	1	..	1	...	.	....	.	....	....	..	.			.	.	....	....	....	....
5	1		.	...	1	...	1	...	1		....	....	1	1		.	.	1	..	1	..	..
20	25	7	3	2	3	2	1	..	1	2	1	....	...	.		2	.	2	1	...	...	..
161	124	50	10	12	22	7	13	19	28	19	15	18	18	19	14	21	17	17	5	10	4	10
11	7	6	3	3	8	9	10	19	8	6	9	3	4	4	1	1	5	...	6	..	...	...
2	2	2	1	1	4	1	3	5	3	4	....	2	1	3	.	3	2	2	...	...	...	...
...	....	...	.	....	...	....	2	...	...	1	...	1	...	...	...	...	...	...	...	...	...	...
1	3		2	..	...	2	1	3	2	2	...	3	..	1		..	.	...	...	...		..
3	4	5	5	4	5	4	3	1	8	2	4	1	3	1	1	1	...	1	..	1	...	...
2	..	..	....	.	...	.	...	...	.	....	...	...	..	...	...	...	...	...	...	...		..
1	2	2		....	..	2	....	1	....	1	1	...	....	1	..	...	1	...	1	...	...	..
20	18	15	11	8	17	18	19	29	21	19	14	10	8	9	2	5	8	3	7	1	...	...
6	...	...	...	..	.	.	2	6	5	1	....	3	..	1	1	...	...	1	...	...	.	..
....	...	.	....		....		..	...	...	....	...	...	...	...	1	...	...	..	...	...		..
6	....	....	....	....	....	....	2	6	5	1	....	3	....	1	2	...	...	1	...	...		..

Annual Report of Deaths by Causes, Colors, Sexes,

Causes of Death.	Total.	Colors.			Sexes.		Deaths per Month.											
		White.	Black.	Mulatto.	Male.	Female.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
Septic Diseases.																		
Erysipelas	33	24	9	....	13	20	1	1	2	1	2	4	1	2	7	7	3	2
Pyæmia	9	6	3	....	7	2	...	1	...	...	1	...	...	1	1	...	2	3
Septicæmia	37	19	18	....	11	26	...	2	4	...	3	4	4	1	5	11	...	3
Puerperal Septicæmia	14	8	6	....	....	14	2	...	3	..	4	...	1	1	1	1	1	...
Summary of Deaths from Septic Diseases	93	57	36	....	31	62	3	4	9	1	10	8	6	2	14	19	6	8
Class II.—Parasitic Diseases.																		
Thrush	4	1	3	....	3	1	3	...	...	...	...	1	...	...	...	...	...	...
Worms	25	2	23	....	10	15	2	1	3	5	2	1	4	...	4	2	1	..
Summary of Deaths from Parasitic Diseases	29	3	26	....	13	16	5	1	3	5	2	2	4	...	4	2	1	...
Class III.—Dietetic Diseases.																		
Alcoholism	12	11	....	1	11	1	1	1	2	...	...	...	1	1	1	2	2	1
Delirium Tremens	1	1	..	...	1	....	...	...	...	1	...	...	...	...	...	...	...	...
Summary of Deaths from Dietetic Diseases	13	12	....	1	12	1	1	1	2	1	...	...	1	1	1	2	2	1
Class IV—Constitutional Diseases.																		
Phthisis Pulmonalis	817	318	464	35	343	474	61	65	89	83	82	69	70	75	58	64	49	52
Peritonitis, Tubercular	3	..	3	....	1	2	...	1	1	...	...	...	1	...	...	...	...	...
Rheumatism	25	14	11	....	10	15	4	2	2	2	3	1	2	3	1	2	2	1
Rheumatism, Syphilitic	4	4	....	....	3	1	..	2	...	1	1	...	...	...	...	...	...	...
Rachitis	2	2	....	....	1	1	...	...	1	...	...	...	...	...	...	...	1	...
Tabes Mesenterica	8	4	2	2	4	4	1	2	...	...	...	1	1	1	1	1	...	...
Purpura Hemorrhagica	3	1	2	....	2	1	...	...	1	..	...	...	...	1	...	1	...	...
Diabetes	9	8	1	....	8	1	...	...	1	...	1	...	1	1	1	1	1	2
Leucocythæmia	4	3	1	....	2	2	...	...	...	...	...	...	...	...	...	...	...	...
Rickets	3	1	2	....	3	....	...	...	1	...	...	...	...	1	1	...	...	...
Scrofula	20	8	10	2	9	11	1	2	...	5	5	2	...	3	...	2	...	...
Anæmia	16	11	5	....	5	11	1	1	1	4	2	1	...	1	...	2	2	1
Chlorosis	1	1	....	....	....	1	...	...	...	1	...	...	...	...	...	...	...	...
Cancer (not located)	25	15	10	....	9	16	3	3	2	...	7	3	..	...	...	1	2	4
Cancer of Face	3	3	....	....	3	....	...	...	...	...	...	1	...	...	...	1	1	...
Cancer of Mouth	1	1	....	....	....	1	...	1	...	...	...	...	...	...	...	...	...	...
Cancer of Tongue	1	1	....	....	1	....	..	...	...	...	...	...	...	...	...	1	...	...
Cancer of Throat	1	....	1	....	....	1	..	...	...	...	...	1	...	...	...	...	...	...

Months and Ages, for the State of Alabama, for 1892.

AGES OF DECEDENTS.

Under 1 year	1-2 years	2-3 years	3-4 years	4-5 years	5-10 years	10-15 years	15-20 years	20-25 years	25-30 years	30-35 years	35-40 years	40-45 years	45-50 years	50-55 years	55-60 years	60-65 years	65-70 years	70-75 years	75-80 years	80-90 years	90-100 years	Age not given
6	1	2	1	....	3	....	4	2	1	1	2	....	1	1	1	4	...	1	...	2	.	...
....	....	....	....	....	....	....	....	3	1	1	...	....	1	..	....	...	1	1	...	...	1	...
1	1	....	....	....	2	....	4	7	2	5	4	4	1	2	1	...	1	..	...	1	.	1
....	....	....	....	....	....	....	2	4	5	....	2	1	....	....	....	....	....	....	....	....	..	...
7	2	2	1	....	5	....	10	16	9	7	8	5	3	3	2	4	2	2	...	3	1	1
3	1	....	....	....	....	....	....	..	....	.	....	....	....	....	....	....	....	....	....	....	....	...
....	3	9	8	3	1	1	....	.	....	....	....	....	....	....	....	....	....	....	....	....	....	...
3	4	9	8	3	1	1	....	....	....	.	....	....	....	....	....	....	....	....	....	....	....	...
....	....	....	....	....	....	....	....	....	1	3	1	1	1	...	1	1	1	1	1	..	...	..
....	....	....	....	....	....	....	....	1	...	....	....	....	....	....	....	....	....	....	....	....	....	..
....	....	....	....	....	....	....	....	1	1	3	1	1	1	...	1	1	1	1	1	...	...	...
4	12	3	6	1	11	21	82	131	110	76	78	66	43	53	25	28	20	18	4	2	...	23
....	....	....	....	....	....	....	....	1	1	1	....	....	....	....	....	....	....	....	....	....	....	...
....	....	....	....	....	....	3	1	....	....	1	...	3	4	3	3	3	1	...	3	....	....	...
....	....	....	..	....	....	....	..	....	....	1	1	....	....	..	1	1	....	....	....	....	....	..
1	....	1	....	....	....	....	...	....	....	....	....	....	....	....	....	....	....	....	....	....	....	...
2	....	2	...	...	1	....	....	....	1	..	1	....	....	.	1	....	....	....	....	....	....	...
....	2	....	..	1	...	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	...
....	..	2	....	....	....	....	....	1	....	1	1	....	....	1	.	...	..	1	1	....	....	1
....	....	1	....	....	1	1	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	...
....	2	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	...
....	2	1	...	1	4	3	1	3	1	1	....	....	1	....	....	....	....	1	....	....	....	...
1	....	1	....	....	1	....	....	1	....	....	....	1	....	....	....	....	1	3	1	4	2	...
....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	...
....	....	....	....	....	....	....	....	1	....	....	....	3	....	4	6	4	2	4	1	....	....	...
....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	..	1	1	1	....	...
..	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	...
....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	...
....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	...
	21																					

Annual Report of Deaths by Causes, Colors, Sexes,

Causes of Death.	Total	Colors.			Sexes.		Deaths per Month.											
		White	Black	Mulatto	Male	Female	January	February	March	April	May	June	July	August	September	October	November	December
Constitutional Diseases. (Continued.)																		
Cancer of Hand	1	1				1									1			
Cancer of Breast	8	7	1			8	1	1	1	1	1	2	1					
Cancer of Liver	2	2			2												2	
Cancer of Pancreas	1	1			1												1	
Cancer of Uterus	47	26	18	3		47	6	3	3	6	4	6	9	4	1	2	2	1
Cancer of Stomach	11	11			5	6	1		2			1		1	2		4	
Cancer of Bowels	1	1			1			1										
Cancer of Anus	3	3				3						2			1			
Cancer of Vulva	1	1				1						1						
Cancer of Axillary	1	1				1						1						
Cancer of Mesenteria	1	1				1	1											
Summary of Deaths from Constitutional Diseases	1022	445	535	42	413	509	80	84	105	103	106	92	85	91	72	78	65	71
Class V—Developmental Diseases.																		
Premature Birth	90	54	39	2	49	41	7	2	8	7	4	6	12	6	8	7	15	8
Cretinism	1		1		1					1								
Cyanosis	10	7	3		7	3		1		1	1	3		2		1	1	
Spina Bifida	3	3			1	2								2			1	
Malformation	7	5	2		4	3	2		1	1						1	1	1
Umbilical Hemorrhage	8	4	3	1	5	3	3	1		2		1	1					
Marasmus	25	17	8		19	6	2	2	1	2	5	3	3	1	1	2	2	1
Dentition	68	8	60		31	37	1	2	1	5	5	7	11	11	12	4	6	3
Inanition	105	46	56	3	36	69	7	8	3	6	10	16	9	17	12	4	9	4
Semile Gangrene	4	3	1		3	1				2	2							
Debility (General)	17	10	1	6	9	8	2		1	2	1	2	2	2	2	1	1	1
*Old Age	178	69	104	5	78	100	28	9	16	13	8	10	14	20	16	17	10	17
Summary of Deaths from Developmental Diseases	516	223	276	17	243	273	52	25	31	42	36	48	52	61	51	37	46	35
Class VI—Local Diseases Nervous System.																		
Hydrocephalus	8	2	6		5	3	4	1	1	1					1			
Congestion of Brain	60	33	22	5	25	35	5	1	4	5	5	2	7	6	9	5	8	3
Inflammation of Brain	18	6	12		9	9	2	1	1	2		2	3	4	1	1		1
Concussion of Brain	3	1	2		3								1		1		1	
Softening of Brain	5	4	1		3	2	2	1	1								1	
Apoplexy of Brain	5	3	1	1	2	3		1	1					2		1		
Hemorrhage of Brain	16	12	3	1	11	5	1	4	1	2	2	2	2	1	1			

*100–110 years—8. 110–120 years—3.

Months and Ages, for the State of Alabama, for 1892.

AGES OF DECEDENTS.

Under 1 year	1-2 years	2-3 years	3-4 years	4-5 years	5-10 years	10-15 years	15-20 years	20-25 years	25-30 years	30-35 years	35-40 years	40-45 years	45-50 years	50-55 years	55-60 years	60-65 years	65-70 years	70-75 years	75-80 years	80-90 years	90-100 years	Age not given
....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....
....	....	....	....	....	....	....	....	....	....	....	....	3	....	....	1	3	....	1	....	....	....	....
....	....	....	....	....	....	....	....	1	....	....	....	1	....	....	....	....	....	....	....	....	....	....
....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....
....	....	....	....	....	....	....	....	1	2	1	5	8	12	3	6	4	3	2	2	....	....	....
....	....	....	....	....	....	....	....	....	....	....	....	2	1	1	1	3	1	1	....	1	....	....
....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....
....	....	....	....	....	....	....	....	....	....	....	....	2	....	....	1	....	....	....	....	....	....	....
....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....
....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....
....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
8	20	11	7	3	18	28	86	140	115	82	86	88	61	65	46	48	28	34	13	9	2	24
90	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
10	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
6	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
8	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
6	10	....	....	....	1	....	1	1	....	1	1	....	....	....	....	....	....	....	....	....	2	2
22	32	14	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
85	10	3	....	1	1	1	....	....	....	....	....	....	....	....	....	....	....	....	1	2	1	....
....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	1	1	1	....	....
3	....	....	....	....	....	1	....	....	....	....	....	....	1	2	3	3	....	4	....	....	....	....
....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	2	8	25	33	63	36	....
233	53	17	....	2	2	2	1	1	....	1	1	....	1	2	3	5	11	29	35	70	39	2
4	2	1	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....
18	9	3	2	....	1	3	5	2	....	2	1	2	2	1	....	5	1	1	1	....	....	1
5	....	1	2	....	1	1	2	....	1	2	....	....	1	....	....	....	....	2	....	....	....	....
....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	2	....	....	....	....
....	....	....	....	....	....	....	....	....	1	....	....	....	1	....	....	1	....	1	1	....	....	....
....	....	....	....	....	....	....	....	....	1	1	1	....	1	....	....	....	1	....	....	....	....	....
....	....	....	....	....	....	....	....	....	....	1	1	1	....	1	....	....	5	4	1	2	....	....

Annual Report of Deaths by Causes, Colors, Sexes,

Causes of Death.	Total.	Colors.			Sexes.		Deaths per Month.											
		White.	Black.	Mulatto.	Male.	Female.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
Local Diseases—Nervous System (Continued.)																		
Disease of Brain	6	4	1	1	2	4	...	1	...	..	1	1	...	..	1	2	...	...
Abscess of Brain	5	2	3	...	3	2	1	...	...	...	1	1	...	...	1	1	...	...
Meningitis	101	56	43	2	57	44	7	14	9	11	10	9	9	16	2	3	7	4
Meningitis, C'bro-Spinal.	24	15	9	...	11	13	3	...	3	6	1	3	1	2	2	2	...	1
Meningitis, Tubercular	8	3	4	1	2	6	...	...	1	1	1	2	...	1	..	.	...	2
Apoplexy	74	46	25	3	36	38	8	8	9	7	8	8	2	4	9	4	3	4
Hemiplegia	3	1	2	...	...	3	...	...	2	...	1	...	...	...	...	...	...	...
Neurasthenia	7	4	3	...	1	6	1	...	1	...	1	...	1	...	...	...	2	1
Convulsions	105	40	61	4	59	46	7	4	2	4	10	11	9	14	12	18	3	11
Epilepsy	21	14	7	...	13	8	2	4	1	2	...	1	1	...	1	5	...	4
Trismus Nascentium	14	5	9	...	6	8	2	2	2	...	1	1	1	2	2	...	...	1
Paralysis	102	61	39	2	57	45	13	5	9	5	9	15	7	7	6	7	10	9
Locomotor Ataxia	5	4	1	...	5	...	...	1	1	...	1	...	...	1	...	1	...	...
Myelitis	2	...	2	...	1	1	..	...	...	...	...	1	..	...	...	...	1	...
Spinal Sclerosis	1	1	...	...	...	1	...	...	...	1	...	...	...	.	...	...	..	...
Caries of Spine	5	2	3	...	2	3	1	...	...	1	2	1	...	...	...	...	...	...
Insanity	25	10	14	1	19	6	2	...	3	3	4	3	2	.	3	2	1	2
Melancholia	3	2	1	...	1	2	...	1	..	1	1	...	..	.	...	...	...	...
Nervous Prostration	12	10	2	...	5	7	2	3	1	1	1	.	..	...	2	...	...	2
Tetanus	19	6	12	1	13	16	1	1	1	1	2	3	1	3	1	1	2	2
Psoas Abscess	1	...	1	...	..	1	...	...	...	.	1	...	..	...	.	..	...	...
Gangrene of Arm	1	1	...	..	1	...	...	...	...	...	..	.	.	.	...	1	...	...
Goitre	4	2	2	...	...	4	..	1	...	1	..	.	1	1	.	.	...	...
Summary of Deaths from Local Diseases	661	350	290	21	351	310	64	54	54	55	63	66	48	64	55	53	39	47
Organs of Special Sense.																		
Otitis Media	1	...	1	..	1	...	...	...	...	...	...	...	...	...	1	...	...	...
Epistaxis	1	..	1		1	...	1	..	...	...	...	...	...	...	...	...	...	...
Summary of Deaths from Diseases of Organs of Special Sense	2	...	2	...	2	...	1	...	...	...	...	...	...	...	1	...	...	...
Circulatory System.																		
Endocarditis	11	4	7	...	5	6	1	...	1	1	2	1	..	2	..	2	1	...
Pericarditis	7	2	5	...	3	4	...	1	...	...	2	1	2	.	1	...	...	...
Hydropericardium	20	10	9	1	9	11	...	2	2	2	4	4	1	...	2	1	2	...
Disease of Heart	185	77	98	10	87	98	18	8	18	22	15	13	16	14	16	21	14	10
Valvular Disease of Heart	45	17	26	2	30	15	2	2	3	7	5	5	3	3	5	3	3	4
Heart Failure	79	50	28	1	40	39	10	7	7	8	9	10	5	9	2	5	3	4
Angina Pectoris	10	7	3	...	4	6	...	1	1	3	2	...	1	...	2	...	...	...

Months and Ages, for the State of Alabama, for 1892.

AGES OF DECEDENTS.

Under 1 year	1-2 years	2-3 years	3-4 years	4-5 years	5-10 years	10-15 years	15-20 years	20-25 years	25-30 years	30-35 years	35-40 years	40-45 years	45-50 years	50-55 years	55-60 years	60-65 years	65-70 years	70-75 years	75-80 years	80-90 years	90-100 years	Age not given
1	...	...	...	...	...	...	...	...	...	...	2	1	1	...	...	1	...	...	...	...	...	...
1	...	...	...	...	...	...	...	...	1	...	1	...	...	...	1	...	1	...	...	...	...	...
22	18	15	3	2	11	5	3	2	5	1	3	4	...	2	1	2	1	1	...	...	...	...
5	...	3	2	...	2	3	1	1	2	1	2	...	2	...	...	...	...	...	...	...	...	...
3	...	3	...	1	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...
...	...	...	...	...	...	...	2	2	3	2	5	5	4	8	7	12	6	3	11	4	...	...
...	...	...	...	...	...	...	...	...	...	...	...	...	1	1	...	...	...	...	...	1	...	...
1	...	1	...	...	...	1	...	...	1	1	...	...	...	...	...	...	...	1	1	...	...	...
57	9	16	11	3	4	1	...	...	...	...	1	...	1	...	1	...	...	...	...	...	...	1
...	...	...	...	...	2	2	3	1	2	2	2	2	1	...	1	1	1	1	...	...	...	...
14	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
...	...	1	2	...	2	1	1	5	1	3	2	3	7	4	7	9	22	9	11	6	2	4
...	...	...	...	1	...	...	...	...	1	...	...	2	...	...	...	...	1	...	...	...	...	...
...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	1
...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...
...	...	1	...	...	1	...	...	...	...	1	...	1	1	...	...	...	...	...	...	...	...	...
...	...	...	...	...	...	...	...	...	3	2	3	6	3	3	1	1	...	1	...	2	...	...
...	...	...	...	...	...	...	1	1	...	1	...	...	...	...	...	...	...	...	...	...	...	...
...	...	...	...	...	...	...	1	...	2	...	...	...	...	1	...	1	1	...	1	5	...	...
2	...	...	...	1	2	2	4	1	2	1	...	...	...	...	1	...	...	1	...	...	...	...
...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...
...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
...	...	...	...	...	...	...	...	1	...	1	...	...	...	...	...	2	...	...	...	...	...	...
135	39	45	22	8	26	19	25	20	24	22	24	26	26	22	21	31	43	26	28	21	2	7
...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...
...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...
...	...	...	...	...	...	...	...	1	...	1	...	...	...	...	...	...	...	...	...	...	...	...
...	...	...	...	...	...	...	1	2	2	...	1	2	2	...	...	...	...	...	...	...	...	1
...	...	...	...	...	...	...	...	2	...	...	...	1	...	1	1	...	1	1	...	...	...	...
1	...	...	...	1	1	2	2	...	3	1	...	1	2	...	1	...	2	...	3	...	...	...
2	...	1	1	...	1	5	4	2	9	6	12	15	15	16	14	21	19	16	12	9	...	5
...	...	...	...	...	1	...	...	1	1	3	1	5	6	5	6	4	5	4	2	1	...	...
4	...	...	...	1	1	...	2	5	4	5	5	7	9	3	7	7	4	6	2	7	...	...
1	...	...	...	...	...	...	1	1	...	...	...	...	...	1	1	...	1	4	...	...	...	...

22

Annual Report of Deaths by Causes, Colors, Sexes,

Causes of Death.	Total	Colors.			Sexes.		Deaths per Month.											
		White	Black	Mulatto	Male	Female	January	February	March	April	May	June	July	August	September	October	November	December
Circulatory System. (Continued.)																		
Mitral Insufficiency	1	1				1				1								
Aortic Insufficiency	3	2	1		2	1								1		2		
Anasarca	26	6	19	1	13	13	3	1	4	3	1	1	2	5	2	4		
Aneurism of Aorta	2	2			2								2					
*Dropsy (General)	111	37	69	5	52	59	7	5	7	7	16	6	16	13	8	11	5	10
Dropsy, Renal	4	3	1		2	2				1		1			2			
Summary of Deaths from Diseases of Circulatory System	504	218	266	20	249	255	41	27	43	55	56	42	48	47	40	49	28	28
Respiratory System.																		
Pneumonia	697	323	357	17	404	293	173	118	83	69	35	18	19	33	25	26	33	65
Pneumonia, Croupous	5	2	3		5		1	1	2						1			
Pneumonia, Typhoid	13	5	8		7	6		2	2		2	1		1	2	1	1	1
Croup	74	49	23	2	45	29	11	4	6	5	1	1	2	4	9	11	10	10
Asthma (Emphysæma)	15	8	7		9	6	3	2	1	1		1	2	2	2	1		1
Larangitis	5	4		1	3	2								2		2	1	
Bronchitis	75	47	27	1	35	40	10	5	15	7	2	5	2	7	8	5	4	5
Bronchitis, Capillary	38	25	10	3	21	17	5	5	4	2	1	3	3	6	3	1	4	1
Hydrothorax	2	2			1	1			1		1							
Pleurisy	16	5	11		8	8	4	3			3			1		1	1	3
Congestion of Lungs	26	19	5	2	14	12	1	3	7	1	2	2	1	3	1	2	2	1
Hemorrhage of Lungs	14	6	6	2	6	8			1	2	1	1	1	2	1	1	3	1
Abscess of Lungs	5	3	2		4	1					1		1	1	1		1	
Odema of Lungs	5	2	3		3	2	2				1	1	1					
Summary of Deaths from Diseases of Respiratory System	990	500	462	28	565	425	210	143	122	87	50	33	32	61	53	51	60	88
Digestive System.																		
Tonsilitis	5	3	2		4	1		1	1	1		1	1					
Perityphlitis & Typhlitis	9	6	3		6	3		1	1	1	2	1					3	
Gastritis	31	19	9	3	15	16	3	2	1	1	5	6	2	3	1	2	1	4
Pharyngitis	2	2			2		1				1							
Enteritis	39	25	14		21	18	2		2	2	2	9	1	5	7	4	2	3
Gastro-Enteritis	32	18	12	2	20	12			2	2	2	3	9	5	2	3	2	2
Peritonitis (not Puerp.)	50	27	20	3	20	30	1	4	7	6	7	3	3	5	4	7	3	
Hernia	9	4	4	1	6	3				2	2	1	1	1	1		1	
Dyspepsia	6	6			4	2		1				1	2	1	1			
Tumor of the Stomach	3	3			1	2								1	2			
Ulcer of Stomach	8	6	2		3	5				1	1		2	1		2	1	

*100–110 years—1. 110–120 years—1.

Months and Ages, for the State of Alabama, for 1892.

AGES OF DECEDENTS.

Under 1 year	1-2 years	2-3 years	3-4 years	4-5 years	5-10 years	10-15 years	15-20 years	20-25 years	25-30 years	30-35 years	35-40 years	40-45 years	45-50 years	50-55 years	55-60 years	60-65 years	65-70 years	70-75 years	75-80 years	80-90 years	90-100 years	Age not given
....	....		...			.	..		...	....				1	...	..	.	...	...	...	...	..
....								1	...	...	...	1	....	.	...		1	...	...	...	...	..
1		1		1	1	1	1	1	1	....	4	2	3	1	...	...	5	2	...	1	..	...
....	....		.								..	...	...	...	...	1	1	...	...	...	...	..
. 2	2	1	1	.	3	3	5	2	3	5	10	3	7	6	6	6	15	6	8	11	4	...
....		....		1	1	1	.			....	...	...	..	...	..	.	...	.	1	...	..	...
11	2	3	2	4	9	12	16	17	23	20	32	37	44	35	36	39	53	39	28	29	4	[illegible]
76	42	19	10	9	24	12	39	55	45	54	46	37	30	34	35	30	30	31	15	15	3	[illegible]
....			.			...		1		..	...		...		.	1		..	...	...	.	.
....	1		1		1	...	2	...	1	5		...	...	...	...	1	1	...	...	...		..
21	14	15	12	5	6	...			..	..	1	...	...	.	..	...	...	...	...	...	...	
2	1			.	.	...	.	2	1	....	..		...	...	1	2	1	1	2	1	1	..
2	....	1	.			...	1	..	1	...			...		...	...	...	...	...	...	...	
23	9	7	1		4	2	1	2	2	1	...	1	2	2	3	2	1	5	3	3	...	.
20	8	3	....	2	1	....	...	1	....	....		....	....			.	.	1	...	1	...	1
....	....	....	....	.	....	....	....	1	....	....	...	....	....	.	....	1	.		...	...	...	...
1	....	1	...	1	..	....	2	....	...	1	3	3	1	1	...	.	2	.	...	...	...	...
5	2	1	1	1	....	2	.	2	1	...		2	3	.	...	1	2	1	...	1	...	1
1	....	....	....	....	.	...	1	....	2	2	2	1	...	2	...	1	1	...	1	..	...	...
....	....	....	....	.	.	...	1	....	....	....	1		2	...	.	....	1	.	...	...	...	...
....	....	....	....	.	.	...	...	....	....	1	...	2	1	...	1	...	..	...	...	...	...	...
151	77	47	25	18	36	16	47	65	54	64	53	46	39	39	40	38	39	39	20	21	4	12
1	1	....	....	1	...	....	....	....	....	....	....	1	....	1	...	....	....	....	....	....	....	....
....	....	....	....	....	1	1	...	1	....	1	...	1	1	1	...	1	1	...	....	....	....	....
3	2	2	1	1	....	1	2	....	4	....	3	....	1	2	2	2	...	2	2	....	....	....
....	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	.	.	....	....	....	....	....
11	8	4	3	....	2	....	1	3	....	1	1	....	....	.	1	2	2	....	....	....	....	....
8	6	6	....	....	3	....	1	....	....	1	1	1	1	1	..	1	....	....	....	....	....	2
2	2	2	....	....	2	4	1	10	5	2	4	2	4	4	2	....	....	1	1	1	...	.
2	1	....	....	....	....	....	1	....	....	....	1	1	2	....	....	....	....	.	1	....	....	....
3	....	....	....	....	....	....	....	....	1	....	....	....	....	....	...	1	..	1	....	....	....	....
....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	1	...	1	....	....	....
....	....	....	....	....	....	....	....	....	....	....	....	..	..	2	1	1	2	1	1	....	....	....

Annual Report of Deaths by Causes, Colors, Sexes,

Causes of Death.	Total	Colors.			Sexes.		Deaths per Month.											
		White	Black	Mulatto	Male	Female	January	February	March	April	May	June	July	August	September	October	November	December
Digestive System. (Continued.)																		
Congestion of Stomach..	5	2	2	1	1	4	2	...	...	...	...	...	2	1	...	...	...	...
Inflammation of Stomach	6	4	1	1	4	2	...	...	2	1	...	...	...	1	...	1	...	1
Catarrh of Stomach.....	1	...	...	1	1	...	...	...	...	...	...	...	...	...	...	...	1	...
Hemorrhage of Stomach.	1	1	...	...	1	...	...	...	...	...	...	...	...	...	1	...	...	...
Congestion of Bowels....	39	20	19	...	22	17	2	3	5	2	5	5	7	4	1	2	2	1
Intersusception of Bowels	25	16	7	2	15	10	2	3	2	1	3	...	3	4	2	2	3	...
Inflammation of Bowels.	13	9	4	...	7	6	1	2	1	1	4	1	...	1	...	...	1	1
Hemorrhage of Bowels..	6	2	4	...	5	1	...	...	...	1	...	...	...	...	4	...	...	1
Ulceration of Bowels....	2	1	1	...	...	2	...	...	...	...	...	...	1	...	...	...	1	...
Perforation of Bowels....	1	1	...	...	1	...	...	...	...	...	...	...	...	1	...	...	...	...
Phthisis of Bowels	7	3	3	1	4	3	...	...	...	1	3	...	...	1	...	1	...	1
Gastro-Intest. Catarrh...	11	11	...	...	3	8	...	2	2	...	1	1	1	1	1	1	1	...
Congest. Stom. & Bowels.	5	5	...	...	2	3	...	1	1	...	1	...	2	...	...	...	...	...
Inflam. Stom. & Bowels.	3	3	...	...	...	3	...	...	...	...	...	1	...	...	...	1	...	1
Aptha.	3	...	3	...	...	3	...	1	...	1	...	...	...	1	...	...	...	...
Hepatitis	21	12	7	2	13	8	2	1	3	2	2	1	1	1	2	3	2	1
Cirrhosis of Liver.	9	7	2	...	8	1	...	...	...	2	2	2	...	...	1	...	...	2
Abscess of Liver	7	5	2	...	5	2	...	...	...	1	1	1	1	1	...	1	1	...
Congestion of Liver.....	2	2	...	...	...	2	...	...	1	...	...	...	...	...	...	...	1	...
Atrophy of Liver..	1	...	1	...	...	1	...	...	...	1	...	...	...	...	...	...	...	...
Jaundice..	12	9	3	...	7	5	...	1	1	2	2	1	1	2	1	1	...	...
Appendicitis	11	7	3	1	8	3	...	1	1	...	...	1	1	4	...	...	1	2
Ascites....	11	6	5	...	6	5	1	1	...	2	1	1	1	2	...	...	2	...
Ulcer of Anus.	1	1	...	...	...	1	...	...	...	...	...	1	...	...	...	...	...	...
Anthrepsia..	9	7	2	...	4	5	...	...	...	...	1	1	4	3	...	...	...	...
Summary of Deaths from Diseases of Digestive System..	406	253	135	18	221	185	17	25	33	34	48	42	46	49	32	31	29	20
Lymphatic System and Ductless Glands.																		
Splenitis	1	...	1	...	1	...	...	...	...	...	...	...	...	...	...	...	1	...
Prostatitis	4	4	...	...	4	...	...	...	...	1	1	...	1	1	...	...	...	...
Summary of Deaths from Diseases of Lymphatic System..	5	4	1	...	5	...	...	...	...	1	1	...	1	1	...	...	1	...
Urinary System.																		
Brights Disease...	67	42	23	2	37	30	2	7	3	5	5	6	4	7	3	9	10	6
Nephritis	33	19	14	...	16	17	6	1	6	3	3	2	3	1	1	1	2	4
Uræmia.	25	14	11	...	16	9	4	3	1	...	1	5	1	1	5	2	...	2

Months and Ages, for the State of Alabama, for 1892.

AGES OF DECEDENTS.

Under 1 year	1-2 years	2-3 years	3-4 years	4-5 years	5-10 years	10-15 years	15-20 years	20-25 years	25-30 years	30-35 years	35-40 years	40-45 years	45-50 years	50-55 years	55-60 years	60-65 years	65-70 years	70-75 years	75-80 years	80-90 years	90-100 years	Age not given
....	....	1	....	....	2	....	....	....	....	....	1	....	....	....	1	....	....	....	....	....	....	....
1	2	....	....	1	....	....	1	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....
....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....
....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....
9	4	..	2	....	4	2	2	2	2	....	2	1	2	3	....	....	1	3	....	....	....	....
3	....	1	....	....	....	....	1	2	1	1	2	1	1	1	1	2	1	4	1	1	....	....
2	1	1	....	....	....	1	2	1	1	1	....	....	....	1	....	....	1	....	....	....	....	1
1	....	....	....	....	....	....	....	....	..	1	....	....	....	2	1	....	1	....	....	....	....	....
....	....	....	....	....	....	....	....	1	..	....	....	....	....	....	1	....	....	....	....	....	....	....
....	....	....	....	....	....	....	....	1	..	....	....	....	....	....	....	....	....	....	....	....	....	....
1	....	....	....	....	1	1	....	....	..	....	....	1	....	1	1	....	....	....	....	....	....	....
3	1	1	1	....	....	....	....	....	..	....	....	1	1	2	....	1	....	....	....	....	....	....
2	1	....	....	....	....	....	....	....	..	....	1	....	....	....	....	1	....	....	....	....	....	....
1	1	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....
....	1	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
....	....	....	....	....	....	1	....	....	....	1	....	2	2	....	....	1	4	2	3	1	3	1
....	....	....	....	....	....	....	....	1	..	1	....	....	2	2	1	..	1	1	....	....	....	....
....	....	....	....	....	....	1	1	1	....	....	....	1	....	1	....	2	....	....	....	....	....	....
..	....	....	....	....	....	....	....	....	....	....	....	..	....	....	1	..	1	....	....	....	....	....
....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....
8	....	....	....	....	....	....	....	....	....	1	....	....	....	1	....	....	....	....	1	1	....	....
....	....	....	1	1	....	....	2	1	1	2	1	....	1	1	....	....	....	....	....	....	....	....
....	....	....	....	....	....	3	....	....	....	1	....	1	1	....	....	1	2	....	2	....	....	....
....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....
8	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
71	34	20	8	4	15	15	15	27	16	14	18	15	19	25	14	17	17	19	11	6	...	6
....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
....	....	....	....	....	....	....	....	....	.	....	....	....	....	....	1	....	1	....	2	....	....	....
....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	1	....	1	....	2	....	....	....
....	....	1	....	....	....	....	3	6	2	4	3	6	5	6	4	11	4	5	4	3	....	....
1	1	....	....	....	....	1	....	1	3	3	2	2	3	4	3	1	4	3	1	....	....	....
....	....	....	....	1	....	....	1	1	....	....	2	1	....	2	1	3	4	6	1	1	1	....
		23																				

Annual Report of Deaths by Causes, Colors, Sexes,

Causes of Death.	Total	Colors.			Sexes.		Deaths per Month.											
		White	Black	Mulatto	Male	Female	January	February	March	April	May	June	July	August	September	October	November	December
Urinary System. (Continued.)																		
Calculus	4	3	1		4			1	1			1					1	
Suppression of Urine	2		2		2		1			1								
Hæmaturia	1		1		1			1										
Cystitis	16	9	6	1	13	3	4	1	1		4	1		1	2	1	1	
Cirrhosis of Kidney	1	1			1						1							
Summary of Deaths from Diseases of Urinary System	149	88	58	3	90	59	17	14	12	9	14	15	8	10	11	13	14	12
Generative System. (Male.)																		
Gangrene of Scrotum	1	1			1											1		
Summary of Deaths from Diseases of Generative System. (Male.)	1	1			1											1		
Generative System. (Female.)																		
Metritis	4	1	3			4	1		1	1						1		
Ovarian Tumor	6	2	3	1		6	1		1		1		2				1	
Pelvic Cellulitis	2	1	1			2						1		1				
Tumor Uterus	4	2	1	1		4		1			1						2	
Pelvic Peritonitis	3	1	2			3		1									2	
Suppressed Catamenia	3	2		1		3			2		1							
Summary of Deaths from Diseases of Generative System. (Female.)	22	9	10	3		22	2	2	4	1	3	1	2	1		1	5	
Affections connected with Child Birth & Pregnancy.																		
Child Birth (abortion)	35	7	28			35	3	3	4	3	6	4	4	1	1	2		4
Post-Partem Hemorrhage	12	8	3	1		12	1	1			3	2			1	3		1
Puerperal Convulsions	27	12	13	2		27	3	3	2	4	2	7			1	1	2	2
Puerperal Peritonitis	14	9	5			14	2	2	1	2	1	1		1		2	2	
Puerperal Fever	57	26	28	3		57	4	3	5	9	5	10	4	3	4	3	5	2
Endo-Metritis	2	1		1		2						1				1		
Nausea Garidarum	2	2				2						2						
Summary of Deaths from Affections connected with Child Birth and Pregnancy	149	65	77	7		149	13	12	12	18	17	27	8	5	7	13	9	9

Months and Ages, for the State of Alabama, for 1892.

AGES OF DECEDENTS.

Under 1 year	1-2 years	2-3 years	3-4 years	4-5 years	5-10 years	10-15 years	15-20 years	20-25 years	25-30 years	30-35 years	35-40 years	40-45 years	45-50 years	50-55 years	55-60 years	60-65 years	65-70 years	70-75 years	75-80 years	80-90 years	90-100 years	Age not given
						1												1		2		
								1										1				
														1								
	1								1		1		2	4		1		2	3	1		
																1						
1	2	1		1		2	4	9	6	7	8	9	10	17	8	17	12	18	9	7	1	
																			1			
																			1			
								3		1												
									1	1	2	1		1								
											1	1										
								1			1						2					
									2			1										
								1				1	1									
								5	3	2	4	4	1	1			2					
							6	6	5	6	4	5	3									
							1	2	4	1	4											
						1	5	6	4	6	3	1										1
						1	1	4	1	4	2											1
						1	10	11	11	12	6	1	3	1								1
								1				1										
						1	1															
						3	23	31	26	29	19	8	6	1								3

Annual Report of Deaths by Causes, Colors, Sexes,

Causes of Death	Total	Colors.			Sexes.		Deaths per Month.											
		White	Black	Mulatto	Male	Female	January	February	March	April	May	June	July	August	September	October	November	December
Organs of Locomotion.																		
Gangrene of Leg	4	...	4	...	2	2	...	...	...	1	...	...	2	1	...	...	...	...
Ulcer of Foot	1	...	...	1	...	1	1	...	...	...	...	...	...	...	...	...	...	...
Arthritis, Rheumatoid	1	1	...	...	...	1	1	...	...	...	...	...	...	...	...	...	...	...
Summary of Deaths from Diseases of Organs of Locomotion	6	1	4	1	2	4	2	...	...	1	...	...	2	1	...	...	...	...
Integumentary System.																		
Carbuncle	2	2	...	...	...	2	...	...	...	...	...	...	...	...	2	...	...	...
Lupus	1	...	...	1	...	1	...	...	...	...	...	...	...	...	...	...	...	1
Eczema	1	...	1	...	1	...	...	...	...	...	1	...	...	...	...	...	...	...
Rupia	1	...	1	...	...	1	...	...	...	...	...	...	...	1	...	...	...	...
Summary of Deaths from Diseases of Integumentary System	5	2	2	1	1	4	...	...	...	...	1	...	...	1	2	...	...	1
Class VII.—Poisons.																		
By Morphine	2	1	1	...	1	1	...	...	...	...	...	...	1	1	...	...	...	...
By Opium	6	3	3	...	5	1	2	1	1	...	...	1	...	1	...	...	...	...
By Strychnine	3	1	2	...	2	1	...	1	...	2	...	...	...	...	...	...	...	...
Summary of Deaths from Poisons	11	5	6	...	8	3	2	2	1	2	...	1	1	2	...	...	...	...
Poisoned Wounds.																		
Hydrophobia	5	3	2	...	4	1	2	1	...	...	...	...	...	1	...	...	1	...
Class VIII.—Violence. Accidents & Negligence.																		
Gun & Pistol shot wounds	19	8	10	1	16	3	1	2	1	3	1	2	1	1	1	2	1	3
Burns and Scalds	89	40	46	3	43	46	14	11	15	8	3	1	4	3	5	8	9	8
Drowning	18	9	9	...	12	6	2	3	1	3	3	3	1	...	1	1	...	...
Asphyxia	29	14	15	...	12	17	2	3	4	2	3	2	2	1	...	4	3	3
Railroad Injuries	58	29	27	2	56	2	3	5	10	5	5	3	8	2	4	4	2	7
Falling	15	9	5	1	10	5	2	3	1	...	2	1	...	1	1	1	1	2
Fracture of Skull	13	6	7	...	9	4	...	1	...	...	3	...	1	2	2	2	1	3
Fracture of Spine	2	...	2	...	1	1	...	...	...	...	...	...	1	...	...	...	...	1
Fracture of Hip Joint	1	1	...	...	...	1	...	...	...	...	...	...	...	...	...	1	...	...
Accident in Mines	19	6	12	1	...	19	2	3	2	4	...	3	1	1	1	...	1	1
Falling Tree	5	5	...	...	4	1	...	1	1	1	...	...	...	2	...	...	...	...
Falling Dirt	3	...	3	...	3	...	...	1	...	...	...	...	1	...	...	1	...	...

Months and Ages, for the State of Alabama, for 1892.

AGES OF DECEDENTS.

Under 1 year	1-2 years	2-3 years	3-4 years	4-5 years	5-10 years	10-15 years	15-20 years	20-25 years	25-30 years	30-35 years	35-40 years	40-45 years	45-50 years	50-55 years	55-60 years	60-65 years	65-70 years	70-75 years	75-80 years	80-90 years	90-100 years	Age not given
...	...	...	...	...	...	...	...	...	...	1	1	...	1	...	...	...	1	...	...	...	...	...
...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...
...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...
...	...	...	...	...	...	...	...	...	...	1	1	...	1	...	1	...	1	...	1	...	...	...
...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	1	...	...	...
1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
2	1	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	1	...	...	...
...	1	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...
...	...	...	...	1	...	...	1	1	...	...	1	1	...	...	...	...	...	1	...	...	...	...
...	...	...	...	...	...	...	...	1	...	1	...	...	...	...	...	1	...	...	...	...	...	...
...	1	...	...	1	...	...	1	2	...	2	1	2	...	...	...	1	...	1	...	...	...	...
...	...	...	...	...	1	2	...	...	...	1	...	...	...	...	...	...	...	...	...	1	...	...
...	...	...	1	1	1	2	...	5	1	2	...	2	3	...	...	1	...	...	...	...	...	...
2	6	13	10	8	12	11	8	4	3	1	2	...	2	1	1	...	1	1	1	1	...	1
...	...	...	...	1	2	1	2	4	2	1	2	...	1	2	...	...	...	...	...	...	...	...
27	...	1	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...
...	...	...	...	...	1	3	3	13	16	11	7	1	...	...	1	1	...	1	...	...	...	...
1	1	...	1	...	...	1	...	2	1	2	1	...	...	2	...	...	2	...	1	...	...	...
...	...	...	...	...	...	1	...	1	2	5	2	...	...	...	1	...	1	...	...	...	...	...
1	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...
...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...
...	...	...	...	...	...	...	...	6	1	...	4	1	1	...	...	...	1	...	...	...	...	5
...	...	...	...	...	1	...	...	1	1	...	1	...	1	...	...	...	...	...	...	...	...	...
...	...	...	...	...	...	...	1	...	...	...	1	1	...	...	...	...	...	...	...	...	...	...
	24																					

Annual Report of Deaths by Causes, Colors, Sexes,

Causes of Death.	Total	Colors.			Sexes.		Deaths per Month.											
		White	Black	Mulatto	Male	Female	January	February	March	April	May	June	July	August	September	October	November	December
Accidents and Negligence (Continued.)																		
Injury at Saw Mill	5	5			2	3						1	1			1	1	1
Boiler Explosion	12	6	6		12		4	1							3	1	2	1
Foreign Body in Trachea	2	1	1		1	1	1		1									
Injury from Tame Bear	1	1			1												1	
Lock Jaw	1		1		1						1							
Poisoned	4	2	2		3	1				1			1		1		1	
Freezing	4	2	2		4		3											1
Runaway Team	2	2			1	1						1					1	
Thrown from Horse	3	1	2		2	1			2					1				
Kicked by Mule	1		1		1						1							
Falling Door	1		1		1												1	
Traumatism	5	3	2		5							2			1	1		1
Lightning Stroke	2	1	1		2						1			1				
Other Accidents	24	17	7		23	1	4	2	1	3		1	3	1	4	2	2	1
Summary of Deaths from Accidents, Negligence, etc.	338	168	162	8	231	107	38	36	39	30	23	20	25	14	24	29	27	33
Homicide.																		
With Pistol and Gun	73	17	53	3	70	3	2	3	4	5	5	8	4	10	4	12	7	9
With Knife	11	3	8		7	4	1	1		1	3	1		1		1	1	1
With Hoe	1		1			1							1					
With Club	2		2		2										2			
With Rock	1		1		1							1						
Smothered	1		1		1		1											
Lynched	3	2	1		3								1					2
Murdered, mode not stat'd	10	5	5		7	3		1		1	1		1		2	2		2
Summary of Deaths from Homicide	102	27	72	3	91	11	4	5	4	7	9	10	7	11	8	15	8	14
Suicide.																		
Pistol	2	2			1	1			2									
Knife	1	1				1							1					
Morphine	8	3	3	2	2	6		1	1					1	2	2		1
Arsenic	1		1		1			1										
Hanging	2	2			1	1					1			1				
Mode not stated	5	5			3	2	1							1	2		1	
Summary of Deaths from Suicide	19	13	4	2	8	11	1	2	3		1		1	3	4	2	1	1

Months and Ages, for the State of Alabama, for 1892.

AGES OF DECEDENTS.

Under 1 year	1-2 years	2-3 years	3-4 years	4-5 years	5-10 years	10-15 years	15-20 years	20-25 years	25-30 years	30-35 years	35-40 years	40-45 years	45-50 years	50-55 years	55-60 years	60-65 years	65-70 years	70-75 years	75-80 years	80-90 years	90-100 years	Age not given
....	..	..	..	..	...	..	...	1	1	2	1	....	..	...	...	...	...	...	...	...	...	...
....	..	..	..	..	.	..	..	1	....	2	3	3	2	1	...	...	...	...	...	...	..	...
1	1	...	....	..	..	..	..	...	..	...	..	....	...	...	...	...	...	...	...	...	...	...
....	..	..	.	..	..	..	..	..	..	1	...	....	...	...	...	...	...	...	...	...	...	...
....	..	.	..	..	.	..	..	..	..	1	...	....	...	...	...	...	...	...	...	...	...	...
....	..	2	..	...	..	..	..	.	..	...	...	....	.	1	.	...	1	.	...	...	...	...
2	..	..	..	..	..	..	..	1	..	...	1	....	..	..	.	..	..	...	...	...	...	..
1	..	...	..	..	....	..	....	..	..	.	...	....	..	...	..	1	..	...	...	...	...	...
....	.	...	....	..	..	.	..	...	..	...	..	1	...	1	1	.	..	...	...	...	...	...
....	..	.	....	...	..	..	..	..	..	...	...	....	...	..	.	1	..	.	...	...	...	...
....	...	..	..	..	..	...	..	.	1	....	.	...	..	..	...	...	...	..	...	...	...	...
1	..	..		...	..	..	...	2	....	...	1	....	..	1	.	..	..	..	..	...	...	...
....	..		..	..	1	..	.	1	..	..	..	....	..	..	..	..	..	..	..	..	..	..
1	..		1	..	2	5	..	3	2	..	2	1	..	..	3	...	1	..	.	...	...	2
37	8	16	13	10	20	24	14	45	32	29	28	10	10	9	7	5	6	2	2	2	..	8
....	...	...	....	...	....	4	11	19	14	7	5	3	5	3	2	...	1	..	...	...	...	1
....	...	...	....	..	...	...	1	4	3	....	1	....	1	...	...	...	...	...	...	...	...	1
....	....	...	....	...	..	...	....	1	..	..	....	...	...	...	...	.	..	...	...	...	...	...
....	....	...	.	...	1	..	....	..	...	..	1	...	...	...	...	...	...	...	...	...	...	..
....	...	...	..	...	...	...	1	...	....	....	..	..	...	...	...	...	..	...	...	...	...	...
1	...	...	...	...	..	...	..	..	...	..	...	...	...	...	...	.	..	...	...	...	...	...
....	..	..	..	..	...	..	1	..	1	..	...	1	...	...	...	..	..	...	...	...	...	...
....	....	..	..	..	..	..	..	3	....	3	1	...	1	1	...	1	..	...	..	.	...	...
1	...	....	..	..	1	4	14	27	18	10	8	4	5	4	2	1	1	.	...	...	...	2
....	....	...	..	...	....	..	..	...	1	..	...	...	...	1	...	..	...	...	...	...	...	..
....	..	..	..	...	....	..	..	1	...	..	...	.	...	..	.	...	.	...	...	...	...	...
....	...	..	..	....	...	..	..	1	3	..	1	1	...	...	...	...	1	...	...	...	...	...
....	..	...	...	..	.	..	..	..	..	..	..	...	...	...	1	...	...	...	...	...	...	...
....	...	..	..	..	...	..	1	..	....	..	..	...	...	..	...	...	1	...	...	...	...	...
....	...	...	..	..	..	..	1	..	1	1	...	...	1	1	...	...	..	..	...	...	...	...
....	....	..	....	...	....	....	2	2	5	1	1	1	1	2	1	...	2	...	...	...	...	1

Annual Report of Deaths by Causes, Colors, Sexes,

Causes of Death.	Total.	Colors.			Sexes.		Deaths per Month.											
		White.	Black.	Mulatto.	Male.	Female.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
Class IX.—Surgical Operations.																		
Laparotomy	1		1			1						1						
Surgical Operation	1		1			1									1			
Summary of Deaths from Surgical Operations	2		2			2						1			1			
Class X.—Unclassified.																		
Tumor	4	2	2		1	3				1	1		1		1			
Hemorrhage	7	1	6		4	3	3	2	1							1		
Abscess	5	2	3		1	4							1	1	2		1	
Gangrene	1	1				1									1			
Cause not stated	860	261	566	33	460	400	102	72	70	66	54	83	95	77	67	53	54	65
Congestion	115	60	48	7	58	57	4	3	5	7	9	10	11	18	23	14	6	5
Summary of Deaths from Causes Unclassified	992	327	625	40	524	468	109	77	76	74	64	93	108	96	94	68	61	70
†‡ Gen'l Summary Deaths for 1892	7823	3721	3847	255	4011	3812	866	626	646	606	642	676	696	765	669	609	498	495

† 100 to 110 years—9. ‡ 110 to 120 years—4.

Months and Ages, for the State of Alabama, for 1892.

AGES OF DECEDENTS.

Under 1 year	1-2 years	2-3 years	3-4 years	4-5 years	5-10 years	10-15 years	15-20 years	20-25 years	25-30 years	30-35 years	35-40 years	40-45 years	45-50 years	50-55 years	55-60 years	60-65 years	65-70 years	70-75 years	75-80 years	80-90 years	90-100 years	Age not given
....	...	..	..	.	...	....	1	...		...	....		..		.	.	..	...	..	.	...	...
....		.		.	..				..	1					...	..	..	...	.	.	...	...
....	..				.	.	1			..	1	..	..	..	...	..	...	..		..	...	...
....		.		1			..	.	1	1		1		.	...	..	..	...	..	..	...	...
1	..	..		.			....	..	1	1		2	1	...	.			...	.	...	...	1
....	1		..	..	.	..	1	1	..	.	1		.	...	...	...	1		.	.	..	...
...		1	..	..	....			..	..		..	....		..	...		...	...	..		...	..
316	76	28	24	13	22	23	31	26	36	28	33	28	18	27	17	22	14	21	6	13	9	21
23	14	1	6	5	12	6	8	5	6	3	7	7		4	3	1	.	.	2	..	..	2
340	91	30	30	19	34	29	40	32	44	33	41	38	19	31	20	23	15	21	18	13	9	24
1264	529	293	157	110	245	225	413	569	489	420	411	362	302	320	248	287	29	273	210	214	73	113

CONTENTS.

LETTER OF TRANSMITTAL 3
ORGANIZATION—OFFICERS FOR 1892 5
PART 1. PROCEEDINGS AND RECOMMENDATIONS 7

REPORT OF THE STATE BOARD 9
Introductory Note 9
Financial Statement—Expenditures 10
Inspection of Jails and Poor Houses 12
Conference of State Boards of Health 12
Work of the County Boards 14
The Cholera Conference 20
Invasion of Cholera 33
State and National Heath Jurisdiction 34
The New National Quarantine Law 36
The Roll of Honor 43

PART II. STATISTICAL REPORTS 49
OF BIRTHS BY MONTHS FOR 1892 51
OF DEATHS BY MONTHS FOR 1892 52
OF BIRTHS AND DEATHS BY COUNTIES, TOWNS AND COLORS 53
OF BIRTHS AND DEATHS BY COUNTIES, TOWNS AND COLORS FOR YEAR 1892 101
OF BIRTHS AND DEATHS BY CITIES AND TOWNS FOR 1892 105
OF BIRTHS AND DEATHS BY CAUSES, COLORS, SEXES AND AGES 108
Class I. Zymotic—Miasmatic Diseases 108
Diarrhœal Diseases 110
Malarial Diseases 111
Veneral Diseases 113
Septic Diseases 114
II. Parasitic Diseases 115
III. Dietetic Diseases 116
IV. Constitutional Diseases 116
V. Developn ental Diseases 124
VI. Local Diseases—Nervous System 125
Organs Special Sense 132
Circulatory System 132
Respiratory System 135
Digestive System 140
Generative System (Male) 149
Generative System (Female) 149
Affections Connected with Child Birth and Pregnancy 151
Organs of Locomotion 153

PART II—CONTINUED.

Integumentary System....153
VII. Poisons....155
Poisoned Wounds....156
VIII. Violence—Accidents, Etc....156
Homicide....162
Suicide....164
Execution....165
IX. Surgical Operations....165
X. Unclassified....166

OF DEATHS BY CAUSES, COLORS, SEXES, MONTHS, AGES....170

Class I. Zymotic—Miasmatic Diseases....170
Diarrhœal Diseases....170
Malarial Diseases....170
Veneral Diseases....170
Septic Diseases....172
II. Parasitic Diseases....172
III. Dietetic Diseases....172
IV. Constitutional Diseases....172
V. Developmental Diseases....174
VI. Local Diseases—Nervous System....174
Organs Special Sense....176
Circulatory System....176
Respiratory System....178
Digestive System....178
Urinary System....180
Generative System (Male)....182
Generative System (Female)....182
Affections Connected with Child Birth and Pregnancy....182
Organs of Locomotion....184
Integumentary System....184
VII. Poisons....184
Poisoned Wounds....184
VII. Violence—Accidents, Etc....184
Homicide....186
Suicide....186
Execution....186
IX. Surgical Operations....188
X. Unclassified....188

THE MEDICAL ASSOCIATION OF THE STATE OF ALABAMA.

THE REPORT

OF THE

BOARD OF HEALTH

OF THE

STATE OF ALABAMA,

FOR THE YEAR 1893.

MONTGOMERY, ALA:
THE BROWN PRINTING CO., STATE PRINTERS AND BINDERS.
1894.

THE MEDICAL ASSOCIATION OF THE STATE OF ALABAMA.

THE STATE BOARD OF HEALTH,

MADISON, ALA., August, 1894.

To His Excellency, THOMAS G. JONES,
Governor of Alabama:

SIR—I have the honor herewith to submit the Report of the State Board of Health for the year 1893.

R. M. FLETCHER, M. D.
President of the Medical Association of the State of Alabama, and the State Board of Health.

ORGANIZATION.

Under the laws of Alabama the Medical Association of the State of Alabama is the State Board of Health. The officers for 1893 are as follows:

PRESIDENT:

Thaddeus Lindley Robertson, M. D., Birmingham.

VICE-PRESIDENTS:

Senior—Barckley Wallace Toole, M. D., Talladega.
Junior—John Alexander McKinnon, M. D., Selma.

SECRETARY:

James Reid Jordan, M. D., Montgomery.
(Term expires (1898.)

TREASURER:

Walter Clark Jackson, M. D., Montgomery.
(Term expires 1898.)

BOARD OF CENSORS AND COMMITTEE OF PUBLIC HEALTH:

Jerome Cochran, M. D., (Senior Censor), Mobile.
James Thomas Searcy, M. D., Tuscaloosa.
William Henry Sanders, M. D., Mobile.
Samuel Dibble Seelye, M. D., Montgomery.
Charles Higgs Franklin, M. D., Union Springs.
George Augustus Ketchum, M. D., Mobile.
Charles Whelan, M. D., Birmingham.
Edward Henry Sholl, M. D., Birmingham.
Wilds Scott DuBose, M. D., Columbiana.

STATE HEALTH OFFICER:

Jerome Cochran, M. D., Official residence, Montgomery.

ORGANIZATION.

Under the laws of Alabama the Medical Association of the State of Alabama is the State Board of Health. The officers for 1894 are as follows:

PRESIDENT:

Richard Matthew Fletcher, M. D., Madison.

VICE-PRESIDENTS:

Senior—John Alexander McKinnon, M. D., Selma.
Junior— Capers Capehart Jones, M. D., Birmingham.

SECRETARY:

James Reid Jordan, M. D., Montgomery.
(Term expires 1898.)

TREASURER:

Walter Clark Jackson, M. D., Montgomery.
(Term expires 1898.)

BOARD OF CENSORS AND COMMITTEE OF PUBLIC HEALTH:

Jerome Cochran, M. D., (Senior Censor), Mobile.
James Thomas Searcy, M. D., Tuscaloosa.
William Henry Sanders, M. D., Mobile.
Samuel Dibble Seelye, M. D., Montgomery.
Benjamin James Baldwin, M. D., Montgomery.
Charles Higgs, Franklin, M. D., Union Springs.
George Augustus Ketchum, M. D., Mobile.
Charles Whelan, M. D., Birmingham.
Edward Henry Sholl, M. D., Birmingham.
John Brown Gaston, M. D., Montgomery.

STATE HEALTH OFFICER:

Jerome Cochran, M. D., Official residence, Montgomery.

PART 1.

PROCEEDINGS AND RECOMMENDATIONS OF THE STATE BOARD OF HEALTH.

Report of State Board of Health.
1893.

THE WORK OF THE STATE BOARD.

We are glad to be able to state that the State Board of Health is making encouraging progress in the discharge of all the important duties entrusted to its administrative supervision.

The work for the collection of vital statistics is on a firmer footing than ever before, and in that regard a larger number of counties than ever before are doing good work. Wherever, indeed, any proper effort is made by the county boards success follows as a matter of course. Wherever the county boards have been negligent of their duty, unless they have been fortunate enough to select an unusually competent man for county health officer, the work has dragged along in an unsatisfactory fashion. In several counties they have done nothing, and in several others they have accomplished little. It has been up to this time the general policy of the county boards of health to depend almost entirely on persuasive methods to secure salaries for the county health officers, and to secure returns of births and deaths from the doctors and midwives. These methods have been sufficient in the majority of the counties, but by no means in all. In several counties the county commissioners have made no appropriations at all for the payment of the county health officers; and in some the appropriations made have not been sufficient to constitute a reasonable compensation for the work done. This condition of things should not be allowed to continue. The provisions of the law are ample and they ought to be enforced; and it is the duty of the county boards of health to see that they are enforced. We therefore recommend the adoption by the Association of the following instructions to the county boards of health:

(1) That the county boards of health must in accordance with the requirements of the law undertake the active supervision of the collection of vital statistics; must see that the

county health officers come up to the full measure of the duties incumbent on them in regard to this work; and must promptly remove any county health officer who proves to be incompetent or inefficient and supply his place with a better man.

(2) That the county boards of health must appeal to the county commissioners to grant such salaries to the county health officers as will constitute reasonable compensation for the work they have to do; and that if any boards of county commissioners fails to do this it is the duty of the county boards of health in such counties to proceed in the courts to compel compliance with the law in this regard.

(3) That if any doctors or midwives cannot be induced in any other way to report their births and deaths as the law requires, then the county boards of health must instruct the county health officers to prosecute such doctors and midwives and compel them to obey the law.

QUARANTINE.

During the prevalence of yellow fever last year in Florida and Georgia the State Board of Health for the first time in its history undertook the administration of a State quarantine. We may be allowed to say that the result was extremely gratifying both to us and to the people of the State. All the details of the quarantine went on with military smoothness, celerity and efficiency. There was no serious interference with travel and traffic; and the expenses of quarantine administration were reduced to a minimum. As is well known not a case of yellow fever occurred in the State.

While success thus crowned our efforts the experience of actual work on a large scale served to show us that there are many defects in our present quarantine law. We have, therefore, prepared a bill for presentation to the next general assembly intended to provide an efficient and comprehensive quarantine law for the State; and for this bill we

ask the approval of the Association; and that the members of the Association throughout the state be requested to use their influence with their senators and representatives to secure its passage.

A BILL TO BE ENTITLED AN ACT TO REGULATE THE PRACTICE OF QUARANTINE IN ALABAMA.

SECTION 1. *Be it enacted by the General Assembly of Alabama,* That the governor, on the recommendation of the State Board of Health, or whenever he deems it necessary for the protection of the health of the people of this State, or any portion thereof, may proclaim, declare, and establish, and through the State Board of Health and the State Health Officer conduct and enforce such quarantine measures and regulations not inconsistent with the constitution of the State or United States and laws thereof, as to him may seem expedient; and the State Board of Health under the direction and control of the governor may from time to time take such preliminary steps and make such investigations as may be deemed necessary to guard the health of the people.

SEC. 2. *Be it further enacted,* That the probate judge of any county, or the mayor of any city, or the intendant of any town in this State may on the recommendation of the county board of health, or whenever he deems it necessary for the protection of the health of his people, proclaim, declare and establish, and through the county board of health and the county or city health officer, conduct and enforce such quarantine measures and regulations as to him may seem expedient; provided that said quarantine measures and regulations are not inconsistent or in conflict with the rules and regulations prescribed by the State Board of Health.

SEC. 3. *Be it further enacted,* That the health authorities of the State, or of any county or city or town may appoint, employ and dismiss all such officers and agents and employes as may be needed for the conduct and enforcement of quarantine, and may prescribe their duties and the salaries and pay they are to receive; provided, that all this is done in accordance with the general health laws of the State and especially in accordance with sections 1284 and 1285 of the Code of Alabama; and provided further, that the regular police force of any city or town or the town marshal may be employed to enforce quarantine regulations; and the said quarantine officers shall be sworn into the quarantine service and to the faithful performance of their official duties, and when so sworn in they are hereby authorized to administer oaths and make arrests of persons violating the quarantine regulations.

SEC. 4. *Be it further enacted*, That any person resisting any quarantine officer in the discharge of his duty, or refusing to answer questions put by a quarantine officer in the discharge of his duty, or to swear to or affirm the same; or any person violating any of the quarantine regulations, shall be guilty of a misdemeanor, and on conviction thereof before any court of competent jurisdiction shall be fined not more than one hundred dollars, or imprisoned not more than ten days, or both at the discretion of the court.

SEC. 5. *Be it further enacted*, That any railroad or transportation company, agents or employes, or any other person bringing into this State any person or any baggage or merchandise in violation of quarantine, or refusing or failing promptly to remove such person or baggage or merchandise out of the State on the order of any quarantine officer, shall be guilty of a misdemeanor, and shall on conviction thereof before any court of competent jurisdiction be fined not more than one thousand dollars at the discretion of the court.

NOTE.—It is understood that this bill may be amended in any way that may be deemed expedient after consultation with our attorney.

THE MOBILE QUARANTINE.

It is known to the members of the association that for many years the medical management of the maritime quarantine at Mobile was in the hands of the Mobile Board of Health. It is also known that in the session of the general assembly in 1889–90 a special act was passed, against the expressed wishes of this association, creating the Quarantine Board of Mobile Bay—said board being composed in large part of commercial men, with one or two doctors; the doctors being selected in such way as to make it entirely a matter of chance whether they are quarantine experts or not. By an oversight, doubtless, on the part of the lawyers who drew up the bill, the jurisdiction of this board is confined to the bay of Mobile, and as soon as a vessel leaves the bay and passes into the river on which is situated the city of Mobile, she passes into the jurisdiction of the Mobile Board of Health—an embarrassing and undesirable condition of things. In the meantime, also, the Mobile Board of Health has jurisdiction of all quarantine for the special

protection of Mobile city and county from epidemic invasion by land. In other words, there are two distinct systems of quarantine—systems now legally in force in Mobile under the direction of two separate boards.

Towards the building of the maritime quarantine station at Mobile the State contributed the sum of twenty-five thousand dollars, on the ground that this quarantine was for the protection of the whole State of Alabama as well as for the protection of the city of Mobile. And this is true. While it is primarily for the protection of Mobile, it is also for the protection of the State; and hence the State is deeply interested in having it properly managed.

It is therefore only natural that this association should regard the special legislation indicated with emphatic reprobation. Accordingly at the annual session of 1891, the first session after the passage of the act referred to, the association, on the recommendation of President Sanders, put itself on record as pledged to use every legitimate influence in its power to secure a modification of the obnoxious legislation. Similar action was taken at the Selma session of 1893, in accordance with the recommendation of President Searcy.

We therefore recommend that the association pledge itself anew to use all the influence its members can bring to bear on the members of the next general assembly to restore the maritime quarantine of Mobile to the Mobile Board of Health under the quarantine and health laws of the State; and that to this end we be authorized to prepare, in conjunction with our attorney, Col. H. C. Tompkins, a bill covering the principles indicated to be presented to the general assembly when it meets next fall.

QUARANTINE CONFERENCE.

In accordance with an invitation issued by the Louisiana State Board of Health, a conference of the health officials of the gulf states met in New Orleans on the 2d of February, 1894, to consider what regulations were necessary in

connection with the importation of fruits from tropical countries to protect the gulf ports from invasion by yellow fever. The boards represented were the Alabama State Board of Health, the Florida State Board of Health, the Board of Health of Escambia county, Florida, and the Louisiana State Board of Health. The State of Texas was not represented, but the health officer of Texas sent a letter expressing his willingness to abide the results of the Conference. Alabama was represented by the State Health Officer. After thorough discussion, the following conclusions were reached, which we recommend to the favorable consideration of the association:

Quarantine Measures recommended and adopted by a Conference of Health and Quarantine Authorities held at New Orleans, February, 1894.

1st. In order to secure prompt and reliable information as to the existence of yellow fever in the various ports of the West Indies-Central and South America, from which fruit is shipped, it is deemed essential that medical inspectors should be stationed at said ports with understanding that the inspectors stationed in the larger towns may have jurisdiction over smaller places within the district.

2d. The duties of the inspectors shall be to report by each and every vessel, and if necessary by cable, where practicable, on the sanitary condition of their respective districts, on the existence of contagious or infectious diseases within the same, on compliance by vessels with the regulations issued for their guidance, and to perform such other duties as may from time to time be required of them.

3d. It is recommended that vessels engaged in this trade shall, whenever practicable, be manned by acclimated crews.

4th. In the absence of yellow fever, it is considered unnecessary to place any restrictions upon the manner of loading vessels, or upon the character of the cargo carried further than to rigidly exclude household effects, personal baggage, hides, hams, bones and fertilizers.

5th. After the discharge of the cargo, every vessel shall be subjected to mechanical cleansing by washing and afterward thoroughly disinfected.

6th. In the event of yellow fever occurring at any fruit port, trade with that port may be continued under the following additional precautions: Each vessel to be required to carry a duly accredited medical officer, whose duty it shall be to see that quarantine regulations are strictly carried out; no member of the crew shall be allowed to go ashore, nor any one, except an acclimated loading crew, to come on board; the loading crew to be kept isolated in a locality sufficiently remote from the infected district, and while on board the vessel to be kept separate from the vessel's crew. Vessels are not allowed to remain at any wharf or near shore after sunset, but must anchor in the open bay at such distance from shore as may be prescribed by the medical officer in charge and must not return before sunrise. The cargo carried shall be restricted to fruit, rubber, specie, rubber not to be packed in textile fabrics and specie to be disinfected by immersion in boiling water.

7th. Should a vessel having yellow fever on board arrive with a cargo of fruit at a quarantine station, the cargo may be discharged into lighters by acclimated laborers or by the crew, after which the vessel shall be subjected to the usual detention and disinfection, the clothing of the laborers to be disinfected by steam heat after the discharge of the cargo shall have been completed.

8th. Any vessel engaged in the fruit trade which carries passengers shall forfeit all privileges and be subjected to the same quarantine restrictions as other vessels carrying passengers.

9th. Inasmuch as the quarantine laws and regulations of the United States, as promulgated by the Secretary of the Treasury, April 4th, 1893, are not in accord with certain of the foregoing propositions, it is recommended that such modifications be made in said laws as shall make them coincide with the views expressed by this conference.

SECRETARY OF PUBLIC HEALTH.

At the meeting of the American Medical Association in Washington a committee was appointed to memoralize the Congress of the United States in favor of the establishment as a member of the Cabinet of the President a Medical Secretary of Public Health. To this end a bill was duly prepared and was introduced into the 52nd Congress.

In 1892, at Detroit, and in 1893, at Milwaukee, the American Medical Association, renewed its approval of its move-

ment, and instructed the committee to continue to press it on the attention of Congress. The bill is to be presented to the Congress now in session. This proposed legislation is of great importance to the welfare of the people, and would add greatly to the influence and usefulness of the medical profession. The text of the bill is, as follows :

A BILL

To Establish a Department of Public Health.

SECTION 1. *Be it enacted by the Senate and House of Representatives of the United States of America in Congress assembled.* That there shall be established a department of public health. There shall be appointed by the President from the medical profession, by and with the advice and consent of the Senate, a secretary of public health, who shall be intrusted with the management of the department herein established. He shall be paid an annual salary of eight thousand dollars. There shall be appointed by the President, with the approval of the Senate, an assistant secretary of public health, at an annual salary of five thousand dollars. The secretary of public health shall, with the approval of the President, provide suitable offices for the department, and shall employ such assistants and clerks as may be necessary.

SEC. 2. That it shall be the duty of the secretary of public health to obtain through all accessible sources, including State boards of health, municipal authorities, and the Surgeon-Generals of the Army, Navy, and Marine Hospital Service of the United States, weekly reports of the sanitary condition of all ports and places within their territories and departments, and he shall publish weekly abstracts of the information thus obtained and other pertinent matters received by his department. The said department also shall, as far as possible, by means of the voluntary co-operation of State and municipal authorities, of various general and special hospitals, sanitariums, public associations and private persons, procure and tabulate statistics of marriages, births (noting those that are illegitimate), and deaths from epidemic, endemic, and all other diseases, specifying those of a degenerative character, such as malignant growths, and affections of the nervous, circulatory, respiratory, secretory, digestive, and reproductive organs, and from violence, accidents, suicide, murder, and data concerning the fruit of consanguineous marriages and the transmissibility of insane, alcoholic, syphilitic, nervous, and malignant types of constitution of offspring, and to evils of race miscegenation. He shall also procure information relating to climatic and other conditions beneficial to health, and especially in reference to the most

favorable regions in the United States for the cure or relief of chronic diseases, particularly tubercular consumption. He shall also procure information as to the prevalence and ruinous effects upon the body and mind of intemperance and prostitution. He shall endeavor to ascertain the extent, the origin, and classification of insanity in the several States and Territories of the country. He shall investigate the state of comfort of the laboring classes in respect to their lodgment, their trades, occupations, the healthfulness of their work-shops, and the contents of the atmosphere they habitually breathe, and the prevalence of premature degeneration of the nervous and muscular systems by the exactions of piece-work employment. He shall obtain information in regard to the soundness of their food and purity of water supply. He shall ascertain the ages at which the children of the poor are put to work, and its hindrance to their physical development, and their lack of common-school education. He shall seek, through the State boards of health, information of the hygienic state of public school buildings respecting their illumination, ventilation, and presence of noxious elements in the circumambient air. He shall seek information in regard to the pollution of streams and navigable waters and public and private wells. He shall attempt, through the co-operation of the authorized medical schools in all the States, to promote the most extended and thorough training of students in order to fit them for the responsible duties that devolve upon practitioners of medicine. He shall, whenever an epidemic disease is spreading abroad or in any country which by commercial or other relations may endanger the health of the inhabitants of the United States, have power to call a conference of the Surgeon-Generals of the Army, Navy, and Marine Hospital Service, and the executive officer or officers of the various State boards of health throughout the country, to consider and advise with him in regard to the best methods to be pursued to protect the country against the invasion of any such epidemic disease, and the results of such conference shall be, by the secretary of public health, communicated to the President and his Cabinet for such action as they may deem wise and expedient. Besides the reports of the state of the public health which he shall make from time to time the secretary shall make an annual report to Congress with such recommendations as he may deem important to the public welfare, and the report, if ordered printed by Congress, shall be done under the direction of the department The necessary printing of the department shall be done at the Government Printing Office, upon the requisition of the secretary, in the same manner and subject to the provisions as that of other printing for the several Departments of the Government.

SEC. 3. That the President is authorized, when requested by the secretary of public health, and when the same can be done without prejudice to the public service, to detail officers from the several

Departments of the Government for temporary duty, to act under the department of public health to carry out the provisions of this Act, and such officers shall receive no additional compensation except for actual and necessary expenses incurred in the performance of such duties. When a detail of such officers can not be made, the secretary, approved by the President, may employ such experts, and for such time and in such manner as the funds at the disposal of the department may warrant.

SEC. 4. That to defray the expenses in carrying out the provisions of this Act the sum of fifty thousand dollars, or as much thereof as may be necessary, is hereby appropriated to be disbursed with the approval of the President, under the secretary of said department.

SEC. 5. That this Act shall take effect sixty days after its passage, within which time the secretary and assistant secretary may be appointed.

This bill seems not to have met with much favor in Congress; but it is to be hoped that the united and continuous efforts of all the medical organizations in the country may, in the course of time, obtain for it the consideration to which, from the importance of the question at issue, it is justly entitled.

While we approve of the bill in its present form we believe that it can be greatly improved by the insertion of a provision requiring the proposed secretary of public health to call together, once in every year, a conference of the representatives of all the State Boards of Health to meet in the city of Washington for the discussion of sanitary questions of current interest.

In accordance with these suggestions we recommend the adoption by the association of the following resolutions:

Resolved, That the Medical Association of the State of Alabama, which is also the State Board of Health, is earnestly in favor of the passage of the bill now pending in Congress to establish a department of public health, and recommends said bill to the favorable consideration and support of the members of Congress, senators and representatives, from Alabama.

Resolved, That we believe the bill would be materially improved by the insertion of an additional clause in the following words: "He shall once in every year call to meet in the city of Washington a Conference of State Boards of Health, to be composed of one delegate

from every state board of health in the United States, and to be for the purpose of discussing questions of public health and for concerting plans of sanitary administration.

We further recommend that the Secretary of the Association be instructed to furnish a copy of these resolutions to each member of the Alabama delegation in Congress. Also, that out delegate to the approaching session of the American Medical Association be instructed to endeavor to secure the approval of the amendment here proposed to the pending bill.

FINANCIAL STATEMENT.

THE STATE BOARD OF HEALTH,

In account with THE STATE OF ALABAMA:

1893.		DEBITS.	
April 29.	To cash from Treasurer		$ 250 00
May 31.	" " "		250 00
June 30.	" " "		250 00
July 31.	" " "		250 00
Aug. 31.	" " "		250 00
Sept. 30.	" " "		100 00
Oct. 1.	" " "		150 00
Oct. 31.	" " "		250 00
Nov. 30.	" " "		250 00
1894.			
Jan. 10.	" " "		250 00
Jan. 31.	" " "		250 00
Feb. 28.	" " "		250 00
Mar. 31.	" " "		250 00
Total			$ 3,000 00

1893.		CREDITS.	
Apr. 12.	By cash	drayage	$ 25
" 14.	" "	box rent	1 50
" 23.	" "	postage	5 00
" 26.	" "	telegram to New York	80
" 26.	" "	telegram to Ozark, Ala	35
" 29.	" "	health officer's salary (April)	150 00
" 29.	" "	clerk's salary (April)	41 67
May 11.	" "	postage	10 00

EXPENDITURES—Continued.

May	13.	By Cash		expressage	30
"	15.	"	"	telegram	40
"	17.	"	"	envelopes and stamps	15 00
"	17.	"	"	twine	25
"	31.	"	"	postage	5 00
"	31.	"	"	health officer's salary (May)	150 00
"	31.	"	"	clerk's salary (May)	41 67
June	5.	"	"	1,000 stamped envelopes (2c.)	22 00
"	24.	"	"	postage	5 00
"	24.	"	"	postage (Book of Rules)	50
"	30.	"	"	health officer's salary (June)	150 00
"	30.	"	"	clerk's salary (June)	41 67
July	8.	"	"	P. O. box rent	1 50
"	15.	"	"	Joel White (stationery)	4 55
"	21.	"	"	postage	11 20
"	31.	"	"	health officer's salary (July)	150 00
"	31.	"	"	clerk's salary (July)	41 67
Aug.	15.	"	"	postage	2 00
"	17.	"	"	Brown Printing Co	150 00
"	28.	"	"	postage (Book of Rules)	50
"	31.	"	"	health officer's salary (August)	150 00
"	31.	"	"	clerk's salary (August)	41 67
Sept.	3.	"	"	Joel White, stationery	65
"	7.	"	"	Holt & Boykin, stationery	85
"	7.	"	"	Brown Printing Co	23 66
"	22.	"	"	stamped envelopes (1c.)	5 50
"	30.	"	"	health officer's salary (September)	150 00
"	30.	"	"	clerk's salary (September)	41 67
Oct.	4.	"	"	postage	3 00
"	24.	"	"	1,000 stamped envelopes (2c.)	22 00
"	31.	"	"	health officer's salary (October)	150 00
"	31.	"	"	clerk's salary (October)	41 67
Nov.	14.	"	"	health officer's expenses to LaFayette	6 08
"	17.	"	"	P. O. box rent	1 50
"	17.	"	"	postage	5 00
"	30.	"	"	health officer's salary (November)	150 00
"	30.	"	"	clerk's salary (November)	41 67
Dec.	14.	"	"	postage	5 00
"	27.	"	"	expressage	1 00
1894.					
Jan.	2.	"	"	stamped envelopes (1c.)	5 50
"	10.	"	"	health officer's salary (December)	150 00
"	10.	"	"	clerk's salary (December)	41 67

EXPENDITURES—Continued.

Jan.	30.	By	Cash	stamps and envelopes	15 00
"	30.	"	"	health officer's salary (January)	150 00
"	30.	"	"	clerk's salary (January)	41 67
Feb.	9.	"	"	Holt & Boykin	25
"	9.	"	"	White & Woodruff, stationery	1 50
"	20.	"	"	P. O. box rent	1 50
"	23.	"	"	expressage	25
"	24.	"	"	expressage	25
"	26.	"	"	expressage	25
"	26.	"	"	postage	7 50
"	28.	"	"	health officer's salary (February)	150 00
"	28.	"	"	clerk's salary (February)	41 67
Mar.	2.	"	"	expressage	25
"	2.	"	"	one eyelet press and punch	5 00
"	3.	"	"	one frame for map	1 40
"	3.	"	"	White, Woodruff & Fowler	1 95
"	4.	"	"	expressage	55
"	6.	"	"	expressage	35
"	9.	"	"	telegram	25
"	10.	"	"	Romer & Co., wrapping paper	2 93
"	13.	"	"	drayage	25
"	20.	"	"	Saffold, mimeograph paper and ink	1 80
"	24.	"	"	1,000 stamped envelopes (2c.)	22 00
"	31.	"	"	stamps and envelopes	18 03
"	31.	"	"	Brown Printing Co	302 50
"	31.	"	"	health officer's salary (March)	150 00
"	31.	"	"	clerk's salary (March)	41 63
		Total			$ 3,000 00

Recapitulation.

Total receipts from April 1, 1893, to April 1, 1894	$ 3,000 00
By total expenditures from April 1, 1893, to April 1, 1894	3,000 00

General Recapitulation.

By health officer's salary April 1, 1893, to April 1, 1894	$ 1,800 00
By clerk's salary April 1, 1893, to April 1, 1894	500 00
By cash for postage and envelopes	184 73
By cash to Brown Printing Co.	476 16
By cash, miscellaneous	39 11
Total	$ 3,000 00

PAYMENT OF CLERK.

An act was passed by the last General Assembly appropriating four hundred ($400) dollars a year for the payment of the clerk of the State Board of Health. This act was approved February 18, 1893. The clerk's salary, which was before six hundred ($600) dollars, all paid out of our general fund, was then fixed at nine hundred ($900) dollars, of which five hundred ($500) dollars are paid out of our general fund and four hundred ($400) dollars out of the special appropriation. In this way the clerk receives a monthly salary of seventy-five dollars, of which 41.66\frac{2}{3}$ are paid from the general fund and 33.33\frac{1}{3}$ are paid from the special appropriation. But it is not the duty of the Board of Health to audit payments from the special appropriation. This statement however, is made for the information of all concerned.

QUARANTINE EXPENSES.

[STATEMENT No. 1.]

STATE BOARD OF HEALTH,

In account with THE STATE OF ALABAMA:

1893.		DEBITS.	
Aug. 14.	To cash from Treasurer	$	500 00
" 28.	" " " "		500 00
Sept. 11.	" " " "		262 16
	Total receipts	$	1,262 16

1893.		CREDITS.	
Aug. 10.	By one dozen Advertisers	$	50
" 10.	" telegrams		2 19
" 10.	" "		1 10
" 10.	" "		60
" 10.	" "		60
" 16.	" cash to Wolff, mattresses, &c		48 00
" 16.	" " Holt & Boykin		2 65
" 17.	" " Brown Printing Co.		34 50
" 17.	" telegrams		16 64
" 17.	" hack hire (B. & G.)		2 50
" 19.	" cash to S. J. Jones, quarantine officer		11 00
" 19.	" " B. J. Fitzpatrick, quarantine officer		4 00
" 19.	" " M. Dotzheimer, quarantine officer		14 00
" 19.	" " J. A. Whiting, quarantine officer		20 00
" 19.	" " R. J. Chambers, quarantine officer		19 00
" 19.	" " L. J. Owen, quarantine officer		18 00
" 21.	" " O. O. Nelson, quarantine officer		15 00
" 21.	" " J. M. Powell, quarantine officer		27 50
" 21.	" " J. B. Foster, quarantine officer		20 00
" 21.	" " W. J. Reynolds, quarantine officer		13 00
" 21.	" " T. W. Lee, quarantine officer		19 00
" 22.	" " E. R. Shannon, quarantine officer		13 00
" 23.	" " W. A. Peet, quarantine officer		15 00
" 23.	" " M. H. Amerine, quarantine officer		48 00
" 23.	" " J. H. McTyeire, quarantine officer		17 00
" 23.	" " E. O. Bolling, quarantine officer		13 00
" 24.	" " F. H. Cobbs, quarantine officer		13 00
" 24.	" " C. H. Franklin		3 65
" 24.	" " Expense at Flomaton		35 90
" 24.	" " Emile Scheurman		7 05
" 24.	" " W. H. Taylor, quarantine officer		17 00
" 26.	" " Dave Westcott, quarantine officer		13 00
" 28.	" " W. J. Reynolds, quarantine officer		14 00
" 28.	" " E. R. Shannon, quarantine officer		14 00

EXPENDITURES—Continued.

Aug.	29.	By Cash to		O. O. Nelson, quarantine officer	20 00
"	29.	"	"	W. A. Peet, quarantine officer	20 00
"	30.	"	"	J. H. Wilkins, quarantine officer	25 00
"	31.	"	"	J. Pou, quarantine officer	37 00
"	31.	"	"	W. H. Taylor, quarantine officer	24 00
"	31.	"	"	E. O. Bolling, quarantine officer	24 00
"	31.	"	"	W. H. Sanders, quarantine officer	12 97
Sept.	1.	"	"	Western Union Telegraph Co.	28 61
"	1.	"	"	W. J. Reynolds, quarantine officer	12 00
"	2.	"	"	L. J. Owen, quarantine officer	26 00
"	2.	"	"	M. H. Amerine, quarantine officer	40 00
"	2.	"	"	R. E. Lee, quarantine officer	18 00
"	2.	"	"	F. H. Cobbs, quarantine officer	27 00
"	2.	"	"	R. J. Chambers, quarantine officer	28 00
"	2.	"	"	J. I. Maxwell, quarantine officer	18 00
"	2.	"	"	Joe Pou, quarantine officer	2 00
"	2.	"	"	Dave Westcott, quarantine officer	26 00
"	2.	"	"	T. F. Bland, quarantine officer	18 00
"	2.	"	"	J. H. Wilkins, quarantine officer	5 00
"	6.	"	"	O. O. Nelson, quarantine officer	15 00
"	6.	"	"	E. R. Shannon, quarantine officer	12 00
"	6.	"	"	W. H. Taylor, quarantine officer	11 00
"	6.	"	"	J. A. Whiting, quarantine officer	28 00
"	6.	"	"	T. W. Lee, quarantine officer	28 00
"	7.	"	"	M. H. Amerine, quarantine officer	21 40
"	7.	"	"	Brown Printing Co.	94 10
"	7.	"	"	Holt & Boykin	85
"	9.	"	"	W. A. Peet, quarantine officer	16 00
"	9.	"	"	R. J. Chambers, quarantine officer	8 00
"	9.	"	"	E. O. Bolling, quarantine officer	12 00
"	9.	"	"	J. H. McTyeire, quarantine officer	10 00
"	11.	"	"	J. H. Murphy, quarantine officer	53 00
"	11.	"	"	W. U. Telegraph Co.	2 85
"	11.	"	"	J. H. McTyeire, quarantine officer	25 00
		Total			$ 1,262 16

Recapitulation.

To total receipts	$ 1,262 16	
By total expenditures		$ 1,262 16

QUARANTINE EXPENSES.

[STATEMENT No. 2.]

THE STATE BOARD OF HEALTH,

In account with THE STATE OF ALABAMA:

1893.		DEBITS.	
Sept. 21.	To cash from Treasurer	$	500 00
" 30.	" " sale of mattresses, &c., at Flomaton		25 20
Oct. 6.	" " Treasurer		500 00
" 19.	" " "		700 00
" 26.	" " "		500 00
Nov. 1.	" " "		302 89
Total		$	2,528 09

1893.		CREDITS.	
Aug. 18.	By cash	telegram	$ 40
Sept. 17.	"	T. W. Lee, quarantine officer	10 00
" 18.	"	Tom Clanton, quarantine officer	9 00
" 18.	"	hack hire	50
" 19.	"	E. R. Shannon, quarantine officer	11 00
" 19.	"	hack hire	50
" 20.	"	R. J. Chambers, quarantine officer	14 00
" 22.	"	F. H. Cobbs, quarantine officer	11 00
" 22.	"	R. J. Askew, quarantine officer	10 00
" 22.	By cash	M. H. Amerine, quarantine office	$ 36 00
" 22.	"	W. A. Peet, quarantine officer	18 00
" 22.	"	E. O. Bolling, quarantine officer	15 00
" 22.	"	W. W. Seidle, quarantine officer	3 00
" 23.	"	R. L. Schley, quarantine officer	14 00
" 23.	"	J. I. Maxwell, quarantine officer	10 00
" 23.	"	J. H. Wilkins, quarantine officer	18 00
" 23.	"	Joe Pou, quarantine officer	18 00
" 23.	"	J. H. McTyeire, quarantine officer	18 00
" 23.	"	hack hire	50
" 25.	"	L. J. P. Owen, quarantine officer	14 00
" 25.	"	W. J. Reynolds, quarantine officer	15 00
" 25.	"	M. S. Watson, quarantine officer	22 00
" 25.	"	Louis Hamburger, quarantine officer	12 00
" 26.	"	G. C. Clisby, quarantine officer	10 00
" 26.	"	E. R. Shannon, quarantine officer	12 00
" 27.	"	R. A. Lenoire, quarantine officer	4 00
" 28.	"	R. L. Schley, quarantine officer	13 00
" 28.	"	E. O. Bolling, quarantine officer	13 00
" 29.	"	Thomas Westcott, quarantine officer	9 00

EXPENDITURES—Continued.

Sept.	29.	By Cash	Thomas Westcott, quarantine officer	2 00
"	29.	"	Dave Westcott, quarantine officer	4 00
"	29.	"	F. H. Cobbs, quarantine officer	18 00
"	30.	"	R. E. Lee, quarantine officer	24 00
Oct.	2.	"	M. H. Amerine, quarantine officer	40 00
"	2.	"	G. C. Clisby, quarantine officer	12 00
"	2.	"	W. A. Peet, quarantine officer	20 00
"	2.	"	M. S. Watson, quarantine officer	14 00
"	2.	"	J. H. Wilkins, quarantine officer	18 00
"	2.	"	J. I. Maxwell, quarantine officer	10 00
"	2.	"	R. J. Askew, quarantine officer	27 00
"	2.	"	J. J. Caine, quarantine officer	10 00
"	3.	"	J. A. Whiting, quarantine officer	37 00
"	3.	"	T. F. Bland, quarantine officer	37 00
"	4.	"	Telegrams from Clanton	98
"	4.	"	H. O. dinner at Fleming's	50
"	4.	"	H. O. hack hire	50
"	4.	"	H. O. dinner at Troy	50
"	6.	"	J. S. Kelly, quarantine officer	19 00
"	6.	"	W. U. Telegraph Co	17 25
"	6.	"	E. O. Bolling, quarantine officer	15 00
"	6.	"	W. J. Reynolds, quarantine officer	23 00
"	6.	"	L. J. Owens, quarantine officer	23 00
"	7.	"	J. I. Maxwell, quarantine officer	29 00
"	7.	"	R. L. Schley, quarantine officer	21 00
"	7.	"	Louis Hamburger, quarantine officer	26 00
"	9.	"	J. H. McTyeire, quarantine officer	31 00
"	9.	"	J. H. Wilkins, quarantine officer	14 00
"	9.	"	John McGurk, quarantine officer	8 00
"	10.	"	M. S. Watson, quarantine officer	15 00
"	12.	"	G. C. Clisby, quarantine officer	10 00
"	13.	"	J. H. Murphy, quarantine officer	60 00
"	13.	"	John McGurk, quarantine officer	8 00
"	13.	"	J. S. Kelly, quarantine officer	10 00
"	16.	"	J. I. Maxwell, quarantine officer	12 00
"	17.	"	C. T. Kenneworth, quarantine officer	4 00
"	19.	"	T. W. Beall, quarantine officer	10 00
"	19.	"	W. A. Peet, quarantine officer	22 00
"	19.	"	R. J. Askew, quarantine officer	20 00
"	19.	"	Louis Hamburger, quarantine officer	13 00
"	20.	"	J. J. Caine, quarantine officer	22 00
"	20.	"	C. T. Kenneworth, quarantine officer	2 00
"	20.	"	M. H. Amerine, quarantine officer	72 00

EXPENDITURES—Continued.

Oct.	20.	By Cash	W. J. Tuttle, quarantine officer	30 00
"	20.	"	John McGurk, quarantine officer	14 00
"	20.	"	F. H. Cobbs, quarantine officer	10 00
"	20.	"	C. Summers, quarantine officer	28 00
"	20.	"	M. S. Watson, quarantine officer	16 00
"	21.	"	J. C. Pou, quarantine officer	22 00
"	21.	"	Expressage	25
"	21.	"	R. E. Lee, quarantine officer	40 00
"	21.	"	J. O. Nice, quarantine officer	20 00
"	21.	"	T. F. Bland, quarantine officer	36 00
"	21.	"	J. C. Pou, quarantine officer	34 00
"	21.	"	Probate Judge of Escambia county	200 00
"	23.	"	J. I. Maxwell, quarantine officer	13 00
"	23.	"	R. J. Askew, quarantine officer	20 00
"	24.	"	F. H. Cobbs, quarantine officer	24 00
"	24.	"	J. H. Wilkins, quarantine officer	30 00
"	25.	"	J. H. McTyeire, quarantine officer	30 00
"	27.	"	John McGurk, quarantine officer	14 00
"	28.	"	R. L. Schley, quarantine officer	40 00
"	28.	"	F. W. Beall, quarantine officer	10 00
"	28.	"	W. A. Peet, quarantine officer	30 00
"	30.	"	M. S. Watson, quarantine officer	22 00
"	31.	"	J. O. Niece, quarantine officer	20 00
Nov.	1.	"	C. Summers, quarantine officer	21 00
"	1.	"	J. H. Murphy, quarantine officer	36 00
"	1	"	Louis Hamburger, quarantine officer	29 00
"	1.	"	G. C. Clisby, quarantine officer	26 00
"	1.	"	J. J. Caine, quarantine officer	14 00
"	1.	"	John McGurk, quarantine officer	9 00
"	1.	"	W. J. Tuttle, quarantine officer	23 00
"	1.	"	R. E. Lee, quarantine officer	20 00
"	1.	"	F. H. Cobbs, quarantine officer	14 00
"	1.	"	J. H. Wilkins, quarantine officer	15 00
"	1.	"	M. S. Watson, quarantine officer	6 00
"	1.	"	M. H. Amerine, quarantine officer	48 00
"	1.	"	M. H. Amerine, quarantine officer	19 15
"	1.	"	J. C. Pou, quarantine officer	21 00
"	1.	"	Western Union Telegraph Co	31 00
"	1.	"	T. F. Bland, quarantine officer	23 00
"	1.	"	J. I. Maxwell, quarantine officer	17 00
"	1.	"	J. A. Whiting, quarantine officer	60 00
"	1.	"	R. L. Schley, quarantine officer	6 00
"	1.	"	W. A. Peet, quarantine officer	6 00

EXPENDITURES—Continued.

Nov.	1.	"	T. G. Hewlett, quarantine officer	6 00
"	1.	"	Brown Printing Co	211 80
Sept.	71.	"	Health Officer's hotel bill, Atlanta	4 00
"	28.	"	Freight on tents from Flomaton	1 50
			Total	$2.496 33

Summary Statement.

Received from Treasurer	$2,502 89	
" " sale of mattresses, &c., at Flomaton.	25 20	
Total receipts	$2,528 09	
Expended by State Health Officer	2,496 33	
To balance overdrawn		$31 76
By balance refunded to Treasurer	31 76	
Total	$2,528 09	

QUARANTINE EXPENSES.

[Statement No. 3.]

The State Board of Health,

In account with The State of Alabama.

EXPENSES OF STATE HEALTH OFFICER ON TRIP TO NEW ORLEANS TO ATTEND QUARANTINE CONFERENCE.

1894.			
Feb. 1.	By ticket from Mobile to New Orleans and return	$	6 60
Feb. 1.	Dinner at Mobile, en route		75
" 1.	Hack at New Orleans		50
" 4.	Hotel bill at the St. Charles		11 00
" 4.	Supper at Mobile		75
	Total $	$	19 60
	To cash from Treasurer	$ 19 60	

EXPENDITURES—Continued.

General Summary.

Total receipts per statement No. 1	$1,262 16	
receipts per statement No. 2	2,528 09	
receipts per statement No. 3	19 60	
Total receipts	$3,809 85	
By cash paid out per statement No. 1		$1,262 16
cash paid out per statement No. 2		2,496 33
cash paid out per statement No. 3		19 60
By total expenditures		$3,778 09
By balance refunded Treasurer		31 76
By total		$3,809 85
To total receipts	$3,809 85	
By total expenditures		$3,809 85

THE WORK OF THE COUNTY BOARDS OF HEALTH.

The work of the County Boards of Health is steadily improving when we consider all the counties together. That is to say a larger number of counties than ever before are engaged in the collection of vital statistics; and a larger number than ever before are approximating satisfactory results. This persistent progress, even while it is slow, is very gratifying. In it we have the assurance that complete success will ultimately crown our efforts in the most difficult enterprise ever undertaken by the medical profession of any country in the world. It is a work therefore of which the medical profession of Alabama may well be proud. We proceed to notice each one of the county boards of health, and its work for the past year separately.

Autauga County Board.—No reports were received from this board for 1893. There is no good reason why this board should not do good work. Dr. R. L. Huddleston, of Wadsworth, is the county health officer; but he seems to have paid no attention to the duties of the office.

Baldwin County Board.—We are pleased to be able to repeat for this board what we said of it last year: Dr. W. M. Lovelady continues to act as county health officer. No other county in the State presents more difficulties in the way of long distance and sparseness of population. In spite of these difficulties the work is fairly well done and continues to improve. The results show this county to be one of the healthiest in the State. The health officer's salary is three hundred dollars a year.

Barbour County Board.—We are sorry to have to repeat our verdict of the last several years, namely, that the work in this county continues in a very unsatisfactory condition. We know of no reason why this should be so, except that the board is extremely negligent of its duty. Dr. Charles W. Lee is the county health officer. His salary is $150 a year.

Bibb County Board.—This board has been for several years in a state of suspended animation, the county commissioners having made no appropriation for a county health officer, and none of the doctors being willing to work without pay. Recently, however, Dr. J. U. Ray, Jr., has been elected county health officer, with the promise of active assistance from all the doctors in the county, and an effort will be made to get a salary for him.

Blount County Board.—This county has continued to do very defective work. The reports have been sent in regularly but have not approximated any high degree of excellence. Dr. H. H. Byars was appointed county health officer at the beginning of this year, and promises to do better. His salary is seventy-five dollars a year, and ought to be increased if he does satisfactory work.

Bullock County Board.—The work in this county continues to be well done. Dr. S. C. Cowan is still the county health officer. His salary is $150 a year.

Butler County Board.—Our work in this county continues to be well done, but is still not quite complete. Dr. J. C. Kendrick is still the county health officer. His salary is $100 a year, and should be increased.

Calhoun County Board.—The work in this county continues to be well done, and even promises improvement. The separate reports for Jacksonville, Oxford and Piedmont have always been good. The separate report for Anniston, which has heretofore been defective, has for the last few months been complete, and one or two chronic delinquents amongst the doctors have begun to report. Dr. W. B. Arberry is county health officer. His salary is $200 a year.

Chambers County Board.—No reports were received from this county last year, nor for several years. The health officer received no salary and does no work. The society is now in better shape than it has been for a long time. But whether anything will be done to improve the collection of vital statistics or not remains to be seen.

Cherokee County Board.—During all last year the work of this board was very much neglected. This year the society is in very much better condition; and the outlook for good work has greatly improved. Dr. R. L. McWhorter is the county health officer. His salary is $150 a year.

Chilton County Board.—No reports have been received from this county for several years. The health officer has had no salary, and has done no work. The society has taken on new life; but it remains to be seen whether anything will be done towards the collection of vital statistics. Dr. W. E. Stewart is the county health officer.

Choctaw County Board.—Our work in this county for the past year has been of a very unsatisfactory character. Dr. J. L. Granberry has recently been made county health officer and promises to do better. His salary is $100 a year.

Clarke County Board.—The reports from this county are very good, but not quite complete. This board should make just a little more effort, and leave nothing to be desired. Dr. J. W. Armistead is still the county health officer. His salary is $150 a year.

Clay County Board.—The reports from this county continue to be very good, but it is believed they are not quite complete. Dr. Thomas Northern is still the county health officer. His salary is only $30—a ridiculously small sum even for Clay county. It should be at least $100.

Cleburne County Board.--The work in this county was poorly done last year. The health officer had no salary, and did not put himself to much trouble. Nevertheless, things have improved and the outlook is better. Dr. J. H. Ligon is the county health officer. His salary is $25. It should in common decency be raised to $100.

Coffee County Board.—This board has made no reports for the past year. The county health officer gets no salary, and very naturally does no work.

Colbert County Board.--No reports have been received from this county for two or three years past. There is no reason except negligence on the part of the board why good work should not be done here. Dr. J. M. Pinkston is county health officer. His salary is $--.

Conecuh County Board.—This board continues to send in good reports. Dr. Andrew Jay is county health officer. His salary is $200.

Coosa County Board.—This board continues to do good work. Dr. A. J. Peterson is still the county health officer. His salary is $100 a year.

Covington County Board.—No reports have been received from this board for two or three years.

Crenshaw County Board.—There has been some improvement in this county, but it is still not in a satisfactory condition. Dr. A. J. Jones is the county health officer. A few months ago his salary was fixed at the inadequate sum of $50 a year.

Cullman County Board.—The work of this board continues to be done in tolerable fashion. It could and ought to be made complete. Dr. M. L. Johnson is the county health officer still. His salary is one hundred dollars a year.

Dale County Board.—In this county there has been no salary appropriated to pay a county health officer; and no attempt has been made to collect the vital statistics.

Dallas County Board.—Our work in this county while about as usual is not in a satisfactory condition. It is confessedly a difficult county to manage on account of the very large negro population it contains. But these difficulties are not insuperable and ought to be overcome. The reports from the city of Selma are claimed to be complete. The county health officer is Dr. F. G. DuBose. His salary is $240 a year.

DeKalb County Board.—During the past year the work in this county went on about as heretofore, with fairly good, but not complete reports. With the beginning of this year Dr. F. P. Gale was elected health officer. His salary is $150 a year.

Elmore County Board.—The work in this county was well done up to the first of January, while Dr. O. S. Justice was county health officer. Since then Dr. W. A. Huddleston has been county health officer, and the work seems to have utterly collapsed. His salary is $100 a year.

Escambia County Board.—Our work in this county is well done. Dr. E. T. Parker is still the county health officer. His salary is $250 a year.

Etowah County Board.—Our work in this county has continued to improve, and while not quite complete is very well done. Dr. D. H. Baker is still the county health officer. His salary is $150 a year.

Fayette County Board.—This board has done nothing during the past two or three years. There has been recently a new election for county health officer resulting in the appointment of Dr. W. W. Jones. It is believed he will do better work. His salary is only fifty dollars a year, more than adequate compensation for what has been done heretofore, but not more than half of what a good officer ought to get.

Franklin County Board.—There is no reason why this board should not do good work, except that it just don't seem to know how. There is no appropriation for the county health officer, and he feels free not to do anything.

Geneva County Board.—The hopes expressed in our last report in regard to this board have not been fulfilled. The society seems to have revived somewhat, but has done nothing towards the collection of statistics. There is no appropriation to pay a county health officer.

Greene County Board.—During the past year no reports have been received from this board. There is no good reason why it should not do good work.

Hale County Board.—Our work in this county continues to be poorly done. There is no sufficient reason in the nature of the case for this continued failure. Dr. Huggins is still the county health officer. His salary is $150 a year

Henry County Board.—Our work in this county is still in a very unsatisfactory condition. Dr. Oscar Dowling has been recently elected county health officer, and promises to bring order out of the chaos. His salary is $100 a year. For good work in this county he should be paid double that amount.

Jackson County Board.—The work in this county continues to be fairly good; but it fell back a little last year. Dr. E. R. Smith is now the county health officer. His administration so far shows some promise of improvement. His salary is $150 a year.

Jefferson County Board.—Considering all of its work together, this is the most efficient board in the State. It is one of the few boards that does its full duty in the inspection of jails. poor-houses, hospitals, schools, etc. It does good work in the collection of vital statistics, but not perfect for all the beats. The special reports for Birmingham, Bessemer, Pratt City, Coalburg, Warrior, Woodlawn, Avondale, etc., are believed to be nearly complete. There is more work to do, and more work done in this county than in any other in the State. Dr. T. D. Parke is the county health officer. His salary is $1,000 a year.

Lamar County Board.—The work of this board continues to be done in a very unsatisfactory way. It certainly does not improve any. The health officer is Dr. D. D. Hollis. His salary is only $25--very poor pay, which may to some extent account for the poor work. This county should pay $100 and require good work.

Lauderdale County Board.—This board has done no work for several years. It is showing generally more signs of life, but is making no vital statistics reports. There is no appropriation for a county health officer.

Lawrence County Board.—This board makes regular reports, and there has been some improvement during the past year. But this work is still more defective than it ought to be. The county health officer is still Dr. W. J. McMahon. His salary is $150.

Lee County Board.—This board has been very nearly defunct, but is beginning to show a little more vitality. It has made no reports for several years. There is no county health officer, and no appropriation to pay one. This board ought to wake up and do better. It ought to be one of the most flourishing organizations in the State.

Limestone County Board.—The board in this county continues to do its work in an unsatisfactory fashion, and not in accordance with the rules. Dr. W. J. Hagan is the county health officer. His salary is $— a year.

Lowndes County Board.—The work in this county continues to go on about as in past years. Dr. Shirley Bragg is still the county health officer. His salary is $400 a year.

Macon County Board.—The work of this board continues to be a failure. Dr. J. E. Drakeford is the county health officer. He has no salary.

Madison County Board.—The work of this board has improved somewhat during the past year, but it is still very defective. This is one of the boards that ought very emphatically to do better. Dr. Henry McDonnell is the county health officer. His salary is $— a year.

Marengo County Board.—The work of this board is in a very unsatisfactory condition. This is another county that very emphatically ought to do better. Dr. I. G. Wilson is the county health officer. His salary is $— a year.

Marion County Board.—We have received no reports from this board during the past yeat. There is no appropriation to pay a health officer.

Marshall County Board.—This board has made no reports during the past year. There is no appropiation to pay a health officer.

Mobile County Board.—The work of this board last year was a complete failure. Dr. D. C. Randle was county health officer. This year Dr. F. K. Beck is county health officer. What sort of work he will do remains to be seen. His salary is $450 a year, quite enough to secure good work.

Monroe County Board.—The work of this board at one time last year threatened serious declension, but it rallied again and is now fairly well done, but not complete. Dr. W. W. McMillan is still the county health officer. His salary is $150 a year.

Montgomery County Board.—The work of this board continus to improve, but is not complete. The health officer is Dr. P. H. Owen. His salary is $600 a year—the best salary, all things considered, received by any health officer in the State. It should guarantee good work.

Morgan County Board.—The deterioration noted in regard to the work in this county in our report of last year, has continued, until this board is in a very bad way indeed. Dr. Barclift hast just been superseded as county health officer by Dr. S. L. Roundtree. His salary is $150 a year.

Perry County Board.—As usual no reports have been received from this board during the past year It is one of the counties in which good work should be done. A sufficient number of intelligent doctors scattered over the county should make the work easy. There is no appropriation to pay the county health officer.

Pickens County Board.—This board reported regularly last year, but the reports were far from complete. Dr. H. B. Upchurch is the county health officer. His salary is $— a year.

Pike County Board.—Our work in this county has gone on about as usual. The monthly reports are regularly made, but they are not

complete. Dr. C W. Hilliard is the county health officer. His salary is $75 a year.

Randolph County Board.—No reports were received from this board last year. The society has had a large increase of membership, and seems now to be in good working order. The outlook is greatly improved. Dr. P. E. Dean is the county health officer. His salary is $50 a year.

Russell County Board.—The society of this county shows some improvement; but has made no vital statistics reports for several years. The county health officer is Dr J. P. Norris He gets no salary.

Shelby County Board.—This board has made no reports for several years. There is no reason except invincible negligence why they should not do good work. There is no appropriation to pay a health officer.

St. Clair County Board.—This board makes reports equal to any in the State The county health officer is Dr. E. P. Cason. His salary is only 50 dollars a year. He certainly deserves more than twice that much.

Sumter County Board.—The work of this board continues to be very badly done. Dr. D. S. Brockway is still the county health officer. His salary is 100 dollars a year.

Talladega County Board.—This board is making progress very slowly. The reports come in regularly, but they are not complete. Dr. W. F. Thetford is still the county health officer. His salary is 125 dollars a year.

Tallapoosa County Board.—A year ago the reports of this board was very defective. During 1893 there was considerable improvement, but the work was not at all in a satisfactory condition. With the beginning of this year, however, there has been a great change for the better, and the outlook for almost perfect work is quite encouraging. Dr. A. L. Harland is still the county health officer. His salary is —— dollars a year.

Tuscaloosa County Board.—The work of this board continues to be very defective and unsatisfactory. It ought to be greatly improved. Dr. John B. Reed is still the county health officer. His salary is 125 dollars a year.

Walker County Board.—No reports have been received from this board for several years. Dr D. H. Camak is the county health officer. His salary is 100 dollars a year.

Washington County Board.—This board has never attempted the collection of vital statistics. The county is very large, sparsely set-

tled, and with very few doctors. There is no appropriation to pay a health officer.

Wilcox County Board.—No reports have been received from this county for the past year. This board should do better. The county is a large one but it has a large number of doctors, who could do successful work if they would.

Winston County Board.—There has been some improvement in the work of this board, although it is still defective. Dr. J. C. Taylor is still the county health officer. His salary now is 50 dollars a year.

THE QUARANTINE OF 1893.

On the evening of the 9th of August, 1893, a telegraphic dispatch was received from the president of the Pensacola Board of Health reporting the occurrence in that city of two death from yellow fever. The State Health Officer at the time was in bed sick; but a conference was immediately called in his sick room which was attended by governor Thomas G. Jones, mayor Crommelin, Drs. Seelye and Baldwin of the State Board of Health, and Drs. Gaston, Hill and Blue of the Montgomery Board of Health.

The first question considered by the conference was whether the quarantine about to be established should be conducted with the intention of keeping up some restricted travel and traffic with Pensacola; or whether it should be conducted on the principle of non-intercourse. The principle of non-intercourse was adopted, for the following reasons: (1) Our commercial relations with Pensacola were not such that their temporary interruption would work any great inconvenience to anybody concerned; (2) The season was so early that we could not expect the fever in Pensacola, if it should once become epidemic, to subside in less than three months; (3) The close proximity of Pensacola to our southern border placed us in a position of special danger. On the other hand it was considered that the most direct route for refugees flying from the infected city would be through the State of Alabama, and it was decided that refugee trains

should be allowed to pass through the State under proper regulations to such places as might be willing to receive them.

It was further agreed that the State Board of Health should take charge of the quarantine of the railroads; and invite the co-operation of the various county and city health authorities along the lines exposed to danger of invasion to keep special guard over the communities entrusted to their care and supervision by the laws of the State; that the governor and the mayor should both issue quarantine proclamations at once; and that mayor Crommelin, having facilities for prompt work on account of his control of the police force of the city, should at once put quarantine officers on all the trains going out of Montgomery, said quarantine officers to be paid out of the State quarantine fund, and passed over to the control of the State Board of Health.

The quarantine proclamations of the governor, and of the mayor, and the regulations for the government of the quarantine here follow:

THE GOVERNOR'S PROCLAMATION.

A PROCLAMATION.

BY THE GOVERNOR:

Whereas, yellow fever exists at Pensacola, Florida, and

Whereas, the State Board of Health recommends quarantine to the extent hereafter stated as necessary for the protection of the health of the people of Alabama.

Now therefore, I, Thos. G. Jones, governor of the State of Alabama, pursuant to the authority in me vested by "An act to regulate the practice of quarantine in Alabama," approved February 28th, 1887, do hereby proclaim, declare and establish the following quarantine measures against persons and things in the city of Pensacola, Fla., and other places infected with yellow fever, to-wit: No person, baggage, goods or merchandise of any kind from Pensacola, Fla., or other places infected with yellow fever shall be permitted to enter the limits of the State of Alabama, except on special through trains destined to points beyond this State, and which do not receive or discharge passengers or goods or merchandise within this State. This quarantine shall be conducted through the State Board of Health, which is charged with the duty of enforcing such measures not in-

consistent with the constitution of the State and the laws thereof, as it may deem necessary to that end.

In testimony whereof, I have hereunto set my hand and caused the Great Seal of the State to be hereunto affixed at the Capitol, at Montgomery this the 9th day of August, A. D., 1893, and of the Independence of the United States the 118th year.

THOS. G. JONES,
Governor.

By the Governor:—
J. D. BARRON,
Secretary of State.

THE MAYOR'S PROCLAMATION.

MAYOR'S OFFICE,

MONTGOMERY, ALA., August 9, 1893.

By virtue of the power vested in me, I, Jno. G. Crommelin, mayor of the city of Montgomery, do hereby proclaim a quarantine against Pensacola, Fla., or any other place infected with yellow fever, to the effect that until an absence of at least ten days from Pensacola, Fla., or any other place infected with yellow fever, no person or personal baggage, and no railroad car or freight of any kind, shall be allowed to come within ten miles of the city of Montgomery, except for the purpose of passing through on through trains, until public notice of the discontinuance of this quarantine.

JNO. G. CROMMELIN,
Mayor of the City of Montgomery.

QUARANTINE REGULATIONS.

MONTGOMERY, ALA., August 10th, 1893.

(1.) Under the Quarantine Proclamation of the Governor, no person or freight from Pensacola or Brunswick, or other place infected with yellow fever, is allowed to be brought into the State of Alabama, or transported from place to place within the State by any railroad, except on special trains which shall be passed entirely through the State, stopping only for fuel and water. The object of this quarantine is not to facilitate traffic or travel, but to put a stop to both so far as these infected places are concerned. But inasmuch as it may from time to time become expedient to make some temporary relaxation of rule arrangement is made for special trains.

(2.) If any person from any infected place should be discovered in the State of Alabama before the expiration of ten days from the time of leaving such infected place, such person shall be arrested and either sent out of the State as promptly as possible, or detained under guard at a most convenient quarantine station for ten days after arrest. If any refugee, from any infected place, should be arrested on a railroad car on any railroad which passes beyond the limits of the State, such road shall as promptly as possible transport such person beyond the limits of the State, unless some quarantine officer of the State of Alabama shall order such refugee to some quarantine station. If any refugee from any infected place should be arrested on any road not a through line, or not a part of a through line system, and by a through line is meant a line or system which passes beyond the limits of the State, then such person shall be dealt with as the quarantine officer making the arrest may direct.

(3.) Special arrangements may be made for special railroad service by agreement with the State Health Officer. No such arrangement will be lightly made.

(4.) For the present the United States mails may be passed without interference; but it may become necessary, after a while, to disinfect them.

(5.) If any refugee, from any infected place, should be arrested at any local point by the local authorities, he shall be punished according to the local regulations.

These rules go into operation forthwith. By order of the State Board of Health.

JEROME COCHRAN, M. D.,
State Health Officer.

On the 12 of August, there was a meeting in Montgomery of the Committee of Public Health of the State Board of Health. There were present:

Dr. T. L. Robertson, of Birmingham, President of the State Board of Health.

Dr. B. J. Baldwin, of Montgomery.

Dr. S. D. Seelye, of Montgomery.

Dr. C. H. Franklin, of Union Springs.

Dr. W. H. Sanders, of Mobile.

Dr. E. H. Sholl, of Birmingham.

Dr. Jerome Cochran, of Montgomery.

After the thorough discussion of all the questions involved

in the quarantine, this board approved of what had been done, and left the quarantine administration in all its details in the hands of the State Health Officer.

In the meantime, Escambia county, Alabama, which is adjacent to Escambia county, Florida, and in parts only 40 miles from Pensacola, and in which, at Flomaton, is the junction of the Mobile and Montgomery and the Pensacola railroads, being specially opened to invasion by the threatened epidemic, was greatly excited and took active measures for her own protection. Dr. James A. Wilkinson, of Flomaton, was appointed by telegraph to represent the State Board of Health at that place, and immediately established a quarantine station there and employed the necessary guards.

It would require more space and more time than are available now to give a detailed history of the quarantine administration of the next three months. On the 12th of August, we got information of the existence of one case of yellow fever at Brunswick, Ga. We would not have considered it necessary to establish a quarantine against Brunswick on the occurrence of a single case of yellow fever, because the geographical relations between Brunswick and Alabama are very different from those existing between Alabama and Pensacola. We were sure to be overrun by refugees from Pensacola, while refugees from Brunswick would naturally seek asylum by passing northwards through the State of Georgia. In a word, it was certain that very few Brunswick people would come into Alabama; but as our quarantine inspectors were already on the railroad trains, we at once included Brunswick in the scope of our quarantine restrictions. There were never any additional cases reported in Pensocola; and on the 18th of August, the Florida State Health Officer, Dr. J. Y. Porter, issued a statement very gravely questioning whether the cases reported were really yellow fever. On the 19th of August, our quarantine against Pensacola was discontinued.

As stated, the first case was reported in Brunswick on the 12th of August. The second case was reported on the 21st, and the third on the 23rd. On the 7th of September, quar-

antine against Brunswick was discontinued. But on the 13th of September four new cases were reported, and quarantine was again proclaimed and again enforced. On the first day of November, the quarantine was at last permanently discontinued.

The method adopted to prevent the railroads from bringing into the State persons from infected places was a systematic inspection of the trains. There are two ways in which this can be done. One way is to stop the train at the State line and make the inspection there. The other way is to have inspectors travel on the trains and make the inspections while the trains are in motion. This last method, for many reasons, is very greatly to be preferred. It interferes very much less with the convenience of the railroads; it puts a stop to many invasions that would be possible by the other method, and it makes of the quarantine officers a corps of traveling detectives. For sufficient reasons, we had the trains worked both ways, going and coming. Every passenger was required to swear to and sign the following certificate:

BOARD OF HEALTH OF THE STATE OF ALABAMA.

1. At what station did you get on this train?

Answer:.....

2. Have you been in Brunswick, Ga., Jesup, Ga., "Camp of Detention," Ga., Jekyl Island, St. Simon's Island, or any other infected place with yellow fever within the last ten days?

Answer:.....

3. When was the last time you were in either of said places? How long were you there?

Answer:.....

4. Have you, or any one traveling in your charge, been in either of the above places in the last ten days?

Answer:.....

5. Have you to your knowledge been exposed to yellow fever in the past ten days?

Answer:.....

6. Where have you been in the past ten days?

Answer: . . . . . .

I, ... do solemnly swear that the answers to the foregoing questions are true, SO HELP ME GOD!

. . . . . .

Sworn to and subscribed before me this . . . . . day of . . . . . 1893.

. . . . . .

Quarantine Officer.

Some conception of the extent of the work may be formed from the fact that some 80,000 of these blanks were used during the quarantine season. The largest number of quarantine officers on duty at any one time was about twenty-five. We were able to get very good men, competent, courteous, and trustworthy. Of course we made a few mistakes, but every quarantine officer who got drunk, or who was discourteous, or who neglected his duty was promptly and arbitrarily removed. The chief quarantine officer, who had the supervision of all the others, was Captain M. H. Amerine. He was very active and efficient. All the others made daily reports to him, and he made daily reports to the State Health Officer. The discipline was of military precision and severity.

We had the cheerful and thorough going co-operation of the railroad officials, and were indebted to them for some valuable suggestions. They, also, kindly furnished all quarantine officials with free passes. We, on our side, were anxious to put them to as little trouble as possible.

THE ROLL OF HONOR.

EXPLANATION.—It has been our intention to include in the Roll of Honor the names of all the beat officers in the State who have made complete reports on Form 3½ for nine months in the year. Heretofore we have made out this roll on the basis of the vowel ratings in the beat tables in the monthly reports sent in by the county health officers. It has come to our knowledge that in many cases these ratings were not accurate, and we sent out a circular letter requesting the county health officers to send in corrected lists of all the beat officers whose monthly reports came up to the required standard. To this circular the response has not been general, so that we have not been able to make a complete revision of the roll. We print the names thus specially furnished in *italics*, while the names obtained from the monthly reports are printed in Roman type.

Beat Health Officers who deserve favorable mention:

BARBOUR.

Dr. H. L. Brannon,
Dr. W. H. Robertson.

BLOUNT.

Dr. W. B. Allgood,
" W. M. Cole,
" W. T. Bains,
" H. B. Martin,
" L. L. Wikle.
" J. S. Armstrong,
Dr. W. K. Clapp,
Mrs. M. E. Dempsey.
Dr. G. W. McPherson,
" F. A. Gillespie.
" J. L. Raines,
" A. S. Davidson,
Drs. Moore and Hendrick.

BULLOCK.

Dr. G. Caldwell,
" W. B. Thomasson,
" E. D. Grimes,
" J. P. Colvin,
Prof. J. F. Flewellen,
Dr. W. R. Walker,
" B. F. Darnell,
" W. A. Reynolds.

BUTLER.

Dr. H. Green,
" J. D. Owens,
" J. L. Perdue,
" W. P. Knight,
" W. A. Brown,
Dr. L. S. Tillery,
" C. Wall,
" H. E. Scott,
" J. C. Kendrick,
" H. G. Perry.

CALHOUN.

Dr. T. W. Ayres,
" W. R. Kendall,
" B. S. Evans,
Dr. J. T. Williamson,
" W. H. Kinnebrew,
" J. T. Davis,
Dr. J. M. Whiteside.

CHOCTAW.

Dr. D. McCall,
Dr. E. W. Worsham.

CLARKE.

Dr. H. G. Davis,
" C. I. Dahlberry,
" J. W. Armistead,
" B. Burroughs,
" T. B. Harwood,
" L. L. Armistead,
Dr. G. S. Chapman,
" G. W. Files,
" J. W. Fleming,
" G. E. Jones,
" J. D. Lindsey,
" J. M. Davis.

CLAY.

Dr. A. R. Stephens,
" G. W. Battle,
" C. W. Darbey,
" A. K. McDairmid,
" S. W. Owens,
" W. H. Blake,
Dr. C. S. Northen,
" J. T. Manning,
" G. N. Sims,
" W. F. Irwin,
" G. W. Jordan,
" G. M. Calloway,
Dr. J. H. Garrett.

CONECUH.

Dr. H. T. Fountain,
" R. T. Holland,
" T. M. McMillan,
" P. M. Bruner,
Dr. W. R. Fountain,
" E. Bradley,
" W. B. Shaver,
" A. A. McKittrick.

COOSA.

Dr. Wm. Bailey,
" *Julius Jones*,
" *J. W. Pruitt*,
" *P. P. Goggans*,
Dr. C. K. Mannell,
" A. J. Peterson,
" D. C. Dollar,
" W. A. Holloway.

CULLMAN.

Dr. G. Hartrung,
Dr. F. B. Burnum.

DALLAS.

Dr. Wm. Mixon,
" R. L. Sutton,
" W. C. Stewart,
" J. O. Boykin,
" J. M. Donald,
Dr. R. D. Jackson,
" W. Q. Kendall,
" W. R. Hardy,
" B. C. Adams,
" B. B. Pugh.

DEKALB.

Dr. W. E. Moore,
" J. T. Miller,
" W. E. Quin,
" S. P. Smith,
Dr. H. P. McWhorter,
" W. F. McCormack,
" E. P. Nicholson,
" W. F. Wright,
Dr. W. A. Elrod.

ELMORE.

Dr. A. L. Warren,
" J. T. Rushin,
" O. S. Justice,
" N. B. Sewell,
" E. H. Robinson,
" H. T. Lett,
" T. D. Hall,
Dr. J. R. Powell,
Mrs. Emily Foster,
Dr. S. F. Jowers,
" J. I. Lamar,
Mrs. E. H. Grier,
Dr. M. L. Fielder,
" R. D. Howe,

Dr. W. A. Warren.

ESCAMBIA.

Dr. S. W. Douglass,
" E. T. Parker,
" *J. A. Wilkinson*,
Mrs. J. H. Parker,
Dr. E. B. Lovelace,
" G. P. Henry,
" J. D. Trammell,
" *Jas. A. McGowan*,

Dr. R. Young.

ETOWAH.

Dr. D. H. Baker,
" *F. P. Landers*,
" G. W. Morgan,
" *J. K. Johnson*,
" Jas. Stanfield,
" *R. B. Anderson*
" *H. F. Gilliland*,
" *J. J. Freeman*,
Dr. W. L. Funderberg,
" *J. W. Lawrence*,
" *E. L. Dowdy*,
" J. J. Freeman,
" C. J. Slaughter,
Mr. Robt. Jelks,
" *J. Thomas*,
Dr. R. F. McConnell.

HALE.

Dr. J. Huggins,
" G. M. Spencer,
Dr. J. M. Pickett,
" A. R. Davis,

Dr. R. J. Griffin.

JACKSON.

Dr. S. L. Zurmehly,
Mrs. Melvina Bass,
Dr. P. H. Helton,
Mrs. M. A. Smith,
Dr. A. N. Blackmore,
" J. A. Flannagan,
" H. F. Gattis,
" J. M. Lowe,
Dr. G. W. Foster,
" W. D. Hadden,
" J. B. Haralson,
" J. H. Boyd,
" G. T. Hayes,
" J. O. Robertson,
" W. C. Maples,
" J. R. Johnson,

Dr. E. R. Smith.

JEFFERSON.

Dr. M. C. Ragsdale,
" J. C. Jones,
" J. T. Miller,
" J. H. Finch,
" D. D. Oates,
" B. F. Clayton,
" S. D. Whisenhant,
" J. E. Robbins,
" H. N. Rosser,
" J. T. Hancock,
" G. W. Brown,
" S. C. Carson,
" H. F. Steves,
Dr. W. M. Owens,
" J. N. Statum,
" R. H. Hawkins,
" R. S. Greene,
" S. W. Acton,
" M. L. Posey,
" Thos. Cross,
" A. J. Farley,
" P. B. Lusk,
" S. A. Jenkins,
" W. F. Posey,
" D. D. Jones,
" J. N. Statum.

LAMAR.

Dr. M. W. Morton,
" W. F. Elliott,
" R. J. Redden,
Dr. F. A. Collins,
" J. R. Black,
" J. T. Seay.

LOWNDES.

Dr. S. E. Winnemore,
" J. L. Snow,
" W. B. Crum,
" O. G. Bruner,
" J. H. Russell,
" T. D. Stallings,
Mr. J. B. Mason,
Dr. Wm. Peake,
" C. R. Marlette,
" S. G. Dilburn,
" W. L. Buford,
" J. A. Pritchett,
" D. S. Hopping,
" Shirley Bragg.

MONROE.

Dr. W. W. McMillan,
Dr. F. S. Dailey,
Dr. W. M. Hestle.

MONTGOMERY.

Dr. P. H. Owen,
" T. E. Rushing,
" Jas. McDade,
" H. H. Barnes,
" C. C. Baker,
" N. H. McCrummen,
Dr. W. T. Kendrick,
" B. S. Chapman,
" J. V. Phillips,
" C. W. Powell,
" F. A. Dickson,
" J. M. Brown.
Dr. A. H. Sellers.

MORGAN.

Dr. S. L. Roundtree.

PIKE.

Dr. E. G. Ford,
" L. Hendricks,
" S. H. Dennis,
" W. L. Sanders,
Dr. L. R. Boyd,
" W. A. Eiland,
" T. F. Moore,
" F. M. Broach.

ST. CLAIR.

Dr. H. S. Garlington,
Mr. J. A. Strange,
Mrs. Susan Rickles,
" Elizabeth Bridges,
Dr. J. C. Cason,
" O. M. Steadman,
Dr. W. F. Vandegrift,
" G. M. Jones,
" J. W. Crump,
" H. H. Brewster,
" H. G. Crump,
" P. G. Dunlap.

SUMTER.

Maj. G. W. Whitfield,
Dr. D. S. Brockway,
" *D. Henagan,*
Dr. J. N. Gilmer,
" *S. P. Hand,*
" *M. B. Cameron.*

TALLADEGA.

Dr. J. T. Donaldson,
" E. D. Rhodes,
" W. D. Caldwell,
" Jno. Dixon,
" H. F. Morton,
Drs. Harrison & Hamilton,
Dr. A. G. Sims,
Heacock & Son,
Dr. R. E. Pearson,
" W. B. Kant,
Dr. W. F. Coker.

TALLAPOOSA.

Dr. G. C. Radford,
" J. J. Harlan,
" J. M. Watkins,
Dr. A. L. Harlan,
" I. D. Nolen,
" L. C. Ward,
Dr. M. J. Banks.

TUSCALOOSA.

Dr. W. W. Jones,
" T. M. Leatherwood,
" J. B. Read,
" *M. A. Toomy,*
Dr. Jas. Trim,
" A. S. Allen,
" W. J. Caldwell,
" *J. M. Thompson.*

PART II.

REPORTS OF THE COUNTY BOARDS OF HEALTH.

REPORTS OF COUNTY HEALTH OFFICERS.

Barbour County.

The county of Barbour for the past year has escaped all epidemics. Malarial fevers—intermittent and remittent—seems to infest the northern and southern portion of the county during the spring, fall and summer months, and is marked in the northern portion of the county even during the winter months. LaGrippe, with its many complications, visited the county during the fall and winter months. Pneumonia was exceedingly light—very few cases and very few deaths.

C. W. Lee, M. D.,
County Health Officer.

Conecuh County.

The county enjoyed its usual healthfulness during the year. Some complaints of chills and fever, and other malarial troubles, were reported from the extreme southern and western portions of the county, supposed to have been caused by the locks or dams in the log ditches, and the vast amount of dead and decaying timbers left over the ground from whence the saw-logs and timber had been cut.

I know of no remedy to suggest for this state of things. Burning the woods in the spring is of some benefit, but is not sufficient to destroy the large tree-tops and logs left on the ground; and as for the locks or dams, it is impossible

to utilize the ditches for the transportation of the saw logs without them.

I am satisfied that a great improvement might be made with regard to the log ponds, as they, the locks are called, by having the surface to be covered by water, cleared of all the timber and undergrowth, so as to have as small an amount of decaying vegetable matter as possible in the pond.

The beaver ponds, that were such a pest to the county for a number of years past, are about all destroyed—beavers trapped, dams cut, and the surface formerly covered with water is now covered with a new growth of timber.

There has been no epidemic of any severity in the county during the year. Whooping cough and chickenpox in a mild form appeared in a few localities. LaGrippe made its appearance in October and became an epidemic later in the season, but was considered of a milder type than during the past epidemics of this disease.

The new jail, with its many modern improvements, does great credit to our county. It is built of brick, covered with tin, with concrete and cemented floors, roomy, well ventilated and heated, well supplied with water conveyed throughout the building, bath tubs and other conveniences. The prisoners have been very healthy during the year, one or two cases of chills and fever, contracted and developed before commitment, being about the nature of sickness.

As the poor house is only one in name, and has one occupant, I deem it unnecessary to report on it. However, the location is a pleasant and healthy one, and the cabins intended for the paupers are comfortable.

ANDREW JAY, M. D.,
County Health Officer.

Crenshaw County.

There has been no epidemic in the county at any time during the year. There were some sporadic cases of dysentery during the spring season, but not sufficient to be considered an epidemic. There were also some cases of scarlatina and typhoid fever, but usually of a mild form, and consequently very few deaths. I visited the jail twice during the year and the poor house once. I found the jail neat and clean each time and as I thought in splendid condition. The ventilation and sanitary arrangements are as good as can well be afforded. The prisoners said they were furnished with a plenty of good wholesome food three times each day. Their bedding was hardly sufficient to keep them comfortable in severe cold weather, but bedding had been ordered for them. They received medical attention from Dr. J. R. Horn. I found the poor house located about eight miles from Luverne on a high dry ridge, apparently in a healthy locality; the house amply large for the number of paupers, well ventilated and furnished with fire-places; the paupers seemed to be fairly well supplied with bedding and said they were furnished with plenty of good wholesome food three times a day, with one exception; one man made some complaint, but I could not rely on his statement. They receive medical attention from Dr. W. T. Burgamy and receive it promptly when needed.

Andrew J. Jones, M. D.,
County Health Officer.

Escambia County.

An epidemic of typhoid fever prevailed in beat 3, three miles from Brewton in April, among negro school children. I traced the source of infection to a spring from which some of the pupils drank, the spring was contaminated by fecal matter being washed into it from the hill-side. We had some typhoid fever all along through the summer, and, altogether, we lost seven from that disease.

LaGrippe prevailed in a severe form in the spring, but we lost only two patients from that disease.

The gathering of statistics (vital and mortuary) is progressing in a very satisfactory way. I have in all but one beat good, efficient assistants, and in that one (beat 8) the midwives now report to me direct, and Dr. Trammell assists in getting the statistics from that beat, as he frequently practices in said beat.

E. T. Parker, M. D.,
County Health Officer.

ANNUAL REPORT OF BOARD OF AND COMMITTEE OF PUBLIC HEALTH OF JEFFERSON COUNTY.

To the President and members of

The Jefferson County Medical Society:

We herewith render a report of our transactions for the year 1893.

Your committee held twelve regular and four called meetings during the year. Immediately after your annual election of officers last January, we were called in session for the purpose of nominating a Health Officer and City Physician, with the result that Dr. H. N. Rosser was unanimously

chosen for the fourth successive time, and was duly qualified before the city and county authorities for the two offices.

At the regular meeting, February 25th, Mr. J. K. Richardson was re-elected Sanitary Officer for the northside, and at the regular meeting, June 30th, Mr. Sylvester Daly was elected to the same position for the district south of the railroads.

As Committee of Public Health we have, in the persons of sub-committees, inspected on two separate occasions all the public institutions, namely, the Public Schools, Charity Hospital, City Jail, County Jail and County Alms House; the two last mentioned committee reports are incorporated as a part of this, our Annual Report.

We have had monthly reports from the health officer and from the sanitary officers, and take pleasure in noting that there has been improvement in nearly every department.

There has been decided improvement in the management of jails and school houses, a more systematic and thorough cleaning of our streets and alleys, and, we believe, a much fuller report of the births and deaths than we have had before.

As County Board of Medical Examiners your Committee issued certificates for license to practice medicine to the following named physicians, after their passing a satisfactory examination: Oscar Roland Tomlinson, James Samuel Moore, Ella E. Barnes, Lewis B. Morris and Joseph B. Green.

All of which we respectfully submit,

GEORGE S. BROWN, M. D.,
Secy. Com. Public Health.

BIRMINGHAM, ALA., Nov. 10th, 1893.

Mr. Chairman:

Having been appointed by you to make an inspection of the County Jail, I have the honor to report that I have made the inspection.

I found the jail in fairly good condition, and the ventilation was good. The absence of smells usually found where are congregated the class of prisoners confined there, was unusual in my experience. Some of the windows where the colored prisoners were confined were in a filthy condition. I think all the cells ought to be whitewashed once a month.

I was told that the prisoners had beef twice a week and bulk meat the other days, with cabbage, potatoes, peas or turnips daily—substantial food and in sufficient quantity.

Cleanliness in the surroundings and sufficient plain food is all that prisoners should expect.

There were bath tubs sufficient to insure bodily cleanness.

On the whole I think that the county jail is in a fairly good condition.

Yours respectfully,

W. H. JOHNSTON, M. D.

Mr. Chairman:

By your appointment, I visited and inspected the Jefferson County Alms House and premises on the 26th ult.

The yards and adjacent surroundings are clean and neatly kept, and in good sanitary condition. The wards, beds and bedding clean and in good condition. The inmates comfortably clothed and cleanly.

The water supply at this time is adequate, and hence the water closets and sinks are uncleanly and in bad sanitary condition. Would recommend that this defect be remedied as early as possible, as it will be a constant menace to health in the present condition.

I made inquiry as to food supply, and from information am of the opinion that it is ample as to kind and quality to subserve all the requirements of healthy nutrition.

There are now five wards in the building, sufficient in the aggregate to accommodate about fifty persons comfortably. This would seem inadequate to the necessities of as large and populous a county as this.

It is now a question worthy of consideration, as to whether many worthy dependent poor in this county are not allowed to wander over the county and in the cities and beg for meat and bread, who ought to be cared for in the Alms House. This institution seems to assume more the functions of a hospital for the treatment of the sick, than a home for the dependent—old, blind, crippled and infirm. That much is well, but this latter class have equal demands upon our charity, and should be provided for and encouraged to accept homes at the public expense.

I find a number of counties in the State are taking care of a much larger number of poor than we are. Montgomery county is at this time taking care of seventy-two, Mobile county ninety, and Jefferson county thirty-four. We are forced to one or two conclusions, viz., that ours are a more provident people, or else many are being neglected. From the number of beggars seen on the streets of Birmingham, the latter conclusion seem most plausible.

The huddling together in the same rooms the sick and well both day and night can not be too severely condemned. Many healthful persons will in that way contract infectuous diseases and land in a premature grave. Under the present lights of science and knowledge this action can not be continued in ignorance, and should from a sanitary standpoint be quickly remedied.

Another point, which is not directly in the provinces of this report, I wish to refer to. There are two dining rooms in the building, one for males, the other for females. There are two tables in each dining room, one for colored, the other for whites. The meals of the white and colored are served at the same hour. From a social point of view we think this custom ought to be condemned. It is a strong point in our social economy to maintain and perpetuate no social relations in the two races. This is especially true in all independent action, and should not be less so in regard to our unfortunate and often very worthy dependents. It is an example to be avoided, as debasing and humiliating, to say nothing of a more extended and wide influence that may de-

termine future action. The burly negro placed upon an equal footing with his white neighbor by the authorities, will not hesitate to assert such equality when otherwise circumstanced, and why should he?

In conclusion, it is to be hoped that the county at no distant day will see the way clear to make such improvements and additions, as will furnish a comfortable home for all the worthy dependents within the borders of our great and prosperous county, and that will reflect credit upon a progressive and philanthropic people.

Respectfully submitted,

T. R. Robertson, M. D.,
For Committee of Public Health.

Talladega County.

Talladega, Ala., Feb. 1, 1894.

To the Commissioners' Court of Talladega County:

Gentlemen:—In compliance with the laws of Alabama, the following "Annual Report from the County Board of Health," is submitted to your consideration. It is accompanied with the tabulated and statistical report of the County Health Officer, Dr. W. F. Thetford:

During the year 1893, we have had no serious epidemic visitations, or at least none which required the attention or direct attention of the County Board of Health. Neither have the people been exposed to contagious or infectious diseases to any marked degree during the year. Perhaps the foregoing statements, as to the sanitary condition of the county, should be qualified by a reference to some serious and fatal cases of disease, which occurred in the southwestern part of the county during the latter part of the summer and the first part of the fall. The sickness referred to occurred in beats Nos. 10 and 11 and was a severe, and in some of its features a malignant form of typhoid fever.

It is believed that the chief cause of this fever was the result of impure water from wells which were contaminated by surface draining, these wells being situated near stables, chicken-roosts and out-houses, from which deleterious matter was washed or siped into the wells. It is also believed the milk was contaminated by the cows drinking the same kind of water and stagnant water of the same character and was a factor in developing this disease.

In addition to this, we may say that in the month of December we suffered more or less generally over the county with another return of that special influenza, termed "la grippe." Although the number of cases of this disease was large, the per cent. as to fatality was small.

We are pleased to state that the fever referred to, which prevailed in the two beats, has entirely disappeared, and that la grippe has about run its course. A reference to the statistical report of the County Health Officer will show the number of deaths (not accurately perhaps, but approximately) which occurred during the year and the causes or diseases producing them. We can not claim that the vital and mortuary statistics are absolutely correct, for they are not. Especially is this so as they relate to the colored population. There is, we regret to say, more or less neglect on the part of a few physicians, of some beat health officers, and midwives in making full and accurate monthly reports.

The County Board of Health and the County Health Officer dislike the necessity, but they feel that they will be compelled, in the discharge of their duty, to invoke the aid of the law and have its penalties enforced, for the failure upon the part of the persons referred to in complying with the requirements of the medical and health laws of Alabama.

By reference to the tabulated report of the County Health Officer, it will be seen that "Tuberculosis," or consumption, that great scourge of the human race the world over, heads the list in the number of its victims—there being 25 deaths from it, 9 of them white and 16 colored. The number in the year 192, from this disease was 40—18 of them white and 22 negroes. Next in mortality comes "Enteric," or typhoid

fever, there being 21 deaths reported—5 of them white and 16 colored, there being 8 more deaths from this disease in 1893, than was reported for 1892. Next comes "Pneumonia," 12 deaths—4 whites and 8 colored. In 1892 there were 21 deaths from pneumonia—14 whites and 7 blacks. There were 508 births reported for 1893—whites 269, blacks 239. In the year 1892 there were 577 births reported—whites 322, blacks 255, making 69 more births in 1892 than in 1893.

The total number of deaths in the county for 1893 was 179—whites 88, blacks 91. In the year 1892 there were 211 deaths reported; 119 whites and 92 blacks—211, there being 32 fewer deaths in 1893 than in 1892.

Taken as a whole, the year 1893 can be classed as a healthy year, and could be considered an exceptionally healthy one except for the serious disease and the number of cases which occurred in beats 10 and 11.

As you are aware, it is made our duty, from time to time, to visit and inspect the public institutions, the jail prisons, poor house and asylums in the county, and report to your honorable body as to their sanitary and hygienic condition.

In regard to those large State institutions in our midst, viz: the Deaf and Dumb Institute for the whites; the Academy for the Blind for the whites, and the Academy for the Mutes and Blind for the negroes, we would state they are in a most excellent condition in every respect, as they have been for years, and we can most heartily commend and endorse their general management.

In regard to the condition of the poor house, we can say that it is fairly good, most of the inmates being made moderately comfortable, considering the rather low compensation per capita which is allowed for their support.

In this connection, we would make an earnest appeal to your honorable body that as soon as you can reasonably do so, you will make some suitable arrangements for the care of the paupers who are bed-ridden and who require daily nursing and attention.

We invite your co-operation to that end, that we may be enabled to make these unfortunate persons, who are fre-

quently deserted by kindred and friends and left to the charity of the public, as comfortable as possible. To this end, we would suggest the erection of a suitable building for the whites and one for the blacks, to be known as the hospital, each building containing several rooms, or, more properly, wards, in which the sick and helpless can receive the humane care and attention which their condition require. Possibly one or two of the present buildings could be so changed and combined as to be suitable for one of the hospitals suggested.

In regard to the county jail, we can congratulate you, as we did in our report one year ago, upon the most excellent improvement made in 1892 in enlarging the capacity of the building and in making the prison cells far more comfortable for the unfortunate inmates than formerly. We cannot fully commend as to cleanliness the main prison-room in which the larger number of prisoners are confined. We would suggest that if the employé whose duty it is to attend to this room would give it his daily and industrious attention its appearance would be more becoming and its sanitary features improved.

Allow us again, as we deemed it our official duty twelve months ago to do, and so regard it now, to call your attention to the hours at which the meals are given to the prisoners, and also the want of variety in the food. The hours at which the meals are now served, as we learned, were 7 to 8 A. M. and 12:30 to 1 P. M. We would advise a change of hours, and if only two meals are given, one should be at 7 or 7:30 A. M. and the other one at 4 or 4:30 P. M. As to the diet, we suggest that in addition to the one vegetable now so constantly used, viz: the cornfield pea, that these should be given in rotation—sweet potatoes or yams, Irish potatoes and turnips and occasionally turnip salad; also, that wheat or flour bread should be served at least four times during each week, and that fresh beef or mutton should be given at ane meal four days of each week. We inspected the culinary department. Considering the number of persons for

whom it is necessary to cook—the number ranging from 15 to 25—we do not think the proper amount and the varied character of food which should be cooked for the number of persons usually there and prepared in a suitable way, and at regular hours, can be so prepared with the present stove, which is an inferior one as to quality, and altogether too small for the purpose. We would, therefore, recommend as an important factor, from a *sanitary* standpoint, that a good and valuable range be purchased, of capacity sufficient to meet the demands for this department in this public building—a building which is quite evident a necessity and must be sustained and properly equipped at all times to receive the violators of law.

Respectfully submitted,

J. T. Harrison, M. D.,
President.

John Dixon, M. D.
Geo. A. Hill, M. D.
H. R. Boswell, M. D.
B. W. Toole, M. D.
Board of Censors.

PART III.

STATISTICAL REPORTS.

Annual Report of Births in the State of Alabama—1893.

MONTHS.	BORN LIVING.							STILL BIRTHS.					PRESENTATION.			
	Total.	White.		Black.		Mulatto.		Total.	White.		Black.		Head.	Breach.	Cross.	Not given.
		M	F	M	F	M	F		M	F	M	F				
January	1976	536	570	391	420	28	31	83	11	13	31	28	1987	28	19	28
February	1998	600	536	418	405	21	18	51	18	12	9	12	1993	19	16	21
March	2022	622	518	380	439	34	29	42	11	9	12	10	1987	38	21	18
April	1895	598	394	398	457	28	20	63	19	13	16	15	1882	36	18	22
May	1668	464	428	364	357	33	22	76	14	18	22	22	1665	41	9	29
June	1789	461	489	411	361	41	26	64	11	9	31	13	1784	29	13	26
July	2012	532	573	455	393	38	21	80	16	20	28	16	2012	31	11	38
August	1922	598	466	362	425	29	42	64	13	19	11	21	1906	20	9	51
September	1823	566	497	377	326	24	33	71	10	13	19	29	1818	19	11	46
October	1837	522	530	341	362	38	44	60	12	15	21	12	1820	26	19	32
November	1699	518	433	296	288	41	23	48	13	9	15	11	1638	35	14	60
December	1773	440	552	331	370	34	36	52	11	10	14	17	1730	30	16	49
Total	22414	6467	5986	4524	4703	389	345	754	159	160	229	206	22219	352	176	429

Live Births—total, 22414; white, 12,453; black, 9,227; mulatto, 734; colored, 9,961. Population—total, 912,608; white, 483,094; colored, 427,739. Live births per 1000—total, 24.77; whites, 25.77; colored, 23.28. Still births—total, 754; white, 319; colored, 435. Presentations—total, 23,168; head. 22,219; breach, 352; cross, 176: not given, 429. White, 12,772; head, 12,280; breach, 202; cross, 94; not given, 196. Colored, 10,396; head, 9,939; breach, 150: cross, 82; not given, 223.

Annual Report of Deaths in the State of Alabama—1893.

MONTHS.	Total.	Colors and Sexes.				Ages of Decedents.																							
		White.		Colored.		Under 1 year.	1-2 years.	2-3 years.	3-4 years.	4-5 years.	5-10 years.	10-15 years.	15-20 years.	20-25 years.	25-30 years.	30-35 years.	35-40 years.	40-45 years.	45-50 years.	50-55 years.	55-60 years.	60-65 years.	65-70 years.	70-75 years.	75-80 years.	80-90 years.	90-100 years.	100-110 years.	Unknown.
		M.	F.	M.	F.																								
January	660	184	166	178	132	100	21	14	14	13	16	20	40	50	32	30	40	32	40	23	28	61	33	25	18	26	4	3	15
February	656	160	133	162	201	96	33	26	16	11	21	17	50	40	38	40	30	23	30	20	30	26	35	26	14	18	5	1	14
March	672	184	122	168	198	124	29	16	24	10	11	20	43	47	50	34	33	20	31	21	23	26	18	30	16	25	3	2	12
April	637	148	122	178	189	108	33	13	21	10	20	13	60	49	39	25	29	33	28	21	19	14	18	18	20	19	6	1	20
May	682	141	137	215	189	113	54	28	20	8	28	20	43	54	40	39	28	27	27	28	22	22	22	14	16	23	2		9
June	706	181	125	214	186	136	49	36	20	16	34	16	30	78	63	38	32	34	18	24	22	38	28	22	18	28	3	3	5
July	821	201	203	204	213	138	78	26	30	14	42	26	50	71	40	37	33	33	33	25	21	23	23	30	21	18	2	1	6
August	776	186	193	199	200	109	45	40	26	13	41	30	45	72	43	48	42	30	29	35	20	28	20	19	18	22	2	1	4
September	770	173	218	182	197	118	43	38	25	10	20	26	36	64	30	36	29	26	27	20	16	19	18	21	17	16	5	1	7
October	696	192	125	189	190	101	56	30	26	10	18	23	30	53	27	43	48	38	28	20	18	21	26	25	16	22	4		5
November	598	148	139	143	168	98	34	24	23	15	16	14	31	41	29	30	32	26	18	18	21	26	20	20	20	18	6	2	22
December	677	183	181	170	143	111	53	20	18	10	17	12	28	50	37	38	32	45	30	26	24	30	26	18	19	18	6	3	6
Total	8351	2081	1864	2200	2206	1352	528	311	257	140	285	237	486	669	468	438	408	367	339	276	264	334	287	268	213	253	48	18	125

Deaths—total, 8,351; white, 3,945; colored, 4,406. Population—total, 912,608; white, 483,094; colored, 427,739. Deaths per 1,000—total, 9.15; white, 8.16; colored, 10.30. Nativities—Alabama, 6,274; other United States, 1,365; England, 38; Ireland, 40; Germany, 45; not given, 589. Race—American, 3,590; English, 153; Irish, 46; German, 48; African, 4,205; Mulatto, 201; not given, 108.

Births and Deaths by Counties, Towns and Colors—January, 1893.

Counties and Towns.	Population.			Births.						Deaths.					
	Total.	White.	Colored.	Total.	Rate per M.	White.	Rate per M.	Colored.	Rate per M.	Total.	Rate per M	White.	Rate per M.	Colored.	Rate per M.
Baldwin	8,941	5,635	3,306	21	28.18	8	16.92	13	47.17	16	21.47	2	4.23	14	50.80
Barbour	34,898	13,321	21,577	39	13.41	11	9.90	28	15.57	13	4.47	8	7.20	5	2.78
Exclusive	29,874	10,121	19,753	31	12.45	7	8.29	24	14.45	11	4.41	3	3.55	8	4.81
Eufaula	4,027	2,600	1,427	5	14.77	2	9.30	3	25.22	2	5.91	1	4.65	1	1.84
Clayton	997	600	397	3	36.10	2	40.00	1	30.22	1	12.03	1	20.00	.....	.....
Blount	21,927	20,115	1,812	40	21.88	39	23.26	1	00.66	7	3.83	7	4.17	.....	.....
Bullock	27,033	6,066	20,967	65	28.82	17	33.63	48	27.47	24	10.04	4	7.91	20	11.42
Exclusive	25,016	5,066	19,950	60	28.78	14	33.55	46	20.77	23	11.03	4	9.47	19	11.42
Union Springs	2,017	1,000	1,017	5	29.74	3	36.00	2	23.59	1	5.94	.....	.....	1	11.79
Butler	21,581	11,368	10,213	96	53.13	43	45.49	53	62.26	19	10.53	15	15.83	4	4.69
Exclusive	18,779	9,968	8,811	90	57.33	42	50.55	48	65.37	17	10.83	13	15.64	4	5.44
Greenville	2,802	1,400	1,402	6	25.69	1	8.57	5	42.79	2	8.56	2	17.14	.....	.....
Calhoun	33,835	23,891	9,944	59	20.92	47	23.60	12	15.08	19	6.73	12	6.02	7	8.79
Exclusive	20,301	15,092	5,209	34	20.09	29	23.05	5	11.41	11	6.50	7	4.85	4	9.21
Anniston	10,113	6,399	3,714	15	17.79	10	18.75	5	16.15	4	4.74	2	3.75	2	6.46
Jacksonville	1,237	900	337	4	28.80	4	53.33	.....	.....	1	9.70	.....	.....	1	35.60
Oxford	1,473	900	573	3	24.43	1	13.33	2	41.88	1	8.14	1	13.33	.....	.....
Piedmont	711	600	111	3	50.63	3	60.00	.....	.....	2	33.75	2	4.00	.....	.....
Clarke	22,622	9,627	12,995	54	28.64	24	29.91	30	27.70	18	9.54	6	7.47	12	11.08
Clay	15,765	14,086	1,679	40	30.54	38	32.37	2	14.29	17	12.94	15	12.87	2	14.29
Conecuh	14,594	7,956	6,638	56	46.04	29	44.10	27	48.78	18	14.79	10	15.20	8	14.45
Exclusive	13,557	7,341	6,216	53	46.91	27	44.13	26	50.19	16	44.16	10	16.34	6	11.58
Evergreen	1,037	615	422	3	35.71	2	39.02	1	28.43	2	23.14	.....	.....	2	56.93
Coosa	15,906	10,486	5,420	41	30.93	27	30.89	14	30.99	8	6.05	4	4.57	4	8.85
Crenshaw	15,425	11,732	3,693	33	25.67	30	30.66	3	9.74	5	3.88	2	2.04	3	9.74
Cullman	13,439	13,439	.....	24	21.51	24	21.51	.....	.....	7	6.27	7	6.27	.....	.....

Exclusive	12,422	12,422		23	22	21	23	22	21				4	3	48	4	3	48					
Cullman	1,017	1,017		1	11	79	1	11	79				3	35	39	3	35	39					
Dallas	49,347	7,906	41,441	80	19	94	24	36	42	56	16	21	51	12	42	14	21	24	37	10	71		
Exclusive	41,728	4,406	37,322	47	13	51	7	19	06	40	12	86	34	9	77	4	10	89	30	9	64		
Selma	7,622	3,500	4,122	33	51	84	17	58	27	16	46	58	17	26	75	10	34	28	7	20	37		
DeKalb	21,010	19,881	1,129	42	24	03	42	24	35				5	2	85	5	3	01					
Exclusive	18,312	7,881	431	41	26	87	41	27	52				3	1	96	3	1	96					
Ft. Payne	2,698	2,000	698	1	4	47	1	60	00				2	8	89	2	12	00	1	17	19		
Elmore	21,732	11,329	10,403	55	30	41	31	32	83	24	27	67	17	9	46	8	8	47	9	10	37		
Exclusive	20,919	10,829	10,090	52	29	82	25	32	13	23	27	34	16	9	17	7	7	75	9	10	70		
Wetumpka	813	500	313	3	44	28	2	48	00	1	38	33	1	14	76	1	24	00					
Escambia	8,666	5,674	2,992	38	52	61	22	46	52	16	64	17	6	8	20	3	6	34	3	12	03		
Exclusive	7,302	4,799	2,503	28	46	01	17	42	50	11	52	69	3	4	92	3	7	50					
Brewton	1,115	750	365	7	75	33	8	48	00	4	131	50	2	21	52				2	65	75		
Atco	240	125	124	3	144	51	2	192	00	1	96	77	1	48	15				1	96	77		
Etowah	21,926	18,097	3,829	76	41	59	65	43	10	11	34	48	24	13	13	14	9	25	10	31	35		
Exclusive	14,926	12,797	2,129	63	50	64	56	52	51	7	39	45	14	11	25	10	9	37	4	22	54		
Gadsden	5,000	3,800	1,200	6	16	40	3	9	47	3	50	00	6	16	40	2	6	31	4	40	00		
Attalla	2,000	1,500	500	7	42	00	6	48	00	1	24	00	4	24	00	2	16	00	2	48	00		
Hale	27,501	5,053	22,448	52	2	68	9	22	37	43	22	98	8	3	49				5	4	27		
Exclusive	25,742	4,153	21,589	51	23	77	8	23	11	43	23	99	8	3	72				8	4	44		
Greensboro	1,759	900	859	1	6	82	1	13	33														
Jackson	28,026	24,132	3,894	57	24	40	52	25	35	5	15	04	31	13	27	22	10	93	9	27	73		
Exclusive	27,057	23,382	3,685	53	23	49	48	24	65	5	16	28	27	11	96	19	9	75	8	26	04		
Scottsboro	969	750	209	4	50	05	4	64	00				4	50	06	3	48	00	1	57	41		
Jefferson	87,825	58,100	29,150	194	27	56	142	29	32	52	21	41	129	17	61	66	13	63	63	25	93		
Exclusive	42,000	28,000	14,000	102	29	14	87	37	37	15	12	85	65	18	59	33	14	13	32	27	42		
Birmingham	35,000	23,000	12,000	71	24	33	40	20	85	31	31	90	43	14	74	26	13	60	17	17	00		
Bessemer	4,500	3,000	1,500	7	18	66	2	8	00	5	40	00	5	13	33	4	16	00	1	8	00		
Wenonah	1,500	1,000	500	5	40	00	4	48	00	1	24	00	2	16	00	1	12	00	1	24	00		
Warrior	1,250	800	450	6	57	60	6	90	00														
Pratt City	2,000	1,300	700	3	18	00	3	27	69				2	12	00	1	9	23	1	17	14		
Pratt Mines Convicts	1,000												4	48	00				4				
Coalburg Convicts	575												8	166	95	1			7				
Lawrence	20,725	12,536	8,189	23	13	31	8	7	65	15	21	98	7	4	05	4	3	82	3	4	39		
Limestone	21,195	12,075	9,120	86	48	60	36	35	79	50	65	78	27	15	28	10	9	93	17	22	37		
Exclusive	20,195	11,375	8,820	85	50	50	35	36	91	50	68	02	27	20	80	10	10	54	17	23	12		

Births and Deaths by Counties, Towns and Colors—January, 1893. (Continued.)

Counties and Towns.	Population.			Births.						Deaths.					
	Total.	White.	Colored.	Total.	Rate per M.	White.	Rate per M.	Colored.	Rate per M.	Total.	Rate per M.	White.	Rate per M.	Colored.	Rate per M.
Athens	1,000	700	300	1	12.00	1	17 14	...	...	...	...	...	...	...	...
Lowndes	31,530	4,446	27,084	72	27 38	10	26.80	62	27.40	40	15 21	...	...	40	17.72
Madison	44,000	22,036	20,964	74	20.65	43	23 41	31	17.74	39	10.88	20	10.89	19	10.87
Exclusive	33,000	16,750	16,250	56	20.36	33	23.64	23	16.98	12	4.36	8	5.73	4	2.93
Huntsville	10.000	5,286	4,714	18	21.60	10	22.70	8	20.36	27	32.40	12	27.24	15	38.18
Montgomery	56,172	14,530	41,642	125	26.70	31	25.60	94	27.06	55	11.74	11	9.08	44	12.68
Exclusive	34,289	5,638	28,651	93	32.54	17	36 17	76	31.82	30	10.49	1	2.12	29	12.16
Montgomery	21,883	8,892	12,991	32	17.63	14	18 88	8	16.62	25	13.76	10	13.49	15	14.55
Monroe	18,990	8,327	10,663	43	27.17	23	32.87	20	22.50	4	2.52	1	1.42	3	3.37
Morgan	24,889	18,603	6,286	50	24.90	43	28.81	7	13.57	22	10.95	14	9.38	8	15.44
Exclusive	16,953	13,903	3,050	44	31.06	39	33.54	5	19.67	7	4.94	5	4.31	2	7.86
Decatur	7,136	4,000	3,136	6	10.01	4	12.00	2	7.64	15	25 20	9	27.00	6	22.93
Hartsell	800	700	100	...	...	...	...	...	...	...	...	...	...	...	...
Pike	24,423	15,633	8.790	66	32.42	34	25.88	32	43 68	17	7.95	8	6.08	9	12.30
Exclusive	20,974	13,433	7,541	51	29.17	25	22.33	26	41.37	13	2.43	7	6 15	6	9.54
Troy	3,449	2,200	1,249	15	52.20	9	49.08	6	57.60	4	13.92	1	5.45	3	28.80
St. Clair	17,353	14,285	3,068	43	29.73	38	31.92	5	19.55	10	6.91	10	8.40	...	...
Sumter	29,574	5,919	23,655	59	24.53	12	24.29	47	24 87	14	6.48	6	12.16	8	4 05
Exclusive	27,708	5,214	21,584	51	22.00	10	23.01	41	11.55	13	5.62	5	11.50	8	4.64
Livingston	805	305	500	3	44.71	...	...	3	72.00	...	...	...	...	...	...
Gainesville	1,072	400	671	5	56.02	2	60.00	3	54.09	1	11.20	1	30.00	...	...
Talladega	29,346	15,343	14,003	55	22.48	31	24.24	24	20.56	25	16.22	10	7.82	15	12.85
Exclusive	26,846	13,843	13.003	50	22.35	26	22.54	24	22.24	21	9.38	8	4.53	13	11.98
Talladega	2,500	1,500	1,000	5	24.00	5	40.00	...	...	4	19.20	2	16.00	2	24.00
Tallapoosa	25,460	16,854	8,606	58	27.33	36	25.55	2.	30.69	11	5.18	7	4.96	4	5.58
Exclusive	23,060	15,354	8,306	52	26.37	34	26.57	18	26.01	9	4.56	5	3.90	4	5.78

Daleville	1,000	800	200	3	36.00	2	30.00	1	60.00									
Alexander City	800	700	100	3	45.00			3	360.00	2	30.00	2	34.28					
Tuscaloosa	30,352	18,213	12,139	43	17.00	23	15.15	20	19.77	23	9.09	10	6.58	13	12.85			
Exclusive	23,552	13,813	9,739	26	12.24	15	12.96	11	13.55	6	3.05	5	4.32	1	1.23			
Tuscaloosa	5,000	3,000	2,000	11	26.40	2	8.00	9	54.00	10	24.00	2	8.00	8	48.00			
North Port	700	500	200	6	10.28					1	17.14	1	24.00					
Insane Asylum	1,100	900	200							6	65.46	2	26.66	4	24.00			
Winston	6,600	6,600		9	16.36	9	16.36			1	1.81	1	1.81					
Total of counties for January	912,608	483,094	427,739	1966	25.84	1101	27.35	865	24.26	637	8.37	336	8.34	301	8.44			
Exclusive of towns	761,893	394,255	367,438	1654	26.05	925	28.15	729	23.92	422	6.64	229	6.97	193	6.33			
Total of towns	150,715	88,839	60,301	312	24.84	176	23.77	136	26.06	215	18.12	107	14.45	108	20.49			

Births and Deaths by Counties, Towns and Colors—February, 1893.

Counties and Towns.	Population.			Births.						Deaths.					
	Total.	White.	Colored.	Total.	Rate per M.	White.	Rate per M.	Colored.	Rate per M.	Total.	Rate per M.	White.	Rate per M.	Colored.	Rate per M.
Baldwin	8,941	5,635	3,306	21	28.18	14	29.62	7	25.40	9	12.07	4	8.46	5	18.14
Barbour	34,898	13,321	21,577	46	15.81	21	18.91	25	13.90	12	4.12	4	3.60	8	4.44
Exclusive	29,874	10,121	19,753	36	14.46	15	17.78	21	12.65	11	4.41	3	3.55	8	4.81
Eufaula	4,027	2,600	1,427	8	23.64	6	27.92	2	16.18	...	...	...	...	...	...
Clayton	997	600	397	2	24.07	...	...	2	60.45	1	12.03	1	20.00	...	...
Blount	21,927	21,115	1,812	59	33.28	57	34.10	2	1.32	8	4.37	8	4.77	...	...
Bullock	27,033	6,066	20,967	83	36.80	11	21.75	72	41.20	15	6.55	4	7.91	11	6.29
Exclusive	25,016	5,066	19,950	78	37.08	9	21.31	69	41.50	13	6.23	4	9.47	9	5.41
Union Springs	2,017	1,000	1,017	5	29.74	2	24.00	3	35.39	2	11.89	...	...	2	23.59
Butler	21,581	11,368	10,213	69	38.26	36	38.00	33	38.99	17	9.42	8	8.44	9	10.57
Exclusive	18,779	9,968	8,811	59	37.58	30	36.11	29	39.44	13	8.28	6	7.22	7	9.53
Greenville	2,802	1,400	1,402	10	42.82	6	51.92	4	34.23	4	17.12	2	17.14	2	17.11
Calhoun	33,835	23,891	9,944	70	24.82	47	23.60	23	28.91	7	2.48	4	2.00	3	3.77
Exclusive	20,301	15,092	5,209	38	22.46	29	23.05	9	20.73	4	2.36	3	2.38	1	2.30
Anniston	10,113	6,399	3,714	22	26.10	12	22.50	10	32.31	3	3.56	1	1.87	2	6.46
Jacksonville	1,237	900	337	2	19.40	1	13.33	1	35.60	...	...	...	...	...	...
Oxford	1,473	900	573	5	40.70	2	26.66	3	62.82	...	...	...	...	...	...
Piedmont	711	600	111	3	50.63	3	60.00	...	...	...	...	...	...	...	...
Clarke	22,622	9,627	12,995	64	33.94	30	37.39	34	31.39	16	8.48	6	7.47	10	9.23
Clay	15,765	14,086	1,679	43	32.73	41	34.92	2	14.29	14	10.65	11	9.37	3	21.44
Conecuh	14,594	7,956	6,638	39	32.06	16	24.33	23	41.56	12	9.76	8	12.16	4	7.22
Exclusive	13,557	7,341	6,216	36	31.86	15	24.51	21	40.34	11	9.53	7	11.44	4	7.72
Evergreen	1,037	615	422	3	34.71	1	19.51	2	56.87	1	11.57	1	19.51	...	...
Coosa	15,906	10,486	5,420	52	39.22	25	28.60	27	59.77	5	3.77	3	3.43	2	4.42
Crenshaw	15,425	11,732	3,693	30	23.33	23	23.50	7	22.74	7	5.44	4	4.08	3	9.74
Cullman	13,439	13,439	...	18	15.12	18	15.12	...	...	3	2.68	3	2.68	...	...

Exclusive	12,422	12,422		14	13.52	14	13.52			2	1.93	2	1.93			
Cullman	1,017	1,017		4	47.19	4	47.19			1	11.79	1	11.79			
Dallas	49,347	7,906	41,441	85	20.62	16	24.18	69	19.97	36	8.75	12	18.21	24	6.94	
Exclusive	41,728	4,406	37,322	59	16.96	7	19.06	52	16.71	23	6.61	4	10.89	19	6.10	
Selma	7,622	3,500	4,122	26	40.90	9	30.85	17	48.40	13	20.46	8	27.42	5	14.56	
DeKalb	21,010	19,881	1,129	55	34.47	54	32.59	1	10.62	13	13.35	11	62.63	2	27.75	
Exclusive	18,312	7,881	431	54	35.37	53	35.56			10	6.55	9	6.04	1	27.84	
Ft. Payne	2,698	2,000	698	1	4.47	1	60.00			3	13.35	2	12.00	1	17.19	
Elmore	21,732	11,329	10,403	55	30.41	36	38.72	19	21.91	12	6.63	4	4.23	8	9.22	
Exclusive	20,919	10,829	10,090	52	29.82	34	37.67	18	21.40	11	6.31	3	3.32	8	9.51	
Wetumpka	813	500	313	3	44.28	2	48.00	1	38.33	1	14.76	1	24.00			
Escambia	8,666	5,674	2,992	47	65.08	31	65.56	16	64.17	14	19.38	10	21.14	4	16.04	
Exclusive	7,302	4,799	2,503	36	59.15	28	70.00	8	38.32	11	18.07	9	22.50	2	9.58	
Brewton	1,115	750	365	9	96.85	2	32.00	7	230.13	3	32.28	1	16.00	2	65.75	
Atco	249	125	124	2	96.38	1	96.00	1	96.77							
Etowah	21,926	18,097	3,829	93	50.90	74	49.08	19	59.66	26	14.23	21	13.92	5	15.75	
Exclusive	14,926	12,797	2,129	71	57.07	60	56.26	11	61.99	20	16.07	16	15.00	4	22.54	
Gadsden	5,000	3,800	1,200	14	33.60	8	25.25	6	60.00	5	12.00	4	12.62	1	10.00	
Attalla	2,000	1,500	500	7	42.00	6	48.00	1	24.00	4	24.00	2	16.00	2	48.00	
Hale	27,501	5,053	22,448	45	19.62	9	21.37	36	19.24	4	1.74			4	2.13	
Exclusive	25,742	4,153	21,589	43	20.04	7	20.22	36	20.01	4	1.86			4	2.22	
Greensboro	1,759	900	859	2	13.64	2	26.66									
Jackson	28,026	24,132	3,894	56	23.97	48	23.86	8	24.65	17	7.27	16	7.95	1	3.08	
Exclusive	27,057	23,382	3,685	55	24.38	48	24.63	7	22.79	17	7.53	16	8.21	1	3.25	
Scottsboro	959	750	209	1	12.51			1	57.41							
Jefferson	87,825	58,100	29,150	174	23.76	129	26.63	45	18.52	143	19.53	46	9.50	97	39.93	
Exclusive	42,000	28,000	14,000	91	25.99	73	31.28	18	14.62	55	15.71	21	8.99	34	29.14	
Birmingham	35,000	23,000	12,000	57	19.53	35	18.25	22	22.00	57	19.53	22	11.47	35	35.00	
Bessemer	4,500	3,000	1,500	12	31.99	7	28.00	5	40.00	6	16.00	1	4.00	5	40.00	
Woodlawn	1,500	1,000	500	1	8.00	1	12.00			2	16.00	2	24.00			
Warrior	1,250	800	450	8	76.80	8	120.00									
Pratt City	2,000	1,300	700	5	30.00	5	46.15									
Pratt Mines, Convicts	1,000									3	36.00			3		
Coalburg, Convicts	575									20	417.38			20		
Lawrence	20,725	12,536	8,189	29	16.79	21	20.10	8	11.72	9	5.21	4	3.82	5	7.33	
Limestone	21,195	12,075	9,120	92	52.08	50	49.69	42	55.26	39	22.08	13	12.92	26	34.26	

Births and Deaths by Counties, Towns and Colors—February, 1893. (Continued.)

Counties and Towns.	Population.			Births.						Deaths.					
	Total.	White.	Colored.	Total.	Rate per M.	White.	Rate per M.	Colored.	Rate per M.	Total.	Rate per M.	White.	Rate per M.	Colored.	Rate per M.
Exclusive	20,195	11,375	8,820	92	53.70	50	50.54	42	57.14	35	20.80	11	11.60	24	32.65
Athens	1,000	700	300							4	48.00	2	34.28	2	80 00
Lowndes	31,530	4,446	27,084	73	27.76	3	8.04	70	30.01	44	16.73	4	10.72	40	17.72
Madison	44.000	22,036	20,964	77	21.48	40	22 32	37	20.17	33	9 20	17	9.25	16	9.14
Exclusive	33,000	16,750	16,250	52	18.90	27	19.34	25	18.46	15	5.45	9	6.44	6	4.43
Huntsville	10,000	5,286	4,714	25	30.00	13	29.51	12	30.54	18	21 60	8	18.16	10	25 45
Montgomery	56,172	14,530	41,642	150	32.04	25	20.67	125	36.02	37	7.89	9	7.43	28	8.06
Exclusive	34,289	5,638	28,651	101	35 33	15	31.92	86	36.00	22	7.69	1	2.12	21	8.79
Montgomery	21,883	8,892	12,991	49	26.97	10	13.49	39	36.02	15	8.26	8	10 79	7	6 46
Monroe	18,990	8,327	10,663	50	31.39	24	34.25	26	29.25	12	7.58	5	7.13	7	7 87
Morgan	24,889	18,603	6,286	21	10.45	11	7.37	10	19.39	11	5.47	10	6.70	1	1.93
Exclusive	16,953	13,903	3,050	15	10.59	10	8.63	5	19 67	3	2.11	3	2.58		
Decatur	7,136	4,000	3,136	6	10.08	1	3.00	5	19 11	8	13.44	9	21.00	1	3.82
Hartsell	800	700	100												
Pike	24,423	15,633	8,790	39	19.15	25	19.03	14	19.11	14	6.81	10	7.81	4	5.46
Exclusive	20,974	13,433	7,541	34	18.45	21	18.75	13	20.68	11	6.29	7	6.15	4	6 36
Troy	3,449	2,200	1,249	5	17.40	4	21.81	1	9.60	3	10.44	3	16.36		
St. Clair	17,353	14,285	3,068	45	31.11	39	32.76	6	23 46	14	9.62	9	7.56	5	19.05
Sumter	29,574	5,919	23,655	57	23.12	6	12.16	51	25.86	12	4.88	1	2.01	11	4.97
Exclusive	27,708	5,214	21,584	56	24.25	6	13.80	50	26.68	10	4.33	1	2.30	9	4.81
Livingston	805	305	500	1	14.90			1	24.00	2	29.91			2	48.00
Gainesville	1,071	400	671												
Talladega	29,346	15,343	14,003	28	11.44	13	10 16	15	12.85	10	4.08	4	3.12	6	5.14
Exclusive	26,896	13,843	13,003	28	12 51	13	11.27	15	13.84	9	4.02	3	2.60	6	5.54
Talladega	2,500	1,500	1,000							1	4.80	1	8.00		
Tallapoosa	25,460	16,854	8,606	58	27.33	40	28.39	18	25.11	6	2.82	4	2.83	2	2.79

Exclusive	23,060	15,354	8,306	52	26.37	52	28.91	15	21.67	5	2.53	3	2.34	2	2.89
Daderille	1,000	800	200	3	36.00	3	15.00	2	120.00	...	...	...	...	...	...
Alexander City	800	700	100	3	45.00	3	34.28	1	120.00	1	15.00	1	17.14	...	...
Tuscaloosa	30,352	18,213	12,139	23	13.44	23	15.15	11	10.37	19	3.95	14	9.22	5	4.94
Exclusive	23,552	13,813	9,739	28	14.26	28	15.15	10	12.32	7	3.56	6	5.18	1	1.23
Tuscaloosa	5,000	3,000	2,000	4	9.60	3	12.00	1	6.00	8	19.20	4	16.00	4	24.00
North Port	700	500	200	2	34.28	2	48.00	...	...	...	...	...	...	...	...
Insane Asylum	1,100	900	200	...	...	...	...	...	...	4	41.64	4	53.34	...	...
Winston	6,600	6,600	...	12	21.81	12	21.81	...	...	2	3.63	2	3.63	...	...
Total of counties for February	912,608	483,094	427,739	1999	26.26	1128	28.01	871	24.43	652	8.57	293	7.28	359	10.07
Exclusive of towns	761,893	394,255	367,438	1689	26.60	964	26.73	725	23.67	452	7.15	202	6.15	450	14.67
Total of towns	150,715	88,839	60,301	310	24.68	164	24.68	146	29.05	200	15.92	91	12.28	109	21.68

Births and Deaths by Counties, Towns and Colors—March, 1893.

Counties and Towns.	Population.			Births.						Deaths.					
	Total.	White.	Colored.	Total.	Rate per M.	White.	Rate per M.	Colored.	Rate per M.	Total.	Rate per M.	White.	Rate per M.	Colored.	Rate per M
Baldwin	8,931	5,635	3,306	35	46.97	22	46.55	13	47.17	12	16.10	9	19.04	3	10.88
Barbour	34,898	13,321	21,577	34	11 69	10	9.00	24	13 34	7	2.40	3	2.70	4	2.22
Exclusive	29,874	10,121	19,753	31	12.45	8	9.48	23	13.85	6	2.41	2	2.37	4	2.40
Eufaula	4,027	2,600	1,427	2	5.91	1	4.65	1	8.40	1	2.95	1	4.65	...	.....
Clayton	997	600	397	1	12.03	1	20.00	...	.....	...	.....	...	.....	...	.....
Blount	21,927	31,115	1,812	44	24.07	42	25.05	2	1.32	2	1.09	2	1.19	...	.....
Bullock	27,033	6,066	20,967	83	36.80	12	23 73	71	40.43	20	8.86	5	9.89	15	8.57
Exclusive	25,016	5,066	19,950	76	36.62	9	21.31	67	40.30	20	9 59	5	11.84	15	9.22
Union Springs	2,017	1,000	1,017	7	41.94	3	36.00	4	47 08	...	.....	...	.....	...	.....
Butler	21,581	11,368	10,213	69	37.26	27	28.50	42	49.34	12	6.65	6	6 33	6	7.04
Exclusive	18,779	9,968	8,811	65	41.41	23	27 68	42	57.19	9	5.73	5	6 01	4	5.44
Greenville	2,802	1,400	1,402	4	17.12	4	34.28	...	.....	3	12.84	1	8.57	2	17.11
Calhoun	33,835	33.891	9,944	67	23.76	41	30.59	26	32.48	21	7.44	15	7.53	6	7.54
Exclusive	20,301	15,092	5,209	41	24.23	31	24.64	10	23.03	15	8.36	10	7.95	5	11.51
Anniston	10,113	6,399	3,714	21	24.91	6	11.25	15	48.46	4	4.74	3	5 62	1	3.23
Jacksonville	1,237	900	337	2	19.40	2	26.66	...	.....	...	.....	...	.....	...	.....
Oxford	1,473	900	573	3	24.43	2	26.66	1	20 94	2	16.29	2	26.66	...	.....
Piedmont	711	600	111	...	.....	...	.....	...	.....	...	.....	...	.....	...	.....
Clarke	22,622	9,627	12,995	68	36 06	34	42.38	34	31.39	18	9.54	9	11.21	9	8.31
Clay	15,765	14,086	1,679	53	40.34	47	40.03	6	42.88	17	12.94	14	11 92	3	21 44
Conecuh	14,594	7,956	6,638	45	36 99	24	36.49	21	37.94	11	9.04	5	7.60	6	12.84
Exclusive	13,557	7,341	6,216	44	38.83	24	39 23	20	38.61	11	9.53	5	8.17	6	11.58
Evergreen	1,037	615	422	1	11.57	...	.....	1	28 43	...	.....	...	.....	...	.....
Coosa	15,906	10,486	5.420	50	37.72	33	37.76	17	37.63	8	6.03	5	5.72	3	6.64
Crenshaw	15,425	11,732	3,693	29	26 56	25	25.55	4	12 99	7	5.44	6	6.13	1	3.25
Cullman	13,439	13,439	.....	32	28.67	32	28 67	...	.....	9	8.05	9	8 05	...	.....

Exclusive	12,822	12,422		22	21.25	22	21.25			6	5.79	6	5.79					
Cullman	1,017	1,017		10	117 99	10	117 99			3	35.39	3	35.39					
Dallas	49,349	7,966	41,441	109	26 50	26	39 36	83	23.93	45	10.90	9	13.66	36	10.40			
Exclusive	41,728	4,406	37,322	77	22 14	8	21 78	69	21.18	30	8 62	5	13 61	25	8.03			
Selma	7,622	3,500	4,122	32	50.36	18	61 70	14	40.75	15	23.61	4	13.71	11	32 00			
DeKalb	21,010	19,881	1,120	63	36.94	58	36 74	5	53.14	16	9.15	15	9.05	1	10.62			
Exclusive	18,212	7,881	431	59	38.66	55	36.91	4	111 36	14	9 17	14	9 39					
Ft. Payne	3,698	2,000	698	4	29.78	3	18.00	1	17.19	2	8.89	1	6.00	1	17 19			
Elmore	21,732	11,329	10,403	63	34 84	42	44.48	21	24.21	10	5.53	7	7.41	3	3.46			
Exclusive	20,919	10,829	10,090	60	34 41	39	42.21	21	24.97	10	5.73	7	7 75	3	3.56			
Wetumpka	813	500	313	3	44.28	3	72.00											
Escambia	8,666	5,674	2,992	33	45 69	17	35.95	16	64.17	9	12.46	4	8.45	5	20 05			
Exclusive	7,302	4,799	2,503	22	36.15	11	27 50	11	52.69	9	14.78	4	10 00	5	23.95			
Brewton	1,115	750	365	9	96.85	5	80 00	4	131.04									
Atco	249	125	124	2	96 38	1	96 00	1	96 77									
Etowah	21,926	18,097	3,829	69	37.76	59	39.16	10	31.35	20	10.94	14	9 28	6	18.81			
Exclusive	14,926	12,797	2,129	48	38 58	44	41.25	4	22 54	13	10.45	10	9 37	3	16 90			
Gadsden	5,000	3,800	1,200	13	31 20	9	28 41	4	40.00	5	12 00	4	19.47	2	20 00			
Attalla	2,000	1,500	500	8	48 00	6	48 00	2	48 00	2	12 00	1	8 00	1	24 00			
Hale	27,501	5,053	22,448	56	24.43	8	19 00	48	25.66	14	6.11	5	11.87	9	4.31			
Exclusive	25,742	4,153	21,589	53	25.70	7	20.22	46	25 56	13	6 06	4	11 55	9	5.05			
Greensboro	1,759	900	859	3	20 46	1	13 33	2	27 93	1	6 82	1	13 33					
Jackson	28,026	24,132	3,894	71	30.40	65	32.32	6	18.48	21	8 99	15	7 97	6	18.48			
Exclusive	27,057	23,382	3,685	67	29.70	61	31 03	6	19 54	20	8.86	14	7 18	6	19 54			
Scottsboro	959	750	209	4	50.05	4	64.00			1	12 51	1	16 00					
Jefferson	87,825	58,100	29,150	184	25 13	127	26.23	57	23.36	110	15 02	32	6 60	78	32 11			
Exclusive	42,000	28,000	14,000	93	25.58	71	30.42	22	18 86	48	13.71	17	7 28	31	26 57			
Birmingham	35,000	23,000	1,200	56	19.19	26	18.77	20	20.00	31	10.62	9	4 69	22	22.00			
Bessemer	4,500	3,000	1,500	22	55.99	8	32.00	14	112.00	9	23 99	5	20 00	4	32 00			
Woodlawn	1,500	1,000	500	6	48.00	5	60 00	1	24 00									
Warrior	1,250	800	450															
Pratt City	2,000	1,300	700	7	42.00	7	64 61			2	12 00	1	9 33	1	17.14			
Pratt Convicts	1,000									7	84 00			7				
Coalburg Convicts	575									13	271.30			13				
Lawrence	20,725	12,536	8,189	23	13.31	8	7.65	15	21.98	10	5.79	3	2.87	7	10 25			
Limestone	21,195	12,075	9,120	81	45.85	33	32.80	48	63.15	32	18.12	12	11 92	20	26 31			
Exclusive	20,195	11,375	8,820	76	45 10	31	32.69	45	61..2	28	16.63	10	10.54	18	24 48			

Births and Deaths by Counties Towns and Colors—March, 1893. (Continued.)

Counties and Towns.	Population.			Births.						Deaths.					
	Total.	White.	Colored.	Total.	Rate per M.	White.	Rate per M.	Colored.	Rate per M.	Total-	Rate per M.	White.	Rate per M.	Colored.	Rate per M.
Athens	1,000	700	300	5	60.00	2	34.28	3	120.00	4	48.00	2	34.28	2	80.00
Lowndes	31,530	4,446	27,084	76	28 90	7	18.76	69	30.56	41	15.59	....	.....	41	18.16
Madison	44,000	22,036	20,964	113	31.53	54	29.40	59	33.77	38	10.60	16	8.71	22	12.59
Exclusive	33,000	16,750	16,250	87	31.63	42	30.08	45	33.23	18	6.54	7	5.01	11	8.12
Huntsville	10,000	5,286	4,714	26	31.20	12	27.20	14	35.63	20	24.00	9	20.43	11	28.00
Montgomery	56,172	14,530	41,642	115	24.56	18	14.85	97	27.96	40	8.54	18	14.85	22	6.34
Exclusive	34,289	5,638	28,651	83	29.04	11	23.41	72	30.15	15	5.24	4	8.51	11	4.60
Montgomery	21,883	8,892	12,991	32	17.62	7	9.44	25	23.09	25	13.76	14	18.89	11	10 16
Monroe	18,990	8,327	10,663	42	26.53	15	21.39	27	30.38	12	7.58	4	5.70	8	9.00
Morgan	24,889	18,603	6,286	48	23.90	34	22.78	14	27.02	13	6.47	5	3.35	8	15.44
Exclusive	16,953	13,903	3,050	41	28.94	32	27.52	9	35.41	4	23.53	1	6.86	4	15.72
Decatur	7,136	4,000	3,136	7	11.77	2	6.00	5	19.11	18	13.44	4	12.00	4	15.28
Hartsell	800	700	100	....	.....	....	.....	....	.....	....	.....	....	.....	....	.....
Pike	24,423	15,633	8,790	68	33.80	42	31 91	26	35.49	15	7.36	12	9.23	3	4.09
Exclusive	20,974	13,433	7,541	61	34.89	37	33.05	24	38.19	13	7.43	10	8.93	3	11.77
Troy	3,449	2,200	1,249	7	24.36	5	27.27	2	19.20	2	6.96	2	10.90	....	.....
St. Clair	17,353	14,285	3,068	56	38 72	52	43.68	4	15.64	14	9.62	11	9 24	3	11.73
Sumter	29,574	5,919	23,655	29	11.76	2	4.05	27	13.69	16	6.41	3	6.08	13	6.59
Exclusive	27,708	5,214	21,584	28	12.11	2	4.10	26	13.87	14	6.06	2	4.60	12	6.40
Livingston	805	305	500	1	.....	....	.....	1	.....	2	.....	1	.....	1	.....
Gainesville	1,072	400	671	....	.....	....	.....	....	.....	....	.....	....	.....	....	.....
Talladega	29,346	15,343	14,003	54	22.08	35	27.37	19	16.28	11	4.49	7	5.47	4	3.42
Exclusive	26,846	13,843	13,003	54	24.13	35	30 34	19	17 63	10	4.47	6	5.20	4	3.79
Talladega	2,500	1,500	1,000	....	.....	....	.....	....	.....	1	4.80	1	8.00	....	.....
Tallapoosa	25,460	16,854	8,606	61	28.74	46	32.65	15	20.92	8	3.77	7	4.96	1	1.39
Exclusive	23,060	15,354	8,306	58	29.41	44	34.38	14	20.23	5	2.53	5	3.90	....	.....

Dadeville	1,000	800	200	1	12.00	1	15.00	....	.....	2	24.00	1	15.00	1	60.00
Alexadder City	800	700	100	2	30 00	1	17.14	1	120.00	1	15.00	1	17.04	....	.....
Tuscaloosa	30,352	18,213	12,139	32	12.65	21	13.83	11	10.87	29	11.56	15	9 88	14	13 83
Exclusive	23,552	13,813	9,739	28	14.26	17	14.69	11	13.55	15	7.64	9	7.77	6	7.39
Tuscaloosa	5,000	3,000	2,000	4	9 60	4	16.00	....	.....	5	12.00	2	8.00	3	18.00
North Port	700	500	200	....	.....	....	.....	....	.....	1	17.14	1	24 00	....	.....
Insane Asylum	1,100	900	200	1	.....	....	.....	....	.....	8	87 28	....	40 01	5	300 00
Winston	6,600	6,600	.....	18	30.72	18	30 72	....	.....	2	3.13	2	3.62	....	.....
Total of counties for March	912,608	483,094	427,739	2046	26 50	1138	28 22	878	24.63	671	8.82	305	7 55	366	10 26
Exclusive of towns	761,893	394,255	367,438	1714	27 00	969	29 49	745	24.45	500	7.87	230	7.00	270	8 86
Total of towns	150,715	88,839	60,301	302	24 04	169	22 82	133	26 46	171	13 61	75	11.13	96	19.10

Births and Deaths by Counties, Towns and Colors—April, 1893.

Counties and Towns.	Population.			Births.						Deaths.					
	Total.	White.	Colored.	Total.	Rate per M.	White.	Rate per M.	Colored.	Rate per M.	Total.	Rate per M.	White.	Rate per M.	Colored.	Rate per M.
Baldwin	8,941	5,635	3,306	29	38.92	15	31.74	14	50.80	6	8.05	3	6.34	3	10.88
Barbour	34,898	13,321	21,577	49	16.84	12	10.80	37	20.57	2	.68	2	1.80		
Exclusive	29,874	10,121	19,753	46	18.47	10	11.85	36	21.68	1	.40	1	1.18		
Eufaula	4,027	2,600	1,427	1	2.95			1	8.40	1	2.95	1	4.65		
Clayton	997	600	397	2	24.07	2	40.00								
Blount	21,927	20,115	1,812	39	21.34	39	23.26			4	2.18	4	2.38		
Bullock	27,033	6,066	20,967	80	35.47	8	15.93	72	41.20	26	11.52			26	14.87
Exclusive	25,016	5,066	19,950	76	36.02	6	14.20	70	42.10	26	12.47			26	15.63
Union Springs	2,017	1,000	1,017	4	23.79	2	24.00	2	23.59						
Butler	21,581	11,368	10,213	52	28.83	26	27.44	26	30.54	8	4.43	3	3.16	5	5.87
Exclusive	18,779	9,968	8,811	43	27.39	24	28.89	19	25.87	6	3.82	1	1.20	5	6.80
Greenville	2,802	1,400	1,402	9	38.58	2	17.14	7	59.90	2	8.56	2	17.14		
Calhoun	33,835	23,891	9,944	64	22.69	42	21.09	22	27.65	12	4.25	9	4.52	3	3.77
Exclusive	20,301	15,092	5,209	33	19.50	26	20.67	7	16.12	6	3.54	6	4.77		
Anniston	10,113	6,399	3,714	24	28.47	14	26.25	10	32.31	6	7.11	3	5.62	1	3.23
Jacksonville	1,237	900	337	1	9.70			1	35.60						
Oxford	1,473	900	573	3	24.43	1	13.33	2	41.88						
Piedmont	711	600	111	3	50.63	1	20.00	2	216.20						
Clarke	22,622	9,627	12,995	82	43.49	38	47.36	44	40.63	16	8.48	7	8.72	9	8.31
Clay	15,765	14,086	1,679	46	35.01	40	34.07	6	42.88	9	6.84	8	6.81	1	7.14
Conecuh	14,594	7,956	6,638	41	33.71	13	19.77	28	50.59	10	8.22	6	9.12	4	7.22
Exclusive	13,557	7,341	6,216	35	30.97	11	17.98	24	46.33	10	8.85	6	9.80	4	7.72
Evergreen	1,037	615	422	6	69.00	2	39.00	4	113.00						
Coosa	15,906	10,486	5,420	33	24.89	22	25.17	11	24.35	10	7.54	7	8.01	3	6.64
Crenshaw	15,425	11,732	3,693	43	33.45	31	31.68	12	38.99	17	5.44	6	6.13	1	3.25
Cullman	13,439	13,439		19	17.02	19	17.02			8	7.16	8	7.16		

Exclusive	12,422	12,422		15	14.49	15	14.49			5	4.83	5	4.83		
Cullman	1,017	1,017		4	47.19	4	47.19			3	35 39	3	35 39		
Dallas	49,347	7,906	41,441	81	14.69	22	25 17	61	24.35	39	9.48	10	15.17	29	8.39
Exclusive	41,728	4,406	37,322	64	18.40	4	10.89	60	19.29	29	8 33	5	13 61	24	7.71
Selma	7,622	3,500	4,122	17	26 75	9	30.85	8	23 20	10	15.74	5	17 14	5	14.56
DeKalb	21,010	19,881	1,129	48	27 46	43	25 95	5	53.14	19	10.87	18	10.96	1	10.62
Exclusive	18,312	7,881	431	47	30.79	42	28 18	5	139.21	17	11.14	16	10.73	1	27.84
Ft. Payne	2,698	2,000	698	1	4 44	1	6.00			2	8.89	2	12 00		
Elmore	21,732	11 329	10,403	56	30 96	34	36.01	22	25.36	10	5.53	5	5 24	5	5.76
Exclusive	20,919	10 829	10,090	54	30 97	32	35 45	22	36.15	9	5.20	5	5.54	4	4.75
Wetumpka	813	500	313	2	29.52	2	48.00			1	14 76			1	38.33
Escambia	8,666	5.674	2,992	21	29.07	17	35.95	4	16.04	9	12.46	5	10.57	4	16.04
Exclusive	7,302	4,799	2,503	15	24.64	15	37.50			8	13.14	4	10.00	4	19.16
Brewton	1,115	750	365	6	64 57	2	32.00	4	131 50						
Alco	240	125	124							1	48.16	1	96.00		
Etowah	21,926	18,097	3,829	92	50.35	75	49.73	17	53.28	14	7.66	10	6.63	4	12.54
Exclusive	14,926	12,797	2,129	68	54 66	60	56.26	8	45 09	7	5.62	6	5 62	1	5.63
Gadsden	5,000	3,800	1,200	18	43.20	11	34.72	7	70.00	3	7.20	2	6.31	1	10.00
Attalla	2,000	1,500	500	6	36.00	4	32.00	2	48.00	4	24 00	2	16.00	2	48.00
Hale	27,501	5,053	22,448	44	19.01	8	19.00	36	19.24	11	4.80	2	4.75	9	4.81
Exclusive	25,742	4,153	21,589	41	19.11	6	17.32	35	19.45	11	5.12	2	5.77	9	5 00
Greensboro	1,759	900	859	3	20.46	2	26.66	1	13.97						
Jackson	28,026	24,132	3,894	52	22.26	48	23.86	4	12.32	15	8.42	12	5 96	3	9.24
Exclusive	27,057	23,382	3,685	50	22.16	46	20 39	4	13.02	15	6.64	12	6.15	3	9.76
Scottsboro	959	750	209	2	25.02	2	32.00								
Jefferson	87,825	58 100	29,150	145	19.81	103	21.27	42	17.29	116	15.84	46	9.52	70	28.81
Exclusive	42,000	28,000	14,000	80	22.85	61	26.13	19	16.25	48	13 71	25	10.71	23	19.71
Birmingham	35,000	23 000	1,200	39	13.37	21	10.95	18	18.00	39	13.37	13	6.77	26	26.00
Bessemer	4,500	3,000	1,500	11	29.32	7	28.00	4	32 00	9	23.99	3	12.00	6	48.00
Woodlawn	1,500	1,000	500	7	56.00	6	72.00	1	24.00	2	16 00	2	24.00		
Warrior	1,250	800	450	5	48.00	5	75.00			2	19.20			2	53.33
Pratt City	2,000	1,300	700	3	18.00	3	27.69			1	6 00	1	9.23		
Pratt Mines Convicts	1,000									13	196.00	3		11	
Coalburg Convicts	575									2	41.73			2	
Lawrence	20,725	12,536	8,189	33	19.10	17	16.27	16	23.44	7	4.05	3	2.87	4	5.86
Limestone	21,195	12,075	9,120	56	31 70	24	23.85	32	42.40	27	15 28	9	9.03	18	23.68
Exclusive	20,195	11,375	8,820	55	32.70	24	25.30	31	42.17	27	16.00	9	9.49	18	24.48

Births and Deaths by Counties, Towns and Colors—April, 1893. (Continued.)

Counties and Towns.	Population.			Births.						Deaths.					
	Total.	White.	Colored.	Total.	Rate per M.	White.	Rate per M.	Colored.	Rate per M.	Total.	Rate per M	White.	Rate per M.	Colored.	Rate per M.
Athens	1,000	700	300	1	12.00	...	...	1	40.00	...	...	...	...	...	...
Lowndes	31,530	4,446	27,084	59	22.43	1	2 68	58	25.69	33	12.54	...	...	31	13.72
Madison	44,000	22,036	20,964	73	20.37	42	22.87	31	17.74	29	8.09	18	9.80	11	6.29
Exclusive	33,000	16,750	16,250	53	19.27	34	24.35	19	14 03	14	5.09	11	7.88	3	2.21
Huntsville	10,000	5,286	4,714	20	24.00	8	18.16	12	30.54	15	18.00	7	15.89	8	20.36
Montgomery	56,172	14,530	41,642	105	22.42	21	17.34	84	24.20	52	11.10	9	8.33	43	12.39
Exclusive	34,289	5,638	28,651	71	24.84	14	29.79	57	23.87	27	9.44	1	2.12	26	10.88
Montgomery	21,883	8,892	12,991	34	18 72	7	9.44	27	24.94	25	13.76	8	10.79	17	15.70
Monroe	18,990	8,327	10,663	47	29.69	21	29.95	26	29.25	14	8.84	4	5.70	10	11.25
Morgan	24,889	18,603	6,286	49	24.40	39	26.13	10	19.39	15	7.49	11	7.37	4	7.72
Exclusive	16,953	13,903	3,050	33	23.29	25	21.50	8	31.47	4	2.82	3	2.58	1	3.93
Decatur	7,136	4,000	3,136	16	26.89	14	42.00	2	7.64	11	18.48	8	24 00	3	11.46
Hartsell	800	700	100	...	...	...	...	...	...	...	...	...	...	...	...
Pike	24,423	15,633	8,790	60	29.47	33	25.11	27	36.85	10	4.91	5	3.80	5	6.82
Exclusive	20,974	13,433	7,541	50	28.60	29	25.80	21	33.41	7	4.00	4	3.57	3	11.77
Troy	3,449	2,200	1,249	10	34.80	4	21.81	6	57.60	3	10.34	1	5.45	2	19.20
St. Clair	17,353	14,285	3,068	50	34.57	44	36.96	6	23.46	18	12.44	17	14.28	1	3.91
Sumter	29,574	5,919	23,655	40	16.22	6	12.16	34	17.24	16	6.40	5	10.13	11	5.57
Exclusive	27,708	5,214	21,584	40	17.32	6	13.80	34	18.14	15	6.49	4	9.20	11	5.87
Livingston	805	305	500	...	...	...	...	...	...	1	19.37	1	39.00	...	...
Gainesville	1,072	400	671	...	...	...	...	...	...	...	...	...	...	...	...
Talladega	29,346	15,343	14,003	41	16.76	17	13.29	24	20.56	16	6.54	8	6.25	8	6.86
Exclusive	26,846	13,843	13,003	40	17.88	16	13.87	24	22.14	15	6.70	7	6.06	8	7.37
Talladega	2,500	1,500	1,000	1	4.80	1	8 00	...	...	1	4.80	1	8.00	...	...
Tallapoosa	25,460	16,854	8,606	61	28.74	40	28.39	21	29.29	7	3.29	4	2.83	3	4.18
Exclusive	23,060	15,354	8,306	56	28.40	37	28.91	19	27.45	7	3.55	4	3.12	3	4.33

Daderville	1,000	800	200	3	36.00	2	30.00	1	60.00	...	...	...	...	...	...	...
Alexadder City	800	700	100	2	30.00	1	17.14	1	120.00	...	...	...	...	...	...	...
Tuscaloosa	30,352	18,213	12,139	40	15.81	24	15.81	16	15.81	31	12.25	17	11.19	14	13.83
Exclusive	23,552	13,813	9,739	31	15 79	20	17 28	11	13.33	15	7.64	10	8.64	5	6.10
Tuscaloosa	5,000	3,000	2,000	3	7.20	2	8.00	1	6.00	4	9.60	1	4.00	3	18.00
North Port	700	500	200	6	12.84	2	48.00	4	240.00	2	34 28	1	24.00	1	60.00
Insane Asylum	1,100	900	200	...	...	...	...	...	...	10	109.10	5	66.68	5	300.00
Winston	6,600	6,600	...	7	8.73	7	8.73	...	...	...	...	...	...	...	...
Total of counties for April	912,608	483,094	427,739	1887	24.81	989	24.57	898	27.97	636	8.36	270	6.70	360	10.10
Exclusive of towns	761,893	394,255	367,438	1613	25.40	844	25.68	769	25.23	470	7.40	200	6.08	264	8.66
Total of towns	150,715	88,839	60,301	274	21.81	145	19.58	129	25.67	166	13 22	70	9.45	96	19.10

Births and Deaths by Counties, Towns and Colors—May, 1893.

Counties and Towns.	Population.			Births.						Deaths.					
	Total.	White.	Colored.	Total.	Rate per M.	White.	Rate per M.	Colored.	Rate per M.	Total.	Rate per M.	White.	Rate per M.	Colored.	Rate per M.
Baldwin	8,941	5,635	3,306	18	24.15	9	19.04	9	32.66	6	8.05	4	8.46	2	7.25
Barbour	34,898	13,321	21,577	46	15.81	7	6.30	39	22.59	15	5.15	5	4.50	10	5.56
Exclusive	29,874	10,121	19,753	39	15.66	5	5.92	34	20.48	11	4.41	4	4.74	7	4.21
Eufaula	4,027	2,600	1,427	3	8.86	....	.....	3	25.22	2	5.91	1	4 65	1	8.40
Clayton	997	600	397	4	48.14	2	40.00	2	60.45	2	24.07	....	.....	2	60 45
Blount	21,927	21,115	1,812	21	11.49	21	12 52	....	.....	4	2.18	4	2.38	....	.....
Bullock	27,033	6,066	20,967	54	23 94	5	9.80	49	28.04	22	9.75	4	7.91	18	10.30
Exclusive	25,016	5,066	19,950	51	24.46	4	9.47	47	28.27	20	9.59	3	7.10	17	10.22
Union Springs	2,017	1,000	1,017	3	17.84	1	12 00	2	23.59	2	11.89	1	12.00	1	11.79
Butler	21,581	11,368	10,213	47	26.06	19	20.05	28	32 89	4	21.18	2	21.11	2	2.34
Exclusive	18,779	9,968	8,811	44	28 03	18	21 66	26	34.40	3	1 91	2	2.40	1	1.36
Greenville	2,802	1,400	1,402	3	12.94	1	8.57	2	17.11	1	4.28	....	.....	1	8 55
Calhoun	33,835	23,891	9,944	55	19.50	38	19.08	17	21 37	11	3.90	6	3.01	5	6.18
Exclusive	20,301	15,092	5,209	29	17.41	25	19.87	4	9.21	3	1 77	3	2.38	....	.....
Anniston	10,113	6,399	3,714	19	22.54	9	16.87	10	32.31	6	7.11	2	3 75	4	12.92
Jacksonville	1,237	900	337	2	19.40	1	13.33	1	35.60	....	.....	....	.....	....	.....
Oxford	1,473	900	573	2	16.29	1	13.33	1	20.94	1	8.14	....	.....	1	20.94
Piedmont	711	600	111	3	50.66	2	40.00	1	108.10	1	16 87	1	20 00	....	.....
Clarke	22,622	9,627	12,995	72	38.18	30	37 39	42	38.78	21	11 13	8	9 97	13	12.00
Clay	15,765	14,086	1,679	48	36.53	44	37.48	4	28 58	9	6.84	7	6.66	2	14.29
Conecuh	14,594	7,956	6,638	33	27.12	13	19.77	20	36.14	13	6.68	5	7.60	8	14 45
Exclusive	13,557	7,341	6,216	31	27.43	12	19.61	19	36.47	12	10.62	4	6.53	8	15.44
Evergreen	1,037	615	422	2	23.14	1	19.51	1	28.43	1	11.57	1	19.51	..	.....
Coosa	15,906	10,486	5,420	48	36.21	31	35.47	17	37.63	6	4.52	3	3 43	3	6.64
Crenshaw	15,425	11,732	3,693	18	14.00	16	16.35	2	6.59	3	2.33	3	3.06	....	.....
Cullman	13,439	13,439	.....	32	28.66	32	28.66	....	.....	10	8.95	10	8.95	....	.....

Exclusive	12,422	12,422		30	28.98	30	28.98			9	8.69	9	8.69			
Cullman	1,017	1,017		2	35.39	2	35.39			1	11.79	1	11 79			
Dallas	49,347	7,906	41,441	75	18.21	11	16.70	64	18.53	56	13 50	17	25.70	39	11.29	
Exclusive	41,728	4,406	37.322	58	16.67	5	13.61	53	17.00	33	9.48	4	10.89	29	9.32	
Selma	7,622	3,500	4,122	17	26 75	6	20.57	11	32.00	23	36.20	13	44.57	10	29.11	
DeKalb	21,010	19,881	1,129	37	21.17	35	21.12	2	21 25	3	1.71	2	1.20	1	10.62	
Exclusive	18,312	7,881	431	33	21.62	31	20.80			1	.65	1	.67			
Ft. Payne	2,698	2,000	698	4	29.78	4	24.00			2	8.89	1	6.00	1	17.19	
Elmore	21,732	11,329	10,403	47	25.99	31	32.84	16	18 84	10	5 53	3	3.17	7	8.07	
Exclusive	20,919	10,829	10,090	47	26.66	31	33.34	16	19.02	10	5.73	3	3 32	7	8.32	
Wetumpka	813	500	313													
Escambia	8,666	5,674	2.992	20	27.69	18	38.06	2	8.02	8	11.07	6	12.68	2	8.02	
Exclusive	7,302	4.799	2 503	19	21.22	17	42.50	2	9.58	4	6.57	2	5.00	2	9.58	
Brewton	1.115	750	365	1	10 76	1	16.00			2	21 54	2	32.00			
Alco	249	125	124							2	96 38	2	192.00			
Etowah	21,926	18,097	3,829	70	38.31	63	41.77	7	21.94	20	10.94	17	11.27	3	9.40	
Exclusive	14 926	12,797	2,129	63	50 64	57	53 44	6	33 91	11	8 84	10	9.37	1	5.63	
Gadsden	5,000	3,800	1,200	5	12 00	4	12.62	1	10.00	8	19 20	6	18 94	2	20 00	
Attalla	2,000	1,500	500	2	12.00	2	16.00			1	6.0	1	8.00			
Hale	27,501	5,053	22,448	30	13 09	4	9.50	26	13.86	20	8772	9	21.37	11	5.88	
Exclusive	25,742	4,153	21,589	30	13.98	4	11.55	26	14.45	20	9.32	9	26 00	11	6 11	
Greensboro	1,759	900	859													
Jackson	28,026	24,132	3.894	64	27.40	61	30.33	3	9.24	19	8.13	16	7.95	3	9 24	
Exclusive	27,057	23,382	3.685	61	27.04	59	30.27	2	6.51	18	7.97	16	8.21	2	6.51	
Scottsboro	959	750	209	3	37.53	2	32.00	1	57.41	1	12.51			1	57.41	
Jefferson	87,825	58,100	29.150	164	22 40	114	23.57	50	20.58	128	17.49	44	9 08	84	34 58	
Exclusive	42,000	28,000	14,000	90	25.71	68	29.13	22	18.85	48	13 71	21	8.99	27	23.14	
Birmingham	35,000	23,000	12,000	56	19.19	36	18.77	20	20.00	42	14.39	19	9.90	23	23.00	
Bessemer	4.500	3.000	1,500	8	21.32	3	12.00	5	40.00	7	18.66	2	8.00	5	40.00	
Woodlawn	1,500	1,000	500	6	48 00	3	36 00	3	72.00	1	8 00			1	24 00	
Warrior	1,250	800	450	2	19.20	2	30.00			3	28.80	1	15.00	2	53.33	
Pratt City	2,000	1,300	700	2	12.00	2	18.46									
Pratt Mines, Convicts	1,000									25	300 00	1		24		
Coalburg, Convicts	575									2	41.93			2		
Lawrence	20,725	12,536	8,189	29	15.05	16	15.31	10	14 65	13	7 52	6	5.74	7	10 25	
Limestone	21,195	12,075	9,120	44	24 90	24	23.85	20	26.31	10	5.66	7	6.95	3	3.94	

Births and Deaths by Counties, Towns and Colors—May, 1893. (Continued.)

Counties and Towns.	Population.			Births.						Deaths.					
	Total.	White.	Colored.	Total.	Rate per M.	White.	Rate per M.	Colored.	Rate per M.	Total.	Rate per M.	White.	Rate per M.	Colored.	Rate per M.
Exclusive	20,195	11,375	8,820	44	26.10	24	25.30	20	27.20	9	5.34	6	6.32	3	4.08
Athens	1,000	700	300	...	...	...	...	...	...	1	12.00	1	17.14	...	...
Lowndes	31,530	4,446	27,084	71	27.00	7	18.76	64	28.35	37	14.07	3	8.04	34	15.06
Madison	44 000	22,036	20,964	69	19.25	39	21.23	30	17.17	37	10.32	13	7.07	24	13 73
Exclusive	33,000	16,750	16,250	45	16.36	28	20.05	17	12 55	17	6.18	7	5.01	10	7.38
Huntsville	10,000	5,286	4,714	24	28.80	11	24.97	13	33.09	20	24.00	6	13 62	14	35.63
Montgomery	56,172	14,530	41,642	119	25 41	16	13.21	103	37.44	63	13.45	17	14.03	46	13.35
Exclusive	34,289	5,638	28,651	81	28.34	3	6 38	78	32.66	33	11.54	3	6.38	30	12.56
Montgomery	21,883	8,892	12,991	38	21.62	13	17 53	25	13 09	30	16.52	14	18.88	16	14.76
Monroe	18,990	8,327	10,663	56	35.38	14	19.97	42	47 26	21	13.26	7	9 98	14	15 75
Morgan	24,889	18,603	6,286	44	21.50	37	24.79	7	13.57	13	6.47	7	3.36	6	9.65
Exclusive	16,953	13,903	3,050	34	24.00	27	22 42	7	27.51	4	2 82	3	2.58	1	3.93
Decatur	7,136	4,000	3,136	10	16.81	10	30.00	...	...	9	15 12	4	15.00	5	15.28
Hartsell	800	700	100	...	...	...	...	...	...	...	...	...	...	...	...
Pike	24,423	15,633	8,790	34	16.70	18	18 70	16	21.84	16	7.86	10	7.61	6	8.19
Exclusive	20,974	13,433	7,541	28	16.00	16	14.29	12	19.09	10	5.72	7	6 15	3	11.77
Troy	3,449	2,200	1,249	6	20.88	2	10.90	4	38.40	6	20.88	3	16 36	3	28.80
St. Clair	17,353	14,285	3,068	24	16.59	22	18.48	2	7.82	12	8.29	6	5 04	6	23.46
Sumter	29,574	5,919	23,655	55	22.31	7	14.18	48	24.34	27	10.95	3	6.08	24	12.17
Exclusive	27,708	5,214	21,584	55	23.82	7	16.11	48	25.61	25	10.83	2	4 60	23	12 27
Livingston	805	305	500	...	...	...	...	...	...	...	...	...	...	...	...
Gainesville	1,071	400	671	...	...	...	...	...	...	...	...	...	...	...	...
Talladega	29,346	15,343	14,003	39	15.94	21	16 42	18	15.42	13	5.31	5	3.91	8	6.85
Exclusive	26,896	13,843	13,003	36	17.17	19	16.47	17	16.78	11	4.91	4	3 46	7	6.46
Talladega	2,500	1,500	1,000	3	14.40	2	16.00	1	12.00	2	9.60	1	8.00	1	12.00
Tallapoosa	25,460	16,854	8,606	38	17.90	33	23.42	5	6.97	12	5.65	6	4.25	6	8.37

Exclusive	23,060	15,354	8,306	35	17.75	31	24.22	4	5.78	11	5.58	6	4.68	4	7.22
Dadeville	1,000	800	200	1	12.00	1	15.00	...	...	...	...	...	...	...	...
Alexander City	800	700	100	2	30.00	1	17.14	1	120.00	1	15.00	...	...	1	120.00
Tuscaloosa	30,352	18,213	12,139	36	14.23	21	13.85	15	14.82	18	7.11	11	7.24	7	6.91
Exclusive	23,552	13,813	9,739	23	11.71	14	12.01	9	11.08	7	3.56	4	3.45	3	3.69
Tuscaloosa	5,000	3,000	2,000	6	14.40	1	4.00	5	30.00	8	19.20	...	...	8	48.00
North Port	700	500	200	7	120.00	6	144.00	1	60.00	...	...	...	...	...	...
Insane Asylum	1,100	900	200	...	...	...	...	...	...	3	32.73	3	40.11	...	...
Winston	6,600	6,600	...	15	27.27	15	27.27	...	...	2	3.63	2	3.63	...	...
Total of counties for May	912,608	483,094	427,739	1665	21.89	892	22.16	773	21.68	682	8.96	278	6.91	404	11.33
Exclusive of towns	761,893	394,255	367,438	1419	22.35	760	23.15	659	21.62	464	7.30	190	5.78	274	9.00
Total of towns	150,715	88,839	60,301	246	19.58	132	17.83	114	22.68	218	17.35	88	11.89	130	25.87

Births and Deaths by Counties, Towns and Colors—June, 1893.

Counties and Towns.	Population.			Births.						Deaths.					
	Total.	White.	Colored.	Total.	Rate per M.	White.	Rate per M.	Colored.	Rate per M.	Total.	Rate per M.	White.	Rate per M.	Colored.	Rate per M.
Baldwin	8,931	5,635	3,306	26	34.89	15	31.74	11	39.91	6	8.05	2	4 23	4	14.51
Barbour	34,898	13,321	21,577	59	26.28	21	18.91	38	21 13	15	5.15	4	3.60	11	6.11
Exclusive	29,874	10,121	19,753	53	21.28	18	21.34	35	21.08	10	4.01	3	3 55	7	4.21
Eufaula	4,027	2,600	1,427	6	17.73	3	13 96	3	25 22	5	14.77	1	4.65	4	33 63
Clayton	997	600	397	...	...	...	...	...	...	...	...	...	...	...	...
Blount	21,927	31,115	1,812	18	9 84	18	10.73	...	...	2	1.09	2	1.19	...	...
Bullock	27,033	6,066	20,967	64	28 37	6	11.87	58	33.19	26	11.52	9	17 80	17	9.72
Exclusive	25,016	5,066	19,950	62	29.74	6	14 20	56	33 68	23	11.03	8	18.94	15	9.22
Union Springs	2,017	1,000	1,017	2	11.89	...	...	2	23.59	3	17.84	1	12.00	2	23.59
Butler	21,581	11,368	10,213	61	32.82	24	25.33	37	43.47	17	9.42	10	10.55	7	8..2
Exclusive	18,779	9,968	8,811	53	33.76	23	27.68	30	49.85	14	8.91	10	12.03	4	5.44
Greenville	2,802	1,400	1,402	8	34.25	1	8.57	7	59.90	3	12.84	...	...	3	25.67
Calhoun	33,835	33,891	9,944	62	21.98	46	23.10	16	19.91	14	4.96	12	6.02	2	2.51
Exclusive	20,301	15,092	5,209	26	15.36	22	17.49	4	9.21	8	4.72	7	4.86	1	2.30
Anniston	10,113	6,399	3,714	26	30.34	18	33.75	8	25 84	4	4.74	3	5.62	1	3.23
Jacksonville	1,237	900	337	...	...	...	...	...	...	...	...	...	...	...	...
Oxford	1,473	900	573	4	32.56	...	...	4	83.76	1	8.14	1	13.33	...	...
Piedmont	711	600	111	6	101.26	6	120.00	...	...	1	16.87	1	20.00	...	...
Clarke	22,622	9,627	12,995	68	36.06	30	37 09	38	34.09	26	13.79	10	12.46	16	14.77
Clay	15,765	14,086	1,679	55	41.86	49	41.74	6	42.88	5	3 80	4	3.40	1	7.14
Conecuh	14,594	7,956	6,638	52	42.75	25	38.02	27	48.78	17	13.97	6	7.60	11	14.45
Exclusive	13,557	7,341	6,216	51	45.14	25	40.86	26	50.15	14	42.38	4	6.53	10	19.30
Evergreen	1,037	615	422	1	11.57	...	...	1	28.00	3	34 71	2	29.00	1	28.43
Coosa	15,906	10,486	5,420	41	30.93	23	26.32	18	39.85	9	6.78	5	5.72	4	8.85
Crenshaw	15,425	11,732	3,693	31	24.16	26	18.94	5	26.42	14	4.38	12	6.72	2	3 66
Cullman	13,439	13,439	...	16	14.32	16	14.32	...	...	6	5 37	6	5 37	...	...

Exclusive	12,422	12,422		14	13.52	14	13.52			4	38.64	4	38.64			
Cullman	1,017	1,017		2	23 59	2	23 59			2	23 59	2	23.59			
Dallas	49,347	7,906	41,441	86	20.96	20	30 35	66	19.11	65	15.84	18	26 34	47	13.61
Exclusive	41,728	4,406	37.322	60	17.25	5	13 61	55	17.61	44	12.65	4	10.89	40	12 86
Selma	7,622	3,500	4,122	26	40 92	15	51 43	11	32.11	21	33 27	14	48.62	7	20 37
DeKalb	21,010	19,881	1,129	36	20 59	34	20 52	2	21 25	9	5.14	9	5 43		
Exclusive	18,312	7,881	431	35	19.65	33	19 48	2	20.34	8	5 24	8	5 36		
Ft. Payne	2,698	2,000	698	1	4 47	1	6.00			1	4 47	1	6.00		
Elmore	21,732	11,329	10,403	61	34 98	35	38.78	26	30.83	16	10 16	9	9.53	7	8.07
Exclusive	20,919	10,829	10,090	57	32.46	33	39.16	24	28.34	15	9 72	8	9 87	7	8 46
Wetumpka	813	500	313	4	59 04	2	48.00	2	76.67	1	14 76	1	24.00		
Escambia	8,666	5,674	2,992	29	41.15	23	48.64	6	24.06	9	12.46	7	14.80	2	8.02
Exclusive	7.302	4,799	2.503	26	32 32	21	52 50	5	23.95	9	14.78	7	17 50	2	9.58
Brewton	1,115	756	365	3	32.28	2	32.00	1	32.87						
Atco	249	125	124												
Etowah	21,926	18,097	3,829	83	45.42	58	38.45	25	78.37	16	8 75	11	7 29	5	15.67
Exclusive	14,926	12,797	2,129	55	44.21	44	41 25	11	61 99	10	8 03	8	7.50	2	11.27
Gadsden	5,000	3,800	1,200	21	50.40	10	31 57	11	110.00	2	4.80	1	3.15	1	10.00
Attalla	2.000	1,500	500	7	42 00	4	32 00	3	72.00	5	24.00	2	16 00	2	48.00
Hale	27,501	5,053	22,448	29	12 56	3	7.11	26	15 12	11	4.79	7	14.17	4	3.26
Exclusive	25,742	4,153	21,589	24	11 18	3	7.66	21	12.44	9	5.00	5	12 44	4	2 24
Greensboro	1,759	900	859	5	34.11			5	69 84	2	13.64	2	26.66		
Jackson	28,026	24,132	3,894	73	31 28	66	32.81	7	21.57	31	13.27	22	10.93	9	27 73
Exclusive	27,057	23.382	3,685	71	31.47	65	33.35	6	19.55	30	13.29	22	11.29	8	26 05
Scottsboro	959	750	209	2	25.02	1	16.00	1	57 41	1	12 51			1	57 41
Jefferson	87,825	58,100	29,150	135	18.42	96	19.82	49	17.24	114	15.57	42	8.67	72	18.44
Exclusive	42,000	28.000	14,000	68	19 42	55	20 56	13	18 31	53	15.14	18	7.71	35	17 26
Birmingham	35,000	23,000	1,200	51	17 48	29	15.12	22	22.00	44	15 04	17	14.31	27	27.00
Bessemer	4,500	3,000	1,500	6	15.99	4	16.00	2	16.00	10	26.66	4	16.00	6	48.00
Woodlawn	1,500	1,000	500	8	64.00	6	72 00	2	48.00	1	8.00	1	12 00		
Warrior	1,250	800	450												
Pratt City	2,000	1,300	700	2	12 00	2	18.46			1	6.00	1	9.23		
Pratt Convicts	1,000									3	36.00			3	
Coalburg Convicts	575									2	41 73	1		1	
Lawrence	20,725	12,536	8,189	29	16.79	19	18.18	10	14.65	8	4.63	5	4.78	3	4 39
Limestone	21,195	12,075	9,120	45	25.37	22	21.86	23	30.26	10	5.66	5	4 96	5	6.59
Exclusive	20,195	11,375	8,820	43	25.50	21	22.14	22	29.93	10	5 94	5	5 27	5	6 80

Births and Deaths by Counties, Towns and Colors—June, 1893. (Continued.)

Counties and Towns.	Population.			Births.						Deaths.					
	Total.	White.	Colored.	Total.	Rate per M.	White.	Rate per M.	Colored.	Rate per M.	Total.	Rate per M.	White.	Rate per M.	Colored.	Rate per M.
Athens	1,000	700	300	2	24.00	1	77.14	1	40.00	...	...	...	...	...	...
Lowndes	31,530	4,446	27,084	69	23.24	6	16.08	63	27.90	41	15.59	2	5.36	39	17.27
Madison	44 000	22,036	20,964	79	22.04	35	19.05	44	25.13	31	8 65	12	6.53	19	10.87
Exclusive	33,000	16,750	16,250	43	15.63	17	12.17	26	19.20	9	3.27	1	0.71	8	5.90
Huntsville	10,000	5,286	4,714	36	43.20	18	40.86	18	45.82	22	26.40	11	24.97	11	28.00
Montgomery	56,172	14,530	41,642	131	27.98	16	13.20	115	29.13	50	10.68	7	5.82	43	11.21
Exclusive	34,289	5,638	28,651	96	28.14	6	10.14	90	31.26	20	7.98	1	2.12	19	9.64
Montgomery	21,883	8,892	12,991	35	19.25	10	13.49	25	50.76	30	16 50	6	8.09	24	...
Monroe	18,990	8,327	10,663	24	15.16	44	19.97	10	11.25	11	6.95	3	4.27	8	9 00
Morgan	24,889	18,603	6,286	68	34.36	49	31.61	19	30.99	23	11.45	15	10.05	8	15.44
Exclusive	16,953	13,903	3,050	45	31.88	38	32.82	7	27.57	9	6.35	7	6 02	2	7.86
Decatur	7,136	4,000	3,136	23	38.65	11	33 00	12	45.85	14	25.52	8	24.00	6	22.92
Hartsell	800	700	100	...	...	...	...	...	...	...	...	...	...	...	...
Pike	24,423	15,633	8,790	50	24.56	33	25.11	17	22.20	17	8.35	13	9 89	4	5 46
Exclusive	20,974	13,433	7,541	38	21.73	26	23.22	12	19.09	15	8.58	11	9.82	4	6.36
Troy	3,449	2,200	1,249	12	41.76	7	23.17	5	48.00	2	6 06	2	10.90	...	...
St. Clair	17,353	14,285	3,068	38	26.27	30	25.20	8	30.29	19	13.13	14	11.76	5	19.55
Sumter	29,574	5,919	23,655	48	19 47	8	6.21	40	20.28	17	6.89	3	6.08	14	7.10
Exclusive	27,708	5,214	21,584	45	19.59	8	18.41	37	19.84	17	7.36	3	6.90	14	7.50
Livingston	805	305	500	3	44.70	...	...	3	72.00	...	...	...	...	...	...
Gainesville	1,071	400	671	...	...	...	...	...	...	...	...	...	...	...	...
Talladega	29,346	15,343	14,003	30	12.26	16	12.51	14	11.99	14	5.72	6	4.69	8	6.85
Exclusive	26,896	13,843	13,003	27	11.62	15	12.46	12	10.94	13	6.47	6	5.43	7	7.81
Talladega	2,500	1,500	1,000	3	14.40	1	8.00	2	24 00	1	4.89	...	...	1	12.00
Tallapoosa	25,460	16,854	8,606	46	21.67	32	22.71	14	19.53	14	6.50	7	4.96	7	9.56
Exclusive	23,060	15,354	8,306	43	21.80	30	23.44	13	18.78	11	5 58	5	3.90	6	8.66

Daderville	1,000	800	200								1	12.00	1	15.00		
Alexadder City	800	700	100													
Tuscaloosa	30,352	18,213	12,139	28	11.07	17	11.19	11	10.87	22	8.69	7	4.51	15	14.82
Exclusive	23,552	13,813	9,739	15	7.64	11	9.50	4	4.92	4	2.03	1	.86	3	3.69
Tuscaloosa	5,000	3,000	2,000	12	28.80	5	20.00	7	42.00	10	24.00	2	8.00	8	48.00
North Port	700	500	200	1	17.14	1	24.00			3	51.43	2	48.00	1	60.00
Insane Asylum	1,100	900	200							5	54.35	3	40.11	2	120.00
Winston	6,600	6,600		19	34.54	19	34.54								
Total of counties for June	912,608	483,094	427,739	1789	23.52	950	23.59	839	23.53	705	9.26	306	7.60	399	11.19
Exclusive of towns	761,893	394,255	367,438	1471	23.16	790	24.03	681	22.35	502	7.90	216	6.57	286	9.38
Total of towns	150,715	88,839	60,301	318	25.31	160	21.60	158	31.44	203	16.16	90	12.15	113	22.48

Births and Deaths by Counties, Towns and Colors—July, 1893.

Counties and Towns.	Population.			Births.						Deaths.					
	Total.	White.	Colored.	Total.	Rate per M.	White.	Rate per M.	Colored.	Rate per M.	Total.	Rate per M.	White.	Rate per M.	Colored.	Rate per M.
Baldwin	8,941	5,635	3.306	23	30 87	13	27.50	10	36 29	7	9.39	4	8.46	3	10.88
Barbour	34,898	13,321	21,577	54	18.55	29	26.12	25	13.90	14	4.81	6	5.40	8	4.44
Exclusive	29,874	10,121	19,753	50	20.08	25	29 64	25	15.06	8	3 21	3	3.55	5	3.01
Eufaula	4,027	2,600	1,427	3	8 86	3	13.96	....	.....	5	14.77	3	13.96	2	16.81
Clayton	997	600	397	1	12.03	1	20.00	..	.....	1	12 03	....	....	1	30.22
Blount	21,927	20,115	1.812	21	11.49	21	12.52	....	.....	5	2.73	5	2.98	....	.....
Bullock	27,033	6,066	20,967	79	35.02	16	31.65	63	36..5	21	9.31	5	9.89	16	9.14
Exclusive	25,016	5,066	19,950	69	33.10	14	33.55	55	33 08	20	9 59	5	11.84	15	9.22
Union Springs	2,017	1,000	1,017	10	59 49	2	24.00	8	94 37	1	5.94	....	.....	1	11.79
Butler	21,581	11,368	10,213	64	34.48	37	39.05	27	31 72	16	8 77	10	10.55	6	7.04
Exclusive	18,779	9,968	8,811	58	36.95	33	39.72	24	34.04	14	8.91	9	10.83	5	6.80
Greenville	2,802	1,400	1.402	6	25.69	4	34 28	2	17.11	2	8.56	1	8 57	1	8.55
Calhoun	33,835	23,891	9,944	67	23.76	56	28.12	11	13.82	16	5.67	7	3.51	9	11.31
Exclusive	20,301	15,092	5,209	30	17.73	27	21.46	3	6.91	6	3.54	4	3.18	2	4 60
Anniston	10,113	6,399	3,714	28	33.22	21	39.38	7	22 61	9	10 67	2	3 75	7	22.61
Jacksonville	1,237	900	337	3	29.10	2	26.66	1	35.60	....	.....	....	....	....	.....
Oxford	1,473	900	573	3	24.43	3	39.99	....	.....	....	.....	....	.....	....	.....
Piedmont	711	600	111	3	50.63	3	60.00	....	.....	1	16.87	1	20 00	....	....
Clarke	22.622	9,627	12,995	74	39.24	32	39.88	42	38.78	21	11.13	8	9.97	13	12.00
Clay	15,765	14,086	1,679	42	31.96	38	32.37	4	28.58	18	13.70	17	15.68	1	7.74
Conecuh	14,594	7,956	6,638	31	25.48	15	22.80	16	28.91	11	9.04	3	4.56	8	14.45
Exclusive	13,557	7,341	6,216	28	24.78	13	21.24	15	28.95	11	9 53	3	4 90	8	15.44
Evergreen	1,037	615	422	3	34 71	2	39.02	1	28.43	....	.....	....	.....	....	.....
Coosa	15,906	10,486	5,420	46	37.70	28	32.04	18	39.85	12	9.05	4	4.57	8	17.71
Crenshaw	15,425	11,732	3,693	39	26.18	34	38.32	5	26.42	10	7.77	7	7 15	3	9 65
Cullman	13,439	13,439	.....	28	25.06	28	25.06	....	.....	8	7.16	8	7.16	....	.....

Exclusive	12,422	12,422		25	24.15	25	24.15			7	6.76	7	6.76		
Cullman	1,017	1,017		3	35.39	3	35.39			1	11.79	1	11.79		
Dallas	49,347	7,906	41,441	110	26.83	26	39.36	84	24.22	67	16.33	24	36.42	43	12.46
Exclusive	41,728	4,406	37,322	74	21.27	11	29.95	63	20.25	45	12.94	15	40.84	30	9.64
Selma	7,622	3,500	4,122	36	56.66	15	51.43	21	61.13	22	34.62	9	30.85	13	34.84
DeKalb	21,010	19,881	1,129	46	26.32	42	24.35	4	42.51	17	9.72	16	9.65	1	10.62
Exclusive	18,312	7,881	431	44	28.36	40	25.62	4	42.61						
Ft. Payne	2,698	2,000	698	2	8.89	2	12.00								
Elmore	21,732	11 329	10,403	55	26.72	33	36.78	22	25.14	15	11.17	10	10.59	5	12 42
Exclusive	20,919	10,829	10,090	52	27.19	31	37.46	21	22.19	14	10.62	9	9.90	5	51.94
Wetumpka	815	500	313	3	44.28	2	48.00	1	38.33	1	14.76	1	24.00		
Escambia	8,666	5,674	2,992	26	36.00	20	42.49	6	24.06	8	11.07	4	8.45	4	16.04
Exclusive	7,302	4,799	2,503	24	39.43	20	50.00	4	19.16	6	9.85	3	7.50	3	14.37
Brewton	1,115	750	365	1	10.76			1	32.87	2	21.52	1	16.00	1	32.87
Alco	249	125	124	1	48.19			1	96.77						
Etowah	21,926	18,097	3,829	66	36.12	57	37.79	9	28.21	33	18.06	26	17.24	7	21.94
Exclusive	14,926	12,797	2,129	46	36.97	43	40.32	3	16.90	21	16.88	20	18.75	1	5.03
Gadsden	5,000	3,800	1,200	16	28.40	12	37.88	4	40.00	11	26.40	5	17.78	6	60.00
Attalla	2,000	1,500	500	4	24.00	2	16.00	2	48.00	1	6.00	1	8.00		
Hale	27,501	5,053	22,448	56	42.19	7	18.46	49	47.10	19	20.14	10	27.75	9	4.57
Exclusive	25,742	4,153	21,589	53	40.64	4	20.16	49	42.10	17	16.20	8	17.77	9	4.68
Greensboro	1,759	900	859	3	20.46	3	39.99			2	13.64	2	26.66		
Jackson	28,026	24,132	3,894	76	32.54	70	34.80	6	18.48	23	9.84	18	9.34	5	15.40
Exclusive	27,057	23,382	3,685	73	32.36	67	34.38	6	19.53	22	9.75	18	9.23	4	13.00
Scottsboro	959	750	209	3	37.53	3	48.00			1	12.51			1	57.41
Jefferson	87,825	58,100	29,150	215	29.36	141	29.11	74	29.86	127	17.34	68	14.04	59	18.42
Exclusive	42,000	28,000	14,000	117	27.44	91	26.94	26	28.14	51	16.19	33	13.45	18	17.10
Birmingham	35,000	23,000	1,200	77	26.39	37	19.27	30	27.72	57	19.49	31	16.15	26	26.00
Bessemer	4,500	3,000	1,500	14	36.32	8	32.00	6	48.00	7	18.66	2	8.00	5	40.00
Woodlawn	1,500	1,000	500	3	24.00	1	12.00	2	48.00	2	16.00			2	48.00
Warrior	1,250	800	450	3	28.80	3	45.00								
Pratt City	2,000	1,300	700	1	6.00	1	15.00			2	19.20	2	30.00		
Pratt Mines Convicts	1,000									7	96.00			7	
Coalbury Convicts	575									1	20.86			1	20.86
Lawrence	20,725	12,536	8,189	29	16.79	18	17.23	11	16.11	9	5.21	5	4.78	4	5.86
Limestone	21,195	12,075	9,120	50	28.30	21	20.87	29	38.05	15	8.40	7	6.95	8	10.53
Exclusive	20,195	11,375	8,820	47	27.90	20	20.54	27	37.03	13	7.72	5	5.27	8	10.88

Births and Deaths by Counties, Towns and Colors—July, 1893. (Continued.)

Counties and Towns.	Population.			Births.						Deaths.					
	Total.	White.	Colored.	Total.	Rate per M.	White.	Rate per M.	Colored.	Rate per M.	Total.	Rate per M	White.	Rate per M.	Colored.	Rate per M.
Athens	1,000	700	300	3	36.00	1	17.14	2	50.00	2	24.00	2	34.28	...	...
Lowndes	31,530	4,446	27,084	85	32.32	3	8.04	82	36.32	36	13.69	1	2.68	35	15 50
Madison	44,000	22,036	20,964	94	26.23	46	25.04	48	27.47	56	15.62	27	14.70	29	16.59
Exclusive	33,000	16,750	16,250	71	25.81	34	24.35	37	27.32	28	10.18	16	11.46	12	8.86
Huntsville	10.000	5,286	4,714	23	27 60	12	27.20	11	28.00	28	33.60	11	24.97	17	43.27
Montgomery	56,172	14,530	41,642	116	24 77	27	22 30	89	26.74	71	15.16	16	13.21	55	19.78
Exclusive	34,289	5,638	28,651	66	23.19	4	21.14	62	25.18	35	12.10	7	14.89	28	11.96
Montgomery	21,883	8,892	12,991	50	27.50	23	30.80	27	26.48	36	19.80	9	12.14	27	20 46
Monroe	18,990	8,327	10,663	54	34.12	17	24.25	37	41.63	15	9.47	6	8 55	9	10.12
Morgan	24,889	18,603	6,286	53	25.54	37	25.34	16	30.89	25	12.45	19	12.72	6	11.58
Exclusive	16,953	13,903	3,050	35	24.81	28	24.17	7	27.54	15	10 59	12	10.32	3	10.79
Decatur	7,136	4,000	3,136	16	26.89	7	21.00	9	34.39	10	16.80	7	21.00	3	11.46
Hartsell	800	700	100	2	30.00	2	34.29	...	...	...	...	...	...	...	...
Pike	24,423	15,633	8,790	38	18.66	27	20.25	11	15.01	13	6.38	10	7.61	3	4.09
Exclusive	20,974	13,433	7,541	33	18 87	24	21 43	9	14 31	11	6.29	9	7.82	2	3.18
Troy	3,449	2,200	1,249	5	17.40	3	16.36	2	19.20	2	6.96	2	10.90	...	...
St. Clair	17,353	14,285	3,068	57	39.41	45	37.80	12	46.93	13	8 98	10	8.40	3	11.73
Sumter	29,574	5,919	23,655	53	21.50	5	10.13	48	24.34	22	8 92	5	10.13	17	8 62
Exclusive	27,708	5,214	21,584	52	22.82	4	9.20	48	25.61	21	9.09	5	11.50	16	8.53
Livingston	805	305	500	...	...	...	...	...	...	...	...	...	...	...	...
Gainesville	1,071	400	671	1	11.20	1	30.00	1	11.20	1	...	...	...	1	...
Talladega	29,346	15,343	14,003	51	20.84	25	19.55	26	22.27	29	11.85	13	10.16	16	13.71
Exclusive	26,846	13,843	13,003	48	21.46	23	19.91	25	23.67	24	10.72	9	7.82	15	13.07
Talladega	2,500	1,500	1,000	3	14.40	2	16.00	1	12.00	5	24.00	4	32.00	1	12.00
Tallapoosa	25,460	16,854	8,606	62	29.22	45	31.94	17	23.71	15	7.06	8	5 67	7	9 76
Exclusive	23,060	15,354	8,306	56	28.40	39	30 47	17	24.56	14	7.10	8	6.25	6	8.66

Daderille	1,000	800	200	1	12.00	1	15.00	...	...	...	...	...	...	...	...	...
Alexander City	800	700	100	5	75.00	5	85 70	...	...	1	15 00	...	...	...	1	120.00
Tuscaloosa	30.352	18,213	12,139	36	14.28	25	16.47	11	10.87	29	11.46	12	7.90	17	16.80
Exclusive	23.552	13,813	9,739	23	11.71	17	14.64	6	7.39	14	7.13	4	3.45	10	12 32
Tuscaloosa	5,000	3,000	2,000	11	26.40	6	24.00	5	30.00	6	14.40	2	8.00	4	24.00
North Port	700	500	200	2	34.28	2	48.00	...	...	...	...	...	...	...	...
Insane Asylum	1,100	900	200	...	...	...	...	...	...	3	98.19	...	...	3	180.00
Winston	6,600	6,600	...	16	29.08	16	29 08	...	...	4	7.27	4	7.27	...	...
Total of counties for July	912,608	483,094	427,739	2012	26.43	1100	27.32	912	25 58	821	10.66	404	10.01	417	11 69
Exclusive of towns	761,893	394,255	367,438	1690	26 61	932	28.36	758	24.87	591	9 30	305	9.28	286	9 38
Total of towns	150.715	88,839	60,301	322	25.63	168	22.68	154	20.64	230	18.31	99	10.66	131	26.06

Births and Deaths by Counties, Towns and Colors—August, 1893.

Counties and Towns.	Population.			Births.						Deaths.					
	Total.	White.	Colored.	Total.	Rate per M.	White.	Rate per M.	Colored.	Rate per M.	Total.	Rate per M.	White.	Rate per M.	Colored.	Rate per M.
Baldwin	8,931	5,635	3,306	11	44.76	4	8 46	7	25.40	11	14.76	7	14.81	4	14 51
Barbour	34,898	13,321	21,577	51	17.53	27	24.34	24	13 34	14	4 81	5	4.50	9	4.90
Exclusive	29,874	10,121	19,753	41	16.46	18	21.34	23	13.85	12	4.82	3	3.55	9	5.42
Eufaula	4,027	2,600	1,427	9	20.68	7	32.57	...	...	2	5.91	2	9.30	...	...
Clayton	997	600	397	3	36.10	2	40 00	1	30.22	...	...	...	...	...	...
Blount	21,927	31,115	1,812	26	14.22	26	15.50	...	...	5	2.73	5	2.98	...	...
Bullock	27,033	6,066	20,967	69	30.59	12	23.73	57	32.62	22	9.75	4	7.91	18	10.30
Exclusive	25,016	5,066	19,950	61	29.26	8	18.94	53	31.87	14	6.71	2	4.73	12	7.21
Union Springs	2,017	1,000	1,017	8	47.59	4	48 00	4	47.08	8	47.59	2	24.00	6	70.78
Butler	21,581	11,368	10.213	62	33.37	33	34.83	29	34.07	15	8.31	7	7.38	8	9.39
Exclusive	18,779	9,968	8,811	56	35.67	31	37.31	25	34.04	13	8.28	5	6.01	8	10.89
Greenville	2,802	1,400	1,402	6	25 69	2	17.14	4	24.34	2	8 56	2	17.14	...	...
Calhoun	33,835	33,891	9,944	63	22 34	54	27.12	9	11 31	23	8 15	18	9.03	5	6.18
Exclusive	20,301	15,092	5,209	32	18 91	29	23 05	3	6 91	11	6.50	9	7.15	2	4.60
Anniston	10,113	6,399	3,714	14	16.61	7	13.12	7	22.61	7	8.30	6	11.25	1	3.23
Jacksonville	1,237	900	337	1	9 70	1	13.33	...	...	4	38 80	2	26 66	2	71.20
Oxford	1,473	900	573	4	32.56	4	53.33	...	...	1	8.14	1	13.33	...	...
Piedmont	711	600	111	4	67.50	2	40.00	2	216 20	2	33.75	2	40.00	...	...
Clarke	22,622	9,627	12,995	52	27.58	22	27.42	30	27.70	23	12.19	11	13.71	12	11.08
Clay	15,765	14,086	1,679	41	31.20	39	33.22	2	14.94	11	8.37	10	8.51	1	7.14
Conecuh	14,594	7,956	6,638	40	32.88	24	36 49	16	28.91	8	6.57	2	3.04	6	12.84
Exclusive	13,557	7,341	6,216	36	31.86	22	35.96	14	27.02	8	7.08	2	3.26	6	11.58
Evergreen	1,037	615	422	4	46 28	2	39 02	2	56 86	...	...	...	...	...	...
Coosa	15,906	10.486	5.420	30	22.63	22	25.17	8	17.71	11	8.29	11	12.50	...	...
Crenshaw	15,425	11,732	3,693	35	27.19	31	31.62	4	12.99	7	7.00	5	6.11	2	7.49
Cullman	13,439	13,439	...	36	32.22	36	32.22	...	...	6	5.37	6	5.37	...	...

Exclusive	12,422	12,422		30	28.98	30	28.98			6	5.79	6	5.79			
Cullman	1,017	1,017		6	70.79	6	70.79									
Dallas	49,347	7,906	41,441	112	27.36	27	40.88	85	24.51	51	12.42	11	16.69	40	11.58	
Exclusive	41,728	4,406	37,322	85	24.44	13	35.46	72	23.15	36	10.35	6	16.33	30	9.66	
Selma	7,622	3,500	4,122	27	47.50	14	48.00	13	37.84	15	23.61	5	17.14	10	29.11	
DeKalb	21,010	19,881	1,129	33	18.88	31	18.71	2	21.25	14	8.01	13	7.84	1	10.62	
Exclusive	18,312	7,881	431	31	20.33	31	48.47			11	7.20	10	6.71	1	27.84	
Ft. Payne	2,698	2,000	698	2	8.89			2	34.38	3	13.35	3	18.00			
Elmore	21,732	11,329	10,403	57	31.19	33	30.74	24	26.18	23	10.42	13	9.54	10	11.53	
Exclusive	20,919	10,829	10,090	54	28.46	31	29.72	23	25.67	22	9.26	13	8.48	9	11.44	
Wetumpka	813	500	313	3	44.28	2	48.00	1	38.33	1	14.76			1	38.33	
Escambia	8,666	5,674	2,992	33	45.69	23	48.64	10	40.10	8	11.07	5	10.57	3	12.03	
Exclusive	7,302	4,799	2,503	30	49.29	21	52.50	9	43.11	7	11.50	5	12.50	2	9.58	
Brewton	1,115	750	365	2	21.54	1	16.00	1	32.87	1	10.76			1	32.87	
Atco	249	125	124	1	48.19	1	96.00									
Etowah	21,926	18,097	3,829	49	26.81	43	28.51	6	18.81	16	8.75	16	10.50			
Exclusive	14,926	12,797	2,129	37	29.74	35	32.81	2	11.27	10	8.03	10	9.37			
Gadsden	5,000	3,800	1,200	10	24.00	6	18.94	4	40.00	1	2.40	1	3.15			
Attalla	2,000	1,500	500	2	12.00	2	16.00			5	30.00	5	40.00			
Hale	27,501	5,053	22,448	51	36.45	10	23.75	41	38.46	12	5.64	3	7.12	9	5.45	
Exclusive	25,742	4,153	21,589	49	38.53	8	22.16	41	38.97	12	7.61	3	7.41	9	8.64	
Greensboro	1,759	900	859	2	13.64	2	26.66									
Jackson	28,026	24,132	3,894	59	25.26	49	24.36	10	30.86	22	9.41	19	9.44	3	9.24	
Exclusive	27,057	23,382	3,685	57	25.26	47	9.25	8	26.05	17	7.53	12	6.15	5	16.28	
Scottsboro	959	750	209	2	25.02	2	32.00			1	12.51	1	16.00			
Jefferson	87,825	58,100	29,150	179	24.45	133	27.46	46	23.57	116	15.84	47	9.79	69	16.21	
Exclusive	42,000	28,000	14,000	105	29.99	89	30.16	16	28.46	50	14.25	17	7.27	33	15.16	
Birmingham	35,000	23,000	12,000	54	18.51	30	19.21	24	17.42	42	14.36	22	11.46	20	20.00	
Bessemer	4,500	3,000	1,500	11	29.26	5	20.00	6	48.00	13	34.65	3	12.00	10	80.00	
Woodlawn	1,500	1,000	500	3	24.00	3	36.00			3	24.00	2	24.00	1	24.00	
Warrior	1,250	800	450							1	9.60	1	15.00			
Pratt City	2,000	1,300	700	6	36.00	6	55.38			2	12.00	2	18.46			
Pratt Mines, Convicts	1,000															
Coalburg, Convicts	575									5	104.34			5		
Lawrence	20,725	12,536	8,189	36	21.80	13	13.44	23	33.70	7	4.05	1	.95	6	8.78	
Limestone	21,195	12,075	9,120	53	30.00	22	21.86	31	40.79	20	11.32	6	5.96	14	18.42	

Births and Deaths by Counties, Towns and Colors—August, 1893. (Continued.)

Counties and Towns.	Population.			Births.						Deaths.					
	Total.	White.	Colored.	Total.	Rate per M.	White.	Rate per M.	Colored.	Rate per M.	Total.	Rate per M.	White.	Rate per M.	Colored.	Rate per M.
Exclusive	20,195	11,375	8,820	51	30.33	22	23.19	29	39.45	19	11.28	5	5.27	14	19.04
Athens	1,000	700	300	2	24.00	...	...	2	80.00	1	12.00	1	17.24	...	...
Lowndes	31,530	4,446	27,084	77	22.28	8	21.44	69	30.50	35	13.31	4	10.72	31	13.73
Madison	44 000	22,036	20,964	79	22.04	42	22.87	37	21.17	52	14.51	24	13.06	28	16.02
Exclusive	33,000	16,750	16,250	52	18.90	32	22.92	20	14.76	31	11.27	16	11.46	15	11.07
Huntsville	10,000	5,286	4,714	27	32.40	10	22.70	17	43.27	21	25.20	8	18.16	13	33.09
Montgomery	56,172	14,530	41,642	141	30.11	32	26.40	110	31.60	78	26.66	18	38.16	60	25.08
Exclusive	34,289	5,638	28,651	91	31.75	11	23.32	80	33.44	37	12.91	2	4.26	35	14.63
Montgomery	21,883	8,892	12,991	50	27.50	21	28.14	30	27.69	41	22.55	16	21.58	25	23.07
Monroe	18,990	8,327	10,663	41	25.90	22	31.38	19	21.38	16	10.11	13	18.54	3	3.37
Morgan	24,889	18,603	6,286	55	27.39	45	30.15	10	19.39	41	20.41	27	18.09	14	27 02
Exclusive	16,953	13,903	3,050	40	28.24	31	26.66	9	35.37	16	11.29	12	10.32	4	15.72
Decatur	7,136	4,000	3,136	12	20.16	11	33.00	1	3.82	22	36.96	12	36.00	10	38.28
Hartsell	800	700	100	3	45.00	3	51.44	...	...	3	...	3	...	...	...
Pike	24,423	15,633	8,790	72	35.47	47	35.77	25	34 12	13	6.38	11	8.37	2	2.73
Exclusive	20,974	13,433	7,541	66	37.75	45	40.19	21	33.41	11	6.29	10	8.93	1	1.59
Troy	3,449	2,200	1,249	6	20.88	2	10.90	4	38.40	2	6.96	1	5.45	1	9.60
St. Clair	17,353	14,285	3,068	59	40.79	49	40.86	10	39.11	14	9.62	14	11.76	...	...
Sumter	29,574	5,919	23,655	53	21.50	4	8.10	49	24.85	16	6.49	5	10.13	11	5.57
Exclusive	27,708	5,214	21,584	53	22.95	4	9.20	49	26 15	16	6.93	5	11.50	11	5.87
Livingston	805	305	500	...	...	...	...	...	...	...	...	...	...	...	...
Gainesville	1,071	400	671	...	...	...	...	...	...	...	...	...	...	...	...
Talladega	29,346	15,343	14,003	43	17.58	27	21.11	16	13.71	19	7.76	10	7 82	9	7.71
Exclusive	26,896	13,843	13,003	41	18.32	25	21.67	16	15.26	18	8.42	10	8.67	8	7.46
Talladega	2,500	1,500	1,000	2	9.60	2	16 40	...	...	1	4.80	...	...	1	12.00
Tallapoosa	25,460	16,854	8,606	51	24.03	36	25.55	15	20.92	11	5.18	8	5 67	3	4.18
Exclusive	23,060	15,354	8,306	48	24.34	33	25 .78	15	21.67	10	5 07	7	5.47	3	4.33

Dadeville	1,000	800	200	...	...	...	...	...	...	...	...	...	...	...	...	...
Alexander City	800	700	100	3	45.00	3	51.42	...	...	...	1	15.00	1	17.14	...	...
Tuscaloosa	30,352	18,213	12,139	29	11.44	19	12.57	10	9.88	25	9.88	11	7.24	14	13.83	
Exclusive	23,552	13,813	9,739	23	11.71	16	13.83	7	8.62	12	6.11	6	5.18	6	7.39	
Tuscaloosa	5,000	3,000	2,000	6	14.40	3	12.00	3	18.00	6	14.40	1	4.00	5	30.00	
North Port	700	500	200	...	...	...	...	...	...	2	34.28	2	48.00	...	...	
Insane Asylum	1,100	900	200	...	...	...	...	...	...	5	54.55	2	26.67	3	180.0	
Winston	6,600	6,600	...	14	26.45	14	26.45	...	...	7	12.72	7	12.72	...	...	
Total of counties for August	912,608	483,094	427,739	1912	26.04	1059	26.30	853	23.92	772	9.49	377	9.36	395	11.07	
Exclusive of towns	761,893	394,255	367,438	1619	25.49	896	27.26	723	23.72	553	8.60	268	8.15	285	8.86	
Total of towns	150,715	88,839	60,301	293	23.32	163	22.00	130	25.87	219	17.23	109	14.71	110	21.89	

Births and Deaths by Counties, Towns and Colors—September, 1893.

Counties and Towns.	Population.			Births.						Deaths.					
	Total.	White.	Colored.	Total.	Rate per M	White.	Rate per M.	Colored.	Rate per M.	Total.	Rate per M.	White.	Rate per M.	Colored.	Rate per M.
Baldwin	8,931	5,635	3,306	23	30.87	10	21.16	13	47.17	10	13.42	4	8.46	6	21.77
Barbour	34,898	13,321	21,577	44	15.12	19	17.11	25	13.90	18	6.18	10	9.00	8	4.44
Exclusive	29,874	10,121	19,753	39	15.66	18	21.34	21	12.65	12	4.82	6	7.11	6	3.61
Eufaula	4,027	2,600	1,427	4	11.82	1	4.65	3	25.22	4	11.82	3	13.96	1	8.40
Clayton	997	600	397	1	12.03	....	.....	1	30.26	2	24.07	1	20.00	1	30.22
Blount	21,927	31,115	1,812	24	13.13	24	14.31	....	.....	8	43.07	8	4.77	....	.....
Bullock	27,033	6,066	20,967	75	33.25	12	23.73	63	36.05	26	11.52	3	5.93	23	13.16
Exclusive	25,016	5,066	19,950	73	35.0	12	31.18	61	36.69	26	12.47	3	7.10	23	13.83
Union Springs	2,017	1,000	1,017	2	11.84	....	.....	2	23.59	....	.....	....	.....	....	.....
Butler	21,581	11,368	10,213	61	32.82	36	38.00	25	29.37	7	3.88	6	3.33	1	1.17
Exclusive	18,779	9,968	8,811	53	33.76	31	37.31	22	29.96	5	3.18	4	4.81	1	1.36
Greenville	2,802	1,400	1,402	8	34.25	5	42.85	3	25.67	2	8.56	2	17.14	....	.....
Calhoun	33,835	33,891	9,944	58	20.57	43	21.59	15	18.75	16	5.67	13	6.52	3	3.77
Exclusive	20,301	15,092	5,209	31	18.32	26	20.67	5	11.51	7	5.13	5	3.97	2	4.60
Anniston	10,113	6,399	3,714	22	26.10	18	33.75	4	12.92	5	5.93	4	7.50	1	3.23
Jacksonville	1,237	900	337	3	29.01	2	26.66	1	35.60	....	.....	....	.....	....	.....
Oxford	1,473	900	573	4	32.56	2	26.66	2	41.88	1	8.14	1	13.33	....	.....
Piedmont	711	600	111	6	101.26	6	120.00	....	.....	1	16.87	1	20.00	....	.....
Clarke	22,622	9,627	12,995	59	31.29	24	29.91	35	32.32	27	14.32	10	12.46	17	15.59
Clay	15,765	14,086	1,679	59	44.90	57	48.55	2	14.29	19	14.46	15	12.87	4	28.58
Conecuh	14,594	7,956	6,638	50	41.11	34	51.70	16	28.91	10	8.22	6	9.12	4	7.22
Exclusive	13,557	7,341	6,216	48	42.38	32	52.31	16	30.88	10	8.85	6	9.80	4	7.72
Evergreen	1,037	615	422	2	27.14	2	39.02	....	.....	....	.....	....	.....	....	.....
Coosa	15,906	10,486	5,420	37	27.91	21	24.03	16	35.42	8	6.03	5	5.72	3	6.64
Crenshaw	15,425	11,732	3,693	34	28.64	25	26.48	9	29.12	13	12.86	9	11.28	4	13.62
Cullman	13,439	13,439	.....	34	29.19	34	29.49	....	.....	12	13.14	12	13.24	....	.....

Exclusive	12,422	12,422		32	28.68	32	28.68			10	9.66	10	9.66		
Cullman	1,017	1,017		2	23.59	2	23.59			2	23.59	2	23.59		
Dallas	49,347	7,906	41,441	91	22.16	17	2[illegible].72	74	21.42	43	10.45	10	15.17	33	9.55
Exclusive	41,728	4,406	37,322	70	20.17	9	24.52	61	19.61	31	8.81	5	13.61	26	8.33
Selma	7,622	3,500	4,122	21	33.00	8	27.42	13	37.84	12	18.88	5	17.14	7	20.37
DeKalb	21,010	19,881	1,129	46	26.32	46	27.76			14	8.01	14	8.45		
Exclusive	18,312	7,881	431	46	30.13	46	32.19								
Ft. Payne	2,698	2,000	698							3	13.35	3	18.00		
Elmore	21,732	11,329	10,403	57	31.52	37	37.06	20	20.36	19	10.50	11	11.64	8	9.22
Exclusive	20,919	10,829	10,090	53	30.42	33	31.15	20	20.27	18	10.31	10	11.08	8	9.51
Wetumpka	813	500	313	4	59.04	4	96.00			1	14.76	1	24.00		
Escambia	8,666	5,674	2,992	30	41.54	19	40.18	11	44.11	11	15.23	11	23.26		
Exclusive	7,302	4,799	2,503	27	44.36	17	42.50	10	47.90	9	14.78	9	22.50		
Brewton	1,115	756	365	3	32.28	2	32.00	1	32.87	2	21.52	2	32.00		
Atco	249	125	124												
Etowah	21,926	18,097	3,829	85	46.52	70	46.41	15	47.02	22	12.04	15	9.84	7	21.94
Exclusive	14,926	12,797	2,129	71	57.07	60	56.26	11	61.99	9	7.23	8	7.50	1	5.63
Gadsden	5,000	3,800	1,200	13	31.20	9	28.41	4	40.00	13	31.20	7	22.09	6	60.00
Attalla	2,000	1,500	500	1	6.00	1	8.00								
Hale	27,501	5,053	22,448	32	24.61	7	19.62	25	25.38	7	3.05	1	2.37	6	3.26
Exclusive	25,742	4,153	21,589	31	24.44	6	16.68	25	26.87	7	3.26	1	2.88	6	3.34
Greensboro	1,759	900	859	1	6.82	1	13.33								
Jackson	28,026	24,132	3,894	67	28.68	58	28.84	9	27.73	18	7.72	13	6.46	5	15.40
Exclusive	27,057	23,382	3,685	65	28.81	57	29.25	8	26.05	17	7.53	12	6.15	5	16.28
Scottsboro	959	750	209	2	25.00	1	16.00	1	57.41	1	12.51	1	16.00		
Jefferson	87,825	58,100	29,150	144	29.67	111	22.86	33	30.31	109	14.88	49	12.34	60	16.44
Exclusive	42,000	28,000	14,000	77	21.98	67	28.67	10	8.57	44	13.64	25	10.70	19	15.27
Birmingham	35,000	23,000	1,200	45	14.39	25	13.02	20	20.00	48	15.42	23	11.98	25	16.18
Bessemer	4,500	3,000	1,500	9	23.99	8	32.00	1	8.00	8	23.32			8	64.00
Woodlawn	1,500	1,000	500	5	40.00	4	48.00	1	24.00	2	16.00	1	12.00	1	24.00
Warrior	1,250	800	450	3	28.80	3	45.00								
Pratt City	2,000	1,300	700	5	30.00	4	36.92	1	17.14						
Pratt Convicts	1,000									5	60.00			5	
Coalburg Convicts	575									2	41.73			2	
Lawrence	20,725	12,536	8,189	39	22.58	26	24.88	13	18.80	16	9.25	10	9.57	6	8.78
Limestone	21,195	12,075	9,120	44	24.90	25	24.84	19	24.99	22	12.46	17	16.92	5	6.58
Exclusive	20,195	11,375	8,820	43	25.52	24	25.30	19	25.84	19	11.28	15	15.81	4	5.44

Births and Deaths by Counties, Towns and Colors—September, 1893. (Continued.)

Counties and Towns.	Population.			Births.						Deaths.					
	Total.	White.	Colored.	Total.	Rate per M.	White.	Rate per M.	Colored.	Rate per M.	Total.	Rate per M	White.	Rate per M.	Colored.	Rate per M.
Athens	1,000	700	300	1	12.00	1	17.14	....	.....	3	36.00	2	34.28	1	40.00
Lowndes	31,530	4,446	27,084	76	28.90	9	24.12	67	29.58	48	18.25	5	13.40	43	19 04
Madison	44,000	22,036	20,964	55	15.34	35	19.05	20	11·44	49	13.67	24	13.06	25	14.30
Exclusive	33,000	16,750	16,250	37	13.45	25	17.91	12	8.86	25	9.09	11	7.88	14	10.33
Huntsville	10,000	5,286	4,714	18	21.60	10	22.70	8	20.36	24	28.80	13	29.51	11	28 00
Montgomery	56,172	14,530	41,642	101	28.46	21	23.72	80	29.48	76	12.64	17	9.78	59	13.59
Exclusive	34,289	5,638	28,651	59	27.68	12	20.49	47	28.16	39	11.97	2	4.26	37	12 18
Montgomery	21,883	8,892	12,991	42	23.10	9	12.14	33	27.18	37	20.35	15	19.82	22	22.68
Monroe	18,990	8,327	10,663	44	27 80	14	19.97	30	33 75	10	6.31	5	7.13	5	5.62
Morgan	24,889	18,603	6,286	50	24 90	39	26.13	11	21.23	31	15.43	23	15.41	8	15 44
Exclusive	16,953	13,903	3,050	40	28.24	33	28.38	7	27.51	13	9.17	11	9.46	2	7.86
Decatur	7,136	4,000	3,136	10	16.81	6	18.00	4	15.28	18	30.24	12	36.00	6	22 92
Hartsell	800	700	100	....	.....	....	.....	....	.....	....	.....	....	.....	....	.....
Pike	24,423	15,633	8,790	50	24.56	34	25 88	16	21.84	15	7.36	9	6.58	6	8.19
Exclusive	20,974	13,433	7,541	44	25.17	31	27.69	13	20.68	13	7 43	9	7.82	4	6 36
Troy	3,449	2,200	1,249	6	20.88	3	16.36	3	28.80	2	6.96	....	.....	2	19.20
St. Clair	17,353	14,285	3,068	52	35.95	39	32.76	13	50.84	18	12.44	16	13.44	2	7.82
Sumter	29,574	5,919	23,655	34	13.79	6	12.16	28	14.20	8	3.24	5	10.13	3	1.52
Exclusive	27,708	5,214	21,584	34	14.72	6	13.80	28	14.94	8	3.46	5	11.50	3	1.60
Livingston	805	305	500	....	.....	....	.....	....	.....	....	.....	....	.....	....	.....
Gainesville	1,071	400	671	....	.....	....	.....	....	.....	....	.....	....	.....	....	.....
Talladega	29,346	15,343	14,003	57	23.30	37	28.93	20	17.13	17	6.95	9	7.03	8	6.85
Exclusive	26,846	13,843	13,003	52	23.26	32	27.10	20	18.19	14	7.32	8	8.19	6	5.64
Talladega	2,500	1,500	1,000	5	24.00	5	40.00	....	.....	3	14.40	1	8 00	2	24.00
Tallapoosa	25,460	16,854	8,606	66	31.10	48	34.07	18	25.11	11	5.18	8	5 67	3	4.18
Exclusive	23,060	15,354	8,306	60	30.43	46	35.94	14	20 23	10	5.07	7	5.47	3	4.33

Daderille	1,000	800	200	4	48.00	1	15.00	3	180.00	....	....	....	....	....	....	....	....	....
Alexadder City	800	700	100	2	30.00	1	17.14	1	120.00	1	15.00	1	17.14	....	....	....	....	....
Tuscaloosa	30,352	18,213	12,139	31	7 50	17	7.50	14	6.91	27	10.67	13	8.56	14	13.83	....	....	....
Exclusive	23,552	13,813	9,739	22	11.20	12	10.37	10	12.32	12	6.11	7	6 05	5	6.16	....	....	....
Tuscaloosa	5,000	3,000	2,000	7	16.80	3	12.00	4	24.00	8	19.20	2	8.00	6	36.00	....	....	....
North Port	700	500	200	2	34.28	2	48.00	....	....	1	17.14	1	24.00	....	....	....	....	....
Insane Asylum	1,100	900	200	....	....	....	....	....	....	6	65.46	3	40.01	3	180.00	....	....	....
Winston	6,600	6,600	....	14	26 45	14	26.45	....	....	5	9.09	5	9.09	....	....	....	....	....
Total of counties for Sept.	912,608	483,094	427,739	1823	29.46	1058	28.72	765	30.14	770	9.52	391	8.79	379	10 48	....	....	....
Exclusive of towns	761,893	394,255	367,438	1580	26 48	929	27.49	651	22.71	553	8.59	284	7 96	269	8 69	....	....	....
Total of towns	150,715	88,839	60,301	243	25.42	129	23 14	114	26 27	217	15.24	107	12.46	110	16.92	....	....	....

Births and Deaths by Counties, Towns and Colors—October, 1893.

Counties and Towns.	Population.			Births.						Deaths.					
	Total.	White.	Colored.	Total.	Rate per M.	White.	Rate per M.	Colored.	Rate per M.	Total.	Rate per M.	White.	Rate per M.	Colored.	Rate per M.
Baldwin	8,941	5,635	3,306	32	42.94	17	35.97	15	54.43	7	9.39	4	8.46	3	10.88
Barbour	34,898	13.321	21,577	45	15.47	17	15 31	28	15.57	9	3.09	2	1.80	7	3.89
Exclusive	29,874	10,121	19,753	41	16.46	17	20.15	24	14.45	6	2.41	1	1 18	5	3.01
Eufaula	4,027	2,600	1,427	2	5.91	...	...	2	16 81	2	5.91	1	4.65	1	8 40
Clayton	997	600	397	2	24.00	...	...	2	40.00	1	12.03	...	...	1	30.22
Blount	21,927	21,115	1,812	32	42.94	17	35.97	15	54.43	7	9.39	4	8.46	3	10.88
Bullock	27,033	6,066	20,967	64	28.37	13	25.71	51	29.18	29	12.86	3	5.93	26	14.87
Exclusive	25,016	5,066	19,950	60	28.78	12	31.18	49	29 47	20	9.59	...	...	20	12.03
Union Springs	2,017	1,000	1,017	4	23.79	1	12.00	3	35.39	4	23 79	...	...	4	47 08
Butler	21,581	11,368	10,213	61	32.82	34	35.89	27	31.72	14	7.76	7	7.38	7	8.22
Exclusive	18,779	9,968	8,811	56	35.67	32	38 52	24	32 68	12	7.64	5	6.01	7	9.53
Greenville	2,802	1,400	1,402	5	21 41	2	17.14	3	25.67	2	8.56	2	17.14	...	...
Calhoun	33,835	23,891	9,944	45	15 95	33	16 51	12	15.08	21	7.44	17	8 53	4	5.02
Exclusive	20,301	15,092	5,209	24	14.18	17	13.51	7	16.12	11	6.50	9	7.15	2	4.60
Anniston	10,113	6,399	3,714	11	13.05	11	20.52	...	...	7	8.30	6	11.25	1	3.23
Jacksonville	1,237	900	337	3	29 10	2	26.66	1	35.60	2	19 40	2	26 66	...	...
Oxford	1,473	900	573	1	8.14	...	...	1	20 94	1	8.14	...	...	1	20.94
Piedmont	711	600	111	6	101.26	3	60.00	3	324.30	...	...	...	...	...	...
Clarke	22,622	9,627	12,995	66	35.00	30	37.39	36	33.24	16	8.48	6	7 47	10	9.23
Clay	15,765	14,086	1,679	55	41.86	51	43.44	4	28 58	6	4 56	4	3 40	2	14 29
Conecuh	14,594	7,956	6,638	43	35 35	29	44.10	14	24.29	15	12 33	5	7.60	10	10.07
Exclusive	13.557	7,341	6,216	36	31.86	24	39 23	12	23.14	15	13.27	5	8.17	10	19.30
Evergreen	1,037	615	422	7	80.99	5	97 55	2	56.86	...	...	...	...	...	...
Coosa	15,906	10,486	5,420	35	26.40	28	32.04	7	15.49	7	5.28	3	3 43	4	8.85
Crenshaw	15,425	11,732	3,693	32	31.55	28	28.61	4	12.99	10	7.57	6	6.13	4	12.99
Cullman	13,439	13,439	...	38	34.04	38	34 04	...	...	8	7.16	8	7.16	...	...

Exclusive	12,422	12,422		37	35.74	37	35.74			6	5.79	6	5.79			
Cullman	1,017	1,017		1	11.79	1	11.79			2	23.59	2	23.59			
Dallas	49,347	7,906	41,441	99	24.08	20	30.35	79	22.87	48	11.64	10	15.17	38	11.00	
Exclusive	41,728	4,406	37,322	79	22.72	9	24.50	70	22.56	32	9.10	4	10.89	28	9.00	
Selma	7,622	3,500	4,122	20	31.50	11	37.71	9	26.20	16	25.18	6	20.57	10	29.11	
DeKalb	21,010	19,881	1,129	36	20.59	35	21.12	1	10.62	11	6.29	10	6.03	1	10.62	
Exclusive	18,312	7,881	431	33	21.62	32	21.47	1	27.84	11	7.20	10	6.71	1	27.84	
Ft. Payne	2,698	2,000	698	3	13.34	3	18.00									
Elmore	21,732	11,329	10,403	59	36.62	34	36.00	25	28.82	13	7.18	4	4.23	9	10.37	
Exclusive	20,919	10,829	10,090	55	31.58	31	34.34	24	28.53	13	7.45	4	4.43	9	10.70	
Wetumpka	813	500	313	4	59.04	3	72.00	1	38.33							
Escambia	8,666	5,674	2,992	36	49.84	18	38.06	18	72.19	8	11.07	4	8.45	4	16.04	
Exclusive	7,302	4,799	2,503	29	47.65	15	37.50	14	67.06	7	11.50	3	7.50	4	19.16	
Brewton	1,115	750	365	5	53.81	2	32.00	3	98.62	1	10.76	1	16.00			
Atco	249	125	124	2	96.38	1	96.00	1	96.77							
Etowah	21,926	18,097	3,829	99	54.18	89	59.01	10	31.35	17	9.30	13	8.52	4	12.54	
Exclusive	14,926	12,797	2,129	84	67.52	78	72.37	6	33.91	12	9.64	12	11.25			
Gadsden	5,000	3,800	1,200	10	24.00	7	22.09	3	30.00	1	2.40			1	10.00	
Attalla	2,000	1,500	500	5	30.00	4	32.00	1	24.00	4	24.00	1	8.00	3	72.00	
Hale	27,501	5,053	22,448	32	13.97	9	21.37	23	12.29	18	7.85	6	14.25	12	6.46	
Exclusive	25,742	4,153	21,589	32	14.91	9	24.00	23	12.78	12	5.59	5	14.44	7	3.89	
Greensboro	1,759	900	859							6	40.93	1	13.33	5	69.84	
Jackson	28,026	24,132	3,894	68	29.11	59	29.33	9	27.73	24	10.27	23	11.43	1	3.08	
Exclusive	27,057	23,382	3,685													
Scottsboro	959	750	209	68	30.14	59	30.27	9	29.30	24	10.63	23	11.80	1	3.28	
Jefferson	87,825	58,100	29,150	133	18.17	97	20.04	36	40.82	93	12.70	44	9.08	49	20.17	
Exclusive	42,000	28,000	14,000	65	18.57	53	22.71	12	10.28	43	16.28	23	9.85	20	17.14	
Birmingham	35,000	23,000	1,200	56	19.29	35	18.14	21	21.00	43	14.74	21	10.94	23	22.00	
Bessemer	4,500	3,000	1,500	5	13.33	4	16.00	1	8.00	3	7.99			3	24.00	
Woodlawn	1,500	1,000	500	4	32.00	2	24.00	2	48.00	1	8.00			1	24.00	
Warrior	1,250	800	450													
Pratt City	2,000	1,300	700	3	18.00	3	27.69									
Pratt Mines Convicts	1,000									2	24.00			2		
Coalburg Convicts	575									1	20.86			1		
Lawrence	20,725	12,536	8,189	18	10.42	8	7.65	10	14.65	17	9.85	7	6.78	10	14.65	
Limestone	21,195	12,075	9,120	50	28.30	25	24.84	25	32.89	24	23.58	8	7.95	16	21.05	
Exclusive	20,195	11,375	8,820	49	29.10	24	25.30	25	34.00	23	23.66	7	7.38	16	21.76	

Births and Deaths by Counties, Towns and Colors—October, 1893. (Continued.)

Counties and Towns.	Population.			Births.						Deaths.					
	Total.	White.	Colored.	Total.	Rate per M.	White.	Rate per M.	Colored.	Rate per M.	Total.	Rate per M.	White.	Rate per M.	Colored.	Rate per M.
Athens	1,000	700	300	1	12.00	1	17.14	...	...	1	12.00	1	17.14	...	...
Lowndes	31,530	4,446	27,084	56	21.29	8	21.44	48	21.26	48	18.25	3	8.04	45	19.93
Madison	44,000	22,036	20,964	50	13.95	26	14.15	24	13.73	39	10.88	20	10.89	19	10.87
Exclusive	33,000	16,750	16,250	33	12.00	19	13.61	14	10.33	18	6.54	6	4.29	12	8.86
Huntsville	10,000	5,286	4,714	17	20.40	7	15.89	10	25.45	21	25.20	14	31.78	7	17.81
Montgomery	56,172	14,530	41,642	136	29.04	19	24.32	117	33.14	61	13.02	12	9.67	49	14.92
Exclusive	34,289	5,638	28,651	96	33.50	9	19.15	87	34.28	37	12.91	3	6.18	34	13.86
Montgomery	21,883	8,892	12,991	40	22.00	10	13.49	30	27.69	24	13.20	9	12.10	15	13.84
Monroe	18,990	8,327	10,663	55	34.75	21	29.95	34	38.26	11	6.95	6	8.55	5	5.62
Morgan	24,889	18,603	6,286	41	20.41	33	22.11	8	15.44	19	9.46	10	6.70	9	17.37
Exclusive	16,953	13,903	3,050	29	20.47	24	20.64	5	19.67	6	4.23	2	1.72	4	15.72
Decatur	7,136	4,000	3,136	12	20.41	9	22.11	3	15.41	13	21.84	5	15.00	8	30.56
Hartsell	800	700	100	...	...	...	...	...	...	...	...	...	...	...	...
Pike	24,423	15,633	8,790	72	35.37	48	36.53	24	32.76	17	8.36	14	10.65	3	4.09
Exclusive	20,974	13,433	7,541	55	33.46	39	34.83	16	25.46	13	7.43	11	9.82	2	3.18
Troy	3,449	2,200	1,249	17	59.16	9	49.08	8	76.80	4	13.92	3	16.36	1	9.60
St. Clair	17,353	14,285	3,068	60	41.49	53	44.52	7	27.37	20	13.83	14	11.76	6	23.46
Sumter	29,574	5,919	23,655	34	13.79	4	8.10	30	15.21	11	4.46	6	12.16	5	2.53
Exclusive	27,708	5,214	21,584	33	14.29	3	6.90	30	16.01	8	3.46	3	6.90	5	2.66
Livingston	805	305	500	...	...	...	...	...	...	...	...	...	...	...	...
Gainesville	1,071	400	671	1	11.20	1	30.00	...	...	3	33.61	3	90.00	...	...
Talladega	29,346	15,343	14,003	49	20.03	28	21.89	21	17.99	22	8.99	15	11.73	7	5.99
Exclusive	26,846	13,843	13,003	49	21.52	28	22.16	21	19.79	22	9.16	15	12.14	7	6.43
Talladega	2,500	1,500	1,000	...	...	...	...	...	...	...	...	...	...	...	...
Tallapoosa	25,460	16,854	8,606	60	28.27	48	34.07	12	16.74	6	2.82	4	2.83	2	2.79
Exclusive	23,060	15,354	8,306	53	26.88	43	33.60	10	14.45	4	2.03	2	1.56	2	2.89

Dadeville	1,000	800	200	5	60.00	3	45.00	2	120.00	2	24.00	2	30.00	....	.....
Alexander City	800	700	100	2	30.00	2	34.28	....	.....	....	.....	....	.....	....	.....
Tuscaloosa	30,352	18,213	12,139	32	12.65	21	13.83	11	10.87	27	10.67	15	9.88	12	11.80
Exclusive	23,552	13,813	9,739	19	9.68	12	10.37	7	18.12	9	4.58	6	5.18	3	3.69
Tuscaloosa	5,000	3,000	2,000	11	26.40	7	28.00	4	24.00	6	4.40	2	8.00	4	24.00
North Port	700	500	200	2	34.28	2	48.00	....	.....	3	7.40	2	48.00	1	60.00
Insane Asylum	1,100	900	200	....	.....	....	.....	....	.....	9	8.19	5	66.68	4	240.00
Winston	6,600	6,600	.....	14	26.45	14	26.45	....	.....	2	3.62	2	3.62	....	.....
Total of counties for October	912,608	483,094	427,739	1837	28.46	1052	29.14	785	27.16	696	11.46	310	10.64	386	9.78
Exclusive of towns	761,893	394,255	367,438	1580	27.59	911	28.19	669	25.48	512	10.98	221	11.86	291	9.66
Total of towns	150,715	88,839	60,301	257	23.54	141	25.10	116	26.12	184	9.26	89	8.42	95	10.42

Births and Deaths by Counties, Towns and Colors—November, 1893.

Counties and Towns.	Population.			Births.						Deaths.					
	Total.	White.	Colored.	Total.	Rate per M.	White.	Rate per M.	Colored.	Rate per M.	Total.	Rate per M.	White.	Rate per M.	Colored.	Rate per M.
Baldwin	8,931	5,635	3,306	17	22.81	11	23.27	6	21.77	6	8.05	3	6.34	3	10.88
Barbour	34,898	13,321	21,577	27	9.28	8	7.20	19	10 56	10	3.43	4	3.60	6	3.33
Exclusive	29,874	10,121	19,753	23	9.23	6	7.11	17	10.23	8	3.21	3	3 55	5	3.01
Eufaula	4,027	2,600	1,427	3	8.86	2	9.30	1	8.40	2	5.91	1	4.65	1	8.40
Clayton	997	600	397	1	12.03	...	...	1	30.22	...	...	...	...	...	...
Blount	21,927	31,115	1,812	22	12.03	21	12.52	1	6.62	6	3.28	5	2.98	1	6.62
Bullock	27,033	6,066	20,967	63	27.93	13	25.71	50	28 61	25	11.08	1	1.97	24	13.73
Exclusive	25,016	5,066	19,950	61	29.26	12	31.18	49	29.47	20	9 59	...	...	20	12.03
Union Springs	2,017	1,000	1,017	2	11.89	1	12.00	1	11.79	5	29.74	1	12.00	4	47.08
Butler	21,581	11,368	10.213	73	40 57	22	23.22	51	59.91	14	7.76	10	10.55	4	4 69
Exclusive	18,779	9,968	8,811	65	41.41	19	22.87	46	62.64	11	7.00	8	9 63	3	4.08
Greenville	2,802	1,400	1,402	8	34.25	3	25.71	5	42.79	3	12.84	2	17.14	1	8.55
Calhoun	33,835	33.891	9,944	55	19 50	46	23.10	9	11.31	12	4.25	8	4.01	4	5.02
Exclusive	20,301	15,092	5,209	28	16.55	23	18.28	5	11.51	8	4.72	5	3.97	3	6 91
Anniston	10,113	6,399	3,714	20	23.73	18	33.75	2	6.46	4	4.74	3	5 62	1	3.23
Jacksonville	1,237	900	337	3	29 01	2	26.66	1	35 60	...	...	...	...	...	...
Oxford	1,473	900	573	2	16.29	1	13.33	1	20.94	...	...	...	...	...	...
Piedmont	711	600	111	2	33.75	2	40.00	...	...	...	...	...	...	...	...
Clarke	22,622	9,627	12,995	75	39.78	38	47 35	37	34.16	16	8.48	7	8 72	9	8.31
Clay	15,765	14,086	1,679	33	25.11	33	28.11	...	...	9	6.85	9	7.66	...	...
Conecuh	14,594	7,956	6,638	27	22.19	17	25.85	10	18.07	19	15 61	11	16.72	8	14.45
Exclusive	13,557	7,341	6,216	26	23.01	17	27.78	9	17.17	16	14.16	9	14.70	7	13.41
Evergreen	1,037	615	422	1	11.00	...	...	1	28.00	3	34.00	2	23.00	1	28.00
Coosa	15,906	10,486	5,420	38	28.66	27	30.89	11	24.35	10	7.54	7	8 11	3	6.64
Crenshaw	15,425	11,732	3,693	30	27.14	24	28.62	6	19.24	4	3 19	3	3.06	1	3.24
Cullman	13,439	13,439	...	22	26.94	22	26.94	...	...	5	4.47	5	4.47	...	...

Exclusive	12,422	12,422		22	27.19	22	27.19			4	3.86	4	3.86			
Cullman	1,017	1,017								1	11.77	1	11.77			
Dallas	49,347	7,906	41,441	100	24.36	14	21.24	86	24.80	44	1 07	10	15.17	34	9.84	
Exclusive	41,728	4,406	37,322	79	22.72	1	2.72	78	25 00	31	8 81	2	5.44	29	9.32	
Selma	7,622	3,500	4,122	21	33.00	13	44.57	8	23.29	13	20 46	8	27.42	5	14 56	
DeKalb	21,010	19,881	1,129	26	14.87	25	15 09	1	10 62	10	5 72	8	4 87	2	21.25	
Exclusive	18,312	17,881	431	23	16.22	23	18 46			8	6.27	8	7.18			
Ft. Payne	2,698	2,000	698	3	13.35	2	12 00	1	17.19	2	8 89			2	34.38	
Elmore	21,732	11,329	10,403	57	24.19	31	25.48	26	19.22	16	9.16	6	5.68	10	11.53	
Exclusive	20,919	10,829	10,090	57	26 42	31	28 16	26	20.42	15	10.11	6	7.42	9	10 78	
Wetumpka	813	500	313							1	14.76			1	38.33	
Escambia	8,666	5,674	2,992	28	38.77	19	40 18	9	36.09	6	8 30	2	4.22	4	16 04	
Exclusive	7,302	4,799	2,503	20	32 86	16	40 00	4	19.16	5	8.21	1	2.50	4	19.16	
Brewton	1,115	750	365	6	64.57	2	32 00	4	131 50	1	10.76	1	16.00			
Atco	249	125	124	2	96.38	1	96.00	1	96.77							
Etowah	21,926	18,097	3,829	63	34 48	55	36.47	8	25.08	15	8.20	10	6.63	5	15.67	
Exclusive	14,926	12,797	2,129	80	40.19	46	43.13	4	22.54	9	9.23	7	6.56	2	11.27	
Gadsden	5,000	3,800	1,200	7	16.80	5	15.78	2	20.00	3	7.20	2	63 14	1	10 00	
Attalla	2,000	1,500	500	6	36 00	4	32.00	2	48 00	3	18 00	1	8.00	2	48 00	
Hale	27,501	5,053	22,448	39	32.19	5	24 48	34	33.62	10	4.36	2	4.75	8	4 50	
Exclusive	25,742	4,153	21,589	32	33 17	4	16.28	28	34 19	9	4 19	1	2.88	8	4.90	
Greensboro	1,759	900	859	7	47.75	1	13.33	6	81.81	1	6.82	1	13.33			
Jackson	28,026	24,132	3,894	56	27 83	49	24 36	7	21 57	17	7.27	13	6 46	4	12 32	
Exclusive	27,057	23,382	3,685	55	24 38	49	25 14	6	19 53	15	6 64	12	6.15	3	9.76	
Scottsboro	959	750	209	1	12.07			1	57.41	2	25 00	1	16.00	1	57.41	
Jefferson	87,825	58,100	29,150	154	39 67	121	32.86	33	30.31	90	12 09	49	10.09	41	16 87	
Exclusive	42,000	28,000	14,000	82	23.37	72	30.81	10	8 57	35	9 97	23	9 84	12	10 72	
Birmingham	35,000	23,000	12,000	53	18.12	35	18.64	18	18.00	38	13.00	15	7 81	23	23 00	
Bessemer	4,500	3,000	1,500	8	21.32	3	12.00	5	40.00	7	18 66	3	12 00	4	32 00	
Woodlawn	1,500	1,000	500	1	8 60	1	12.00			3	24 00	3	36 00			
Warrior	1,250	800	450	4	38 40	4	60.00			1	9 60	1	15 00			
Pratt City	2,000	1,300	700	6	36.00	6	55.38			1	6.00	1	9 23			
Pratt Convicts	1,000									5	60.00	3		2		
Coalburg Convicts	575															
Lawrence	20,725	12,536	8,189	32	18.48	18	17.23	14	20.58	17	9.85	7	6 78	10	14.65	
Limestone	21,195	12,075	9,120	58	32 82	33	32.00	25	32.89	16	9.06	11	10.92	5	6.58	
Exclusive	20,195	11,375	8,820	56	33.00	31	32 69	24	32.65	15	8.91	11	11.60	4	5.44	

Births and Deaths by Counties, Towns and Colors—November, 1893. (Continued.)

Counties and Towns.	Population.			Births.						Deaths.					
	Total.	White.	Colored.	Total.	Rate per M.	White.	Rate per M.	Colored.	Rate per M.	Total.	Rate per M.	White.	Rate per M.	Colored.	Rate per M.
Athens	1,000	700	300	2	24.00	1	17.14	1	40.00	1	12.00	...	...	1	40.00
Lowndes	31,530	4,446	27,084	62	23.57	4	10.72	58	25.53	40	15.21	5	13.40	35	15.41
Madison	44 000	22,036	20,964	56	15.62	34	18.51	22	12.59	24	6.69	12	6.53	12	6.86
Exclusive	33,000	16,750	16,250	39	14.18	24	17.19	15	11.07	9	3.29	5	3.58	4	2.95
Huntsville	10,000	5,286	4,714	17	20.40	10	22.70	7	17.81	15	18.00	7	15.89	8	20.36
Montgomery	56,172	14,530	41,642	126	26.91	25	21.62	101	29.72	43	14.26	15	9.64	28	14.96
Exclusive	34,289	5,638	28,651	86	27.18	8	17.02	78	28.16	18	7.68	3	6.38	15	8.27
Montgomery	21,883	8,892	12,991	40	22.00	17	23.93	23	19.27	25	13.75	12	16.18	13	12.42
Monroe	18,990	8,327	10,663	51	32.22	24	34.23	27	30.38	17	6.95	8	11.41	9	10.12
Morgan	24,889	18,603	6,286	37	18.42	32	21.44	5	9.65	22	10.95	12	7.37	11	21.23
Exclusive	16,953	13,903	3,050	28	19.76	25	21.50	3	10.79	9	6.35	6	5.16	3	10.79
Decatur	7,136	4,000	3,136	9	15.72	7	21.00	2	7.64	13	21.84	5	15.00	8	30.56
Hartsell	800	700	100	...	...	...	...	...	...	...	...	...	...	...	...
Pike	24,423	15,633	8,790	58	28.49	42	31.97	16	21.84	12	5.49	7	5.32	5	6.82
Exclusive	20,974	13,433	7,541	48	27.46	34	30 37	14	22.27	6	3.43	3	2.68	3	11.77
Troy	3,449	2.200	1.249	10	34.80	8	43.63	2	19.20	6	20.88	4	21.81	2	19.60
St. Clair	17,353	14,285	3,068	48	33.19	42	35 28	6	23.46	11	7.60	10	8.40	1	3.91
Sumter	29,574	5,919	23,655	31	12 57	7	14.18	24	12.17	8	3.24	1	2.02	7	3 55
Exclusive	27,708	5,214	21,584	25	10.83	6	13 80	19	10.14	7	3.03	1	2.30	6	3.20
Livingston	805	305	500	3	44.70	1	39.00	2	48.00	...	...	...	...	...	...
Gainesville	1,071	400	671	3	33 61	...	...	3	54.10	1	11.20	...	...	1	18 03
Talladega	29,346	15,343	14,003	27	11 04	8	6.25	19	16.28	8	3.27	3	2.34	5	4.28
Exclusive	26,896	13,843	13,003	26	26 37	70	31.26	19	17.34	7	7 10	2	7.03	5	7.22
Talladega	2,500	1,500	1,000	1	4.80	1	8 00	...	...	1	4 80	1	8.00	...	...
Tallapoosa	25,460	16,854	8,606	59	27.80	44	31.23	15	20.92	15	7.06	10	7 09	5	6.97
Exclusive	23,060	15,354	8,306	52	26.37	40	31.26	12	17.34	14	7.10	9	7.03	5	7.22

Daderville	1,000	800	200	2	24.00	1	15.00	1	60.00	1	12.00	1	15.00	....	.....
Alexadder City	800	700	100	5	75.00	3	51.42	2	24.00	..	.....	...	.....	....	.....
Tuscaloosa	30,352	18,213	12,139	33	13.04	29	19 05	4	3.95	19	17.50	10	6.58	9	8.89
Exclusive	23,552	13,813	9,739	26	13.24	22	19.01	4	4.92	7	3.86	6	5.18	1	1.23
Tuscaloosa	5,000	3,000	2,000	5	12.00	5	20 00	....	.....	10	24 00	3	12 00	7	42.00
North Port	700	500	200	2	34.28	2	48.00	....	.....	1	17.14	....	.....	1	60 00
Insane Asylum	1,100	900	200	...	.....	...	.....	....	.....	1	10.91	1	13.33	....	.....
Winston	6,600	6,600	.....	16	19.08	16	19 08	..	.....	4	7.27	4	7.27	....	.....
Total of counties for Novemb'r	912,608	483,094	427,739	1699	22 14	959	23.54	740	20.74	599	9 74	288	8.36	311	9 56
Exclusive of towns	761,893	394,255	367,438	1439	21.76	797	22.78	642	19 78	425	9.32	206	7.46	219	9 86
Total of towns	150,715	88,839	60,301	260	19.39	162	20.46	98	18 94	174	8.10	82	7.18	92	9.28

Births and Deaths by Counties, Towns and Colors—December, 1893.

Counties and Towns.	Population.			Births.						Deaths.					
	Total.	White.	Colored.	Total.	Rate per M.	White.	Rate per M.	Colored.	Rate per M.	Total.	Rate per M.	White.	Rate per M.	Colored.	Rate per M.
Baldwin	8,941	5,635	3,306	16	21.47	9	19.04	7	25.40	9	12.07	4	8.46	5	18.14
Barbour	34,898	13,321	21,577	42	14.44	21	18.91	21	11.67	13	4.47	6	5.40	7	3.89
Exclusive	29,874	10,121	19,753	32	12.85	15	17.78	17	10.23	7	2.81	3	3.55	4	2.40
Eufaula	4,027	2,600	1,427	6	17.73	4	18.61	2	16.81	3	8.86	1	4.65	2	16.81
Clayton	997	600	397	4	48.14	2	40.00	2	60.45	3	36.10	1	20.00	2	60.45
Blount	21,927	20,115	1,812	31	16.95	27	16.10	4	2.64	2	1.09	2	1.19	...	...
Bullock	27,033	6,066	20,967	69	30.59	15	29.68	54	30.90	27	11.97	8	15.82	19	10.87
Exclusive	25,016	5,066	19,950	64	30.70	14	33.55	50	30.07	23	11.03	6	14.20	17	10.22
Union Springs	2,017	1,000	1,017	5	29.74	1	12.00	4	47.08	4	23.79	2	24.00	2	23.59
Butler	21,581	11,368	10,213	62	33.37	26	27.44	36	42.29	25	3.86	11	11.61	14	16.44
Exclusive	18,779	9,968	8,811	55	35.04	23	27.68	32	43.58	21	13.37	9	10.83	12	16.34
Greenville	2,802	1,400	1,402	7	27.97	3	25.71	4	34.23	4	17.12	2	17.14	2	17.11
Calhoun	33,835	23,891	9,944	39	13.83	25	12.55	14	17.59	15	5.31	13	6.52	2	2.51
Exclusive	20,301	15,092	5,209	17	10.04	12	9.54	5	11.51	13	7.68	11	8.76	2	4.60
Anniston	10,113	6,399	3,714	17	20.17	11	20.62	6	19.38	2	2.37	2	3.75	...	...
Jacksonville	1,237	900	337	...	...	...	...	...	...	...	...	...	...	...	...
Oxford	1,473	900	573	2	16.29	1	13.33	1	20.94	...	...	...	...	...	...
Piedmont	711	600	111	3	50.63	1	20.00	2	216.20	...	...	...	...	...	...
Clarke	22,622	9,627	12,995	77	40.84	37	46.22	40	36.93	23	12.19	8	9.97	15	13.85
Clay	15,765	14,086	1,679	42	31.96	37	31.52	5	35.73	25	19.02	21	17.88	4	28.58
Conecuh	14,594	7,956	6,638	35	28.77	20	30.41	15	27.10	16	13.15	6	9.12	10	18.07
Exclusive	13,557	7,341	6,216	34	30.08	20	32.69	14	27.02	14	12.38	5	8.17	9	17.17
Evergreen	1,037	615	422	1	11.00	...	...	1	28.00	2	22.00	1	19.00	1	28.00
Coosa	15,906	10,486	5,420	38	28.66	29	33.18	9	19.92	8	6.03	7	8.01	1	2.21
Crenshaw	15,425	11,732	3,693	26	22.48	24	24.61	2	18.62	8	7.68	6	4.23	2	8.28
Cullman	13,439	13,439	...	40	35.80	40	35.80	...	...	8	7.16	8	7.16	...	...

Exclusive	12,422	12,422		36	34 77	36	34 77			7	6.76	7	6 76		
Cullman	1,017	1,017		4	47.19	4	47.19			1	11 79	1	11.79		
Dallas	49,347	7,906	41,441	61	14.8	13	19.72	48	13.90	56	13.5	10	15.17	46	13.32
Exclusive	41,728	4,406	37.322	45	12 94	6	16 33	39	12 53	39	11.21	4	10.89	35	11 25
Selma	7,622	3,500	4,122	16	25 18	7	23 00	9	26.20	17	26.75	6	20.57	11	32.00
DeKalb	21,010	19,881	1,129	60	34.33	55	33 19	5	53.14	17	9.72	17	10 25		
Exclusive	18,312	17,881	431	55	35.43	50	33.62	5	139.21	16	3.42	16	3.62		
Ft. Payne	2,698	2,000	698	5	22.23	5	30.00			1	4.44	1	6.00		
Elmore	21,732	11.329	10.403	58	27.29	33	28 72	25	24.68	17	9.72	9	10 26	8	8.64
Exclusive	20,919	10,829	10,090	55	28.63	31	29.16	24	25.18	16	8.74	9	9 97	7	8 13
Wetumpka	813	500	313	3	43 28	2	48.00	1	38.33	1	14.76			1	38 33
Escambia	8,666	5,674	2.992	32	44.31	20	42.29	12	48.12	9	12.46	8	16 81	1	4.01
Exclusive	7,302	4.799	2 503	28	46.01	18	45.00	10	47.90	9	14.78	8	20.00	1	4.79
Brewton	1,115	750	365	4	43.04	2	32.00	2	65.75						
Alco	249	125	124												
Etowah	21,926	18,097	3,829	74	40.50	64	42 43	10	31.35	16	8.75	9	5.96	7	21.94
Exclusive	14 926	12,797	2,129	52	41.80	50	46 88	2	11.27	6	4 82	3	2 81	3	16 90
Gadsden	5,000	3,800	1,200	14	33.60	7	22.09	7	70.00	8	19 20	5	15.78	3	30.00
Attalla	2,000	1,500	500	8	48.00	7	56 00	1	24.00	2	12.00	1	8 00	1	24 00
Hale	27,501	5,053	22,448	45	19 62	6	14.54	39	20 21	7	3.05	2	4.75	5	2.63
Exclusive	25,742	4,153	21,589	41	19.10	4	11.55	37	20.53	7	3.26	2	5.77	5	2.77
Greensboro	1,759	900	859	4	27.28	2	26.66	2	27.93						
Jackson	28,026	24,132	3,894	59	25 26	57	28.34	2	6.16	28	11 98	28	13.92		
Exclusive	27,057	23,382	3,685	57	25.26	55	28.22	2	6 51	27	11 96	27	13 85		
Scottsboro	959	750	209	2	25 00	2	32.00			1	12.51	1	16.00		
Jefferson	87,825	58,100	29,150	146	19 84	89	18.33	56	20.21	93	12.69	50	10 30	43	13.26
Exclusive	42,000	28,000	14,000	75	21.37	53	19.68	22	22.46	36	10.26	21	8.98	15	71 68
Birmingham	35,000	23,000	12,000	53	18 12	23	16.46	30	30 00	42	14 36	20	10 24	22	22.00
Bessemer	4,500	3,000	1,500	8	21.52	5	20.00	3	24.00	9	23.99	7	28.00	2	16.00
Woodlawn	1,500	1,000	500							1	8.00	1	12 00		
Warrior	1,250	800	450	2	19.20	2	30.00			1	9.60			1	26 66
Pratt City	2,000	1,300	700	8	48.00	7	64.61	1	17.04	1	6.00	1	9 23		
Pratt Mines, Convicts	1,000									1	12.00			1	
Coalburg, Convicts	575									2	41.73			2	
Lawrence	20,725	12,536	8,189	26	15.05	16	15.33	10	14.65	7	4.05	3	2 87	4	5.86
Limestone	21,195	12,075	9,120	46	26.04	25	24.84	21	27 63	11	6 23	6	5.96	5	6 58
Exclusive	20,195	11,375	8,820	45	26.07	24	25.30	21	28 57	11	6 63	6	6.32	5	6 80

Births and Deaths by Counties, Towns and Colors—December, 1893. (Continued.)

Counties and Towns.	Population.			Births.						Deaths.					
	Total.	White.	Colored.	Total.	Rate per M.	White.	Rate per M.	Colored.	Rate per M.	Total.	Rate per M.	White.	Rate per M.	Colored.	Rate per M.
Athens	1,000	700	300	1	12.00	1	17.14	....	.....	....	.....	....	.....	....	.....
Lowndes	31,530	4,446	27,084	69	26.24	4	10.72	65	29.79	32	12.16	3	8.04	29	12.84
Madison	44,000	22,036	20,964	40	11.16	26	14.15	14	8.01	24	6.69	11	5.99	13	7.44
Exclusive	33,000	16,750	16,250	31	11.27	21	15.04	10	7.38	7	2.54	2	1.43	5	3.69
Huntsville	10,000	5,286	4,714	9	10.80	5	11.35	4	10.18	17	20.40	9	20.43	8	20.36
Montgomery	56,172	14,530	41,642	137	27.02	24	22.64	113	30.27	55	16.26	16	10.17	39	18.94
Exclusive	34,289	5,638	28,651	90	28.26	11	21.42	79	29.63	23	15.46	2	4.48	21	16.28
Montgomery	21,883	8,892	12,991	47	25.28	13	22.16	34	26.14	32	14.68	14	17.19	18	13.46
Monroe	18,990	8,327	10,663	72	45.49	36	51.35	36	40.51	9	5.68	6	8.55	3	3.37
Morgan	24,889	18,603	6,286	46	22.41	38	25.46	8	15.44	20	9.96	17	11.39	3	5.79
Exclusive	16,953	13,903	3,050	26	18.35	21	18.06	5	19.65	4	2.82	4	3.44	....	.....
Decatur	7,136	4,000	3,136	15	25.20	12	36.00	3	11.46	16	26.88	13	39.00	3	11.46
Hartsell	800	700	100	5	75.00	5	85.72	....	.....	....	.....	....	.....	....	.....
Pike	24,423	15,633	8,790	53	26.03	33	25.11	20	27.30	14	6.81	11	8.37	3	4.09
Exclusive	20,974	13,433	7,541	46	26.31	28	25.01	18	28.64	9	4.14	6	5.35	3	11.77
Troy	3,449	2,200	1,249	7	24.36	5	27.27	2	19.20	5	17.40	5	27.27	....	.....
St. Clair	17,353	14,285	3,068	44	30.42	37	31.08	7	27.37	13	8.98	9	7.56	4	15.64
Sumter	29,574	5,919	23,655	27	10.54	6	10.13	21	10.65	7	2.83	3	6.08	4	2.02
Exclusive	27,708	5,214	21,584	25	10.83	4	9.20	21	11.20	6	2.59	3	6.90	3	1.60
Livingston	805	305	500	1	19.37	1	39.00	....	.....	....	.....	....	.....	....	.....
Gainesville	1,071	400	671	1	11.20	1	30.00	....	.....	1	11.20	....	.....	1	18.03
Talladega	29,346	15,343	14,003	47	19.21	29	22.68	18	15.42	20	8.17	14	10.94	6	5.14
Exclusive	26,846	13,843	13,003	42	18.77	24	20.80	18	14.68	16	7.15	10	8.67	6	5.54
Talladega	2,500	1,500	1,000	5	24.60	5	40.00	....	.....	4	19.20	4	32.00	....	.....
Tallapoosa	25,460	16,854	8,606	57	26.88	39	27.68	18	25.11	10	4.71	7	4.96	3	4.18
Exclusive	23,060	15,354	8,306	50	25.36	36	28.13	14	20.23	8	4.06	7	5.47	1	1.44

Dadeville	1,000	800	200	3	36.00				3	180.00	1	12.00					1	60.00
Alexander City	800	700	100	4	60.00	3	51.42		1	120.00	1	15.00					1	120.00
Tuscaloosa	30,352	18,213	12,139	37	13.62	22	14.47	15	14.82		28	11.07	20	13.17			8	7.90
Exclusive	23,552	13,813	9,739	23	11.71	17	14.69	6	7.39		16	8.15	14	12.10			2	2.46
Tuscaloosa	5,000	3,000	2,000	13	31.20	4	16.00	9	54.00		6	14.40	3	12.10			3	18.00
North Port	700	500	200	1	17.14	1	24.00											
Insane Asylum	1,100	900	200								6	65.46	3	40.00			3	180.00
Winston	6,600	6,600		8	14.54	8	14.54				5	9.09	5	9.09				
Total of counties for Decemb'r	912,608	483,094	427,739	1761	23.03	990	25.19	771	22.76		677	8.89	364	8.96			313	8.76
Exclusive of towns	761,893	394,255	367,438	1473	22.86	836	24.17	637	20.19		483	8.46	260	7.64			223	8.22
Total of towns	150,715	88,839	60,301	288	21.44	154	22.06	134	19.45		194	8.17	104	7.82			90	8.20

Births and Deaths by Counties, Towns and Colors—For the Year, 1893.

Counties and Towns.	Population.			Births.						Deaths.					
	Total.	White.	Colored.	Total.	Rate per M.	White.	Rate per M.	Colored.	Rate per M.	Total.	Rate per M.	White.	Rate per M.	Colored.	Rate per M.
Baldwin	8,941	5,635	3,306	272	30.42	147	26.08	125	37.81	105	11.74	50	8.87	55	16.63
Barbour	34,898	13,321	21,577	536	15.35	203	15.24	333	10.79	142	4.06	59	4.42	83	3.84
Exclusive	29,874	10,121	19,753	462	15.46	162	16.00	300	15.18	102	3.41	38	3.74	64	3.24
Eufaula	4,027	2,600	1,427	50	12.41	29	11.15	21	14.70	28	6.95	15	5.76	13	9.11
Clayton	997	600	397	24	24.07	12	20.00	12	32.74	12	12.03	5	8.33	7	17.63
Blount	21,927	21,115	1,812	371	16.96	361	17.94	10	5.51	52	2.37	51	2.53	1	6.62
Bullock	27,033	6,066	20,967	848	31.03	140	23.07	708	33.76	283	10.47	50	8.24	233	11.10
Exclusive	25,016	5,066	19,950	791	31.61	120	23.09	671	33.63	253	11.69	43	10.18	210	12.63
Union Springs	2,017	1,000	1,017	57	28.26	0	20.00	37	36.38	30	14.87	7	7.00	23	22.61
Butler	21,581	11,368	10,213	777	36.00	363	12.00	414	18.00	168	8.00	95	4.00	73	3.00
Exclusive	18,779	9,968	8,811	697	37.00	327	16.00	368	21.00	138	7.00	77	4.00	61	3.00
Greenville	2,802	1,400	1,402	80	28.00	34	12.00	46	16.00	30	10.00	18	6.00	12	4.00
Calhoun	33,835	23,891	9,944	704	20.80	518	22.10	186	18.70	187	5.22	134	5.65	53	5.32
Exclusive	20,301	15,092	5,209	363	17.88	296	19.60	67	12.67	103	5.07	79	5.23	24	4.60
Anniston	10,113	6,399	3,714	239	23.63	155	24.37	84	22.61	61	6.03	37	5.78	24	6.46
Jacksonville	1,237	900	337	24	19.40	17	18.88	7	20.77	7	5.65	4	4.44	3	8.90
Oxford	1,473	900	573	36	24.43	18	20.00	18	36.41	8	5.43	6	6.66	2	3.49
Piedmont	711	600	111	42	59.07	32	53.33	10	90.00	8	11.23	8	13.33	...	...
Clarke	22,622	9,627	12,995	811	35.85	369	38.32	442	34.01	248	10.96	90	9.34	149	11.46
Clay	15,765	14,086	1,679	557	35.23	514	36.48	43	25.61	159	10.08	135	9.58	24	14.29
Conecuh	14,594	7,956	6,638	492	33.07	259	32.65	233	35.01	160	11.01	72	9.00	88	13.02
Exclusive	13,557	7,341	6,216	458	33.05	242	32.09	206	33.14	148	10.92	66	8.99	82	13.35
Evergreen	1,037	615	422	34	3.28	17	2.76	17	40.02	12	11.00	7	11.00	5	11.00
Coosa	15,906	10,486	5,420	489	30.74	316	30.13	173	31.91	102	6.41	64	6.10	38	7.01
Crenshaw	15,425	11,732	3,693	382	24.76	319	27.18	63	23.47	95	6.18	72	6.07	23	6.78
Cullman	13,439	13,439	...	339	25.26	339	25.26	...	...	70	5.20	70	5.20	...	...

Exclusive	12,422	12,422		300	24.15	300	24.15				50	4.02	50	4.02				
Cullman	1,017	1,017		39	36.35	39	36.35				20	29.58	20	29.58				
Dallas	49,347	7,906	41,441	1089	22.06	227	28.71	862	20.08		601	12.18	155	19.06	446	10.76		
Exclusive	41,728	4,406	37,322	797	19.00	85	19.28	712	19.00		407	9.75	62	14.90	345	9.26		
Selma	7,622	3,500	4,122	292	38.28	142	40.05	150	36.03		194	25.44	93	26.05	101	24.06		
DeKalb	21,010	19,881	1,129	528	25.14	500	25.19	28	24.73		148	7.04	138	6.84	10	8.73		
Exclusive	18,312	7,881	431	501	24.78	477	23.92	24	25.19		127	7.61	122	6.46	5	7.98		
Ft. Payne	2,698	2,000	698	27	10.00	23	11.50	4	8.72		21	7.86	16	8.00	5	6.48		
Elmore	21,732	11,329	10,403	680	31.24	420	34.28	260	27.19		178	8.64	88	7.46	90	8.95		
Exclusive	20,919	10,829	10,090	648	32.18	396	33.10	252	26.47		169	9.24	84	7.23	85	9.68		
Wetumpka	813	500	313	32	39.36	24	48.00	8	28.36		9	11.08	4	8.00	5	15.97		
Escambia	8,666	5,674	2,992	373	51.64	247	52.23	126	50.53		105	14.53	69	14.59	36	14.43		
Exclusive	7,302	4,799	2,503	304	49.95	216	54.00	88	32.15		87	14.29	58	14.50	29	13.89		
Brewton	1,115	750	365	56	60.26	24	38.40	32	10.51		14	15.06	8	12.80	6	19.72		
Atco	249	125	124	13	62.64	7	67.20	6	58.06		4	19.27	3	28.80	1	96.77		
Etowah	21,926	18,097	3,829	919	41.45	772	42.65	147	38.39		239	10.09	176	9.23	63	16.45		
Exclusive	14,926	12,797	2,129	708	47.43	633	49.46	75	35.24		142	9.51	120	9.37	22	10.33		
Gadsden	5,000	3,800	1,200	147	29.04	91	23.94	56	46.66		66	13.02	38	10.00	28	23.33		
Attalla	2,000	1,500	500	64	32.00	48	32.00	16	32.00		31	15.05	18	12.00	13	26.00		
Hale	27,501	5,053	22,448	521	18.26	85	15.23	436	21.72		141	6.48	47	5.32	94	7.23		
Exclusive	25,742	4,153	21,589	490	17.64	70	14.83	470	79.22		129	6.69	40	4.63	89	7.18		
Greensboro	1,759	900	859	31	17.65	15	76.66	16	18.22		12	6.95	7	7.66	5	5.36		
Jackson	28,026	24,132	3,894	758	26.98	682	28.16	76	19.51		266	9.46	217	8.96	49	12.58		
Exclusive	27,057	23,382	3,685	732	27.01	661	28.22	71	19.26		253	9.33	209	8.92	44	11.93		
Scottsboro	959	750	209	26	27.11	21	27.99	5	23.92		13	13.55	8	10.66	5	23.92		
Jefferson	87,825	58,100	29,150	1968	22.43	1406	24.15	562	21.64		1366	15.76	581	10.00	785	16.28		
Exclusive	42,000	28,000	14,000	1045	24.86	840	30.00	205	14.64		576	13.73	477	9.82	299	14.36		
Birmingham	35,000	23,000	1,200	669	19.11	383	16.67	386	34.17		526	12.52	239	10.36	287	23.94		
Bessemer	4,500	3,000	1,500	121	28.88	64	21.30	57	36.66		93	20.66	32	10.66	61	40.66		
Woodlawn	1,500	1,000	500	49	32.66	37	37.00	12	24.00		20	13.33	13	13.00	7	14.00		
Warrior	1,250	800	450	33	26.72	33	33.00				8	5.33	3	3.00	5	10.00		
Pratt City	2,000	1,300	700	51	25.50	49	37.69	2	2.85		16	5.08	9	6.92	1	1.42		
Pratt Mines Convicts	1,000										75	75.00	6		69			
Coalburg Convicts	575										58	10.09	2		56			
Lawrence	20,725	12,536	8,189	343	16.55	188	14.98	155	18.92		127	6.12	58	4.62	69	8.42		
Limestone	21,195	12,075	9,120	705	33.20	340	28.16	365	40.64		253	11.96	111	9.15	142	15.56		
Exclusive	20,195	11,375	8,820	686	33.92	331	29.13	354	40.12		236	11.62	100	8.40	136	15.45		

Births and Deaths by Counties, Towns and Colors—For the Year 1893. (Continued.)

Counties and Towns.	Population.			Births.						Deaths.					
	Total.	White.	Colored.	Total.	Rate per M.	White.	Rate per M.	Colored.	Rate per M.	Total.	Rate per M.	White.	Rate per M.	Colored.	Rate per M.
Athens	1,000	700	300	19	18.75	9	12.60	10	33.33	17	16 78	11	15.42	6	20.00
Lowndes	31,530	4,446	27,084	845	26.78	70	15.65	775	21.23	475	15.05	30	6.71	445	16.43
Madison	44 000	22,036	20,964	859	19.07	462	18.36	397	22.14	451	10.25	214	9.16	237	11 35
Exclusive	33,000	16,750	16,250	599	13.65	336	12 83	263	16.38	203	6.15	99	5.36	104	7 23
Huntsville	10,000	5,286	4,714	260	26.00	126	24.63	134	27.18	248	24 80	115	21.63	133	25.24
Montgomery	56,172	14,530	41,642	1560	27.77	287	25.37	1273	28.44	681	10.34	195	9.61	486	11.23
Exclusive	34,289	5,638	28,651	1038	28 64	124	26.18	914	29.36	336	11.24	30	10.24	306	11 69
Montgomery	21,883	8,892	12,991	522	23.82	163	15.68	359	24 38	345	15.75	165	14.26	180	16 82
Monroe	18,990	8,327	10,663	579	30.47	245	29.12	334	31.75	152	8.00	68	8.08	84	7 98
Morgan	24,889	18,603	6,286	562	22.66	437	24.73	125	21.43	255	12 49	169	10.72	86	16 40
Exclusive	16,953	13,903	3,050	410	24 16	333	25 16	77	19 26	95	67.07	69	59.54	26	102.18
Decatur	7,136	4,000	3,136	142	18.26	94	23.50	48	16.84	157	26.37	97	29 40	60	22.23
Hartsell	800	700	100	10	12.50	10	14 28	...	.....	3	3.75	3	4.28	...	.....
Pike	24,423	15,633	8,790	660	27.02	426	27.25	234	26 62	173	7.04	120	7.66	53	6.02
Exclusive	20,974	13,433	7,541	554	21.16	365	26.42	189	26 39	132	6.29	94	7.07	38	5.03
Troy	3,449	2,200	1,249	106	30.73	61	27.72	45	36 02	41	11.88	26	11.81	15	12.00
St. Clair	17,353	14,285	3,068	576	33.25	490	34 30	86	28.03	176	10.14	140	9.81	36	11.73
Sumter	29,574	5,919	23,655	522	17.69	72	12.16	450	18.87	174	5.99	46	7.77	128	5.41
Exclusive	27,708	5,214	21,584	501	18.52	67	12.85	434	19 21	160	5.79	39	7 28	121	5 44
Livingston	805	305	500	13	16.15	3	9.83	10	20.00	9	11.12	6	19.64	3	6.00
Gainesville	1,071	400	671	8	7.46	2	5 00	6	12.00	5	4.54	1	3.33	4	8.00
Talladega	29,346	15,343	14,003	521	17.75	287	18.70	234	16.71	204	6.95	104	6.77	100	7 14
Exclusive	26,896	13,843	13,003	493	16.28	263	17.34	230	15.18	179	5.84	88	5.36	91	6.18
Talladega	2,500	1,500	1,000	28	11.20	24	16.00	4	4.00	25	10 00	16	10.66	9	9 00
Tallapoosa	25,460	16,854	8,606	677	26.59	487	28.89	190	22.07	126	4 94	80	4.74	46	5.34
Exclusive	23,060	15,354	8,306	615	25.99	450	26.05	165	19.86	108	4.56	68	4.42	40	4.81

Dadeville	1,000	800	200	26	26.00	13	16.25	13	65.00	7	7.00	5	6.25	2	10.00
Alexander City	800	700	100	36	45.00	24	34.27	12	120.11	13	13.75	7	10.00	4	40.00
Tuscaloosa	30,352	18,213	12,139	399	13.14	257	18.04	142	14.57	297	9.77	155	11.00	142	14.56
Exclusive	23,552	13,813	9,739	287	12.18	191	13.82	96	8.79	124	5.36	78	5.64	46	8.23
Tuscaloosa	5,000	3,000	2,000	93	18.60	45	15.00	48	24.00	87	17.40	24	8.00	63	31.50
North Port	700	500	200	31	44.28	26	30.00	5	75.00	14	20.00	10	20.00	4	20.00
Insane Asylum	1,100	900	200	.....						72	65.45	40		32	
Winston	6,600	6,600	.....	162	24.54	162	21.54			34	5.15	34	5.15		
Total of counties for 1893	912,608	483,094	427,739	22,415	24.77	12,457	25.77	9958	23.28	8394	9.18	3937	8.16	4457	10.41
Exclusive of towns	761,893	394,255	367,438	18,885	24.78	10,523	26.69	8362	20.63	5983	9.19	2785	7.64	3198	10.68
Total of towns	150,715	88,839	60,301	3,530	23.42	1,934	21.78	1596	24.80	2411	15.99	1152	12.84	1259	20.88

Births and Deaths by Cities, and Towns—For the Year 1893.

Cities and Towns.	Population.			Births.						Deaths.					
	Total.	White.	Colored.	Total.	Rate per M.	White.	Rate per M.	Colored.	Rate per M.	Total.	Rate per M.	White.	Rate per M.	Colored.	Rate per M.
Eufaula	4,027	2,600	1,427	50	12.41	29	11.15	21	14.70	28	6.95	15	5.76	13	9.11
Clayton	997	600	397	24	24.07	12	20.00	12	32.74	12	12.93	5	8.33	7	17.63
Union Springs	2,017	1,000	1,017	57	28.26	20	20.00	37	36.38	30	14.87	7	7.00	23	22 61
Greenville	2,802	1,400	1,402	80	28.00	34	12.00	46	16 00	30	10.00	18	6.00	12	4.00
Anniston	10,113	6,399	3,714	239	23.63	155	24.37	84	22.61	61	6 03	37	5 78	24	6.46
Jacksonville	1,237	900	337	24	19.40	17	18.88	7	20.77	7	5.65	4	4.44	2	8.90
Oxford	1,473	900	573	36	24 43	18	20 00	18	36.41	8	5.43	6	6.66	2	3.49
Piedmont	711	600	111	42	59.07	32	53.33	10	90 00	8	11.23	8	13.33	...	...
Evergreen	1,037	615	422	34	3.28	17	2.76	17	40.02	12	11.00	7	11.00	5	11 00
Cullman	1,017	1,017	...	39	36.35	39	36.35	...	...	20	29.50	20	29.58	...	...
Selma	7,622	3,500	4,122	692	38.28	142	40.05	150	36.03	194	25.44	93	26.05	101	24.06
Ft. Payne	2,698	2,000	698	27	10.00	23	11.50	4	8.72	21	7.86	16	8.00	5	6.48
Wetumpka	813	500	313	32	39 36	24	48.00	8	28.36	9	11.08	4	8.00	5	15.97
Brewton	1,115	750	365	56	60.26	24	38.40	32	10.51	14	15 06	8	12 80	6	19.72
Alco	249	125	124	13	62.64	7	67.20	6	58.06	4	19.27	3	28.80	1	96 77
Gadsden	5,000	3,800	1,200	147	29.04	91	23.94	56	46 66	66	13 02	38	10 00	28	23.33
Attalla	2,000	1,500	500	64	32.00	48	32 00	16	32.00	31	15.05	18	12.00	13	26.00
Greensboro	1,759	900	859	31	17.65	15	76.66	16	18.22	12	6 95	7	7.66	5	5.36
Scottsboro	959	750	209	26	27.11	21	27.99	5	23 92	13	13.55	8	10.66	5	23.92
Birmingham	35,000	23,000	1,200	669	19.11	383	16.67	386	34.17	525	12.52	239	10.36	287	23 94
Bessemer	4,500	3,000	1,500	121	28.88	64	21.30	57	36.66	32	20.66	32	10.66	61	40 66
Woodlawn	1,500	1,000	500	49	32.66	37	37 00	12	24 00	20	13.33	13	13 00	7	14 00
Warrior	1,250	800	450	33	26 72	33	33.00	...	...	8	5.30	3	3.00	5	10.00
Pratt City	2,000	1,300	700	51	25 50	49	37.69	2	4.85	10	5.00	9	6 92	1	1.42
Pratt Convicts	1,000	...	...	...	...	...	...	...	...	75	75.00	6	...	69	...
Coalburg Convicts	575	...	...	...	...	...	...	...	...	58	10.09	2	...	56	...

Athens	1,000	700	300	19	18.75	9	12.60	10	33.33	17	16.78	11	15.42	6	20.00
Huntsville	10,000	5,286	4,714	260	26.00	126	24.63	134	27.18	248	24.80	115	21.63	133	25.24
Montgomery	21,883	8,892	12,991	522	23.82	163	15.68	359	24.38	345	15.75	165	14.26	180	16.82
Decatur	7,136	4,000	3,136	142	18.26	94	23.50	48	16.84	157	26.37	97	29.40	60	22.23
Hartsell	800	700	100	10	12.50	10	14.28	.....	.....	3	3.75	3	4.28	.....	.....
Troy	3,449	2,200	1,249	106	30.73	61	27.72	45	36.02	41	11.88	26	11.81	15	12.00
Livingston	805	305	500	13	16.15	3	9.83	10	20.00	9	11.12	6	19.64	3	6.00
Gainesville	1,071	400	671	8	7.46	2	9.00	6	12.00	5	4.54	1	3.33	4	8.00
Talladega	2,500	1,500	1,000	28	11.20	24	16.00	4	4.00	25	10.00	16	10.66	9	9.00
Dadeville	1,000	800	200	26	26.09	13	16.25	13	65.00	7	7.00	5	6.25	2	10.00
Alexander City	800	700	100	36	45.00	24	34.27	12	120.11	43	13.75	7	10.00	4	40.00
Tuscaloosa	5,000	3,000	2,000	93	18.60	45	15.00	48	24.00	87	17.40	24	8.00	63	31.50
North Port	700	500	200	31	44.28	26	30.00	5	75.00	14	20.00	10	20.00	4	20.00
Insane Asylum	1,100	900	200	.....	.....	.....	.....	.....	.....	72	65.45	40	53.33	32	192.00
Total of cities, towns, 1893	150,715	88,839	60,301	3,530	23.42	1,934	21.78	1596	24.80	2411	15.99	1152	12.84	1259	20.83

Annual Report of Deaths by Causes, Colors, Sexes and Ages, for the State of Alabama for 1893.

CLASS I.—ZYMOTIC—MIASMATIC DISEASES.

CAUSES OF DEATH.	Color	Sex	Total	AGES OF DECEDENTS. Under 1 year	1-2 years	2-3 years	3-4 years	4-5 years	5-10 years	10-15 years	15-20 years	20-25 years	25-30 years	30-35 years	35-40 years	40-45 years	45-50 years	50-55 years	55-60 years	60-65 years	65-70 years	70-75 years	75-80 years	80-90 years	90-100 years	Age not given
Measles.	W	M	7	5		1			1																	
		F	4	3			1																			
	B	M	6	3	1	1					1															
		F	8	5		1	1		1																	
	M	M	1	1																						
		F																								
Scarlet Fever.	W	M	2				2																			
		F	3					1	1	1																
	B	M																								
		F	1		1																					
	M	M																								
		F																								
*Typhoid Fever.	W	M	110	2		2	2	2	5	7	12	22	14	9	10	3	3	1	2	6	2	2	2	2		
		F	109	2	3		1	1	2	10	20	14	14	6	7	12	3	3	2	4	1	2				2
	B	M	64	1				1	6	6	15	12	5	5	5	1	1		1		2					3
		F	73	1	1	1	1	2	6	10	10	14	7	2	4	7		4					1	1		
	M	M	8						1		2		2		1											2
		F	2						1								1									
Typho-Mal. Fever.	W	M	9								1	5		1									1			1
		F	5						1			3					1									
	B	M	7				1		1		1	1	1		1					1						
		F	2				1			1																
	M	M	1																1							
		F																								

*100 to 110 years--1 Black Female.

Cerebro-Spinal Fever.	W	M	4	1	1	1														1							
		F	4		2		1			1																	
	B	M	4	1		1											2										
		F	1																		1						
	M	M																									
		F																									
Continued Fever.	W	M	13			1				1	3	1		1	1	1	2		1						1		
		F	7							1	2				1	1	1			1							
	B	M	14		1		4	1	2		1	2	2		1												
		F	24	1	1	1	1	1	1	1	3	3	4	2	1			1				2	1				
	M	M																									
		F																									
Diphtheria.	W	M	7	1		2	1	1	2																		
		F	12	4	2	2	2		1					1													
	B	M	3					1	2																		
		F	9	1	1	1			2	3	1																
	M	M																									
		F																									
Whooping Cough	W	M	10	7		2				1																	
		F	14	8	2	3			1																		
	B	M	16	6	8		1	1																			
		F	14	4	5	3	1			1																	
	M	M																									
		F																									
LaGrippe.	W	M	35	4					1	2	1		2				2	1	1	2	1	3	7	6	1		1
		F	39	3	2	1	1	1			3		1	2	2	2		1		2	3	7	5	2	1		
	B	M	19	2		1		1					2		1	1	2		2	3	3	1					
		F	19	1		2	1	1					2	1	1			3	1	1	1	2	1	1			
	M	M	1												1												
		F																									
Summary of Deaths from Miasmatic Diseases.	W	M	197	20	1	9	5	3	9	11	17	30	15	10	11	4	7	2	5	8	3	5	10	9	1		2
		F	197	20	11	6	6	3	6	13	25	17	15	9	10	16	4	4	2	7	4	9	5	2	1		2
	B	M	133	13	10	3	6	5	11	6	18	15	10	5	8	4	3		3	4	5	1					3
		F	151	13	9	9	6	4	10	16	14	17	13	5	6	7		8	1	2	1	4	3	2			
	M	M	11	1					1		2		2		2				1								2
		F	2						1								1										
Gen'l Summary.			691	67	31	27	23	15	38	46	76	79	55	29	37	31	15	14	12	21	13	19	18	13	2		9

Annual Report of Deaths by Causes, Colors, Sexes, and Ages, for the State of Alabama for 1893.

DIARRHŒAL DISEASES.

CAUSES OF DEATH.	Color	Sex	Total	AGES OF DECEDENS. Under 1 year	1-2 years	2-3 years	3-4 years	4-5 years	5-10 years	10-15 years	15-20 years	20-25 years	25-30 years	30-35 years	35-40 years	40-45 years	45-50 years	50-55 years	55-60 years	60-65 years	65-70 years	70-75 years	75-80 years	80-90 years	90-100 years	Age not given
Dysentery.	W	M	74	15	9	8	3	1	3	1	1	1		4	2	4	1	4	5	2	4	2	3	1		
		F	68	10	10	6	4	1	1		3	1		2	2	6	4	4	3	1	3	3	1			3
	B	M	68	5	10	6	5		3		1	2	2	2	6	4	4	3	3	5	6			1		
		F	41	3	4	3	4	2	1	4	1	3	1	2	1	3	1	1	1			5		1		
	M	M	2																1		1					
		F	6	1			1			1		2				1										
Diarrhœa.	W	M	20	3	4	2	1								2	1	1				1	1	4			
		F	24	4	4	2				1							2	2		2	2	2	1	1		1
	B	M	24	1	3	1	1		1	1	3	2	1		1	2	1	2	1		1	1		1		
		F	25	7	7	7		1			1		1													1
	M	F	1											1												
		M																								
Cholera Morbus.	W	M	6			1							1	1				1	1					1		
		F	3						1				1							1						
	B	M	2	1																1						
		F	3									1		1	1											
	M	M																								
		F	1																			1				
Cholera Infantum.	W	M	62	28	26	8																				
		F	64	35	19	8	1																			1
	B	M	29	17	8	4																				
		F	20	10	5	4		1																		
	M	M	1	1																						
		F	2	2																						

Colic, Bilious.	W	M	5	2																1			1					1
		F	4	2																			1			1		
	B	M	7	1					2					1		2				1								
		F	5								1			1		1	1										1	
	M	M																										
		F																										
Entero-Colitis.	W	M	29	15	8			1	1				2									1	1					
		F	18	6	6		1	1							1		2	1										
	B	M	15	5	5	2	1									1								1				
		F	7	3	2			1	1																			
	M	M	1		1																							
		F																										
Summary of Deaths from Diarrhœal Diseases.	W	M	196	63	47	19	4	2	4	1	1	1	3	5	4	5	2	6	7	3	6	3	7	2				1
		F	181	57	39	16	6	2	2	1	3	1	1	2	3	6	8	7	3	5	5	5	3	1				5
	B	M	145	30	26	13	7		6	1	4	4	3	3	7	9	5	5	5	6	7	2		2				
		F	101	23	18	14	4	5	2	4	3	4	2	4	2	4	2	1	1			5		2				1
	M	M	5	1	1									1					1		1							
		F	9	3			1			1		2				1						1						
Gen'l Summary			637	177	131	62	22	9	14	8	11	12	9	15	16	25	17	19	17	14	19	16	10	7				7

Malarial Diseases.

Malarial Fever.	W	M	28	2	2	1	1			3	2	2	2	4	3		1	1		2		1	1					
		F	40	5	2	2	2	2	3	2	2	3	3	2	3	2	2	1		1	1			1	1			
	B	M	51	3	4	3	1	3	3	4	7	2		1	3	3	5	1	2	2	2	1		1				
		F	68	5	5	3	3	6	9	6	5	6	3	2			1	2	3	3		3	1					2
	M	M	2				1													1								
		F	3								1	2																
Pernicious, or Congestive Fever.	W	M	8	2		1					1	1				1							1					1
		F	10	1	1	1	2		1	1								1	2									
	B	M	13	1	1	1			1		2	3				1			2			1						
		F	11	1	1				1	1	2	1	1	2		1												
	M	M	1																1									
		F	2									1		1														

Annual Report of Deaths by Causes, Colors, Sexes and Ages, for the State of Alabama for 1893.

MALARIAL DISEASES—Continued.

CAUSES OF DEATH.	Color	Sex	Total	AGES OF DECEDENTS. Under 1 year	1-2 years	2-3 years	3-4 years	4-5 years	5-10 years	10-15 years	15-20 years	20-25 years	25-30 years	30-35 years	35-40 years	40-45 years	45-50 years	50-55 years	55-60 years	60-65 years	65-70 years	70-75 years	75-80 years	80-90 years	90-100 years	Age not given
Hemorrhagic Malarial Fever.	W	M	2									1								1						
		F	4									2		1				1								
	B	M	2								1	1														
		F																								
	M	M																								
		F																								
Intermittent Fever.	W	M	1						1																	
		F																								
	B	M	10					1	1		1	1		2	2	1	1	1								
		F	3					1	1	1																
	M	M																								
		F																								
Remittent Fever.	W	M	6						1	1				1		1						1		1		
		F	10		1				3	1		1	1								2					
	B	M	12					1		3	1	4	1	1	1											
		F	9				2	2	1		1	1	1			1										
	M	M																								
		F																								
Catarrhal Fever.	W	M	8	1			1							1					1		2	1	1			
		F	9	2	1			1		1	1		1							1						1
	B	M	4								1	1			1		1									
		F	3									2					1									
	M	M																								
		F																								

Summary of Deaths from Malarial Diseases.	W	M	53	5	2	2	2		2	4	3	4	2	6	3	2	1	1	1	3	2	3	3	1			1
		F	73	8	5	3	4	3	7	5	3	6	5	3	3	2	2	4	2	2	3			1	1		1
	B	M	92	4	5	4	1	5	5	7	13	12	1	4	7	5	7	1	4	2	2	2		1			
		F	94	6	6	3	5	9	12	8	8	10	5	4		2	2	2	3	3		3	1				2
	M	M	3				1												1	1							
		F	5								1	3		1													
Gen'l Summary			320	23	18	12	13	17	26	24	28	35	13	18	13	11	12	8	11	11	7	8	4	3	1		4

Venereal Diseases.

Syphilis.	W	M	2													1						1					
		F	4	3																1							
	B	M	19	5	1						2	2	2		3		2		1	1							
		F	10	3					1		2	2			1	1											
	M	M	3			2							1														
		F																									
Stricture Urethra.	W	M	1															1									
		F																									
	B	M	1																	1							
		F																									
	M	M																									
		F																									
Summary of Deaths from Venereal Diseases.	W	M	3													1		1				1					
		F	4	3																1							
	B	M	20	5	1						2	2	2		3		2		1	2							
		F	10	3					1		2	2			1	1											
	M	M	3			2							1														
		F																									
Gen'l Summary			40	11	1	2			1		4	4	3		4	2	2	1	1	3		1					

Annual Report of Deaths by Causes, Colors, Sexes, and Ages, for the State of Alabama for 1893.

SEPTIC DISEASES.

CAUSES OF DEATH.	COLOR	SEX	TOTAL	AGES OF DECEDENTS. Under 1 year	1-2 Years	2-3 Years	3-4 Years	4-5 Years	5-10 Years	10-15 Years	15-20 Years	20-25 Years	25-30 Years	30-35 Years	35-40 Years	40-45 Years	45-50 Years	50-55 Years	55-60 Years	60-65 Years	65-70 Years	70-75 Years	75-80 Years	80-90 Years	90-100 Years	Age not given
Erysipelas.	W	M	7	2	1	1										1					1		1			
		F	7						1	2			1	1						1				1		
	B	M	4					1	1			1		1												
		F																								
	M	M																								
		F																								
Pyæmia.	W	M	3						1										1	1						
		F	3												1							1		1		
	B	M	2								1					1										
		F																								
	M	M																								
		F																								
Septicæmia.	W	M	8			1			1					1	1	2	1			1						
		F	11							1	2	2	1	1	1					1			1	1		
	B	M	8								1	1	1	2	1						1		1			
		F	16							1		6	1	1		1	2		2			1		1		
	M	M																								
		F	1													1										
Septic Peritonitis.	W	M	1																1							
		F	2						1				1													
	B	M																								
		F																								
	M	M																								
		F	1											1												

Summary of Deaths from Septic Diseases.	W	M	19	2	1	2			2					1	1	3	1		2	2	1		1			
		F	23						2	3	2	2	3	2	2					2		1	1	3		
	B	M	14					1	1		2	2	1	3	1	1					1		1			
		F	16							1		6	1	1		1	2		2			1		1		
	M	M																								
		F	2											1		1										
Gen'l Summary.			74	2	1	2		1	5	4	4	10	5	8	4	6	3		4	4	2	2	3	4		

Class II--Parasitic Diseases.

Thrush.	W	M																										
		F	1		1																							
	B	M																										
		F																										
	M	M																										
		F																										
Worms.	W	M	1		1																							
		F	2			1		1																				
	B	M	6	1	1	2	1	1																				
		F	8				4	2	2																			
	M	M																										
		F																										
Summary of Deaths from Parasitic Diseases.	W	M	1		1																							
		F	3		1	1		1																				
	B	M	6	1	1	2	1	1																				
		F	8				4	2	2																			
	M	M																										
		F																										
Gen'l Summary			18	1	3	3	5	4	2																			

Annual Report of Deaths by Causes, Colors, Sexes, and Ages, for the State of Alabama for 1893.

CLASS III—DIETETIC DISEASES.

CAUSE OF DEATH.	Color	Sex	Total	Under 1 year	1-2 years	2-3 years	3-4 years	4-4 years	5-10 years	10-15 years	15-20 years	20-25 years	25-30 years	30-35 years	35-40 years	40-45 years	45-50 years	50-55 years	55-60 years	60-65 years	65-70 years	70-75 years	75-80 years	80-90 years	90-100 years	Age not given
			AGES OF DECEDENTS.																							
Alcoholism.	W	M	8												2	1	3	2								
		F																								
	B	M	2									1		1												
		F																								
	M	M																								
		F																								
Gen'l Summary			10									1		1	2	1	3	2								

CLASS IV—CONSTITUTIONAL DISEASES.

Phthisis Pulmonalis.	W	M	154	2	1	1	1				10	18	18	14	18	13	15	9	7	8	10	4	3			2
		F	200		1	2				2	16	26	20	31	19	19	16	11	9	9	10	4	2	1		2
	B	M	275	2	2	3	3	3	5	3	37	57	40	28	22	16	10	13	7	9	3	2	2			9
		F	330	3		3	2	2	4	10	51	64	53	43	19	19	24	4	9	6	6	1	1			6
	M	M	5			1						1		1	2											
		F	30	2	1				2	1	3	6	4	4	2	3	1			1						
Peritonitis, Tubercular.	W	M	2						1			1														
		F	2									1		1												
	B	M	3								1		1		1											
		F	2									1	1													
	M	M																								
		F																								

Rheumatism.	W	M	8				1		1	1			1			1	1	1								1
		F	9							1	1					2		1		1	2			1		
	B	M	11			1			1							1		2	2	3		1				
		F	7													1		2			2		1		1	
	M	M																								
		F	1								1															
Tabes Mesenterica.	W	M	2	1	1																					
		F	2		1						1															
	B	M	2										1													1
		F	2									1				1										
	M	M																								
		F																								
Purpura Hemorrhagica.	W	M																								
		F																								1
	B	M	1						1																	
		F																								
	M	M																								
		F																								
Lucocythæmia.	W	M	1																	1						
		F																								
	B	M																								
		F																								
	M	M																								
		F																								
Addison's Disease.	W	M	1											1												
		F																								
	B	M																								
		F																								
	M	M																								
		F																								
Ricketts.	W	M																								
		F																								
	B	M	2			1			1																	
		F																								
	M	M																								
		F																								

Annual Report of Deaths by Causes, Colors, Sexes and Ages, for the State of Alabama for 1893.

CONSTITUTIONAL DISEASES—Continued.

CAUSES OF DEATH.	Color	Sex	Total	AGES OF DECEDENTS. Under 1 year	1-2 years	2-3 years	3-4 years	4-5 years	5-10 years	10-15 years	15-20 years	20-25 years	25-30 years	30-35 years	35-40 years	40-45 years	45-50 years	50-55 years	55-60 years	60-65 years	65-70 years	70-75 years	75-80 years	80-90 years	90-100 years	Age not given
Scrofula.	W	M	5	1	1	2				1																
		F	3	1			1						1													
	B	M	10		2	3					2		2			1										
		F	14		1	1	3			3	1	1			1		1		1			1				
	M	M	2	1									1													
		F	1								1															
Pernicious Anæmia.	W	M	5						2														1	2		
		F	8				2				2	2		1								1				
	B	M	2								1	1														
		F	1		1																					
	M	M																								
		F																								
Chlorosis.	W	M																								
		F	2							1	1															
	B	M																								
		F																								
	M	M																								
		F																								
Cancer. (Not located.)	W	M	8															1	1	3		1	2			
		F	11								1					2	1			3	2	2				
	B	M	3												1			1						1		
		F	7												2	1			2		1					1
	M	M																								
		F																								

*Cancer of Face.	W	M	4																				1		1		1		1					
		F	1																								1							
	B	M	1															1																
		F	1																															
	M	M																																
		F																																
Cancer of Nose	W	M	1																								1							
		F																																
	B	M																																
		F																																
	M	F																																
		M																																
Cancer of Mouth.	W	M	1																							1								
		F	1							1																								
	B	M																																
		F																																
	M	M																																
		F																																
Cancer of Tongue.	W	M	1																				1											
		F																																
	B	M																																
		F																																
	M	M																																
		F																																
Cancer of Throat	W	M	1														1																	
		F	1																				1											
	B	M																																
		F																																
	M	M	1																							1								
		F																																
Cancer of Breast	W	M																																
		F	4														1					1		1										1
	B	M																																
		F	5															1				2	1						1					
	M	M																																
		F																																

*100 to 110 years—1 Black Female.

Annual Report of Deaths by Causes, Colors, Sexes and Ages, for the State of Alabama for 1893.

CONSTITUTIONAL DISEASES—Continued.

CAUSE OF DEATH.	Color	Sex	Total	Under 1 year	1-2 years	2-3 years	3-4 years	4-5 years	5-10 years	10-15 years	15-20 years	20-25 years	25-30 years	30-35 years	35-40 years	40-45 years	45-50 years	50-55 years	55-60 years	60-65 years	65-70 years	70-75 years	75-80 years	80-90 years	90-100 years	Age not given
			AGES OF DECEDENTS																							
Cancer of Lung	W	M																								
		F	1															1								
	B	M																								
		F																								
	M	M																								
		F																								
Cancer of Liver	W	M																								
		F	2																		1	1				
	B	M	2																1	1						
		F																								
	M	M																								
		F																								
*Cancer of Uterus.	W	M																								
		F	25								1			3	1	4	4	2	2	4	3	1				
	B	M																								
		F	18										1			2	3	1	3	6		1				
	M	M																								
		F	1														1									
Cancer of Stomach.	W	M	5									1		1						1			1	1		
		F	4														1	1			1	1				
	B	M	3												1			1				1				
		F	3									1						1				1				
	M	M																								
		F																								

Cancer of Bowels.	W	M																											
		F																											
	B	M	1													1													
		F	1																	1									
	M	M																											
		F																											
Cancer of Rectum.	W	M	1																1										
		F	1																1										
	B	M	1													1													
		F	1																1										
	M	M																											
		F																											
Cancer of Pancreas.	W	M																											
		F	3																	1		1	1						
	B	M																											
		F																											
	M	M																											
		F																											
Cancer of Kidneys.	W	M																											
		F																											
	B	M	1																		1								
		F																											
	M	M																											
		F																											
Cancer of Pylorus.	W	M	1																										1
		F																											
	B	M																											
		F																											
	M	M																											
		F																											
Cancer of Bladder.	W	M	1																				1						
		F																											
	B	M	1																				1						
		F	1															1											
	M	M																											
		F																											

Annual Report of Deaths by Causes, Colors, Sexes, and Ages, for the State of Alabama for 1893.

CONSTITUTIONAL DISEASES.—Continued.

CAUSE OF DEATH.	Color	Sex	Total	AGES OF DECEDENTS: Under 1 year	1-2 years	2-3 years	3-4 years	4-5 years	5-10 years	10-15 years	15-20 years	20-25 years	25-30 years	30-35 years	35-40 years	40-45 years	45-50 years	50-55 years	55-60 years	60-65 years	65-70 years	70-75 years	75-80 years	80-90 years	90-100 years	Age not given
Cancer of Axilla.	W	M	1														1									
		F																								
	B	M																								
		F																								
	M	M																								
		F																								
Summary of Deaths from Constitutional Diseases.	W	M	203	4	3	3	2		4	2	10	20	19	17	19	14	17	11	9	14	10	8	9	4		4
		F	280	1	2	2	3		1	4	23	29	21	37	22	25	23	16	14	19	19	11	4	1		3
	B	M	319	2	4	8	3	3	8	3	41	58	44	28	29	17	12	17	11	11	4	4	2	1		10
		F	393	3	2	4	5	2	4	13	52	68	55	43	25	22	31	7	18	15	7	5	1	2		7
	M	M	8	1		1						1	1	1	2							1				
		F	32	2	1				2	1	4	6	4	4	2	3	2			1						
Gen'l Summary.			1235	13	12	18	13	5	19	23	130	182	144	130	99	81	85	51	52	60	40	29	16	8	2	24

*100 to 110 years—2 Black Females.

Class V. Developmental Diseases.

Premature Birth.	W	M	60	60																									
		F	36	36																									
	B	M	54	54																									
		F	27	27																									
	M	M	1	1																									
		F																											
Cyanosis.	W	M	5	4																									
		F	2	2																									
	B	M	5	3	2																								
		F																											
	M	M																											
		F																											
Spina Bifida.	W	M	1	1																									
		F	1	1																									
	B	M																											
		F	1	1																									
	M	M																											
		F																											
Malformation.	W	M	2	2																									
		F	2	2																									
	B	M	1	1																									
		F	1	1																									
	M	M																											
		F																											
Hemorrhage Umbilical.	W	M																											
		F																											
	B	M	6	6																									
		F	3	3																									
	M	M																											
		F																											

Annual Report of Deaths by Causes, Colors, Sexes and Ages, for the State of Alabama for 1893.

DEVELOPMENTAL DISEASES—Continued.

CAUSES OF DEATH.	Color	Sex	Total	AGES OF DECEDENTS. Under 1 year	1-2 years	2-3 years	3-4 years	4-5 years	5-10 years	10-15 years	15-20 years	20-25 years	25-30 years	30-35 years	35-40 years	40-45 years	45-50 years	50-55 years	55-60 years	60-65 years	65-70 years	70-75 years	75-80 years	80-90 years	90-100 years	Age not given
Marasmus.	W	M	11	8		1			1											1						
		F	11	6	1							1			1				1		1					
	B	M	9	2		1		1		1	1								2				1			
		F	8	2	3				1		1															1
	M	M	2			1		1																		
		F	2	1				1																		
Dentition.	W	M	2	1	1																					
		F	4	1	2	1																				
	B	M	29	4	19	5	1																			
		F	29	1	12	14	1	1																		
	M	M	1		1																					
		F	1		1																					
Inanition.	W	M	13	9	2														1		1					
		F	11	5	3	1														1				1		
	B	M	18	14	3	1																				
		F	29	22	4	1															1			1		
	M	M																								
		F	1	1																						
Gangrene, Senile	W	M	2																1					1		
		F																								
	B	M	1																			1				
		F																								
	M	M																								
		F																								

Debility. (General.)	W	M	1	1																								
		F	5	1														1						3				
	B	M	7	1																1		2	3					
		F	6	2				1				1									2							
	M	M																										
		F																										
*Old Age.	W	M	37																			1	6	6	22	2		
		F	54																		1	3	10	10	25	4		
	B	M	60																		4	3	8	9	19	13		
		F	68																			2	7	11	28	12		
	M	M	2																1						1			
		F	2																						2			
Summary of Deaths from Developmental Diseases.	W	M	134	86	4	1			1											2	1	2	6	6	23	2		
		F	126	54	6	2						1			1		1			1	2	4	10	13	26	4		
	B	M	190	85	24	7	1	1		1	1									3	4	5	12	10	19	13		
		F	172	59	19	15	1	2	1		1	1									2	3	7	11	29	12		1
	M	M	5	1	1	1		1											1									
		F	6	2	1			1																	2			
Gen'l Summary			633	287	55	26	2	5	2	1	2	2			1		1	1	6	9	14	35	40	99	31		1	

*100 to 110 years—1 White Female, 4 Black Males, 8 Black Females.

Class VI—Local Diseases.

Hydrocephalus.	W	M	2	2																								
		F	3	1	1																1							
	B	M	5	2	1			1						1														
		F	2	1		1																						
	M	M	2	1		1																						
		F																										
Congestion of Brain.	W	M	20	6	1				1	1	1		1		1			2	1	1	2							2
		F	21	3	2	2		1	2	1		2				1	1	1	1	3				1				
	B	M	28	3	4	3			7	1	1	1		1	1	1	1	1	1				1	1				
		F	21	3		1	1	1	1	2	2	1	1			1			2	1			1	2	1			
	M	M																										
		F	1		1																							

Annual Report of Deaths by Causes, Colors, Sexes and Ages, for the State of Alabama for 1893.

LOCAL DISEASES—Continued.

CAUSE OF DEATH.	Color	Sex	Total	Under 1 year	1-2 years	2-3 years	3-4 years	4-5 years	5-10 years	10-15 years	15-20 years	20-25 years	25-30 years	30-35 years	35-40 years	40-45 years	45-50 years	50-55 years	55-60 years	60-65 years	65-70 years	70-75 years	75-80 years	80-90 years	90-100 years	Age not given
			AGES OF DECEDENTS.																							
Inflammation of Brain.	W	M	7	1	2	1		1		1						1										
		F	5	1					1	1				2												
	B	M	4		1							1	1									1				
		F	2	1								1														
	M	M																								
		F	1																					1		
Concussion of Brain.	W	M	3										1		1				1							
		F	1									1														
	B	M	1								1															
		F	1													1										
	M	M																								
		F																								
Compression of Brain.	W	M	1	1																						
		F																								
	B	M	2												1				1							
		F																								
	M	M																								
		F																								
Softening of Brain.	W	M	7											1				2		2			1	1		
		F	4	1															2		1					
	B	M																								
		F	1															1								
	M	M																								
		F																								

Apoplexy of Brain.	W	M	2																1		1						
		F	2																			1		1			
	B	M	1								1								1								
		F	3																1							1	
	M	M																									
		F																									
Hemorrhage of Brain.	W	M	5													1	2				1	1					
		F	3						1			2															
	B	M																									
		F	1																			1					
	M	M																									
		F																									
Disease of Brain.	W	M	1																1					1			
		F	1																	1							
	B	M	1									1															
		F	3								1							2									
	M	F																									
		M																									
Abscess of Brain.	W	M	4			1			1								1		1								
		F	3							1				1					1								
	B	M	3												2									1			
		F	2	1																							
	M	M							1																		
		F																									
Chorea.	W	M	1							1																	
		F																									
	B	M																									
		F																									
	M	M																									
		F																									
Meningetis.	W	M	40	11	5	4	3	3	5	2		2				1			2		1						1
		F	41	12	9	2		1	5	3	2	1	1			1	1			1	2						
	B	M	10	1			1		2	2		1					1	1									1
		F	14	2	1	1			1	1		2			1			2	3								
	M	M	1								1																
		F																									

Annual Report of Deaths by Causes, Colors, Sexes, and Ages, for the State of Alabama for 1893.

LOCAL DISEASES.—Continued.

CAUSE OF DEATH.	Color	Sex	Total	Under 1 year	1-2 years	2-3 years	3-4 years	4-5 years	5-10 years	10-15 years	15-20 years	20-25 years	25-30 years	30-35 years	35-40 years	40-45 years	45-50 years	50-55 years	55-60 years	60-65 years	65-70 years	70-75 years	75-80 years	80-90 years	90-100 years	age not given
			AGES OF DECEDENTS																							
Meningetis Cerebro Spinal.	W	M	12	3		1	1	1	1	1		1				1	2									
		F	7	4		3																				
	B	M	2					1				1														
		F	6	1					4		1															
	M	M																								
		F																								
Meningetis Tuberculor.	W	M	1						1																	
		F	2							1								1								1
	B	M	1																				1			
		F	1								1															
	M	M	1										1													
		F	1								1															
Apoplexy.	W	M	24								1		1		1	5	1		5	2	4	2		2		
		F	18										1				7	2	2		3	1	2			
	B	M	10											2				2	1	1	2			1		1
		F	11									1				2	1	1	1	1	1			2		1
	M	M																								
		F																								
Hamiplegia.	W	M																								
		F	1														1									
	B	M	1														1									
		F																								
	M	M																								
		F																								

Neurasthenia.	W	M																									
		F	4													1						2			1		
	B	M																									
		F																									
	M	M	1																								
		F										1															
Convulsions.	W	M	23	13	3	3			2	1						1											
		F	21	11	8	1			1																		
	B	M	41	14	6	5	8	3	3																		2
		F	40	20	4	3	3	3	1		1	2				1							1				1
	M	M	1	1																							
		F																									
Epilepsy.	W	M	7				1				1	2	1	1									1				
		F	6							1	2					1	1				1						
	B	M	6								1	2	1				1						1				
		F	3								1		1				1										
	M	M																									
		F																									
Trismus Nascentium.	W	M	4	4																							
		F	3	3																							
	B	M	7	7																							
		F	2	2																							
	M	M																									
		F																									
Paralysis.	W	M	38			1		1						1	1	3	2	1		4	15	6		3			
		F	25						1	1					1	1	1	1	2	4	2	5	4	2			1
	B	M	29					1	2				1	1	1	1		1	2	5	4	4	3	3			
		F	21						1			1	1	1	3	3	3	1	1	3	1	1	2	2			
	M	M	2								1													1			
		F																									
Locomotor Ataxia.	W	M	1												1												
		F	2													1		1									
	B	M	1									1															
		F																									
	M	M																									
		F																									

Annual Report of Deaths by Causes, Colors, Sexes, and Ages, for the State of Alabama for 1893.

LOCAL DISEASES—Continued.

CAUSE OF DEATH.	Color	Sex	Total	AGES OF DECEDENTS. Under 1 year	1-2 years	2-3 years	3-4 years	4-4 years	5-10 years	10-15 years	15-20 years	20-25 years	25-30 years	30-35 years	35-40 years	40-45 years	45-50 years	50-55 years	55-60 years	60-65 years	65-70 years	70-75 years	75-80 years	80-90 years	90-100 years	Age not given
Insanity.	W	M	4													2	1			1						
		F	7											1	1			2	1			1	1			
	B	M	2											1					1							
		F	2														1	1								
	M	M																								
		F																								
Nervous Prostration.	W	M	9													1		1	1			1	2	1	1	
		F	8								1			1		1		2		1	1					1
	B	M	3								1	1												1		
		F																								
	M	M																								
		F																								
Tetanus.	W	M	6	1		1			2	1			1													
		F	5	2	1						1			1												
	B	M	4	2								1				1										
		F	8	2			1		2	1					1								1			
	M	M																								
		F																								
Psoas Abscess.	W	M																								
		F																								
	B	M																								
		F	1																1							
	M	M																								
		F																								

Lumbar Abscess.	W	M	1		1																								
		F																											
	B	M																											
		F	1	1																									
	M	M																											
		F																											
Dermoid Cyst.	W	M																											
		F	1																1										
	B	M																											
		F																											
	M	M																											
		F																											
Abscess of Throat.	W	M																											
		F																											
	B	M	2	1																									1
		F	1	1																									
	M	M																											
		F																											
Paraplegia.	W	M	1																										
		F																											
	B	M																											
		F	1									1																	
	M	M																											
		F																											
Fistula Anus.	W	M	1																										
		F																											
	B	M																											
		F																											
	M	M																											
		F																											
Gluteal Abscess.	W	M																											
		F																											
	B	M	1													1													
		F																											
	M	F																											
		M																											

Annual Report of Deaths by Causes, Colors, Sexes, and Ages, for the State of Alabama for 1893.

LOCAL DISEASES—Continued.

CAUSES OF DEATH.	Color	Sex	Total	AGES OF DECEDENTS. Under 1 year	1-2 years	2-3 years	3-4 years	4-4 years	5-10 years	10-15 years	15-20 years	20-25 years	25-30 years	30-35 years	35-40 years	40-45 years	45-50 years	50-55 years	55-60 years	60-65 years	65-70 years	70-75 years	75-80 years	80-90 years	90-100 years	Age not given
Abscess of Neck.	W	M																								
		F																								
	B	M																								
		F	1																	1						
	M	M																								
		F																								
Pelvic Abscess.	W	M																								
		F																								
	B	M																								
		F	1													1										
	M	M																								
		F																								
Summary of Deaths from Local Diseases and Diseases Nervous System.	W	M	225	42	11	13	5	6	13	9	2	5	5	3	8	16	6	11	9	13	23	10	3	7	1	3
		F	195	38	21	8		2	12	8	6	6	3	6	5	5	11	11	10	12	10	7	9	3		2
	B	M	165	30	12	8	9	6	14	3	4	10	4	8	3	4	4	5	6	6	6	7	6	5		6
		F	152	35	5	6	5	4	11	4	9	8	3	2	5	9	9	8	4	6	3	3	5	5	1	2
	M	M	7	2		5					2		1											1		
		F	4		1						1	1												1		
Gen'l Summary.			748	147	50	36	19	18	50	24	24	30	16	19	21	34	30	35	29	37	42	27	23	22	2	13

Organs Special Sense.

Otitis Media.	W	M	2		1									1												
		F	1																		1					
	B	M																								
		F																								
	M	M																								
		F																								
Epistaxis.	W	M	1																	1						
		F																								
	B	M																								
		F																								
	M	M																								
		F																								
Glyoma of Retina.	W	M																								
		F	1						1																	
	B	M																								
		F																								
	M	M																								
		F																								
Tympanitis.	W	M																								
		F																								
	B	M																								
		F	1															1								
	M	M																								
		F																								
Summary of Deaths from Diseases Organs Special Sense.	W	M	3		1									1						1						
		F	2						1												1					
	B	M																								
		F	1															1								
	M	M																								
		F																								
Gen'l Summary			6		1				1					1				1		1	1					

Annual Report of Deaths by Causes, Colors, Sexes and Ages, for the State of Alabama for 1893.

CIRCULATORY SYSTEM.

CAUSES OF DEATH.	Color	Sex	Total	Under 1 year	1-2 years	2-3 years	3-4 years	4-5 years	5-10 years	10-15 years	15-20 years	20-25 years	25-30 years	30-35 years	35-40 years	40-45 years	45-50 years	50-55 years	55-60 years	60-65 years	65-70 years	70-75 years	75-80 years	80-90 years	90-100 years	Age not given
			AGES OF DECEDENTS.																							
Endocarditis.	W	M	2															1				1				
		F																								
	B	M	2								1	1														
		F	1								1															
	M	M																								
		F																								
Pericarditis.	W	M	3						1									1					1			
		F	1																1							
	B	M	6									2			1					1				1		1
		F	2	1							1															
	M	M																								
		F																								
Hydro-pericardium.	W	M	7							1	1		1										1	3		
		F	7								1		1						2		1	2				
	B	M	7										1				1			1	1	1	1	1		
		F	13			1			1		1		1		2	2	1	2		1				1		
	M	M	2																	2						
		F	3			1						1				1										
*Disease of Heart	W	M	54						1	1		1	3	3	2	3	4	3	5	4	7	9	1	5		1
		F	37								2	1	3	1	4	1	1	1	2	4	5	1	4	6	1	
	B	M	24									3		1		2	2	2	2	1	1	3	4	2		1
		F	44								2	2	4	4	5	3	2	2	5	5	6	2	1		1	
	M	M	3															1	1			1				
		F	2														2									

Valvular Disease of Heart.	W	M	9	1									1	1	1	1		1			1	1	1							
		F	16										1				1	2	3	2	2	2			2	1				
	B	M	9											1	1	1	1	1		1	2					1				
		F	15									1			3	1	1	1		2	1		2		2		1		
	M	M																												
		F	2											1	1															
Heart Failure.	W	M	20	1										2	1	3	2			2	1	4	1	2	1					
		F	17		2									2		1	3		2	1	1	3		1	1					
	B	M	16							1		1			1				1	3	4	3	1		1					
		F	10	1			1									1			1	1	1	2	2							
	M	M																												
		F																												
Angina Pectoris	W	M	6													1		1	2		1				1					
		F	7													1			2		1	2		1						
	B	M	2											1							1									
		F	2																1		1									
	M	M																												
		F																												
Anasarca.	W	M	2		1																									1
		F	4							1		1									1		1							
	B	M	6		1						1								2		2									
		F	5							1		1						1	1					1						
	M	M																												
		F																												
Aneurism of Aorta.	W	M	3														1				1			1						
		F	2										2																	
	B	M	4												1						1	1		1						
		F	1																1											
	M	M																												
		F																												
Dropsy, General.	W	M	16						2	2		1	2	1				1		1	3	1	1		1					
		F	10		1					1		2				1						2	1	1	1					
	B	M	33	2		1	1	2	2	2	1	2	4			2	2	1		4	4	1	2							
		F	21		1						1	1	3	2		2	1		1	2		1	2	3			1			
	M	M	1																		1									
		F	1															1												

Annual Report of Deaths by Causes, Colors, Sexes and Ages, for the State of Alabama for 1893.

CIRCULATORY SYSTEM—Continued.

CAUSES OF DEATH.	Color	Sex	Total	AGE OF DECEDENTS: Under 1 year	1-2 years	2-3 years	3-4 years	4-5 years	5-10 years	10-15 years	15-20 years	20-25 years	25-30 years	30-35 years	35-40 years	40-45 years	45-50 years	50 55 years	55-60 years	60-65 years	65-70 years	70-75 years	75-80 years	80-90 years	90-100 years	Age not given
Dropsy, Renal.	W	M	2				1															1				
		F																								
	B	M	3											1					1				1			
		F	6											2		1		1	1			1				
	M	M																								
		F																								
Poplitæl Aneurism.	W	M																								
		F																								
	B	M	2									1									1					
		F																								
	M	M																								
		F																								
Summary of Deaths from Diseases of Circulatory System.	W	M	123	2	1		1		4	4	1	5	9	6	7	5	7	7	8	10	13	13	6	11		2
		F	101		3				1	1	4	6	6	1	7	5	3	8	8	9	15	4	10	9	1	
	B	M	114	2	1	1	1	2	3	3	3	9	7	5	4	5	5	5	11	17	8	7	7	6		2
		F	120	2	1	1	1		2		8	3	8	11	11	8	5	10	11	9	9	9	5	3	3	
	M	M	6															1	1	3		1				
		F	8			1						1	1	1		1	3									
Gen'l Summary			472	6	6	3	3	2	10	8	16	24	32	24	29	24	23	31	39	48	45	34	28	29	4	4

*100-110 years—1 White Male.

Respiratory System.

*Pneumonia.	W	M	186	23	17	6	8	3	9	4	6	12	12	6	6	12	11	9	4	9	5	5	5	9	2	2
		F	146	12	13	5	5	3	3	5	12	14	4	6	6	6	12	7	7	6	8	7	4	1	...	...
	B	M	249	20	13	9	3	...	6	6	15	27	27	13	18	15	12	8	8	12	10	4	5	3	...	14
		F	137	19	5	4	6	3	10	6	14	17	4	6	8	9	2	6	5	1	4	4	...	3	...	1
	M	M	15	1	2	1	...	...	...	...	2	3	...	2	1	...	...	2	...	1	...	...	...	...	...	...
		F	6	2	...	...	...	...	...	...	2	...	...	...	...	...	...	1	...	...	1	...	...	...	...	...
Pneumonia, Typhoid.	W	M	11	...	...	...	...	...	...	...	1	1	...	...	9	...	...	...	...	...	...	...	...	...	...	...
		F	3	...	...	...	...	...	...	...	1	...	1	...	1	...	...	...	...	...	...	...	...	...	...	...
	B	M	1	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
		F	1	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	M	M	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
		F	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Croup.	W	M	23	5	4	7	2	2	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1
		F	27	7	4	8	3	5	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	B	M	9	3	2	4	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
		F	12	6	1	1	2	1	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	M	M	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
		F	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Asthma, (Empysæma).	W	M	5	...	...	...	...	...	...	...	...	...	...	...	1	...	...	1	...	1	1	1	...	...	...	...
		F	7	...	...	...	...	...	1	...	...	1	...	...	...	...	2	...	...	...	1	1	...	1	...	...
	B	M	1	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...
		F	4	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	1	...	...	1	...	1
	M	M	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
		F	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Laryngitis.	W	M	4	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
		F	1	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	B	M	2	...	...	...	...	...	1	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...
		F	2	1	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...
	M	M	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
		F	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...

*110 to 120 years - 1 Black Male.

Annual Report of Deaths by Causes, Colors, Sexes, and Ages, for the State of Alabama for 1893.

RESPIRATORY SYSTEM.—Continued.

CAUSES OF DEATH.	Color	Sex	Total	AGES OF DECEDENTS: Under 1 year	1-2 years	2-3 years	3-4 years	4-5 years	5-10 years	10-15 years	15-20 years	20-25 years	25-30 years	30-35 years	35-40 years	40-45 years	45-50 years	50-55 years	55-60 years	60-65 years	65-70 years	70-75 years	75-80 years	80-90 years	90-100 years	Age not given
Bronchitis.	W	M	14	5	2	1								1								3	2			
		F	10	1	3	1														2			2	1		
	B	M	6	2	1	1					1									1						
		F	10	1	2		2										1			2			1			
	M	M	1		1																					
		F																								
Bronchitis, Capillary.	W	M	8	6		1														1						
		F	10	5			1		1		1			1										1		
	B	M	6	5	1																					
		F	4	3																				1		
	M	M																								
		F	1			1																				
Hydrothorax.	W	M	1																			1				
		F	3			1				1											1					
	B	M																								
		F	1		1																					
	M	M																								
		F																								
Pleurisy.	W	M	3				1							1		1										
		F	4	1															1	1						1
	B	M	6	1										3		1				1						
		F	4											1			1			1				1		
	M	M																								
		F																								

Congestion of Lungs.	W	M	7	4									1								1	1							
		F	2				1													1									
	B	M	5												1		3			1									
		F	1	1																									
	M	F																											
		M																											
Hemorrhage of Lungs.	W	M	2								1			1															
		F	5									1	1								1	2							
	B	M	5								1	2	1													1			
		F	1									1																	
	M	M																											
		F																											
Gangrene of Lungs.	W	M																											
		F																											
	B	M																											
		F	1																			1							
	M	M																											
		F																											
Abscess of Lungs.	W	M																											
		F	4																		1			3					
	B	M																											
		F																											
	M	M																											
		F																											
Oedema of Lungs.	W	M																											
		F	1																										1
	B	M	1																1										
		F																											
	M	M																											
		F																											
Apoplexy of Lungs.	W	M																											
		F	1													1													
	B	M	1					1																					
		F																											
	M	M																											
		F																											

Annual Report of Deaths by Causes, Colors, Sexes, and Ages, for the State of Alabama for 1893.

RESPIRATORY SYSTEM—Continued.

CAUSES OF DEATH.	Color	Sex	Total	AGES OF DECEDENTS. Under 1 year	1-2 years	2-3 years	3-4 years	4-4 years	5-10 years	10-15 years	15-20 years	20-25 years	25-30 years	30-35 years	35-40 years	40-45 years	45-50 years	50-55 years	55-60 years	60-65 years	65-70 years	70-75 years	75-80 years	80-90 years	90-100 years	Age not given
Summary of Deaths from Diseases of Respiratory System.	W	M	262	43	24	18	11	5	11	4	7	14	12	8	16	13	11	10	5	12	7	10	7	9	2	[illegible]
		F	221	26	20	15	10	8	6	6	15	15	4	9	8	6	15	7	9	9	10	11	6	4	...	1
	B	M	292	31	17	14	3	1	7	6	17	28	28	18	18	20	12	9	9	16	10	4	5	3	...	17
		F	182	31	9	5	10	4	11	6	15	20	5	7	9	10	4	6	5	4	6	4	1	7	...	[illegible]
	M	M	17	1	3	1	...	...	...	...	2	4	...	2	1	...	...	2	...	1	...	...	...	...	...	...
		F	7	2	...	1	...	...	...	...	2	...	...	...	...	...	...	1	...	...	1	...	...	...	...	...
Gen'l Summary.			981	134	73	54	34	18	35	22	58	81	49	44	52	49	42	35	28	42	34	29	19	23	2	2[illegible]

DIGESTIVE SYSTEM.

Tonsilitis.	W	M	3	2	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...
		F	4	...	1	...	1	...	1	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...
	B	M	1	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
		F	2	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...
	M	M	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
		F	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Typhlitis, and Perityphlitis	W	M	4	...	...	1	...	...	...	...	...	1	...	1	1	...	...	...	...	...	...	...	...	...	...	...
		F	1	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	B	M	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
		F	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	M	M	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
		F	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...

Gastritis.	W	M	15					1						1	2	1	2	1	1		3	1	1		1		
		F	13	1	1					1	1			1			1		1		1	1	2	1	1		
	B	M	1																1								
		F	3												2								1				
	M	M																									
		F																									
Enteritis.	W	M	22	7	5	1		1	1			1								1		2	1		2		
		F	16	3	7	2						1	1		1							1					
	B	M	15	4	1	2			1		2	1							1			1	1				1
		F	4		1	1	1													1							
	M	M																									
		F																									
Gastro-Enteritis.	W	M	10	3	3		1							1			1	1				1					
		F	12	2	3				1							1	1	1			1		1			1	
	B	M	2	1								1															
		F	6	1	1				2			1				1											
	M	M																									
		F																									
Peritonitis.	W	M	10	1					1	1	1		1	2							2						1
		F	13	1							2	2	2	1	3							2					
	B	M	8	1				1	1			1							1	1							2
		F	16						1	1	1	5	2	3	2		1										
	M	M																									
		F	1										1														
Hernia, Strangulated.	W	M	2																				1		1		
		F																									
	B	M	5											1			1	1	1			1					
		F	1														1										
	M	M																									
		F																									
Dyspepsia.	W	M	3		1														1				1				
		F	3		1															2							
	B	M	2		1																1						
		F	1																			1					
	M	M																									
		F																									

Annual Report of Deaths by Causes, Colors, Sexes and Ages, for the State of Alabama for 1893.

DIGESTIVE SYSTEM.—Continued

CAUSES OF DEATH.	Color	Sex	Total	AGES OF DECEDENTS. Under 1 year	1-2 years	2-3 years	3-4 years	4-5 years	5-10 years	10-15 years	15-20 years	20-25 years	25-30 years	30-35 years	35-40 years	40-45 years	45-50 years	50-55 years	55-60 years	60-65 years	65-70 years	70-75 years	75-80 years	80-90 years	90-100 years	Age not given
Tumor of Stomach.	W	M	1														1									
		F	3							1		1						1								
	B	M	1	1																						
		F	2											1	1											
	M	M																								
		F																								
Ulcer of Stomach.	W	M	10		1	1			1			1					2			1	1	2				
		F	1	1																						
	B	M	3						1					1						1						
		F	2								1								1							
	M	M																								
		F																								
Congestion of Stomach.	W	M	1		1																					
		F	3							1								1					1			
	B	M	3									1							1			1				
		F	2						1		1															
	M	M																								
		F																								
Inflammation of Stomach	W	M	6	1			1		1							1				1		1				
		F	1																		1					
	B	M	2										1		1											
		F	3	1	1														1							
	M	M																								
		F																								

Catarrh of Stomach.	W.	M	2		1													1															
		F	1	1																													
	B.	M																															
		F	1		1																												
	M.	M	1	1																													
		F																															
Hemorrhage of Stomach.	W.	M	1																					1									
		F	1														1																
	B.	M	2																						1		1						
		F																															
	M.	M																															
		F																															
Congestion of Bowels.	W.	M	9	2				1			1						1		1									1			1		
		F	14	2	1	2					3						1	3							1		1						
	B.	M	18	5	1	1			1		3	1	2			1						2	1										
		F	5						1				1	1			1	1															
	M.	M	7				2	1	2				1			1																	
		F																															
Intussusception of Bowels.	W.	M	5	1										2									1			1							
		F	9	1	1		1				1		1	1								1					1					1	
	B.	M	6	1							1					1	2				1												
		F	5								1	1	1	1									1										
	M.	M	1					1																									
		F	1			1																											
Perforation of Bowels.	W.	M	2										1	1																			
		F																															
	B.	M	1																														1
		F																															
	M.	M																															
		F																															
Inflammation of Bowels.	W.	M	5	1					1									2			1												
		F	4	1													1				1	1											
	B.	M	6		1		2					2									1												
		F	3										1			1				1													
	M.	M																															
		F																															

Annual Report of Deaths by Causes, Colors, Sexes, and Ages, for the State of Alabama for 1893.

DIGESTIVE SYSTEM.—Continued.

CAUSES OF DEATH.	Color	Sex	Total	AGES OF DECEDENTS: Under 1 year	1-2 years	2-3 years	3-4 years	4-5 years	5-10 years	10-15 years	15-20 years	20-25 years	25-30 years	30-35 years	35-40 years	40-45 years	45-50 years	50-55 years	55-60 years	60-65 years	65-70 years	70-75 years	75-80 years	80-90 years	90-100 years	Age not given
Phthisis of Bowels.	W	M	1														1									
		F	3							1								1	1							
	B	M	1																							1
		F	1													1										
	M	M																								
		F																								
Hemorrhage of Bowels.	W	M	6								1		1			2		1								1
		F	1						1																	
	B	M	3						1					1					1							
		F																								
	M	M																								
		F																								
Gastro-Intest. Catarrh.	W	M	4	2	1																1					
		F	6	1	1											2				1			1			
	B	M	1										1													
		F	2		1									1												
	M	M																								
		F																								
Apthæ.	W	M																								
		F																								
	B	M	3	2	1																					
		F	1	1																						
	M	M																								
		F																								

Hepatitis.	W	M	10		1							1				1	2	3		2						
		F	4	1													1				1	1				
	B	M	2									1										1				
		F	2																			1	1			
	M	M																								
		F																								
Cirrhosis of Liver.	W	M	5												1			1	1	2						
		F	3														1	1			1					
	B	M	3										1			1	1									
		F	2																1	1						
	M	M																								
		F																								
Abscess of Liver.	W	M	4											2					1	1						
		F	1																		1					
	B	M	2													1				1						
		F	3									1				1		1								
	M	M																								
		F																								
Congestion of Liver.	W	M	1																		1					
		F																								
	B	M	2															1				1				
		F	2																2							
	M	M	1												1											
		F																								
Jaundice.	W	M	9	4	1										1	2			1							
		F	4	1					1							1					1					
	B	M	2								2															
		F																								
	M	M																								
		F																								
Appendicitis.	W	M	4						1			2				1										
		F																								
	B	M	3										1	1		1										
		F																								
	M	M																								
		F																								

Annual Report of Deaths by Causes, Colors, Sexes and Ages, for the State of Alabama for 1893.

DIGESTIVE SYSTEM—Continued.

CAUSES OF DEATH.	Color	Sex	Total	AGES OF DECEDENTS. Under 1 year	1-2 years	2-3 years	3-4 years	4-5 years	5-10 years	10-15 years	15-20 years	20-25 years	25-30 years	30-35 years	35-40 years	40-45 years	45-50 years	50-55 years	55-60 years	60-65 years	65-70 years	70-75 years	75-80 years	80-90 years	90-100 years	Age not given
Ascites.	W	M	2																1	1						
		F	10		1						1				1			1	1	2		1		2		
	B	M	4						1						1	1								1		
		F	4									1	1	1						1						
	M	M																								
		F																								
Œdema of Glottis.	W	M	1			1																				
		F																								
	B	M																								
		F	1													1										
	M	M																								
		F																								
Summary of Deaths from Diseases of the Digestive System	W	M	158	24	15	4	2	3	7	2	2	7	6	8	5	12	10	8	5	15	7	8		5		3
		F	131	16	17	4	2		3	9	4	6	5	1	8	8	3	7	7	6	9	6	4	4	1	1
	B	M	102	15	6	3	2	2	5	5	7	7	4	5	4	3	1	8	4	5	3	4	1	1		5
		F	74	4	4	1	1		5	2	4	11	5	9	4	6	3	1	6	3	1	2	2			
	M	M	10	1			2	2	2			1		1	1											
		F	2			1							1													
Gen'l Summary.			477	60	42	13	9	7	22	18	17	32	21	24	22	29	17	24	22	29	20	20	7	10	1	9

Lymphatic System and Ductless Glands.

Splenitis.	W	M	1			1																						
		F																										
	B	M																										
		F																										
	M	M																										
		F																										
Adenitis.	W	M																										
		F	1													1												
	B	M																										
		F																										
	M	M																										
		F																										
Prostatitis.	W	M	2																						1	1		
		F																										
	B	M																										
		F																										
	M	M																										
		F																										
Phlegmasia Dolens.	W	M																										
		F	1												1													
	B	M																										
		F																										
	M	M																										
		F																										
Summary of Deaths from Diseases of Lymphatic System, &c.	W	M	3			1																			1	1		
		F	2												1	1												
	B	M																										
		F																										
	M	M																										
		F																										
Gen'l Summary.			5			1									1	1									1	1		

Annual Report of Deaths by Causes, Colors, Sexes and Ages, for the State of Alabama for 1893.

URINARY SYSTEM.

CAUSES OF DEATH.	Color	Sex	Total	AGES OF DECEDENTS. Under 1 year	1-2 years	2-3 years	3-4 years	4-5 years	5-10 years	10-15 years	15-20 years	20-25 years	25-30 years	30-35 years	35-40 years	40-45 years	45-50 years	50-55 years	55-60 years	60-65 years	65-70 years	70-75 years	75-80 years	80-90 years	90-100 years	Age not given
Brights Disease	W	M	35						1	1		1	1	1	2		4	3	3	4	4	4	3	2		1
		F	32					1	2	1		1	2	5	3	2	3	4	3	2	2			1		
	B	M	35		1				1	1	2	5		4			2	6	3	5		1	2	2		
		F	19							1		2	2	1	2		2	1	2	2	1		1	2		
	M	M	2										1	1												
		F	3										1			1			1							
Nephritis.	W	M	12				1				1			1	1	1		1		2	2	2				
		F	9									2	1							2		2	1		1	
	B	M	7		1									1	1		1		1			1				1
		F	5											2				2		1						
	M	F																								
		M	4												1						1			2		
Uræmia.	W	M	3	1																1				1		
		F	6									1	2		1				1			1				
	B	M	4				1						1		1	1										
		F	3							1	2															
	M	M																								
		F																								
Calculus.	W	M	2											1									1			
		F	2														1							1		
	B	M	1												1											
		F	1														1									
	M	M																								
		F																								

Suppression Urine.	W	M																											
		F	1	1																									
	B	M	2																			1		1					
		F																											
	M	M																											
		F																											
Malarial Hæmaturia.	W	M	3								1							1								1			
		F	1												1														
	B	M																											
		F	2				1																1						
	M	M																											
		F																											
Chyluria.	W	M	1		1																								
		F																											
	B	M																											
		F																											
	M	M																											
		F																											
Cystitis.	W	M	7															1					2	3	1				
		F	1												1														
	B	M	8											1					1				2	1	2	1			
		F																											
	M	M																											
		F																											
Pyelitis.	W	M																											
		F																											
	B	M																											
		F																											
	M	M	1															1											
		F																											
Cirrhosis of Kidney.	W	M	1																							1			
		F	1													1													
	B	M																											
		F																											
	M	M																											
		F																											

Annual Report of Deaths by Causes, Colors, Sexes, and Ages, for the State of Alabama for 1893.

URINARY SYSTEM—Continued.

CAUSES OF DEATH.	Color	Sex	Total	AGES OF DECEDENTS. Under 1 year	1-2 years	2-3 years	3-4 years	4-4 years	5-10 years	10-15 years	15-20 years	20-25 years	25-30 years	30-35 years	35-40 years	40-45 years	45-50 years	50-55 years	55-60 years	60-65 years	65-70 years	70-75 years	75-80 years	80-90 years	90-100 years	Age not given
Summary of Deaths from Diseases of Urinary System.	W	M	61	1	1		1		1	1	1	1	1	3	3	1	5	4	3	7	8	9	5	4		1
		F	53	1				1	2	1		4	5	7	5	2	4	4	4	4	2	3	1	2	1	
	B	M	57		2		1		1	1	2	5	2	5	3	1	3	7	4	6	2	3	5	3		1
		F	30				1			2	2	2	2	3	2		3	3	2	4	1		1	2		
	M	M	2										1	1												
		F	7										1		1	1			1		1			1		
Gen'l Summary.			214	2	3		3	1	4	5	5	12	12	19	14	5	15	18	14	21	14	15	12	13	1	2

GENERATIVE SYSTEM. (FEMALE.)

Ovaritis.	W	M																								
		F	3										2	1												
	B	M																								
		F	1												1											
	M	M																								
		F																								
Ovarian Tumor.	W	M																								
		F																								
	B	M																								
		F	2										1			1										
	M	M																								
		F																								

Metritis.	W	M																																
		F	3														2	1																
	B	M																																
		F	1														1																	
	M	M																																
		F																																
Salpingitis.	W	M																																
		F																																
	B	M																																
		F	2											1						1														
	M	M																																
		F																																
Menapouse.	W	M																																
		F																																
	B	M																																
		F	1																					1										
	M	M																																
		F																																
Amenorrhea.	W	M																																
		F	1												1																			
	B	M																																
		F																																
	M	M																																
		F																																
Pelvic Cellulitis.	W	M																																
		F	1																	1														
	B	M																																
		F	2														1		1															
	M	M																																
		F	1																				1											
Summary of Deaths from Diseases of Generative System (Female.)	W	M																																
		F	8												1		4	2		1														
	B	M																																
		F	9											1			3		2	2				1										
	M	M																																
		F	1																				1											
Gen'l Summary			18											1	1		7	2	2	3				1										

Annual Report of Deaths by Causes, Colors, Sexes and Ages, for the State of Alabama for 1893.

DISEASES CONNECTED WITH CHILD BIRTH AND PREGNANCY.

CAUSES OF DEATH.	Color	Sex	Total	AGES OF DECEDENTS. Under 1 year	1-2 years	2-3 years	3-4 years	4-5 years	5-10 years	10-15 years	15-20 years	20-25 years	25-30 years	30-35 years	35-40 years	40-45 years	45-50 years	50-55 years	55-60 years	60-65 years	65-70 years	70-75 years	75-80 years	80-90 years	90-100 years	Age not given
Child-Birth.	W	M																								
		F	15								2	3	3	4	2											1
	B	M																								
		F	26								3	7	4	8	2	1										1
	M	M																								
		F	2							1					1											
Post-Partem Hemorrhage.	W	M																								
		F	12								3	4	1	1	2		1									
	B	M																								
		F	9											2	4	2										1
	M	M																								
		F																								
Placenta Previa.	W	M																								
		F	2												1	1										
	B	M																								
		F	1												1											
	M	M																								
		F																								
Puerperal Convulsions.	W	M																								
		F	12								5	3	1	1	2											
	B	M																								
		F	10								2	3	1	1		2	1									
	M	M																								
		F	2										1	1												

Puerperal Peritonitis.	W	M																														
		F	5											2	2		1															
	B	M																														
		F	2											1																		1
	M	M																														
		F																														
Puerperal Fever.	W	M																														
		F	38										4	9	4	7	7	2	3													2
	B	M																														
		F	30										2	9	4	4	7	2	2													
	M	M																														
		F	5										3	1	1																	
Nausea Gravidarum.	W	M																														
		F	1													1																
	B	M																														
		F																														
	M	M																														
		F																														
Extra-Uterine Pregnancy.	W	M																														
		F	2												1		1															
	B	M																														
		F																														
	M	M																														
		F																														
Summary of Deaths from Diseases Connected with Child Birth and Pregnancy	W	M																														
		F	87										14	21	12	14	16	3	4													3
	B	M																														
		F	78										7	20	9	15	14	7	3													
	M	M																														
		F	9									1	3	1	2	1	1															
Gen'l Summary.			174									1	24	42	23	30	31	10	7													6

Annual Report of Deaths by Causes, Colors, Sexes, and Ages, for the State of Alabama for 1893.

ORGANS OF LOCOMOTION.

CAUSES OF DEATH.	Color	Sex	Total	AGES OF DECEDENTS: Under 1 year	1-2 years	2-3 years	3-4 years	4-5 years	5-10 years	10-15 years	15-20 years	20-25 years	25-30 years	30-35 years	35-40 years	40-45 years	45-50 years	50-55 years	55-60 years	60-65 years	65-70 years	70-75 years	75-80 years	80-90 years	90-100 years	Age not given
Malignant Tumor of Leg.	W	M	1																					1		
		F																								
	B	M																								
		F																								
	M	M																								
		F																								
Hip Joint Disease.	W	M	1							1																
		F																								
	B	M																								
		F	1								1															
	M	M																								
		F																								
Summary of Deaths from Diseases, Organs, Locomotion.	W	M																								
		F																								
	B	M	3							1	1													1		
		F																								
	M	M																								
		F																								
Gen'l Summary			3							1	1													1		

INTEGUMENTARY SYSTEM.

Carbuncle.	W	M	2																			1		1		
		F																								
	B	M																								
		F																								
	M	M																								
		F																								
Urticaria.	W	M																								
		F	2	2																						
	B	M																								
		F																								
	M	M																								
		F																								
Gen'l Summary			4	2																		1		1		

CLASS VII—POISONS.

Morphine.	W	M	1																1							
		F																								
	B	M																								
		F	1								1															
	M	M																								
		F																								
Opium.	W	M	3	1													1					1				
		F																								
	B	M																								
		F																								
	M	M																								
		F																								
Caustic Potash.	W	M																								
		F	1	1																						
	B	M																								
		F																								
	M	M																								
		F																								

Annual Report of Deaths by Causes, Colors, Sexes, and Ages, for the State of Alabama for 1893.

POISONS.—Continued.

CAUSES OF DEATH.	Color	Sex	Total	AGES OF DECEDENTS: Under 1 year	1-2 years	2-3 years	3-4 years	4-5 years	5-10 years	10-15 years	15-20 years	20-25 years	25-30 years	30-35 years	35-40 years	40-45 years	45-50 years	50-55 years	55-60 years	60-65 years	65-70 years	70-75 years	75-80 years	80-90 years	90-100 years	Age not given
Winslow's Syrup.	W	M																								
		F																								
	B	M	1	1																						
		F																								
	M	M																								
		F																								
Croton Oil.	W	M	1														1									
		F																								
	B	M																								
		F																								
	M	M																								
		F																								
Chloroform.	W	M	1															1								
		F																								
	B	M																								
		F																								
	M	M																								
		F																								
Summary of Deaths from Poisons.	W	M	6	1													2	1	1			1				
		F	1	1																						
	B	M	1	1																						
		F	1								1															
	M	M																								
		F																								
Gen'l Summary.			9	3							1						2	1	1			1				

Poisoned Wounds.

Snake Bite.	W	M																										
		F																										
	B	M	1						1																			
		F																										
	M	M																										
		F																										
Hydrophobia.	W	M	1													1												
		F	1							1																		
	B	M																										
		F	1	1																								
	M	M																										
		F																										
Spider Bite.	W	M	1	1																								
		F																										
	B	M																										
		F																										
	M	M																										
		F																										
Summary of Deaths from Poisoned Wounds	W	M	2	1												1												
		F	1							1																		
	B	M	1						1																			
		F	1	1																								
	M	M																										
		F																										
Gen'l Summary			5	2					1	1						1												

Annual Report of Deaths by Causes, Colors, Sexes and Ages, for the State of Alabama for 1893.

CLASS VIII. VIOLENCE.—ACCIDENTS AND NEGLIGENCE.

CAUSES OF DEATH.	Color	Sex	Total	AGES OF DECEDENTS: Under 1 year	1-2 years	2-3 years	3-4 years	4-5 years	5-10 years	10-15 years	15-20 years	20-25 years	25-30 years	30-35 years	35-40 years	40-45 years	45-50 years	50-55 years	55-60 years	60-65 years	65-70 years	70-75 years	75-80 years	80-90 years	90-100 years	Age not given
Gun and Pistol Shot Wounds.	W	M	5	1					1	1	1	1														
		F	1								1															
	B	M	2							2																
		F																								
	M	M																								
		F																								
Burns and Scalds.	W	M	14	2	2		6					1	1	1		1										
		F	22	2		1	3		6	5	2	1	1		1											
	B	M	19	1	2	3	3	2	3	1	1				1						1			1		
		F	42	1	2	2	5	4	8	6	5	2			1		1		1			1	1	2		
	M	M	1						1																	
		F																								
Drowning	W	M	8							1	2	3			1							1				
		F																								
	B	M	8					2		1	3	2														
		F	4				1			1		1	1													
	M	M	1											1												
		F																								
Asphyxia.	W	M	13	12			1																			
		F	5	4	1																					
	B	M	9	7	1							1														
		F	10	10																						
	M	M																								
		F																								

Railroad Injuries	W	M	24											3	7	3	5	2		2	1	1													
		F	3							3																									
	B	M	16											1	2	4	4		1		1			2	1										
		F	1														1																		
	M	M	1												1																				
		F																																	
Falling.	W	M																																	
		F	2				1								1																		1		
	B	M	6	1	1					1					1							1													
		F																																	
	M	M																																	
		F																																	
Falling Tree.	W	M	2																	1				1											
		F	1							1																									
	B	M																																	
		F																																	
	M	M																																	
		F																																	
Falling House.	W	M	1														1																		
		F																																	
	B	M																																	
		F																																	
	M	M																																	
		F																																	
Falling Wall.	W	M	1											1																					
		F																																	
	B	M	1															1																	
		F																																	
	M	M																																	
		F																																	
Fracture of Femur.	W	M																																	
		F	1																									1							
	B	M																																	
		F																																	
	M	M																																	
		F																																	

Annual Report of Deaths by Causes, Colors, Sexes, and Ages, for the State of Alabama for 1893.

ACCIDENTS AND NEGLIGENCE—Continued.

CAUSES OF DEATH.	Color	Sex	Total	Under 1 year	1-2 years	2-3 years	3-4 years	4-4 years	5-10 years	10-15 years	15-20 years	20-25 years	25-30 years	30-35 years	35-40 years	40-45 years	45-50 years	50-55 years	55-60 years	60-65 years	65-70 years	70-75 years	75-80 years	80-90 years	90-100 years	Age not given
			AGES OF DECEDENTS.																							
Fracture of Tibia	W	M																								
		F	1																				1			
	B	M																								
		F																								
	M	M																								
		F																								
Fracture of Spine	W	M	3											1			1			1						
		F																								
	B	M	1													1										
		F																								
	M	M																								
		F																								
Fracture of Hip.	W	M																								
		F	2																					2		
	B	M																								
		F																								
	M	M																								
		F																								
Sunstroke.	W	M	5										1			1	1			1		1				
		F																								
	B	M	2															1					1			
		F																								
	M	M	2												2											
		F																								

Lightning Stroke.	W	M																																
		F																																
	B	M																																
		F	2											1	1																			
	M	M																																
		F																																
Accident in Mines.	W	M	5												1					1				1										2
		F																																
	B	M	11												1		1		6	1														2
		F																																
	M	M	2												1			1																
		F																																
Explosion of Dynamite and Powder.	W	M	1														1																	
		F																																
	B	M	4												1		2		1															
		F																																
	M	M																																
		F																																
Explosion of Boiler.	W	M	2														1					1												
		F																																
	B	M	3												1		2																	
		F																																
	M	M																																
		F																																
Accident at Saw Mill.	W	M	1									1																						
		F																																
	B	M	1																1															
		F																																
	M	M																																
		F																																
Wound from Gin Saw.	W	M	1														1																	
		F																																
	B	M	2												1							1												
		F																																
	M	M																																
		F																																

Annual Report of Deaths by Causes, Colors, Sexes and Ages, for the State of Alabama for 1893.

ACCIDENTS AND NEGLIGENCE—Continued.

CAUSES OF DEATH.	Color	Sex	Total	AGES OF DECEDENTS. Under 1 year	1-2 years	2-3 years	3-4 years	4-5 years	5-10 years	10-15 years	15-20 years	20-25 years	25-30 years	30-35 years	35-40 years	40-45 years	45-50 years	50-55 years	55-60 years	60-65 years	65-70 years	70-75 years	75-80 years3	80-90 years	90-100 years	Age not given
Thrown from Horse.	W	M	3									1		1			1									
		F																								
	B	M	1							1																
		F																								
	M	M	1													1										
		F																								
Frozen.	W	M																								
		F																								
	B	M	3											3												
		F																								
	M	M																								
		F																								
Poisoned.	W	M	1	1																						
		F	2								1					1										
	B	M	1																							
		F																								
	M	F																								
		M																								

Other Accidents.	W	M	14	1			1		1			2	1	2	1	1			1	1			1	1					
		F	5	1									1	1							1		1						
	B	M	14	2						1	3	1	4	1			1					1							
		F	5	1	1		1					1								1									
	M	M																											
		F																											
Summary of Deaths from Accidents, Negligence, Etc.	W	M	104	17	2		8		3	2	8	18	6	11	5	4	6	2	2	4		2	1	1			2
		F	45	7	1	1	4		10	5	4	2	2	1	1	1					1	1	2	2			
	B	M	104	12	4	3	3	4	4	6	12	12	8	16	3	3	1	2	1	2	2	1	1	1	1		2
		F	64	12	3	2	7	4	8	8	6	4	1	1	1		1		1	1		1	1	2			
	M	M	8						1		1	1	1	1	2	1											
		F																											
Gen'l Summary			325	48	10	6	22	8	26	21	31	37	18	30	12	9	8	4	4	7	3	5	5	6	1		4

Homicide.

Pistol and Gun.	W	M	32								5	5	3	3	7	2	1	2	3		1								
		F																											
	B	M	38							2	5	9	4	6	3	3	4	2											
		F	5										2	3															
	M	M																											
		F																											
Knife.	W	M	6									1	2	1		1	1												
		F																											
	B	M	7							1	1	1		2	1	1													
		F	1									1																	
	M	M																											
		F																											
Club.	W	M																											
		F																											
	B	M																											
		F	1			1																							
	M	M																											
		F																											

Annual Report of Deaths by Causes, Colors, Sexes, and Ages, for the State of Alabama for 1893.

HOMICIDE.—Continued.

CAUSES OF DEATH.	Color	Sex	Total	AGES OF DECEDENTS: Under 1 year	1-2 years	2-3 years	3-4 years	4-5 years	5-10 years	10-15 years	15-20 years	20-25 years	25-30 years	30-35 years	35-40 years	40-45 years	45-50 years	50-55 years	55-60 years	60-65 years	65-70 years	70-75 years	75-80 years	80-90 years	90-100 years	Age not given
Poison.	W	M																								
		F	1												1											
	B	M	1														1									
		F	1													1										
	M	M																								
		F																								
Mode not Stated.	W	M	3										1	1	1											
		F																								
	B	M	3									1			1	1										
		F	2										1	1												
	M	M																								
		F																								
Hung by Law.	W	M																								
		F																								
	B	M	4								1		2													1
		F																								
	M	M	1									1														
		F																								
Summary of Deaths from Homicide.	W	M	41								5	6	6	5	8	3	2	2	3	1						
		F	1												1											
	B	M	53							3	7	11	6	8	5	5	5	2								1
		F	10			1						1	3	4		1										
	M	M	1									1														
		F																								
Gen'l Summary			106			1				3	12	19	15	17	14	9	7	4	3		1					1

Suicide.

Pistol.	W	M	1										1															
		F																										
	B	M																										
		F																										
	M	M																										
		F																										
Morphine.	W	M	2															1	1									
		F	4									1	2	1														
	B	M	3											2					1									
		F																										
	M	M																										
		F	1											1														
Opium.	W	M	1																1									
		F	1											1														
	B	M																										
		F																										
	M	M																										
		F																										
Poison.	W	M	1																					1				
		F																										
	B	M																										
		F																										
	M	M																										
		F																										
Mode not Stated.	W	M	5															2				2						1
		F	1												1													
	B	M																										
		F																										
	M	M																										
		F																										
Summary of Deaths from Suicide.	W	M	10										1					3	2			2		1				1
		F	6									1	2	2	1													
	B	M	3											2					1									
		F																										
	M	M		1																								
		F	1												1													
Gen'l Summary.			20									1	3	4	2			3	3			2		1				1

Annual Report of Deaths by Causes, Colors, Sexes and Ages, for the State of Alabama for 1893.

CLASS IX. SURGICAL OPERATIONS.

CAUSES OF DEATH.	Color	Sex	Total	Under 1 year	1-2 years	2-3 years	3-4 years	4-5 years	5-10 years	10-15 years	15-20 years	20-25 years	25-30 years	30-35 years	35-40 years	40-45 years	45-50 years	50-55 years	55-60 years	60-65 years	65-70 years	70-75 years	75-80 years	80-90 years	90-100 years	Age not given
			AGES OF DECEDENTS																							
Ovariotomy.	W	M																								
		F	1															1								
	B	M																								
		F	1									1														
	M	M																								
		F																								
Operation, Imp. Anus.	W	M	1	1																						
		F			1																					
	B	M			1																					
		F																								
	M	M																								
		F																								
Operation, Ovarian Tumor.	W	M																								
		F	1								1															
	B	M																								
		F																								
	M	M																								
		F																								
Operation, Stricture.	W	M	1												1											
		F																								
	B	M																								
		F																								
	M	M																								
		F																								

Operation, Gallstones.	W	M																										
		F	1																1									
	B	M																										
		F																										
	M	M																										
		F																										
Craniotomy.	W	M	1	1																								
		F																										
	B	M																										
		F																										
	M	M																										
		F																										
Operation.	W	M																										
		F	2											1														1
	B	M																										
		F																										
	M	M																										
		F																										
Summary of Deaths from Surgical Operations.	W	M	3	2													1											
		F	5									1		1					2									1
	B	M																										
		F	1										1															
	M	M																										
		F																										
Gen'l Summary			9	2								1	1	1			1			2								1

Annual Report of Deaths by Causes, Colors, Sexes and Ages, for the State of Alabama for 1893.

CLASS X.—UNCLASSIFIED.

CAUSES OF DEATH.	Color	Sex	Total	AGES OF DECEDENTS. Under 1 year	1-2 years	2-3 years	3-4 years	4-5 years	5-10 years	10-15 years	15-20 years	20-25 years	25-30 years	30-35 years	35-40 years	40-45 years	45-50 years	50-55 years	55-60 years	60-65 years	65-70 years	70-75 years	75-80 year3	80-90 years	90-100 years	Age not given
Hemorrhage.	W	M	3												1		1					1				
		F	4	1						1					1	1										
	B	M	1			1																				
		F	4								1	1		1			1									
	M	M	1																							1
		F																								
Congestion.	W	M	28	5	2	6	1	2	2			1	3		1					2		1			2	
		F	32	6	7	3	3	1		2	1	2	3					1	1		1		1			
	B	M	35	2	1	3	3	2	4	7	2	4	2		2	1		1			1					
		F	14	1	2		1	1	1	2	2			1		1	1			1						
	M	M	1													1										
		F																								
*Cause not Stated.	W	M	163	83	16	5	3	2	3	3	1	2	2	1	2	4	2	2	1	2	7	6	4	4		5
		F	169	76	12	3	6	3	2	2	5	6	6	3	5	7	5	3	2	3	9	5	3	3	1	3
	B	M	317	101	20	13	10	7	13	4	13	16	14	15	10	10	16	10	7	9	3	5	10	2		9
		F	363	141	27	10	13	10	13	7	12	20	11	3	8	10	9	9	8	9	10	9	7	2		10
	M	M	10	6					1					1		1	1									
		F	7	3		1			1		1		1													
Gangrene.	W	M	2																				1	1		
		F																								
	B	M	1																		1					
		F	1															1								
	M	M																								
		F																								

*100–110 years—1 Black Female.

Summary of Deaths from Causes Unclassified.	W	M	196	88	18	11	4	4	5	3	1	3	5	1	3	4	3	2	1	4	7	8	5	5	2	5
		F	205	83	12	6	9	4	2	5	6	8	9	3	6	8	5	4	3	3	10	5	4	3	1	3
	B	M	354	103	27	17	13	9	17	11	15	20	16	15	12	11	16	11	7	9	5	5	10	2	....	9
		F	382	142	29	10	14	11	14	9	15	21	11	15	11	11	21	10	8	10	10	9	7	2	...	10
	M	M	12	6	...	...	...	...	1	...	...	...	...	1	...	2	1	...	...	...	...	...	...	...	...	1
		F	7	3		1	...	...	1	...	1	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...
Gen'l Summary			1156	425	87	45	40	28	40	28	38	52	42	25	30	37	36	27	19	26	32	27	26	12	3	28
*General Summary of Deaths for the year 1893.	W	M	2015	409	132	83	45	23	66	44	59	114	88	85	98	90	85	70	63	99	90	88	64	84	8	28
		F	1949	314	145	64	94	24	55	62	111	127	99	100	98	88	83	74	63	80	93	73	62	61	10	22
	B	M	2165	258	140	83	51	40	82	56	148	205	138	123	107	88	77	72	69	90	60	52	48	45	14	54
		F	2051	345	105	71	64	47	73	73	149	198	127	114	93	91	87	56	63	59	41	53	38	57	16	19
	M	M	98	14	5	6	3	3	5	...	7	8	7	8	8	3	1	4	4	5	1	2	...	1	....	2
		F	103	13	3	4	1	1	4	3	12	14	10	9	4	7	6	1	2	1	1	1	...	5	...	...
Grand Total.			8381	1353	530	311	258	138	285	238	486	666	469	439	408	367	339	277	264	334	287	269	212	253	48	125

*100-110 years—1 White Male, 5 Black Males, 12 Black Females.

Annual Report of Deaths by Causes, Colors, Sexes,

Causes of Death.	Total.	Colors.			Sexes.		Deaths per Month.											
		White.	Black.	Mulatto.	Male.	Female.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
Class 1.—Zymotic.																		
Miasmatic Diseases.																		
Measles	26	11	14	1	14	12	3	..	4	4	1	3	1	3	2	2	2	1
Scarlet Fever	6	5	1	....	2	4	1	..	..	..	1	..	..	..	3	1	..	..
*Typhoid Fever	366	219	137	10	182	184	18	19	12	18	21	35	42	68	54	41	25	13
Typho-Malarial Fever	24	14	9	1	17	7	1	1	.	..	1	3	4	4	2	3	5	..
Cerebro-Spinal Fever	13	8	5	...	8	5	..	1	1	1	1	..	5	1	1	1	..	1
Continued Fever	58	20	38	....	27	31	..	..	..	2	8	6	12	15	6	8	1	..
Diphtheria	31	19	12	....	10	21	4	8	2	..	..	..	4	2	3	2	4	2
Whooping Cough	54	24	30	....	26	28	5	3	2	6	5	6	4	3	11	5	2	2
LaGrippe	113	74	38	1	55	58	3	7	12	4	3	4	4	..	..	..	13	63
Summary Deaths from Miasmatic Diseases.	691	394	284	13	341	350	35	39	33	35	41	57	86	96	82	63	52	82
Diarrhœal Diseases																		
Dysentery	259	142	109	8	144	115	6	8	5	10	24	30	47	49	40	18	20	2
Diarrhœa	94	44	49	1	45	49	4	6	6	5	10	8	10	7	19	10	6	3
Cholera Morbus	15	9	5	1	8	7	1	..	1	..	1	1	3	3	3	1	..	1
Cholera Infantum	178	126	49	3	92	86	2	3	..	5	18	30	37	26	28	20	7	2
Colic, Bilious	21	9	12	....	12	9	..	1	2	3	..	1	3	4	3	..	3	1
Entero-Colitis	70	47	22	1	45	25	..	2	1	..	15	9	12	15	9	4	2	1
Summary of Deaths from Diarrhœal Diseases	637	377	246	14	346	291	13	20	15	23	68	79	112	104	102	53	38	10
Malarial Diseases.																		
Malarial Fever	192	68	119	5	81	111	8	2	4	7	7	14	23	31	42	34	15	5
Pernici's or Cong. Fever	45	18	24	3	22	23	1	1	..	1	..	8	6	7	12	6	2	1
Hemorrhagic Mal. Fever	8	6	2	....	4	4	..	..	..	..	..	..	1	..	4	1	1	1
Intermittent Fever	14	1	13	....	11	3	1	..	..	2	1	..	3	3	2	2	..	..
Remittent Fever	37	16	21	....	18	19	..	..	2	2	5	3	7	11	2	4	1	..
Catarrhal Fever	24	17	7	....	12	12	3	9	5	2	..	1	..	1	1	1	..	1
Summary of Deaths from Malarial Diseases	320	126	186	8	148	172	13	12	11	14	13	26	40	53	43	48	19	8
Venereal Diseases.																		
Syphilis	38	6	29	3	24	14	3	2	5	7	3	6	1	4	1	2	2	2
Stricture Urethra	2	1	1	....	2	..	..	..	..	1	..	..	1	..	..	..	..	..
Summary Deaths from Venerial Diseases	40	7	30	3	26	14	3	2	5	8	3	6	2	4	1	2	2	2
Septic Diseases.																		
Erysipelas	18	14	4	....	11	7	2	..	2	1	..	2	1	1	4	1	1	3
Pyæmia	8	6	2	....	6	2	..	1	1	1	..	1	1	..	1	1	..	1
Septicæmia	44	19	24	1	16	28	4	2	7	3	5	4	5	6	3	1	1	3

*100-110 years—One.

Months and Ages, for the State of Alabama, for 1893.

AGES OF DECEDENTS.

Under 1 year	1-2 years	2-3 years	3-4 years	4-5 years	5-10 years	10-15 years	15-20 years	20-25 years	25-30 years	30-35 years	35-40 years	40-45 years	45-50 years	50-55 years	55-60 years	60-65 years	65-70 years	70-75 years	75-80 years	80-90 years	90-100 years	Age not given
17	1	3	2		2		1															
	1		2	1	1	1																
6	4	3	4	6	21	33	59	62	42	22	27	23	8	8	5	10	5	4	3	3		7
			2		2	1	2	9	1	1	1		1		1	1			1			1
2	3	2	1			1						2			1	1						
1	2	2	5	2	3	3	9	6	6	3	4	2	3	1	1	1		2	1	1		
6	3	5	3	2	7	3	1			1												
25	15	8	2	1	1	2																
10	2	4	2	3	1	2	4		7	3	5	3	4	5	4	8	8	13	13	9	2	1
67	31	27	23	15	38	46	76	79	55	29	37	31	15	14	12	21	13	19	18	13	2	9
34	33	23	17	4	8	6	6	9	3	10	11	18	10	12	13	8	14	10	4	3		3
15	18	12	2	1	1	2	4	2	2	1	3	3	4	4	1	2	4	4	5	2		2
1		1			1			1	2	2	1			1	1	2		1		1		
93	58	24	1	1																		1
5					2		1			2		3	1	1	1	2			1	1		1
29	22	2	2	3	2				2		1	1	2	1		1	1	1				
177	131	62	22	9	14	8	11	12	9	15	16	25	17	19	17	14	19	16	10	7		7
15	13	9	8	11	15	15	17	15	8	9	9	5	9	5	5	9	3	5	2	2	1	2
5	3	3	2		3	2	5	6	1	3		3		1	5			1	1			1
							1	4		1				1		1						
				2	3	1	1	1		2	2	1	1									
	1		2	3	5	5	2	6	3	2	1	2		1			2	1		1		
3	1		1	1		1	2	3	1	1	1		2		1	1	2	1	1			1
23	18	12	13	17	26	24	28	35	13	18	13	11	12	8	11	11	7	8	4	3	1	4
11	1	2			1		4	4	3		4	2	2		1	2		1				
														1		1						
11	1	2			1		4	4	3		4	2	2	2	1	1	3		1			
2	1	1		1	2	2		1	1	2		1				1	1		1	1		
					1		1				1	1			1	1		1		1		
		1			1	2	3	9	3	5	3	4	3		2	2	1	1	2	2		
	20																					

Annual Report of Deaths by Causes, Colors, Sexes,

Causes of Death.	Total.	Colors. White.	Colors. Black.	Colors. Mulatto.	Sexes. Male.	Sexes. Female.	Deaths per Month. January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
Septic Diseases. (Continued.)																		
Septic Peritonitis	4	3		1	1	3				1		1	1	1				
Summary Deaths from Septic Diseases	74	42	30	2	34	40	6	3	10	6	5	8	8	8	8	3	3	7
Class II—Parasitic Diseases.																		
Thrush	1	1				1									1			
Worms	17	3	14		7	10	2			1		1	1	1	4	3	3	1
Summary of Deaths from Parasitic Diseases	18	4	14		7	11	2			1		1	1	1	5	3	3	1
Class III—Dietetic Diseases.																		
Alcoholism	10	8	2		10		3	1	2	1				1	2			
Class IV—Constitutional Diseases.																		
Phthisis Pulmonalis	994	354	605	35	434	560	96	77	108	84	94	95	86	83	70	81	58	62
Peritonitis, Tubercular	9	4	5		5	4				2	1	1	3			2		
Rheumatism	36	17	18	1	19	17	6	4	1	5	5	2	4		4	2	1	2
Tabes Mesenterica	8	4	4		4	4			2	1		1	1			1	1	1
Purpura Hemorrhagica	1		1		1										1			
Addisons Disease	1	1			1						1							
Lucocythæmia	1	1			1			1										
Ricketts	2		2		2		1									1		
Scrofula	35	8	24	3	17	18	1	3	5	4	4	3	3	4	6	2		
Pernicious Anæmia	16	13	3		7	9	2	1	1	2	1	3	1	2	1		1	1
Chlorosis	2	2				2		1	1									
Cancers, (not located)	29	19	10		11	18	6	3	3	2	3	4	4		2		1	1
*Cancer of Face	7	5	2		5	2	2		2			1	1				1	
Cancer of Nose	1	1			1										1			
Cancer of Mouth	2	2			1	1				1				1				
Cancer of Tongue	1	1			1						1							
Cancer of Throat	3	2		1	2	1			1					1				1
Cancer of Breast	9	4	5			9	2			1			1	1		1	1	2
Cancer of Lung	1	1				1		1										
Cancer of Liver	4	2	2		2	2		1		1	1						1	
†Cancer of Uterus	45	26	18	1		45	4	3	5	6	3	3	4	1	5	3	2	6
Cancer of Stomach	15	9	6		8	7	4			1	2	2	1	1	1	2		1
Cancer of Bowels	2		2		1	1		1			1							
Cancer of Rectum	4	2	2		2	2	1					1			1	1		
Cancer of Pancreas	3	3				3		1			1				1			
Cancer of Kidneys	1		1		1									1				

*100-110 years—1. †100-110 years—1.

Months and Ages, for the State of Alabama, for 1893.

AGES OF DECEDENTS.

Under 1 year	1-2 years	2-3 years	3-4 years	4-5 years	5-10 years	10-15 years	15-20 years	20-25 years	25-30 years	30-35 years	35-40 years	40-45 years	45-50 years	50-55 years	55-60 years	60-65 years	65-70 years	70-75 years	75-80 years	80-90 years	90-100 years	Age not given
					1				1	1					1							
2	1	2		1	5	4	4	10	5	8	4	6	3		4	4	2	2	3	4		
1																						
1	2	3	5	4	2													1				
1	3	3	5	4	2																	
								1		1	2	1	3	2								
9	5	10	5	5	11	16	117	172	135	121	82	70	66	37	32	33	29	11	8	1		19
					1		1	3	2	1	1											
		1	1		2	2	2		1		5	1	6	2	4	4	1	1	1	1		1
1	2						1	1	1		1											1
					1																	
										1												
															1							
		1			1																	
3	4	6	4			4	4	1	4		1	1			1			1				
	1		2		2		3	3		1								1	1	2		
						1	1															
							1				3	3	1	2	3	6	3	3	2	1		1
											1					1		1	2	1		
																			1			
					1													1				
																1						
										1						1		1				
										1	1				3	1	1			1		1
														1								
															1	1	1	1				
							1		1	3	1	6	8	3	5	10	3	2				
								2		1	1		1	3		1	1	3	1	1	1	
											1				1							
											1			3								
															1		1	1				
																1						

Annual Report of Deaths by Causes, Colors, Sexes,

Causes of Death.	Total.	Colors. White.	Black.	Mulatto.	Sexes. Male.	Female.	Deaths per Month. January.	February.	March.	April.	May.	June.	July.	August.	September	October.	November.	December.
Constitutional Diseases (Continued.)																		
Cancer of Pylorus	1	1			1				1									
Cancer of Bladder	3	1	2		2	1			2				1					
Cancer Axilla	1										1							
*Summary Deaths from Constitutional Diseases.	1235	483	712	40	530	705	130	98	134	112	119	117	111	97	100	99	70	78
Class V—Developmental Diseases.																		
Premature Birth	178	96	81	1	115	63	8	21	19	14	17	14	19	14	7	16	15	14
Cyanosis	12	7	5		10	2	1	1			1	1		1	2	2		3
Spina Bifida	3	2	1		1	2	1								1			1
Malformation	6	4	2		3	3	1			1		2			1		1	
Hemorrhage, Umbilical	9		9		6	3	1	2			1	1			2	1	1	
Marasmus	43	22	17	4	22	21	4	2	2	3	2	3	9	2	9	4	1	2
Dentition	66	6	58	2	32	34	5	2	5	4	5	8	6	4	14	8	2	3
Inanition	72	24	47	1	31	41	4	3	5	4	6	9	12	7	6	4	8	4
Gangrene, Senile	3	2	1		3				1				1			1		
Debility, (general)	19	6	13		8	11	1	3		2	1	4	1			1	3	3
Old Age	222	91	128	3	98	124	30	19	16	18	12	14	14	15	17	19	22	26
†Summary Deaths from Developmental Diseases.	633	260	362	11	329	304	56	53	48	46	46	56	62	43	59	56	53	56
Class VI–Local Diseases.																		
Hydrocephalus	14	5	7	2	9	5	2	1	2	1	3	1	1		1		2	
Congestion of Brain	91	41	49	1	48	43	4	4	3	6	7	9	17	15	12	4	5	4
Inflammation of Brain	19	12	6	1	11	8	1	1	1	1	2			6	1	2	3	1
Concussion of Brain	6	4	2		4	2				4						2		
Compression of Brain	3	1	2		3		1	1	1									
Softening of Brain	12	11	1		7	5	2	1			2	1	3	1	1	1		
Apoplexy of Brain	8	4	4		3	5	1	1			1			2	2		1	
Hemorrhage of Brain	9	8	1		5	4		1		1	1		1	1	2	1		1
Disease of Brain	6	2	4		2	4		1	2	1					2			
Abscess of Brain	12	7	5		7	5		3	1		2	3	1			1		1
Chorea	1	1			1											1		
Meningitis	106	81	24	1	51	55	12	8	10	12	9	8	10	9	10	6	7	5
Meningitis C'bro-Spinal	27	19	8		14	13	3	3	2	3	2	3	3	3	1	1	1	2
Meningitis Tuberculor	7	3	2	2	3	4		1	2	1	1		2					
Apoplexy	63	42	21		34	29	7	4	8	6	11	4	2	4	2	7	3	5
Hemiplegia	2	1	1		1	1	1	1										
Neurasthenia	5	5				5			1	1	1		1			1		
Convulsions	126	44	81	1	65	61	11	13	17	9	8	6	11	19	10	8	6	8
Epilepsy	22	13	9		13	9	4	2		2	3	2	2	2		3		2
Trismus Nascentium	16	7	9		11	5		2		1	3	1	2	3	2		1	1
Paralysis	119	64	63	2	69	50	10	6	10	12	12	9	14	7	6	13	9	11

*100–110 years—2. †100–110 years—13.

Months and Ages, for the State of Alabama, for 1893.

AGES OF DECEDENTS.

Under 1 year	1-2 years	2-3 years	3-4 years	4-5 years	5-10 years	10-15 years	15-20 years	20-25 years	25-30 years	30-35 years	35-40 years	40-45 years	45-50 years	50-55 years	55-60 years	60-65 years	65-70 years	70-75 years	75-80 years	80-90 years	90-100 years	Age not given
																						1
													1					2				
													1									
13	12	18	13	5	19	23	130	182	144	130	99	81	85	51	52	60	40	29	16	8		24
178																						
9	3																					
3																						
6																						
9																						
19	4	3		3	2	1	2	1			1				3	1	1		1			1
7	36	20	2	1																		
51	12	3													1	1	2			2		
															1			1		1		
5				1				1					1		1	2	2	3	3			
																5	9	31	36	97	31	
287	55	26	2	5	2	1	2	2			1		1	1	6	9	14	35	40	99	31	1
7	2	2		1					1							1						
15	8	6	1	2	11	5	4	4	2	1	2	3	2	4	5	5	2	2	4	1		2
3	3	1		1	1	2		2	1	2		1						1		1		
							1	1	1		1	1			1							
1											1				1							
1										1				3	2	2	1		1	1		
							1							3		1	1		1		1	
					1			2			1	2				1	2					
							1	1					2	1	1							
1		1			2	1			1	2		1		2					1			
						1																
26	15	7	4	4	13	8	3	6	1	1	2	2	3	5	1	3						2
8		4	1	2	5	1	1	2				1	2									
					1	1	2		1					1					1			
							1	1	2	2	1	7	9	5	9	4	10	3	2	5		2
													2									
								1			1						2			1		
59	21	12	11	6	7	1	1	2			2							1				3
			1			1	5	4	3	1	1	2	1			1		2				
16																						
		1		2	4	1	1	1	2	3	6	8	6	4	5	16	22	16	9	11		1
	21																					

Annual Report of Deaths by Causes, Colors, Sexes,

Causes of Death.	Total.	Colors. White.	Black.	Mulatto.	Sexes. Male.	Female.	Deaths per Month. January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
Local Diseases. (Continued.)																		
Locomotor Ataxia	4	3	1		2	2					2					1		1
Insanity	15	11	4		6	9	1	1	1	1	1	1	2	2		3	1	1
Nervous Prostration	20	17	3		12	8		1	3	1	2	3	4	1	2		2	1
Tetanus	23	11	12		10	13	3		1	4	3	1	2		1	4	3	1
Psoas Abscess	1		1			1					1							
Lumbar Abscess	2	1	1		1	1		1			1							
Dermoid Cyst	1	1				1												
Abscess of Throat	3		3		2	1	1					1			1			
Paraplegia	2	1	1		1	1		1				1						
Fistula Anus	1	1			1						1							
Gluteal Abscess	1		1		1									1				
Abscess of Neck	1		1			1												1
Pelvic Abscess	1		1			1								1				
Summary of Deaths from Diseases of Nervous System	784	420	317	11	397	351	64	58	65	67	79	53	78	77	56	59	44	46
Organs of Special Sense.																		
Otitis Media	3	3			2	1				1		1	1					
Epistaxis	1	1			1		1											
Glyoma of Retina	1	1				1								1				
Tympanitis	1		1			1	1											
Summary of Deaths from Organs Special Sense.	6	5	1		3	3	2			1		1	1	1				
Circulatory System.																		
Endocarditis	5	2	3		4	1			1	1	3							
Pericarditis	12	4	8		9	3	1	2		3		2			2		1	1
Hydropericardium	39	14	20	5	16	23	3	3	5	2	4	2	4	3	6	2	3	2
*Disease of Heart	164	91	68	5	81	83	19	13	12	20	11	19	14	14	15	11	6	9
Valvular Disease Heart	51	25	24	2	18	33	5	5	9	4	2	3	6	2	4	5	2	4
Heart Failure	63	37	26		36	27	8	4	8	4	4	7	7	6	3	4	3	5
Angina Pectoris	17	13	4		8	9	5	1	1	1	3	1	1	2			1	1
Anasarca	17	6	11		8	9	1	3	2	3	1			3		1	1	2
Aneurism of Aorta	10	5	5		7	3	1				1		3	2		2		1
Dropsy, General	82	26	54	2	50	32	10	8	5	10	6	5	6	4	5	10	7	6
Dropsy, Renal	11	2	9		5	6	3		2	3			1	1	1			
Poplitæl Aneurism	2		2		2							1			1			
Summary of Deaths from Diseases of Circulatory System	472	224	234	14	243	229	56	39	45	51	35	40	42	37	37	35	24	31
Respiratory System																		
†Pneumonia	9	332	386	21	450	289	105	100	83	80	70	24	23	15	23	28	61	127

*100-110 years—1. † 100-110 years—1.

Months and Ages, for the State of Alabama, for 1893.

AGES OF DECEDENTS																						
Under 1 year	1-2 years	2-3 years	3-4 years	4-5 years	5-10 years	10-15 years	15-20 years	20-25 years	25-30 years	30-35 years	35-40 years	40-45 years	45-50 years	50-55 years	55-60 years	60-65 years	65-70 years	70-75 years	75-80 years	80-90 years	90-100 years	Age not given
...	...	...	...	...	...	...	...	1	...	...	1	1	...	1	...	...	...	...	...	...	...	...
...	...	...	...	...	...	...	...	...	...	2	1	2	2	2	3	1	...	1	1	...	...	...
...	...	...	...	...	...	...	2	1	...	1	...	2	...	3	1	1	1	...	2	2	1	...
7	1	1	1	...	4	2	1	1	1	1	1	1	...	...	...	...	...	...	1	...	...	1
...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...
1	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...
2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1
...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...
...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...
...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...
...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...
...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...
147	50	36	19	18	50	24	24	30	16	19	21	34	30	35	29	37	42	27	23	22	2	13
...	1	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	1	...	...	...	...	...
...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...
...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...
...	1	...	...	...	1	...	...	...	...	1	...	...	1	...	...	1	1	...	...	...	...	...
...	...	...	...	...	...	...	2	1	...	...	...	...	...	1	...	...	...	...	1	...	...	...
1	...	...	...	...	1	...	1	2	...	...	1	...	...	1	1	1	...	...	1	1	...	1
...	...	2	...	...	1	1	3	1	4	...	2	3	2	2	2	4	2	3	2	5	...	...
...	...	...	...	...	1	1	4	7	10	9	11	9	11	9	15	14	19	16	10	13	2	2
1	...	...	...	...	...	...	1	2	3	6	3	3	5	3	5	6	3	3	2	4	1	...
2	2	...	1	...	1	...	1	...	4	2	5	5	...	4	7	7	12	4	3	3	...	...
...	...	...	...	...	...	...	...	...	1	...	2	...	1	5	...	4	2	...	1	1	...	...
...	2	...	...	...	2	1	2	...	...	...	...	...	1	3	...	3	...	...	2	...	...	1
...	...	...	...	...	...	...	...	2	...	1	...	1	...	1	...	2	1	...	2	...	...	...
2	2	1	1	2	4	5	2	6	9	3	5	3	3	1	7	8	5	6	4	2	1	...
...	...	...	1	...	...	...	...	...	...	3	...	1	...	1	2	...	...	2	1	...	...	...
...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	1	...	...	...	...	...
6	6	3	3	2	10	8	16	24	32	24	29	24	23	31	39	48	45	34	28	29	4	4
77	50	25	19	9	28	21	51	73	47	33	39	42	37	33	24	29	29	20	14	16	2	17

Annual Report of Deaths by Causes, Colors, Sexes,

Causes of Death.	Total.	Colors.			Sexes.		Deaths per Month.											
		White.	Black.	Mulatto.	Male.	Female.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
Respiratory System. (Continued.)																		
Pneumonia, Typhoid	16	14	2		12	4	2	2	1	2					1	3	2	3
Croup	71	50	21		32	39	11	10	3	5	1	1	3	4	3	11	10	9
Asthma, (Empysæma)	17	12	5		6	11	2	2	3	1	1	1			2	1	2	2
Laryngitis	9	5	4		6	3	1		1	1	1					2	2	1
Bronchitis	41	24	16	1	21	20	3	4	5	7	3	2	1	3	5	2	4	2
Bronchitis, Capillary	29	18	10	1	14	15	2	3	2	3	2	2	2	4	3	2		4
Hydrothorax	5	4	1		1	4			1		1	1	1			1		
Pleurisy	17	7	10		9	8	5	2	1	1	1		1	1		1	2	2
Congestion of Lungs	15	9	6		12	3	2		2	1		2	1	2	4	1		
Hemorrhage of Lungs	13	2	10	1	6	7	2	1			2	1	3	1	3			
Gangrene of Lungs	1		1			1							1					
Abscess of Lungs	4	4				4						1	1				2	
Oedema of Lungs	2	1	1		1	1		1									1	
Apoplexy of Lungs	2	1	1		1	1							1			1		
Summary of Deaths from Diseases of Respiratory System	981	483	474	24	571	410	135	126	102	101	82	36	38	30	45	53	86	150
Digestive System.																		
Tonsilitis	10	7	3		4	6	1	2		1			1		2	1		2
Typhlitis, Perityphlitis	5	5			4	1		1				1	1		1	1		
Gastritis	32	28	4		16	16	2	2	2	1	3	2	7	5	3	3	1	1
Enteritis	57	38	19		37	20	5	2	3	3	5	8	9	4	7	6	3	2
Gastro-Enteritis	30	22	8		12	18	1	1	3	3	1	4	6	3	4		1	3
Peritonitis, (not Puerp.)	48	23	24	1	18	30	3	7	6	4	8	4	6	4		1	2	3
Hernia, Strangulated	8	2	6		7	1			1			3	3		2			
Dyspepsia	9	6	3		5	4	1	1	1			1	1		2	1		1
Tumor of Stomach	7	4	3		2	5	1				1	1	1	1	1			1
Ulcer of Stomach	16	11	5		13	3	1			1		3			2	5	4	
Congestion of Stomach	9	4	5		4	5			1	2			1	2	1	2		
Inflammation Stomach	12	7	5		8	4		3				2	2		3	1		1
Catarrh of Stomach	5	3	1	1	3	2	1				1	1		2				
Hemorrhage of Stomach	4	2	2		3	1	1						1			1	1	
Congestion of Bowels	53	23	23	7	34	19	1	2	4	2	4	8	8	10	4	7	1	2
Intersusception Bowels	27	14	11	2	12	15	1	1			3	3	2	4	4	5	2	2
Perforation Bowels	3	2	1		3				1				1		1			
Inflammation Bowels	18	9	9		11	7	1		4	1		1	1	2	2	3	2	1
Phthisis Bowels	6	4	2		2	4		1				1				2	1	1
Hemorrhage Bowels	10	7	3		9	1	2					2	1	1	2	2		
Gastro-Intest. Catarrh	13	10	3		5	8	2		1		1	2	4		1	1		1
Apthæ	4		4		3	1	1	1						1		1		
Hepatitis	18	14	4		12	6	1	1		3		1	3	1	4		2	2
Cirrhosis of Liver	13	8	5		8	5	2	1		1		1	1		1	3		3
Abscess of Liver	10	5	5		6	4	1		5				1	1		1		1
Congestion of Liver	6	1	4	1	4	2	2						2	1	1			

Months and Ages, for the State of Alabama, for 1893.

AGES OF DECEDENTS.

Under 1 year	1-2 years	2-3 years	3-4 years	4-5 years	5-10 years	10-15 years	15-20 years	20-25 years	25-30 years	30-35 years	35-40 years	40-45 years	45-50 years	50-55 years	55-60 years	60-65 years	65-70 years	70-75 years	75-80 years	80-90 years	90-100 years	Age not given
							3	2		1	10											
21	11	20	7	8	3																	1
					1			1			2	1	2	1		1	3	2		2		1
1	1	3			2					1		1										
9	9	3	2				1			1			1			5		3	5	1		1
19	1	2	1		1		1			1						1				2		
	1	1				1											1	1				
2			1							5		2	1		1	3				1		1
5			1					1		1		3	1	1	1	1						
							2	4	2	1					1	2				1		
																	1					
															1			3				
													1									1
				1							1											
134	73	54	34	18	35	22	58	81	49	44	52	49	42	35	28	42	34	29	19	23	2	22
3	1		1	1	1								1			1			1			
		1						2		1	1											
1	1			1		1	1		2	4	1	3	1	3		4	2	4	1	2		
14	14	6	1	1	2		2	3	1		1			1	2		4	2		2		1
7	7		1		3			2		1		2	2	1		1	1	1			1	
3				1	3	2	4	8	6	6	5		1	1	1	2	2					3
										1			2	1	1		1	1		1		
	3													1	2	1	1	1				
1						1		1		1	1		1	1								
1	1	1			2		1	1		1			2		1	2	1	2				
	1				1	1	1	1						1	1			1	1			
2	1		1		1				1		1	1			1	1	1	1				
2	2											1										
											1					1	1		1			
9	2	3	2	2	5	7	1	4	1	2	3	4	1		2	1	1		1	1		1
3	1	1	1	1		3	1	2	4	1	2			1	1	2		1		1		1
								1	1													1
2	1		2		1		2	1		1	1	2	1	3	1							
						1						1	1	1	1							1
						2	1		1		1	2		1		1						1
3	3								1	1		2				1	1		1			
3	1																					
1	1							2				1	3	3		2	1	3	1			
									1		1	1	2	2	2	3	1					
								1		2		2		1	1	2	1					
											1			1	2		1	1				

Annual Report of Deaths by Causes, Colors, Sexes,

Causes of Death.	Total.	Colors.			Sexes.		Deaths per Month.											
		White.	Black.	Mulatto.	Male.	Female.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
Digestive System. (Continued.)																		
Jaundice	15	13	2		11	4	2	2	1	1	1	1		3	1	2		1
Appendicitis	7	4	3		7		1		1	2		1	2					
Ascites	20	12	8		6	14	2	1	2		3	1	1	5	2		1	2
Œdema Glottis	2	1	1		1	1						1	1					
Summary Deaths from Diseases Digest. System	477	289	176	12	270	207	36	30	36	25	31	53	67	47	51	49	21	30
Lymphatic System and Ductless Glands.																		
Phlegmasia Dolens	1	1				1								1				
Splenitis	1	1			1										1			
Adenitis	1	1				1		1										
Prostatitis	2	2			2						1		1					
Summary of Deaths from Diseases of Lymphatic System	5	5			3	2		1			1		1	1	1			
Urinary System.																		
Bright's Disease	126	67	54	5	72	54	14	10	14	4	17	7	10	9	9	10	13	9
Nephritis	37	21	12	4	19	18	4		9	5		3	5	2	3	5	1	
Uræmia	16	9	7		7	9	1		1	3	3	2		2	2	2		
Calculus	6	4	2		3	3			1		2	1			1	1		
Suppression Urine	3	1	2		2	1			1				1		1			
Malarial Hæmaturia	6	4	2		3	3				1			1			2	2	
Chyluria	1	1			1													
Cystitis	16	8	8		15	1	1	2	1		5	2		1	1	2	1	
Pyelitis	1			1	1													
Cirrhosis of Kidney	2	2			1	1										1	1	
Summary of Deaths from Diseases Urinary System	214	117	87	10	124	90	20	12	27	13	27	16	17	14	17	23	18	9
Generative System. (Female.)																		
Ovaritis	4	3	1			4				1			2				1	
Ovarian Tumor	2		2			2						1	1					
Metritis	4	3	1			4					1		1			1	1	
Salpingitis	2		2			2						1				1		
Menapouse	1		1			1								1				
Amenorrhea	1	1				1	1											
Pelvic Cellulitis	4	1	2	1		4	2		1									1
Summary of Deaths from Generative System	18	8	9	1		18	3		1	1	1	2	4	1		2	2	1

Months and Ages, for the State of Alabama, for 1893.

AGES OF DECEDENTS.

Under 1 year	1-2 years	2-3 years	3-4 years	4-5 years	5-10 years	10-15 years	15-20 years	20-25 years	25-30 years	30-35 years	35-40 years	40-45 years	45-50 years	50-55 years	55-60 years	60-65 years	65-70 years	70-75 years	75-80 years	80-90 years	90-100 years	Age not given
5	1				1		2				1	3			1		1					
					1			2	1	1		2										
	1				1		1	1	1	1	2	1		1	2	4		1		3		
		1										1										
60	42	13	9	7	22	18	17	32	21	24	22	27	17	24	22	29	20	20	7	9	1	9
									1													
		1								1												
																			1	1		
		1							1	1									1	1		
	1			1	4	4	2	9	7	12	7	3	11	14	12	13	7	5	6	7		1
	1		1				1	2	1	4	3	1	1	3	1	5	3	5	1	2	1	1
1			1			1	2	1	3		2	1			1	1		1		1		
										1	1		2						1	1		
1																1			1			
			1			1				1			1			1			1			
	1																					
									1	1			1	1			4	4	3	1		
													1									
											1									1		
2	3		3	1	4	5	5	12	12	19	14	5	15	18	14	21	14	15	12	13	1	2
									2	1	1											
									1			1										
									3	1												
							1					1										
															1							
								1														
									1		1	1		1								
							1	1	7	2	2	3		1	1							

Annual Report of Deaths by Causes, Colors, Sexes,

Causes of Death.	Total.	Colors.			Sexes.		Deaths per Month.											
		White.	Black.	Mulatto.	Male.	Female.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
Diseases Connected with Child Birth and Pregnancy.																		
Child Birth	43	15	16	2		43	5	6	4	2	7	6	1	1	4	2	2	3
Post-Partem Hemorrh	21	12	9			21	2	4	3		1	1	3			5	1	1
Placenta Previa	3	2	1			3		1									1	1
Puerperal Convulsions	24	12	10	2		24	1	2	4	1	2	2	3	4	3	1		1
Puerperal Peritonitis	7	5	2			7		1		2				1	1	1		1
Puerperal Fever	73	38	30	5		73	8	5	8	6	5	6	3	6	8	5	8	5
Nausea Gravidarum	1	1				1	1											
Extra-Uterine Pregna'cy	2	2				2			1				1					
Summary Deaths from Diseases Connected with Child Birth & Pregnancy	174	87	78	9		174	17	19	20	11	15	15	11	12	16	14	12	12
Organs of Locomotion.																		
Malignant Tumor of Leg	1	1			1								1					
Hip Joint Disease	2	1	1		1	1	1				1							
Summary of Deaths from Diseases Organs Locomotion	3	2	1		2	1	1				1		1					
Integumentary System.																		
Carbuncle	2	2			2												2	
Urticaria	2	2				2			1			1						
Summary of Deaths from Diseases of Integumentary System	4	4			2	2			1		1						2	
Class VII.—Poisons.																		
Morphine	2	1	1		1	1		1			1							
Opium	3	3			3				1	1				1				
Caustic Potash	1	1				1			1									
Winslow's Syrup	1		1		1									1				
Croton Oil	1	1			1										1			
Chloroform	1	1			1												1	
Summary of Deaths from Poisons	9	7	2		7	2		1	2	1	1			2	1		1	
Poisoned Wounds.																		
Snake Bite	1		1		1						1							
Hydrophobia	3	2	1		1	2					2	1						

Months and Ages, for the State of Alabama, for 1893.

AGES OF DECEDENTS.

Under 1 year	1-2 years	2-3 years	3-4 years	4-5 years	5-10 years	10-15 years	15-20 years	20-25 years	25-30 years	30-35 years	35-40 years	40-45 years	45-50 years	50-55 years	55-60 years	60-65 years	65-70 years	70-75 years	75-80 years	80-90 years	90-100 years	Age not given
...	...	...	...	...	...	1	5	10	7	12	5	1	...	...	...	...	...	...	...	...	...	...
...	...	...	...	...	...	...	3	4	1	3	6	2	1	...	...	...	...	...	...	...	...	...
...	...	...	...	...	...	...	...	...	...	...	2	1	...	...	...	...	...	...	...	...	...	...
...	...	...	...	...	...	...	7	6	3	3	2	2	1	...	...	...	...	...	...	...	...	...
...	...	...	...	...	...	...	...	3	2	...	1	...	...	...	...	...	...	...	...	...	...	1
...	...	...	...	...	...	...	9	19	9	11	14	4	5	...	...	...	...	...	...	...	...	2
...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
...	...	...	...	...	...	...	...	...	1	...	1	...	...	...	...	...	...	...	...	...	...	...
...	...	...	...	...	...	1	24	42	23	30	31	10	7	...	...	...	...	...	...	...	...	3
...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...
...	...	...	...	...	...	1	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
...	...	...	...	...	...	1	1	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...
...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	1	...	...
2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	1	...	...
...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	1	...	...	...	...	...	...	...
1	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...
1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...
...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...
3	...	...	...	...	...	...	1	...	...	...	...	...	2	1	1	...	...	1	...	...	...	...
...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
1	...	...	...	...	...	1	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...
23																						

Annual Report of Deaths by Causes, Colors, Sexes,

Causes of Death.	Total.	Colors.			Sexes.		Deaths per Month.											
		White.	Black.	Mulatto.	Male.	Female.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	Novembe.	December.
Poisoned Wounds. Con.																		
Spider Bite	1	1			1								1					
Summary of Deaths from Poisoned Wounds	5	3	2		3	2					3	1	1					
Class VIII—Violence. Accidents & Negligence.																		
Gun and Pistol Wounds	8	6	2		7	1		1		1			2	2	1			1
Burns and Scalds	98	36	61	1	34	64	14	11	23	5	3	4	2	1		6	17	12
Drowning	21	8	12	1	17	4	2	1	3	2	4	2	3	1	1		2	
Asphyxia	37	18	19		22	15	3	4	4	2	1	4	2	2	5	4	3	3
Railroad Injuries	45	27	17	1	41	4	3	5	2	3	3	4	4	2	2	6	6	5
Falling	8	2	6		6	2	1	1	2	1	1	1			1			
Falling Tree	3	3			2	1			1	1				1				
Falling House	1	1			1								1					
Falling Wall	2	1	1		2				2									
Fracture of Femur	1	1				1								1				
Fracture of Tibia	1	1				1												1
Fracture of Spine	4	3	1		4			1					1	1				1
Fracture of Hip	2	2				2				1						1		
Sun Stroke	9	5	2	2	7	2					2	1	4	1	1			
Lightning Stroke	2		2			2							1	1				
Accident in Mines	18	5	11	2	18		3		1	1	4		3	3			2	1
Exp. Dynamite & Powd'r	5	1	4		5		1	1				3						
Explosion of Boiler	5	2	3		5							3				1	1	
Accident at Saw Mill	2	1	1		2					1		1						
Wound from Gin Saw	3	3			3										1	1	1	
Thrown from Horse	5	3	1	1	5			1				1		2			1	
Frozen	3		3		3		3											
Poisoned	4	3	1		2	2	1			1	1			1				
Other Accidents	38	19	19		28	10	6	3		3	2	1	4	6	5	1	2	5
Summary of Deaths from Accidents, Negligence, Etc.	325	149	168	8	216	109	37	29	38	22	21	25	27	25	17	20	35	29
Homicide.																		
Pistol and Gun	75	32	43		70	5	5	4	5	5	4	6	9	12	7	4	5	9
Knife	14	6	8		13	1	1	2		3	1		2	3	1	1		
Club	1		1			1									1			
Poison	3	1	2		1	2	1											2
Mode not Stated	8	3	5		6	2	1	1		1		1					2	2
Hung by Law	5		4	1	5			1	1				1					2
Summary of Deaths from Homicide	106	42	63	1	95	11	8	8	6	9	5	7	12	15	9	5	7	15

Months and Ages, for the State of Alabama, for 1893.

AGES OF DECEDENTS.

Under 1 year	1-2 years	2-3 years	3-4 years	4-5 years	5-10 years	10-15 years	15-20 years	20-25 years	25-30 years	30-35 years	35-40 years	40-45 years	45-50 years	50-55 years	55-60 years	60-65 years	65-70 years	70-75 years	75-80 years	80-90 years	90-100 years	Age not given
1																						
2					1	1					1											
1					1	3	2	1														
6	6	6	17	6	18	12	8	4	2	1	3	1	1		1		1	1	1	3		
			1	2		3	5	6	1	1	1							1				
33	2		1					1														
					3		4	10	7	10	2	1	2	2	1	2	1					
1	1		1		1			2							1						1	
					1								1			1						
										1												
							1				1											
																		1				
																			1			
										1		1	1			1						
																				2		
									1		2	1	1	1		1		1	1			
						1	1															
							3	1	1	6	2		1									4
							1	3		1												
							1	3				1										
					1					1												
							1	1				1										
						1		1		1		1	1									
										3												
2							1					1										
5	1		2		1	1	3	4	6	4	1	1	1		1	2	1	1	2	1		
48	10	6	22	8	26	21	31	37	18	30	12	9	8	4	4	7	3	5	5	6	1	4
						2	10	14	9	12	10	5	5	4	3		1					
						1	1	3	2	3	1	2	1									
		1																				
											1	1	1									
								1	2	2	2	1										
							1	1	2													1
		1				3	12	19	15	17	14	9	7	4	3		1					1

Annual Report of Deaths by Causes, Colors, Sexes,

Causes of Death.	Total.	Colors.			Sexes.		Deaths per Month.											
		White.	Black.	Mulatto.	Male.	Female.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
Suicide.																		
Pistol	1	1			1			1										
Morphine	10	6	3	1	5	5	1		2	1	2	2		2				
Opium	2	2			1	1						1		1				
Poison	1	1			1										1			
Mode not Stated	6	6			5	1		1		1			1	1			1	1
Summary of Deaths from Suicide	20	16	3	1	13	7	1	2	2	2	2	3	1	4	1		1	1
Class IX.—Surgical Operations.																		
Ovariotomy	2	1	1			2					1					1		
Operation—Imp. Anus	1	1			1											1		
Operati'n, Ovarian Tumor	1	1				1				1								
Operation, Structure	1	1			1				1									
Operation, Gallstones	1	1				1										1		
Operation, Craniotomy	1	1			1												1	
Operation	2	2				2		1										1
Summary of Deaths from Surgical Operations	9	8	1		3	6		1	1	1	1					3	1	1
Class X.—Unclassified.																		
Hemorrhage	13	7	5	1	5	8	2	2			1	1		1	3	2	1	
Congestion	110	60	49	1	64	46	3	5	3	6	9	15	17	12	18	9	9	4
*Cause not Stated	1029	332	680	17	490	539	80	91	64	79	72	87	81	86	96	95	94	104
Gangrene	4	2	2		3	1		1			1		1	1				
*Summary Deaths from Causes Unclassified	1156	401	736	19	562	594	87	99	67	85	83	103	99	100	117	106	104	108
† General Summary of Deaths for year 1893	8381	3964	4216	201	4278	4103	665	654	672	636	682	706	823	775	775	696	598	677

*100-110 years—2. †100-110 years—18.

Months and Ages, for the State of Alabama, for 1893.

AGES OF DECEDENTS.

Under 1 year	1-2 years	2-3 years	3-4 years	4-5 years	5-10 years	10-15 years	15-20 years	20-25 years	25-30 years	30-35 years	35-40 years	40-45 years	45-50 years	50-55 years	55-60 years	60-65 years	65-70 years	70-75 years	75-80 years	80-90 years	90-100 years	Age not given
										1												
								1														
							1	2	3	1		1	2									
									1				1									
																		1				
										1		2				2						1
							1	3	4	2		3	3			2		1				1
								1						1								
1																						
							1															
											1											
														1								
1																						
									1													1
2							1	1	1		1			2								1
1		1				1	1	1		1	2	1	2					1				1
14	12	12	8	6	7	11	5	7	8	1	3	3	1	2	1	3	2	1	1		2	
410	75	32	32	22	33	16	32	44	34	23	25	33	33	24	18	23	29	25	24	11	1	27
														1			1		1	1		
425	87	45	40	28	40	28	38	52	42	25	30	37	36	27	19	26	32	27	26	12	3	28
1353	530	311	258	138	285	238	486	666	469	439	408	367	339	277	264	334	287	269	212	253	48	125

CONTENTS.

PAGE.

LETTER OF TRANSMITTAL 3
ORGANIZATION—OFFICERS FOR 1893 5
OFFICERS FOR 1894 7
PART I. PROCEEDINGS AND RECOMMENDATIONS 9

REPORT OF THE STATE BOARD 11
Work of the State Board 11
Quarantine 12
Mobile Quarantine 14
Quarantine Conference 15
Quarantine Measures Recommended and adopted at New Orleans, 1894 16
Secretary Public Health 17
Financial Statement 21
Payment of Clerk 24
Quarantine Expenses 25
Work of the County Boards 32
The Quarantine of 1893 39
The Governor's Proclamation 40
The Mayor's Proclamation 41
Quarantine Regulations 41
The Roll of Honor 46

PART II. REPORTS OF THE COUNTY BOARDS 51

Barbour County 53
Conecuh County 53
Crenshaw County 55
Escambia County 56
Jefferson County 56
Talladega County 60

PART III. STATISTICAL REPORTS 65
OF BIRTHS BY MONTHS FOR 1893 66
OF DEATHS BY MONTHS FOR 1893 67
OF BIRTHS AND DEATHS BY COUNTIES, TOWNS AND COLORS 68
OF BIRTHS AND DEATHS BY COUNTIES, TOWNS AND COLORS FOR YEAR 1893 116
OF BIRTHS AND DEATHS BY CITIES AND TOWNS FOR 1893 120
OF BIRTHS AND DEATHS BY CAUSES, COLORS, SEXES AND AGES 122

Class I. Zymotic—Miasmatic Diseases....122
Diarrhœal Diseases....124
Malarial Diseases....125
Venereal Diseases....127
Septic Diseases....128
II. Parasitic Diseases....129
III. Dietetic Diseases....130
IV. Constitutional Diseases....130
V. Developmental Diseases....137
VI. Local Diseases--Nervous System....139
Organs Special Sense....147
Circulatory System....148
Respiratory System....151
Digestive System....154
Lymphatic System and Ductless Glands....161
Urinary System....162
Generative System (Female)....164
Affections Connected with Child Birth and Pregnancy,....166
Organs of Locomotion....168
Integumentary System....169
VII. Poisons....169
Poisoned Wounds....171
VIII. Violence—Accidents and Negligence....172
Homicide....177
Suicide....179
IX. Surgical Operations....180
X. Unclassified....181

Of Deaths by Causes, Colors, Sexes, Months, Ages.

Class I. Zymotic—Miasmatic Diseases....184
Diarrhœal Diseases....184
Malarial Diseases....184
Venereal Diseases....184
Septic Diseases....184
II. Parasitic Diseases....186
III. Dietetic Diseases....186
IV. Constitutional Diseases....186
V. Developmental Diseases....188
VI. Local Diseases—Nervous System....188
Organs Special Sense....190
Circulatory System....190
Respiratory System....190
Digestive System....192
Lymphatic System and Ductless Glands....194
Urinary System....194
Generative System (Female)....194
Affections Connected with Child Birth and Pregnancy....196
Organs of Locomotion....196
Integumentary System....196

VII. Poisons 196
Poisoned Wounds 196
VIII. Violence, Accidents and Negligence 198
Homicide 199
Suicide 200
IX. Surgical Operations 200
X. Unclassified 200